CIWQS

Navigate to: ⬚▾

You are logged-in as: rzarghami. If this account does not belong to you, please log out.

Regulatory Measure   [Back to Search Screen]

Regulatory Measure Title:	NPDES R8-2007-0006 for City of Rialto	**Effective Dates:**	03/02/2007 -
Order Number:	R8-2007-0006	**Water Board:**	Santa Ana Regional Water Quality Control Board
Status:	Active	**Regulatory Measure ID:**	327033

General Info   Related Parties   Related Places   Monitoring Locations   Requirements   Inspections   Tasks   Documents   Addn. Info   Attachments

---

[**Apply Filter**]

Monitoring Location: | ANY ▾

Type: | ANY ▾

[Add Narrative Requirement]	[Add Numeric Requirement]	[Set Reporting Schedules]
[Copy Requirements From Order]	[ESMR Activation]	[Delete Selected]	[Add Paper Requirement]

	Monitoring Location	Type	Requirement		
☐	Rialto City STP / M-001 : M-001	Narrative	Chlorine, Total Residual: The total time during which the total chlorine residual values are above 0.1 mg/l shall not exceed 7 hours and 26 minutes in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 50060	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	pH: No individual excursion of pH from the range of 6.5 to 8.5 s.u. shall exceed 60 minutes. (Final requirement effective null - null)[All year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	Total Coliform: The average weekly concentration of total coliform bacteria measured in disinfected effluent shall not exceed 2.2 MPN/100 ml. The median shall be from monitoring results of last 7 days. (Final requirement effective null - null)[All year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	Total Coliform: The number of total coliform bacteria shall not exceed 23 MPN/100 ml in more than one sample in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	pH: The total time during which the pH values are outside the range of 6.5 to 8.5 s.u. shall not exceed 7 hours and 26 minutes in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	Chlorine, Total Residual: No individual total chlorine residual excursion from 0.1 mg/l shall exceed 30 minutes. (Final requirement effective null - null)[All year] PCS Parameter code : 50060	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	Turbidity: The turbidity of the effluent shall not exceed 5 NTU more than 5 percent of the time within any calendar day. (Final requirement effective null - null)[All year] PCS Parameter code : 00070	edit	delete

☐	Rialto City STP / M-001 : M-001	Narrative	Flow: A dilution of 20:1 or more is required for secondary wastewater to be discharged. (Final requirement effective null - null)[All year] PCS Parameter code : 50050	edit	delete
☐	Rialto City STP / M-001 : M-001	Narrative	Turbidity: The turbidity of the effluent shall not exceed an average of 2 NTU within any calendar day. (Final requirement effective null - null)[All year] PCS Parameter code : 00070	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Organic Carbon (TOC)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00680	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Fluoride, Total<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00951	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nitrate, Total (as N)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00620	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Hardness, Total (as CaCO3)<=16013.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for total hardness shall not exceed 16,013 lbs/day. PCS Parameter code : 00900	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chromium (VI)<=8.1 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Selenium, Total Recoverable<=8.19 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Selenium, Total Recoverable<=0.55 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34030	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Phenol, Single Compound<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34694	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Cobalt, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00979	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Heptachlor<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39410	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,6,7,8-Heptachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30356	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34301	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Ethylbenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34371	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2-Chloroethylvinyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34576	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,3-Dichloropropylenes, Sum<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 51044	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,4-Dimethylphenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34606	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34220	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34469	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,4-Trichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34551	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4-Chlorophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34641	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Naphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34696	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Dissolved Solids (TDS)<=250.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TDS concentration shall not exceed the 12-month average TDS concentration in the water supply by more than 250 mg/L. PCS Parameter code : 70295	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chlorine, Total Residual<=2.0 mg/L, Limit Basis: Instantaneous Maximum (IMAX), Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 50060	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Suspended Solids (TSS), Percent Removal>=85.0 %, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 81011	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Sodium, Total Recoverable<=35.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for sodium shall not exceed 35 mg/l. PCS Parameter code : 00923	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Sodium, Total Recoverable<=2335.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for sodium shall not exceed 2,335 lbs/day. PCS Parameter code : 00923	edit	delete
☐	Rialto City STP / M-001 :	Numeric	Nickel, Total Recoverable<=121.0 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year]	edit	delete

	M-001		PCS Parameter code : 01074		
☐	Rialto City STP / M-001 : M-001	Numeric	Zinc, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01094	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	gamma-BHC<=0.127 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Trihalomethanes (TTHM)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 82080	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,3,7,8-TCDD (Dioxin)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34675	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,1-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34501	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzo(b)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34230	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzo(k)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34242	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,4-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34611	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4,4-DDE<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39320	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Heptachlor Epoxide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39420	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Toxaphene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39400	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Thallium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 00982	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	beta-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34356	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Endrin Aldehyde<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34366	edit	delete
☐	Rialto City	Numeric	1,2,3,6,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling	edit	delete

	STP / M-001 : M-001		Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30353		
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30358	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Dichlorobromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32101	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chloroform<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32106	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,1-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34496	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nitrobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34447	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzo(ghi)perylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34521	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=1334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Electrical Conductivity @ 25 Deg. C<=(limit value unspecified) umhos/cm, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00095	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Temperature<=(limit value unspecified) Degrees C, Limit Basis: Not Limited, Sampling Frequency: 1 / Week, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : PCS01	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	BOD5 @ 20 Deg. C, Percent Removal>=85.0 %, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 81010	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Bicarbonate Ion (as HCO3)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00440	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Boron, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00999	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Magnesium, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00921	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Sulfate, Total (as SO4)<=64.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for sulfate shall not exceed 64 mg/l. PCS Parameter code : 00945	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Iron, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00980	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Arsenic, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00978	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Acrylonitrile<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34215	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,4,6-Trichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34621	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	3,3-Dichlorobenzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34631	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4,4-DDD<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39310	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1254<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39504	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1260<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39508	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30345	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,7,8-Pentachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30350	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,3,4,7,8-Pentachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30351	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,7,8,9-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30354	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Tetrachloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34475	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	3-Methyl-4-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 70012	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Butylbenzyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34292	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Dimethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34341	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34376	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Fluorene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34381	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Isophorone<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34408	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,3-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34566	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,4-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34571	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Di-n-octyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34596	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Suspended Solids (TSS)<=1334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Ammonia, Total (as N)<=5.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00610	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Ammonia, Total (as N)<=334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00610	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Dissolved Solids (TDS)<=26688.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for total dissolved solids shall not exceed 26,688 lbs/day. PCS Parameter code : 70295	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nitrogen, Total Inorganic (as N)<=667.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TIN mass emission rate shall not exceed 667 lbs/day. PCS Parameter code : 00640	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nitrogen, Total Inorganic (as N)<=10.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TIN concentration shall not exceed 10 mg/l. PCS Parameter code : 00640	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chromium (VI)<=1.1 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Copper, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01119	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Carbon Tetrachloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32102	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	N-Nitrosodi-n-Propylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34428	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	beta-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39338	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Dieldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39380	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	alpha-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34361	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,6,7,8,9-Octachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51025	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Trichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39180	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34586	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,4-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34616	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Bis (2-Chloroethoxy) Methane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34278	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Turbidity<=10.0 NTU, Limit Basis: Instantaneous Maximum (IMAX), Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00070	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Calcium, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00918	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Dissolved Solids (TDS)<=400.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for total dissolved solids shall not exceed 400 mg/l. PCS Parameter code : 70295	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chromium (VI)<=16.3 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Lead, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01114	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Mercury, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 71901	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Selenium, Total Recoverable<=4.08 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Cyanide, Free Available<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51173	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Barium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01009	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Bis (2-Chloroethyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34273	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chrysene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34320	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2-Diphenylhydrazine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34346	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Indeno (1,2,3-cd) Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34403	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4,4-DDT<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39300	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Endrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39390	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1232<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39492	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,1,2,2-Tetrachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34516	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Acenaphthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34205	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	N-Nitrosodiphenylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34433	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4-Bromophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34636	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Total Suspended Solids (TSS)<=2002.0 lb/day, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Silver, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01079	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	gamma-BHC<=0.063 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzo(a)pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34247	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Bis (2-Ethylhexyl) Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39100	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Aldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39330	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	alpha-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39336	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1242<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39496	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Antimony, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 01268	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Endosulfan Sulfate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34351	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,7,8-Pentachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30344	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30346	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30347	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,3,4,6,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30355	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Acrolein<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34210	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	Methyl Bromide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34413	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Methyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34418	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,1,2-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34511	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2-Dichloropropane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34541	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34591	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Acenaphthylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34200	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=2002.0 lb/day, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Suspended Solids (TSS)<=20.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Flow<=(limit value unspecified) MGD, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 50050	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	pH<=(limit value unspecified) SU, Limit Basis: Not Limited, Sampling Frequency: 2 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Carbonate Ion (as CO3)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00445	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chloride<=35.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for chloride shall not exceed 35 mg/l. PCS Parameter code : 00940	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chloride<=2335.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for chloride shall not exceed 2,335 lbs/day. PCS Parameter code : 00940	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Hardness, Total (as CaCO3)<=240.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for total hardness shall not exceed 240 mg/l. PCS Parameter code : 00900	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Manganese, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 11123	edit	delete

	Rialto City STP / M-001 : M-001	Numeric	Chromium (VI)<=0.5 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Nickel, Total Recoverable<=4.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	gamma-BHC<=0.008 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Benzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39120	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Benzo(a)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34526	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Dibenzo(a,h)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34556	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Hexachlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39700	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	N-Nitrosodimethylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34438	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Chlordane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39350	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	PCB-1221<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39488	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Beryllium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 00998	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,7,8,9-Heptachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure) [All Year] PCS Parameter code : 30357	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Chlorodibromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34306	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	Methylene Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34423	edit	delete
	Rialto City STP / M-001 : M-001	Numeric	1,1,1-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34506	edit	delete

☐	Rialto City STP / M-001 : M-001	Numeric	trans-1,2-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34546	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Vinyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39175	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2-Methyl-4,6-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 03615	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,4-Dichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34601	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Hexachlorocyclopentadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34386	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Hexachlorobutadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34391	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=30.0 mg/L, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=20.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Coliform<=(limit value unspecified) MPN/100 mL, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chronic Toxicity<=1.0* TUc, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: 24-Hour Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The discharger shall implement the accelerated monitoring as specified in Section D.4 of the M&RP No. 01-4 when the result of any single chronic toxicity test of the effluent exceeds 1.0 TUc. PCS Parameter code : TC000	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Sulfate, Total (as SO4)<=4270.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for sulfate shall not exceed 4,270 lbs/day. PCS Parameter code : 00945	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Cadmium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01113	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nickel, Total Recoverable<=60.0 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Nickel, Total Recoverable<=8.0 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-001 :	Numeric	Selenium, Total Recoverable<=0.27 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS	edit	delete

	M-001		Parameter code : 00981		
☐	Rialto City STP / M-001 : M-001	Numeric	gamma-BHC<=0.004 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Pentachlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39032	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Hexachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34396	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1016<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34671	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	PCB-1248<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39500	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 03818	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2,3,4,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30352	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,3,7,8-Tetrachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 38691	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32103	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Toluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34010	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Chloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 85811	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	4-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34646	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Benzo(k)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34242	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Bis (2-Chloroisopropyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34283	edit	delete
☐	Rialto City	Numeric	Diethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite.	edit	delete

	STP / M-001 : M-001		(final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34336		
☐	Rialto City STP / M-001 : M-001	Numeric	Phenanthrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34461	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	1,2-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34536	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2-Chloronaphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34581	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	2,6-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34626	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Di-n-butyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39110	edit	delete
☐	Rialto City STP / M-001 : M-001	Numeric	Total Suspended Solids (TSS)<=30.0 mg/L, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Total Coliform: The number of total coliform bacteria shall not exceed 23 MPN/100 ml in more than one sample in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	pH: The total time during which the pH values are outside the range of 6.5 to 8.5 s.u. shall not exceed 7 hours and 26 minutes in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	pH: No individual excursion of pH from the range of 6.5 to 8.5 s.u. shall exceed 60 minutes. (Final requirement effective null - null)[All year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Total Coliform: The average weekly concentration of total coliform bacteria measured in disinfected effluent shall not exceed 2.2 MPN/100 ml. The median shall be from monitoring results of last 7 days. (Final requirement effective null - null)[All year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Flow: A dilution of 20:1 or more is required for secondary wastewater to be discharged. (Final requirement effective null - null)[All year] PCS Parameter code : 50050	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Turbidity: The turbidity of the effluent shall not exceed an average of 2 NTU within any calendar day. (Final requirement effective null - null)[All year] PCS Parameter code : 00070	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Chlorine, Total Residual: The total time during which the total chlorine residual values are above 0.1 mg/l shall not exceed 7 hours and 26 minutes in any calendar month. (Final requirement effective null - null)[All year] PCS Parameter code : 50060	edit	delete
☐	Rialto City STP / M-002 : M-002	Narrative	Chlorine, Total Residual: No individual total chlorine residual excursion from 0.1 mg/l shall exceed 30 minutes. (Final requirement effective null - null)[All year] PCS Parameter code : 50060	edit	delete

☐	Rialto City STP / M-002 : M-002	Narrative	Turbidity: The turbidity of the effluent shall not exceed 5 NTU more than 5 percent of the time within any calendar day. (Final requirement effective null - null)[All year] PCS Parameter code : 00070	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Suspended Solids (TSS), Percent Removal>=85.0 %, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 81011	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Carbonate Ion (as CO3)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00445	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Sodium, Total Recoverable<=35.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for sodium shall not exceed 35 mg/l. PCS Parameter code : 00923	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Sulfate, Total (as SO4)<=64.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for sulfate shall not exceed 64 mg/l. PCS Parameter code : 00945	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Hardness, Total (as CaCO3)<=240.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for total hardness shall not exceed 240 mg/l. PCS Parameter code : 00900	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Iron, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00980	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chromium (VI)<=0.5 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Acrylonitrile<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34215	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,1-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34501	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Pentachlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39032	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Hexachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34396	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Aldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39330	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	beta-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39338	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4,4-DDD<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39310	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	Endrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39390	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 03818	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,7,8-Pentachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30344	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30352	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,7,8,9-Heptachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30357	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,6,7,8,9-Octachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51025	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chlorodibromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34306	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,1,1-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34506	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2-Methyl-4,6-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 03615	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,4-Dimethylphenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34606	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Fluorene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34381	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nitrobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34447	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,6-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34626	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=30.0 mg/L, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Suspended Solids (TSS)<=20.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	Ammonia, Total (as N)<=334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00610	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chronic Toxicity<=1.0* TUc, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: 24-Hour Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The discharger shall implement the accelerated monitoring as specified in Section D.4 of the M&RP No. 01-4 when the result of any single chronic toxicity test of the effluent exceeds 1.0 TUc. PCS Parameter code : TC000	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chloride<=35.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average concentration for chloride shall not exceed 35 mg/l. PCS Parameter code : 00940	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Sulfate, Total (as SO4)<=4270.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for sulfate shall not exceed 4,270 lbs/day. PCS Parameter code : 00945	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nitrogen, Total Inorganic (as N)<=667.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TIN mass emission rate shall not exceed 667 lbs/day. PCS Parameter code : 00640	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,4,6-Trichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34621	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(k)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34242	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4,4-DDT<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39300	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1260<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39508	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Beryllium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 00998	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30347	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34646	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Bis (2-Chloroisopropyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34283	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Hexachlorobutadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34391	edit	delete
☐	Rialto City STP / M-002 :	Numeric	N-Nitrosodiphenylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34433	edit	delete

	M-002				
☐	Rialto City STP / M-002 : M-002	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=1334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chlorine, Total Residual<=2.0 mg/L, Limit Basis: Instantaneous Maximum (IMAX), Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 50060	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Sodium, Total Recoverable<=2335.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for sodium shall not exceed 2,335 lbs/day. PCS Parameter code : 00923	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nitrogen, Total Inorganic (as N)<=10.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TIN concentration shall not exceed 10 mg/l. PCS Parameter code : 00640	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Manganese, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 11123	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Copper, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01119	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nickel, Total Recoverable<=8.0 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Selenium, Total Recoverable<=4.08 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Selenium, Total Recoverable<=0.55 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	gamma-BHC<=0.063 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34030	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(a)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34526	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	3,3-Dichlorobenzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34631	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1254<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39504	edit	delete
☐	Rialto City	Numeric	Endrin Aldehyde<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite.	edit	delete

	STP / M-002 : M-002		(final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34366		
☐	Rialto City STP / M-002 : M-002	Numeric	2,3,4,6,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30355	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chloroform<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32106	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Ethylbenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34371	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Tetrachloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34475	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Vinyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39175	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(k)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34242	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34376	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34536	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,4-Trichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34551	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=20.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=2002.0 lb/day, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Suspended Solids (TSS)<=1334.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Bicarbonate Ion (as HCO3)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00440	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Fluoride, Total<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00951	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	Nickel, Total Recoverable<=121.0 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nickel, Total Recoverable<=60.0 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Selenium, Total Recoverable<=8.19 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(a)pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34247	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Bis (2-Chloroethyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34273	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chlordane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39350	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Heptachlor<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39410	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1016<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34671	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Dichlorobromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32101	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 32103	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Acrolein<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34210	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Methyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34418	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	trans-1,2-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34546	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,3-Dichloropropylenes, Sum<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 51044	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Bis (2-Chloroethoxy) Methane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34278	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	Diethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34336	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(ghi)perylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34521	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4-Chlorophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34641	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Di-n-butyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39110	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Suspended Solids (TSS)<=2002.0 lb/day, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Temperature<=(limit value unspecified) Degrees C, Limit Basis: Not Limited, Sampling Frequency: 1 / Week, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : PCS01	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Calcium, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00918	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	gamma-BHC<=0.004 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Bis (2-Ethylhexyl) Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39100	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Indeno (1,2,3-cd) Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34403	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Heptachlor Epoxide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39420	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1232<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39492	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,7,8-Pentachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30350	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,6,7,8-Heptachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30356	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30358	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	2,3,7,8-Tetrachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 38691	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34301	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2-Dichloropropane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34541	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,4-Dichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34601	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34220	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,3-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34566	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2-Chloronaphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34581	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Naphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34696	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Flow<=(limit value unspecified) MGD, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 50050	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Electrical Conductivity @ 25 Deg. C<=(limit value unspecified) umhos/cm, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00095	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Turbidity<=10.0 NTU, Limit Basis: Instantaneous Maximum (IMAX), Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00070	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Boron, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00999	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Magnesium, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00921	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Nitrate, Total (as N)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00620	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Dissolved Solids (TDS)<=26688.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for total dissolved solids shall not exceed 26,688 lbs/day. PCS Parameter code : 70295	edit	delete

	Rialto City STP / M-002 : M-002	Numeric	Chromium (VI)<=1.1 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Nickel, Total Recoverable<=4.0 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	gamma-BHC<=0.008 lb/day, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Cyanide, Free Available<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51173	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Arsenic, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00978	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Barium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01009	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Benzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39120	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	2,4-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34611	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Hexachlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39700	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	alpha-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39336	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Dieldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39380	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Toxaphene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39400	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	Antimony, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 01268	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	alpha-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34361	edit	delete
	Rialto City STP / M-002 : M-002	Numeric	beta-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34356	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,6,7,8-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30353	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,1,2,2-Tetrachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34516	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2-Chloroethylvinyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34576	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 85811	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34591	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,4-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34616	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Acenaphthylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34200	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Butylbenzyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34292	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Dimethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34341	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Hexachlorocyclopentadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34386	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4-Bromophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34636	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Dissolved Solids (TDS)<=250.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average TDS concentration shall not exceed the 12-month average TDS concentration in the water supply by more than 250 mg/L. PCS Parameter code : 70295	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	BOD5 @ 20 Deg. C, Percent Removal>=85.0 %, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 81010	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chloride<=2335.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for chloride shall not exceed 2,335 lbs/day. PCS Parameter code : 00940	edit	delete
☐	Rialto City STP / M-002 :	Numeric	Total Dissolved Solids (TDS)<=400.0* mg/L, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month	edit	delete

	M-002		average concentration for total dissolved solids shall not exceed 400 mg/l. PCS Parameter code : 70295		
☐	Rialto City STP / M-002 : M-002	Numeric	Cadmium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01113	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chromium (VI)<=16.3 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Mercury, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 71901	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Selenium, Total Recoverable<=0.27 lb/day, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Silver, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01079	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	gamma-BHC<=0.127 ug/L, Limit Basis: Maximum Daily (MDEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Phenol, Single Compound<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34694	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Cobalt, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00979	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chrysene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34320	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Dibenzo(a,h)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34556	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2-Diphenylhydrazine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34346	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	N-Nitrosodimethylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34438	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	4,4-DDE<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39320	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Thallium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 00982	edit	delete
☐	Rialto City	Numeric	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month,	edit	delete

	STP / M-002 : M-002		Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30345		
☐	Rialto City STP / M-002 : M-002	Numeric	Toluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34010	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Methyl Bromide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34413	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Methylene Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34423	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Trichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 39180	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Isophorone<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34408	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Di-n-octyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34596	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	pH<=(limit value unspecified) SU, Limit Basis: Not Limited, Sampling Frequency: 2 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Coliform<=(limit value unspecified) MPN/100 mL, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 74056	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Organic Carbon (TOC)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00680	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Ammonia, Total (as N)<=5.0 mg/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Week, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00610	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Hardness, Total (as CaCO3)<=16013.0* lb/day, Limit Basis: Other, Sampling Frequency: 1 / Month, Sampling Type: Calculate. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] The 12-month average mass emission rate for total hardness shall not exceed 16,013 lbs/day. PCS Parameter code : 00900	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Chromium (VI)<=8.1 ug/L, Limit Basis: Average Monthly (AMEL), Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Lead, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01114	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Zinc, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01094	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	Total Trihalomethanes (TTHM)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 82080	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,3,7,8-TCDD (Dioxin)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34675	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Carbon Tetrachloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32102	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Benzo(b)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34230	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	N-Nitrosodi-n-Propylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34428	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1221<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39488	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1242<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39496	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	PCB-1248<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39500	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Endosulfan Sulfate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34351	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30346	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2,3,4,7,8-Pentachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30351	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,2,3,7,8,9-Hexachlorodibenzofuran<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 30354	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,1-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34496	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,1,2-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34511	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	2-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34586	edit	delete

☐	Rialto City STP / M-002 : M-002	Numeric	3-Methyl-4-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 70012	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Acenaphthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34205	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Phenanthrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34461	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34469	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	1,4-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since 01/01/2006 to the end of this regulatory measure) [All Year] PCS Parameter code : 34571	edit	delete
☐	Rialto City STP / M-002 : M-002	Numeric	Total Suspended Solids (TSS)<=30.0 mg/L, Limit Basis: Average Weekly (AWEL), Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Biochemical Oxygen Demand (BOD) (5-day @ 20 Deg. C)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00310	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Total Suspended Solids (TSS)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00530	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Ammonia, Total (as N)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00610	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Total Dissolved Solids (TDS)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 70295	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Flow<=(limit value unspecified) MGD, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 50050	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	pH<=(limit value unspecified) SU, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00400	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Total Organic Carbon (TOC)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Week, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00680	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Electrical Conductivity @ 25 Deg. C<=(limit value unspecified) umhos/cm, Limit Basis: Not Limited, Sampling Frequency: 1 / Day, Sampling Type: Measure. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00095	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Total Kjeldahl Nitrogen (TKN) (as N)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Month, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00625	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	Boron, Total Recoverable<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00999	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chloride<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00940	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Fluoride, Total<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00951	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Sulfate, Total (as SO4)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00945	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Hardness, Total (as CaCO3)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00900	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Arsenic, Total<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01002	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Cadmium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01113	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Copper, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01119	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chromium (VI) Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 78247	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chromium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01118	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Lead, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01114	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Mercury, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 71901	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Nickel, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01074	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Selenium, Total<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01147	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Silver, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01079	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	Zinc, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01094	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Cyanide, Free Available<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51173	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Bis (2-Ethylhexyl) Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Quarter, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39100	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2-Chloroethylvinyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34576	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Bromoform<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32104	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chlorodibromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34306	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chloroform<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32106	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Toluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34010	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34030	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Acrolein<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34210	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Acrylonitrile<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34215	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34301	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Ethylbenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34371	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Methyl Bromide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34413	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Methyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34418	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	Methylene Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34423	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Tetrachloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34475	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,1-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34496	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,1-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34501	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,1,1-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34506	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,1,2-Trichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34511	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,1,2,2-Tetrachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34516	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,2-Dichloropropane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34541	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	trans-1,2-Dichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34546	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Vinyl Chloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39175	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Trichloroethylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39180	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,3-Dichloropropylenes, Sum<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 51044	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 85811	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,2-Dichloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Grab. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32103	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,4-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34571	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	2-Chloronaphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34581	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34586	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34591	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Di-n-octyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34596	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	delta-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34198	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Acenaphthylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34200	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Acenaphthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34205	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34220	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzo(b)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34230	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzo(k)fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34242	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzo(a)pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34247	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Bis (2-Chloroethyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34273	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Bis (2-Chloroethoxy) Methane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34278	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Bis (2-Chloroisopropyl) Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34283	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Butylbenzyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34292	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	Chrysene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34320	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Diethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34336	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Dimethyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34341	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,2-Diphenylhydrazine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34346	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Endosulfan Sulfate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34351	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	beta-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34356	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	alpha-Endosulfan<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34361	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Endrin Aldehyde<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34366	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Fluoranthene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34376	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Fluorene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34381	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Hexachlorocyclopentadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34386	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Hexachlorobutadiene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34391	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Hexachloroethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34396	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Indeno (1,2,3-cd) Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34403	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Isophorone<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34408	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	N-Nitrosodi-n-Propylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34428	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	N-Nitrosodiphenylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34433	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	N-Nitrosodimethylamine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34438	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Nitrobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34447	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Phenanthrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34461	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Pyrene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34469	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzo(ghi)perylene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34521	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzo(a)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34526	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,2-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34536	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,2,4-Trichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34551	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Dibenzo(a,h)anthracene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34556	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	1,3-Dichlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34566	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,4-Dichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34601	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,4-Dimethylphenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34606	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,4-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34611	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	2,4-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34616	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,4,6-Trichlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34621	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,6-Dinitrotoluene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34626	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	3,3-Dichlorobenzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34631	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	4-Bromophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34636	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	4-Chlorophenyl Phenyl Ether<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34641	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	4-Nitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34646	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1016<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34671	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2,3,7,8-TCDD (Dioxin)<=(limit value unspecified) pg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34675	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Phenol, Single Compound<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34694	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Naphthalene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 34696	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Pentachlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39032	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Di-n-butyl Phthalate<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39110	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Benzidine<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39120	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	4,4-DDT<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39300	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	4,4-DDD<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39310	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	4,4-DDE<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39320	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Aldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39330	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	alpha-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39336	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	beta-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39338	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	gamma-BHC<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39344	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chlordane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39350	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Dieldrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39380	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Endrin<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39390	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Toxaphene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39400	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Heptachlor<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39410	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Heptachlor Epoxide<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39420	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1221<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39488	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1232<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39492	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1242<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39496	edit	delete

☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1248<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39500	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1254<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39504	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	PCB-1260<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39508	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Hexachlorobenzene<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 39700	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	3-Methyl-4-Chlorophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 70012	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Cyanide, Total (as CN)<=(limit value unspecified) mg/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00720	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Asbestos<=(limit value unspecified) Counts/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00948	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Arsenic, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00978	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Selenium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00981	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Thallium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00982	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Beryllium, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 00998	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chromium (VI)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01032	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Chromium (III)<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01033	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	Antimony, Total Recoverable<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 01268	edit	delete
☐	Rialto City STP / M-INF : M-INF	Numeric	2-Methyl-4,6-Dinitrophenol<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 03615	edit	delete

| | Rialto City STP / M-INF : M-INF | Numeric | Dichlorobromomethane<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32101 | edit | delete |
| | Rialto City STP / M-INF : M-INF | Numeric | Carbon Tetrachloride<=(limit value unspecified) ug/L, Limit Basis: Not Limited, Sampling Frequency: 1 / Year, Sampling Type: Composite. (final requirement effective since the beginning of this regulatory measure to the end of this regulatory measure) [All Year] PCS Parameter code : 32102 | edit | delete |