



State Water Resources Control Board

August 16, 2016

Sent via Electronic and U.S. Mail

Mr. Peter Cosentini
District Interim General Manager
Lamont Public Utility District
8624 Segrue Road
Lamont, CA 93241-2214
pcosentini@lpud.org

**SUBJECT: ORDER FOR ADDITIONAL INFORMATION REGARDING THE
SELF-CERTIFICATION OF WATER SUPPLY RELIABILITY**

On May 5, 2015, the State Water Resources Control Board (State Water Board) adopted Resolution 2015-0032, an Emergency Regulation for Statewide Urban Water Conservation (Emergency Regulation) pursuant to Water Code section 1058.5. On May 9, 2016, the Governor issued Executive Order B-37-16 that directed the State Water Board to adjust and extend its emergency water conservation regulations through the end of January 2017 in recognition of the differing water supply conditions for many communities. In response to the Governor's order, the State Water Board adopted a revised Emergency Regulation on May 18, 2016, that required urban water suppliers to submit information certifying supply reliability for three additional years of drought pursuant to California Code of Regulations, title 23, section 864.5.

The State Water Board's Office of Research, Planning, and Performance has reviewed the self-certification documents submitted by the **Lamont Public Utility District** and has determined that additional information is required to assess supply under the assumptions of section 864.5(b).

Section 866(b) of the Emergency Regulation provides the State Water Board with the authority to issue Information Orders requiring urban water suppliers to submit additional information related to water production, water use, or water conservation.

I am issuing you an Information Order under section 866(b) that requires you to provide the State Water Board with additional information. Please revise and re-submit the supporting analysis document to include well depths and ability to pump the claimed volume and also show the effect of three additional drought years on aquifer levels.

Please provide this information electronically by September 2, 2016, to Ms. Jasmine Oaxaca at jasmine.oaxaca@waterboards.ca.gov. If you anticipate difficulty in meeting this deadline, please contact us as soon as possible. Failure to provide the information within 30 days, or any additional time extension granted, is a violation of this order subject to civil liability of up to \$500 per day, for each day the violation continues.

FELICIA MARCUS, CHAIR | THOMAS HOWARD, EXECUTIVE DIRECTOR

1001 I Street, Sacramento, CA 95814 | Mailing Address: P.O. Box 100, Sacramento, CA 95812-0100 | www.waterboards.ca.gov

If you have questions, please contact Dr. Matthew Buffleben at (916) 341-5891, or by email at matthew.buffleben@waterboards.ca.gov.

Sincerely



Christian M. Carrigan, Director
Office of Enforcement

cc: *(via email only)*

Dr. Matthew Buffleben, Chief
Special Investigations Unit
Office of Enforcement
matthew.buffleben@waterboards.ca.gov

Ms. Jasmine Oaxaca, PE
Special Investigations Unit
Office of Enforcement
jasmine.oaxaca@waterboards.ca.gov

Mr. Max Gomberg
Climate and Conservation Manager
Office of Research, Planning, and Performance
max.gomberg@waterboards.ca.gov