





Matt Machado, PE Director

Laurie Barton, PE Deputy Director, Engineering/Operations

Diane Haugh Assistant Director, Business/Finance

1716 Morgan Road, Modesto, CA 95358 Phone: 209.525.4130 Fax: 209.541.2505

www.stancounty.com/publicworks

September 1, 2011

Ms. Jeanine Townsend, Clerk of the Board State Water Resources Control Board 1001 I Street, 24th Floor Sacramento, CA 95814

SUBJECT: DRAFT PHASE II SMALL MS4 GENERAL PERMIT COMMENT LETTER

Dear Ms. Townsend and Members of the Board:

Thank you for the opportunity to submit comments on the State Water Resources Control Board's ("Board") draft General Permit ("Draft Permit") to regulate small municipal separate storm sewer systems ("MS4s").

The two primary concerns that Stanislaus County has deals with: "Cost" and "Funding". The Draft Permit imposes substantial, unavoidable hard costs on the County. Based on preliminary cost studies, we estimate our costs to comply with the Draft Permit may increase by more than three to four hundred percent. We have a few general concerns and specific comments regarding the impact the Draft Permit will have on Stanislaus County.

To comply with the new mandates and higher level of services, Stanislaus County must find funding to hire consultants and new staff. We must buy new capital equipment. The state demands for local spending come at the same time the County is laying off staff because they lack funds to pay salaries and maintain existing infrastructure.

Stanislaus County can't afford the cost to comply with the Draft Permit. Stanislaus County lacks adequate fee authority to pay for the state mandated new programs and higher levels of service. Under the current interpretation of Proposition 218, our local agency does not have authority to impose the fee without the consent of the voters or property owners.

Unless the State Board provides a mechanism to fund the proposed new programs and higher level of services, they should not be included in the new Draft Permit. If the state elects to impose new unfunded mandates, the state must constitutionally provide the funding. If no funding can be provided, the State Board should not require the new mandates and higher levels of services in the Draft Permit. The Draft Permit would require the County to make costly changes – in a declining and uncertain economy. The Draft Permit would pile on new requirements to County departments to provide employee training, trash capture, retrofitting,

maintenance, GIS layers for storm water related inventories, specific annual reporting requirements, and other new unfunded mandates.

We have thoroughly reviewed the draft Phase II permit and compiled a list of comments and concerns using various references and resources. More specific comments are included in Attachment A (see attached).

COMMENT #1: COST AND FUNDING - FINANCIAL CUMULATIVE IMPACT

Based on the requirements on the Draft Permit, Stanislaus County anticipates its storm water program costs to experience a very large increase associated with compliance costs and managing an "overarching Program Management element".

General fund revenues for Stanislaus County continue to dwindle downwards. The current budget reflects a reduction of approximately \$24.5 million from the previous fiscal year. The County has implemented employee reductions through early retirements and layoffs, service level reductions and employee salary reductions to address ongoing and recent financial deficits. The existing deficit in the County's budget is expected to continue in future years. The impact of expanded and new state regulations will continue to degrade the County's ability to fund core services.

Under the new Draft Permit, the County would be required to have an "overarching Program Management element" to run the Storm Water Program. The new program will most likely (at a minimum) require a Program Manager, a full-time Compliance Officer, and at least one and maybe multiple Field Inspectors. Vehicles will be required for the inspector(s), who will be in the field for most of the day seeking illicit discharges, inspecting construction sites, and facilitating an industrial/commercial facility runoff control program. The technical aspects of the *post-construction* storm water management program will require an Engineer and a Planner. Required receiving water monitoring, TMDL compliance and program effectiveness assessments will require the expertise of a chemist and a laboratory to either be hired or contracted. Additional administrative staff may also be needed in order to file the annual reports on the numerous mandated elements.

The higher level of service required under the storm drain system maintenance program will require regularly scheduled inspections, labeling, maintenance, and cleaning of all catch basins that are found to be one-third full. The County's vactor trucks and drivers engaged in flood control and general street maintenance may require an additional vactor truck and one or two additional drivers dedicated to the proposed storm drain maintenance requirements as mandated by the Draft Permit.

The costs have been estimated to increase as high as three to four hundred percent to implement the Draft Permit. This increase is not only dramatic, but most of the initial cost will take place during the first year of implementation. Stanislaus County is not able to obtain additional

funding or staffing due to economic constraints that have already resulted in furloughs, layoffs, and hiring freezes.

The Draft Permit contains a repeated footnote stating that if "a Regional Water Board Executive Officer determines that a Renewal Traditional Small MS4 Permittee's current implementation of its storm water program BMPs meet the MEP standard and is equally or more effective at reducing pollutant discharges than implementation of the requirements of this Section, the Executive Officer may require continued implementation of the Permittee's current program BMPs and reporting requirements in lieu of implementation of the requirements of this Section."

Recommendation: Provide adequate funding or a legal mechanism to fund the new mandates and higher level of services imposed by the Draft Permit. County also recommends that the State Board allow our agency to continue focusing on our existing storm water management program and efforts. This will allow the County to make continual incremental improvements to our existing program.

COMMENT #2:

THE NEW PROGRAM AND HIGHER LEVELS OF SERVICE IN THE DRAFT PERMIT EXCEEDS THE REQUIREMENTS OF THE SIX MINIMUM MEASURES

We are concerned about the cumulative impact that the draft Phase II permit presents. All six Minimum Control Measures (MCMs) are significantly ramped-up in comparison with the current version of the Phase II permit (Order No. 2003-005-DWQ) and in some cases exceeds Phase I program requirements. In addition to ramped-up MCMs, there are additional new provisions which also meet or exceed that of Phase I programs. The bar has been set unrealistically high and Stanislaus County will be unable to comply. Stanislaus County does not have the funding, staffing, experience, or resources necessary to implement the new NPDES program.

Phase II agencies will be able to more effectively implement a program that is within the capacity of their current resources. Stretching Phase II resources and setting the bar too high may not result in improved water quality. Setting the bar too high may result in Phase IIs inability to comply with the permit.

The Draft Permit includes many new programs or higher levels of service that may qualify as unfunded state mandates. The Board should provide the necessary funding or provide a legal funding mechanism. Otherwise, the Board should remove the new programs and higher levels of services from the Draft Permit.

The unfunded state mandates law applies when a state agency imposes a new program or higher level of service on a local agency. Agencies like Stanislaus County need assistance to prevent the state from shifting it's program responsibility to local governments without providing adequate funding to do so.

Article XIII B, Section 6(a) of the California Constitution (Section 6) provides that whenever "any state agency mandates a new program or higher level of service on any local government, the state shall provide a subvention of funds to reimburse that local government for the costs of the program or increase level of service..." Section 6 applies to storm water permits issued by the State Board and the Regional Water Quality Control Boards. Thus, we assume that Section 6 will continue to apply to the State Board's reissuance of the MS4 Phase II permit. If Section 6 is upheld by the federal EPA agency, then our recommendations and suggestions for the new programs and higher levels of service do not apply.

The US EPA stated in guidance to the Phase II Regulations that it "strongly recommends that until the evaluation of the storm water program in 40 CFR (Section 122.37), no additional requirements beyond the minimum control measures (BMPs) be imposed on regulated MS4s without the agreement of the operator of the affected small MS4."

The existing Small MS4 State Board Permit No. 2003-2005-DWQ (Existing Permit) is approximately 19 pages long (attachments not included). The Existing Permit tracks precisely the six (6) minimum control measures that the US EPA determined to be sufficient to reduce the discharge of pollutants from MS4s to the maximum extent practicable ("MEP"). The Draft Permit is approximately 93 pages long (attachments not included). The Draft Permit includes multiple new programs and/or greatly enhanced requirements that were not specified in the Existing Permit or included in the original six MCMs. A comparison between the Draft Permit and the Existing Permit indicates that the Draft Permit contains many new programs.

A few of these new programs include:

- Requirement to regulate landscape irrigation, irrigation water, lawn watering, individual residential car washing and street wash water (Section B.3)
- Development of an Enforcement Response Plan (Section E.4.c)
- Requirement to secure adequate resources to comply with the mandates of the Draft Permit (Section E.4.d)
- Development of a trash reduction program (Section E.10)
- Development of an industrial/commercial runoff program (Section E.11)
- Development of a receiving water monitoring program (Section E.13)
- Development of an effectiveness assessment program and pollutant loading quantification (Section E.14)
- Incorporation of TMDLs and implementation plans (Section E.16)

A comparison between the Draft Permit and the Existing Permit also indicates that the Draft Permit contains many higher levels of enhanced service or requirements.

A few of these higher levels of service include:

- Public Outreach and Education Programs (Section E.5) The Draft Permit mandates the use of very involved Community-Based Social Marketing ("CBSM") strategies or a CBSM equivalent. This includes 13 express requirements including at least performing 2 surveys during the permit term, conveying the message to 20% of the target audience each year, and providing education information during the 5-year permit term (and possibly beyond the term limit).
- Public Involvement and Participation Program (Section E.6) The Draft Permit mandates
 the development of a public involvement and participation strategy, a budget to
 implement that strategy, the establishment of a citizen's advisory group containing
 specified members, and the sponsoring of activities.
- Illicit Discharge Detection and Elimination ("IDDE") Program (Section E.7) The Draft Permit mandates a GIS map containing specialized information be prepared and updated. Development of priority areas that are likely to have illicit discharges needs to be designated (20%). The Draft Permit will also require field observations, field screening, analytical monitoring at specified intervals, investigating illicit discharge within 48 hours, requiring corrective actions in a very short amount of time, developing a Spill Response Plan, and filing detailed annual reports.
- Construction Site Storm Water Runoff Control Program (Section E.9) The Draft Permit
 mandates that all construction sites be inventoried and inspected at designated
 frequencies. The Draft Permit also required training of staff, educating construction site
 operators, and requiring staff to be certified as Qualified SWPPP Developers or
 Practitioners (QSD/QSP).
- Pollution Prevention/Good Housekeeping Program (Section E.9) The Draft Permit mandates that dischargers inventory all their facilities, map them, annually assess them for pollutant "hotspots", develop SWPPPs for each "hotspot", inspect them regularly and at specified intervals, develop a storm drain assessment, with at least 20% of all catch basins prioritized at high, maintain storm drains at specific intervals, including cleaning all catch basins within one week of being found one-third full, removing trash and debris in high priority areas three (3) times per year, developing a very specific O&M assessment, incorporating water quality and habitat enhancement features in flood management facilities, implementing 2 changes or 2 additions to 2 projects per year unless infeasible, implementing a pesticides, herbicides, and fertilizer program, and finally conducting annual training. All these requirements seem to be considered higher levels of service than the original 6 minimum control measures outlined in the Existing Permit.
- Post-Construction Storm Water Management Program (Section E.12) The Draft Permit mandates a watershed baseline characterization, watershed sediment budgets, interim hydro modification management, long-term watershed process management, including numeric criteria, and treatment system verification.

• The Draft Permit requires very detailed and time consuming reporting requirements for almost every element of the storm water program. These detailed reporting requirements are also considered to be a higher level of service.

Recommendation: Amend the Constitution (Article XIII B, Section 6(a) of the California Constitution) or remove new program mandates and higher levels of service in the Draft Permit so they do not exceed the requirements of the original six minimum control measures (MCMs). Or, per Article XIII B Section 6(a) of the California Constitution, pay for the mandates imposed on the MS4 Phase II agencies.

COMMENT #3: REDUNDANCY OF EFFORTS

The State Water Board should look to streamlining instead of creating new redundant and expanded requirements. As an example, the State Water Board or CalEPA should take a leadership role and work through other state agencies (such as the Department of Toxic Substances Control, Department of Pesticide Regulation, Office of Environmental Health Hazard Assessment, Department of Water Resources and Office of State Architect) to identify regulatory options for storm water compliance in the areas of industrial oversight, pesticide control, water conservation, and new development requirements for traditional Phase II MS4s. This will help reduce redundancy and clarify and support storm water program implementation at all levels of government.

In addition, traditional MS4 Phase IIs will need to pass along new and potentially redundant fees to commercial and industrial businesses (e.g., the State already collects fees from businesses covered by the Industrial General Permit). Additionally, inventory/tracking requirements contained within the Construction and Industrial/Commercial provisions of the draft Phase II permit are redundant with Construction General Permit (CGP) and Industrial General Permit (IGP) requirements. Much of the data collected via the CGP and IGP will be tracked in the SMARTS database. Asking Phase IIs to collect the same data is a redundancy that adds unnecessary time and expense with no benefit to water quality.

Recommendation: Eliminate redundancy with other state and federal requirements, with particular attention to CGP and IGP requirements.

COMMENT #4: EXCEEDING THE ORIGINAL SIX MINIMUM CONTROL MEASURES (MCM) REQUIREMENTS

The State Board has created a permit that goes beyond the national approach for smaller entities that established six minimum control measures. Like other Phase II agencies, Stanislaus County takes considerable exception to this approach. According to 40 CFR Section 122.34(e) (2):

"Guidance: EPA strongly recommends that until the evaluation of the storm water program in §122.37, no additional requirements beyond the minimum control measures be imposed on regulated small MS4s without the agreement of the operator of the affected small MS4, except where an approved Total Maximum Daily Load (TMDL) or equivalent analysis provides adequate information to develop more specific measures to protect water quality."

Such agreements have not been obtained between the State/Regional Board and the County of Stanislaus.

The additional control measures and requirements in the draft Phase II permit include Monitoring, Industrial/Commercial and Trash Reduction Provisions and should not be Phase II Permittee responsibilities, unless the Permittee chooses to implement these controls based on local watershed priorities and subject to local resources.

Recommendation: Remove requirements beyond the original six minimum control measures (i.e., industrial/commercial, monitoring, trash reduction provisions, etc) unless an agreement between the operator of the affected Small MS4 Permittee and the State Board is attained.

COMMENT #5: UNREALISTIC TIMELINE

Stanislaus County acknowledges and appreciates the modifications that were made to the timeline from the administration draft. However, we believe that there are still several places where the timeline is not realistic for achieving requirements. Individually, the requirements and associated timeline seem feasible, but collectively, the comprehensive and ramped-up nature of the requirements, make compliance infeasible for Phase IIs (new, existing, traditional or non-traditional).

For example, the Industrial/Commercial Provision requires Phase IIs to inventory an extensive list of commercial and industrial facilities within the first year. Inventory requirements include documentation of information such as materials used at the facility, area where industrial or commercial activities occur, and other aspects of the facility that can only be determined through a site visit.

Larger Phase IIs may have up to 1,000 facilities to inventory which may equate up to four or more site visits for every working day of the year. Given the other requirements contained within the draft Phase II permit and the staff constraints of Phase II permittees, meeting this requirement cannot be realistically completed within the first year.

Recommendation: Extend and revise the Public Outreach, Pollution Prevention/Good Housekeeping, Industrial/Commercial, Reporting, and Monitoring Provisions.

COMMENT #6: MAXIMUM EXTENT PRACTICABLE (MEP)

One of the more challenging aspects of the Draft Permit is the attempt to provide clarification of the "maximum extent practicable" standard. On the one hand, EPA storm water audits have noted the need to have more specific permit provisions, while on the other hand flexibility is necessary in order to address the varying conditions and needs of Phase IIs across the state.

Additionally, flexibility is imbedded in the definition of "MEP." We also believe that one-size does not fit all when it comes to Phase II permittees, especially with the addition of many non-traditional permittees. A less prescriptive, more permittee-developed approach would result in better water quality outcomes. As an example, the Illicit Discharge Detection and Elimination (IDDE) Provision includes a requirement that "20% of the Permittee's urbanized boundary shall be identified as priority." Phase II agencies should be allowed to identify what areas they consider as "high priority" using pre-defined criteria they determined. This internal agency specific prioritization process will help identified real priorities, not an arbitrary 20% minimum. Specifying a minimum such as 20% may create an unnecessary utilization of sparse resources where no problem(s) exists.

Achieving Permittee "buy in" with general support and compliance with the draft Phase II permit could be accomplished more efficiently by allowing Phase IIs to structure and prioritize their individual storm water programs as they see fit and within the context of their water quality goals and resources.

Recommendation: Remove prescriptive requirements that have no apparent nexus with water quality and instead allow Phase IIs to identify high, medium, and low priority areas based on a pre-defined set of criteria.

Remove the following requirements:

- IDDE Element requires permittees to identify 20% of the urbanized boundary as priority (E.7.b.ii)
- Pollution Prevention/Good Housekeeping Element requires permittees to prioritize at least 20% of catch basins as high priority (E.9.f.ii). This Element also requires removal of trash and debris from high priority areas at least three times per year (E.9.g.ii.d)
- Trash Reduction Element requires that at least 20% of the Permittee's zoned, commercial, retail/wholesale, comply with a Trash Abatement Plan (E.10)
- Industrial / Commercial Element requires that at least 20% of inventoried commercial and industrial facilities be prioritized as high priority (E.11.c.ii.b)
- Program Effectiveness Assessment Element requires that at least 20% of the total BMPs must be maintained annually (E.14.d.a.ii)

COMMENT #7: RETROFIT REQUIREMENTS

Retrofitting is mentioned or implied in several places throughout the Permit including:

- Program Management (E.4.d.iii): "This summary shall include...the costs for...retrofitting existing BMPs to include green infrastructure..."
- Pollution Prevention/Good Housekeeping (E.9.i): "The Permittee shall identify and implement a process for incorporating water quality and habitat enhancement features into new and existing flood management facilities."
- Pollution Prevention/Good Housekeeping (E.9.i.ii): "...the Permittee shall assess at least two existing flood management projects per year to determine whether changes or additions can be made to enhance water quality and habitat functions. The Permittee shall implement changes or addition to two flood management projects per year to enhance water quality and habitat functions, unless a feasibility analysis demonstrates the infeasibility of such changes or additions."
- Industrial/Commercial (E.11.b): "The Permittee shall require industrial and commercial facilities included in the inventory to select, design, install and implement storm water BMPs."
- Program Effectiveness Assessment and Improvement (E.14.c.i): "The report shall also identify storm water retrofit opportunities."

It is our understanding that the intent is not to require hard and fast retrofitting requirements within this permit term. Retrofitting should only be conducted in the context of and under the requirements of approved TMDLs. It is the responsibility of the Permittee to allocate storm water resources in ways that result in the greatest receiving water benefit. Retrofitting may ultimately be the most challenging aspect of the storm water permit

Recommendation: All language and requirements regarding retrofitting should be removed to reduce confusion and prevent inconsistent interpretation and implementation of requirements across Regional Water Quality Control Boards (RWQCBs).

COMMENT #8: DRAFT OR INCOMPLETE PLANS, REFERENCES AND ASSESSMENTS

The County is concerned about the number of draft Phase II permit references that are incomplete or in a draft format. Stakeholders should have the ability to review, comment, and be aware of the full extent of permit requirements. This is not possible when several key components of the draft Phase II permit require compliance with in-progress guidance.

Draft incomplete references include:

• Draft California Ocean Plan (E.13. Compliance Tiers)

- State Water Board's Draft Effectiveness Assessment Guidance (E.14.a.ii)
- Lake Tahoe BMP Rapid Assessment Methodology (not a fully vetted/proven methodology) (E.14.b.ii)
- Attachment G: TMDL Requirements (table incomplete)

Recommendation: Remove any references that are either incomplete or in draft form from the Draft Permit.

We believe that the Draft Permit will pose significant challenges to Stanislaus County and other Phase II permittees. The comprehensive and overreaching approach taken in the Draft Permit is of such concern that we respectfully request that new programs and higher levels of services be removed from the Draft Permit and allow our agency to continue implementing, monitoring, and reporting on our current Storm Water Management Program.

The County has and will continue working with the State Water Board staff to create a program that will protect water quality in a cost effective manner consistent with the available staff and funding resources. We will also continue to work collaboratively with other Phase I/II agencies to help define program solutions that will work in our rapidly changing business environment. Our goal will be to remain proactive and continue to identify a range of options to address the uncertainties we face as a community. We will then implement the best option that can generate the most positive outcome to help protect the quality of our storm water at the most reasonable cost.

In addition to the comments summarized above, we also have specific comments pertaining to the Draft Permit. These specific comments have been drafted and compiled by CASQA and many participating agencies, organizations, and teams. The specific comments are summarized in Attachment A.

Sincerely,

Matt Machado, Director of Public Works, RCE, LRP (Legally Responsible Person)

cc:

Stanislaus County:

Matsmil

John Doering, County Counsel Monica Nino, Assistant Chief Executive Officer Laurie Barton, Deputy Director of Public Works, RCE Chris Brady, Senior Civil Engineer, RCE, QSD/P Paul Saini, Associate Civil Engineer, RCE, QSD/P

Attachments

General Comment	Permit Element/Issue/Concern.	Location in Draft Permit	Comment/Recommendation
	Receiving Water Language		Forthcoming legal review related to the 9 th Circuit Court ruling—will send separately
17	Compliance Tiers		CASOA Recommendation Provide clarification regarding the compliance tiers, such as in the glossary to define the various tiers and where to find information on them.
2	Program Compliance Dates		Throughout the Permit there are specific calendar dates listed for some of the actions that need to be completed by the Permittees. Since it is a possibility that the Permit could be adopted later than the date currently anticipated these dates should be changed to timeframes that reference the permit effective date instead of specific calendar dates.
			CASQA Recommendation Revise the specific calendar dates within the Permit to, instead, refer to time after permit effective date (e.g. Instead of "complete by March 15, 2012" state "complete within XX days/months/years after the effective date of the permit".).
m	Program Reporting		Given the quantity of different program elements to report out on and the likelihood that a number of different individuals will need to be able to enter reporting information such as monitoring data, inspection data, or outreach efforts, we suggest providing definitions for SMARTS, authorized designated signatory or LRP, report administrator and the supporting roles for data submission in the glossary. The definitions of these roles and their responsibilities would each be clarified in the glossary. For example, a report administrator could add or subtract the administrative roles of differing data submitters. The report administrator might be the LRP.
			CASQA Recommendation Define the roles for the different individuals that may enter information into the annual report.

General			
	wieżnoż /ańssj / delueję sudieg	Locatign in Ocale Permit	Commentation
4	Headers		CASQA Recommendation Every section should have a unique label for easy referencing. For example, the compliance tiers are E.12 (a) through (f), but that's followed by E.12.a Permittee located within a Phase I MS4 permit area (e.g., currently there are two E.12.a.)
ις.	Permittee Populations		CASOA Recommendation Add a definition for the Non Traditional MS4 Permittees identifying for each what the "population" consists of. For example – for schools the "population" for the implementation of the program may consist of students, faculty, and staff; For military installations the "population" may be military personnel, and residents For parks the "population" may be staff and visitors
φ	Annual Reports		Throughout the permit there are various reporting requirements that are identified both within the text as well as within "Reporting" sections within each major program element. However, the reporting requirements are, at times, conflicting and/or additive making it difficult to fully understand what the reporting requirements are. In addition, there is not one complete section that comprehensively addresses the reporting requirements other than E.16, which primarily discusses the use of the SMARTS system (which is not yet operational for the Phase II reporting needs).
			CASQA Recommendation Modify E.16 to include a table/text that comprehensively addresses all of the reporting requirements identified within the permit as well as all of the due dates so that they are contained within one section. CASQA would also work with the State Board as the SMARTS system is brought online to ensure that the needs of the Phase II community and the State Board are met.

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

	:	
Comment/Recommendation	Currently, Phase II designations are based on (among other things) the 2000 Census defined urbanized areas.	CASQA Recommendation Clarify within the Fact Sheet or Designation Flow Chart how and/or when 2010 Census defined urbanized areas will be designated and notified.
Location in Draft Permit		
Permit Element/ Issue/ Concern	Phase II Designations: Urbanized Areas	
Comment #	7	

Application	Application Requirements		
3) 4(19)/11(16)	mezoog Jenes, Anemelja jumen.	Percentanti	Commentation
ω	Compliance Timing	Finding 52 & A.1 [page 13]	Finding 52 states that Permittees shall comply with all the requirements of the Order 100 days after adoption by the State Water Board; A.1. states that Permittees need to file their Notice of Intent (NOI) via SMARTS within two months of the General Permit effective date (May 2012); State and Regional Water Quality Control Board (RWQCB) Staff have indicated their goal is to have the new permit adopted by Jan 2012.
			CASQA Recommendation In addition to Comment #2 regarding the use of dates within the Permit, clarify when the Permittee's have to submit their NOIs.
			Since there are staggered dates for the development and/or implementation of various components of the Permit, modify the first sentence in finding #52 to state the following: "This Order shall serve and become effective as an NPDES permit and the Permittees shall comply with all its requirements <u>pursuant to the timeframes identified within the Permit 100 days after adoption by the State Water Board"</u> .
6	Application Requirements	A.3 [page 13]	CASOA Recommendation It is unclear how a regulated Phase II Permittee certifies that its discharges do not cause or contribute or potentially cause or contribute to water quality impairment. Provide clarification regarding the certification requirements.
			In addition, none of the waiver options allow a waiver to be given to a MS4 over 20,000 in population even if they do not contribute to water quality impairment and/or meet the waiver options Revise A.3.a. Option 2 to read: (a) The jurisdiction served by the system is less than 40,000 50,000 people

10	Permit Coverage Fee	A.2.b [page 13]	NOIs along with appropriate fee are to be submitted by May 15, 2012.
			CASQA Recommendation
			In addition to Comment #2 regarding the use of dates within the Permit, The permit fee should be pro-rated for existing Phase IIs who have paid within the previous 12 months.

Traditíonal	raditional Small MS4 Permittees		
Comment.	Comment Permit Element/ Issue/ Concern	Location in Draff Permit	Comment/Recommendation
1	Traditional Small MS4 Permittees	E.1. [page 18]	There appears to be a contradiction between Section E.1 and Table 1. The last sentence within Section E.1 states "Traditional Small MS4s with a population of 5,000 or less shall comply with specific provisions identified in Table 1". However, the title of Table 1 is "New Traditional Small MS4s with a population less than 5,000 & Non-Traditional Small MS4s". CASQA Recommendation Please clarify: does Table 1 apply to all Traditional Small MS4s or just New Traditional Small MS4s?

mments are not limited to E.2 and address requirements throughout the permit)	Comment/Recommendation	Although two Community Services Districts (CSDs) are listed in Attachment A, CSDs are not listed in Finding #29 or Table 1 as a category of Non-Traditional MS4. CASQA Recommendation	Non-Traditional Permittees (such as CSDs) do not have the same enforcement powers of Traditional MS4s (cities, counties, etc.) - making it impossible for them to enforce all of the specified requirements. This limitation on Non-Traditional MS4 Permittees in general is also acknowledged on page 43 of the Permit Fact Sheet.	CASQA Recommendation Language should be added to permit provisions E.4.a, E.4.b, and E.4.c that allows the Non- Traditional Permittees to identify which provisions they can implement based on their available legal authority and/or enforcement powers. For the provisions that they cannot implement, they should submit, as a part of their legal certification (E.4.b), the rationale identifying why they cannot implement the provisions.	Recommend adding the following language to E.4.b.(ii)(f): "A description of those provisions (within E.4.a and E.4.c) that the Non-Traditional Permittee cannot implement due to their available legal authority and enforcement powers. Supporting rationale should also be provided."	CASQA Recommendation Revise the requirement to indicate that the advisory group participants for the Non-Traditional Permittees may be limited to those who occupy or utilize the Non-Traditional MS4 owned and operated facilities, including students, staff, employees, and visitors.
se comments a	Location in Draft Permit	Finding #29 and Table 1	E.4.a-c [pages 19-24]			E.6.d.ii.b [page 33]
Non-Traditional Small MS4 Permittees (note: these co	Permit Element/Issue/Concern	Listed Non-Traditional MS4s (CSDs)	Legal authority for Non-Traditional Permittees			Citizen advisory group requirements for Non-Traditional MS4 Permittees
Non-Traditi	Comment #	13	13			14

oughout the permit)	mendätion et	ubstantial economic burden on the s or staff trained in GIS mapping. In that need to be considered when nal and military facilities)	of the permit, May 15, 2014 , the accurate storm drain system map. <u>The</u> form such as Google earth or within a	in easy-to-use tool to allow a Non- daries and area encompassed for all HUC rmine if the post-construction	nal Permittees (such as CSDs) that do not and authority) or issue building permits, h the agency that has planning authority ng authorities" related Post-Construction	horities or work with the appropriate ource control, site design, and storm nent and redevelopment projects."
mments are not limited to E.2 and address requirements throughout the permit)	on the comment of the	Requiring GIS mapping will place an undue and substantial economic burden on the permittees. Many MS4s do not have GIS systems or staff trained in GIS mapping. In addition, many facilities have security concerns that need to be considered when requiring this type of mapping (such as correctional and military facilities)	CASQA Recommendation Revise the language as follows: By the second year after the effective date of the permit, May 15, 2014, the Permittee shall maintain an up-to-date and accurate storm drain system map. The map may be in hard copy and/or electronic form such as Google earth or within a geographic information system (GIS).	CASQA Recommendation The State Water Board should identify/provide an easy-to-use tool to allow a Non- Traditional MS4 to determine the location, boundaries and area encompassed for all HUC 12 watersheds within California (in order to determine if the post-construction requirements are applicable).	This section should recognize that Non-Traditional Permittees (such as CSDs) that do not have planning departments (or associated staff and authority) or issue building permits, grading permits, etc. will have to coordinate with the agency that has planning authority to ensure that they can comply with the "planning authorities" related Post-Construction requirements.	CASQA Recommendation Modify the provision to state the following: "The Permittee shall use their planning authorities or work with the appropriate planning authority to include appropriate source control, site design, and storm water treatment measures in new development and redevelopment projects."
e comments are	Location in Draft Permit	E.7.a.i [page 34]		E.13.a [page 76]	E.12.f) [page 64]	
Non-Traditional Small MS4 Permittees (note: these co	. Permit Element Assue/Concern	GIS Mapping		HUC 12 Locations, Boundaries and Areas	Planning authorities)	
Non-Traditie	# 14 300000055	15		16	17	

Discharge Prohibitions	ohibitions		
Comment	Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
₩	Allowable Non-Stormwater Discharges	B.3 [page 15]	Within the Federal Register ¹ it states "The illicit discharge and elimination program need only address the following categories of non-storm water discharges if the operator of the small MS4 identifies them as significant contributors of pollutants to its small MS4: water line flushing, <u>landscape irrigation</u> , diverted stream flows, rising ground waters, uncontaminated ground water infiltration (as defined at 40 CFR 35.2005(20)), uncontaminated pumped ground water, discharges from potable water sources, foundation drains, air conditioning condensation, <u>irrigation water</u> , springs, water from crawl space pumps, footing drains, <u>lawn watering, individual residential car washing</u> , flows from riparian habitats and wetlands, dechlorinated swimming pool discharges, and <u>street wash water</u> " The Draft Phase II Small MS4 General Permit lists allowable non-stormwater discharges but does not include landscape irrigation, irrigation water, lawn watering, individual residential car washing, and street wash water. According to the Federal Register, these are allowable discharges since they have not been identified as significant contributors of pollutants to the small MS4s.
			CASQA Recommendation Add landscape irrigation, irrigation water, lawn watering, individual residential car washing, and street wash water to the list within B.3.

¹ Volume 64, No. 235, December 8, 1999, Page 68756

Discharge Prohibitions	ohibitions		
Somments A	Comment: Remit: Element/ issue/ Concern.	Location in Draft Permit	Comment/Recommendation
19	Discharges of Incidental Runoff	B.4]page 16]	This permit provision is onerous and goes beyond the federal mandate. CASQA recommends that this provision be re-written to identify the multiple ways in which irrigation runoff can be addressed within the existing stormwater program framework. Some examples are provided below.
			CASQA Recommendation Option #1 Delete Section B.4 and replace it with the following provisions: - E.5 (Public Education and Outreach) – E.5.b.(ii)(h) – this existing provision supports the public education activities that would support water efficient landscaping- see also Comment #55 - E.7.(Illicit Discharge Detection and Elimination Program) – add a provision that states "non-stormwater runoff such as irrigation water from broken sprinkler heads, excessive application, and/or intentional overflow or application of irrigation runoff is prohibited". - E.9 (Pollution Prevention/Good Housekeeping for Permittee Operations Program) – add a provision that states "Discharges from lawn, greenbelt, and median watering and other irrigation runoff from non-agricultural operations shall be minimized through a Model Municipal Activity Maintenance Program designed to control irrigation runoff. [Non-agricultural irrigation using recycled water must comply with the statewide permit for Landscape Irrigation Using Recycled Water and the State Department Health guidelines].
			If Section B.4 is not deleted and replaced with the above, see the Recommendation below.

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Discharge Prohibitions Comment Permit i	rohibitions Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
50	Discharges of Incidental Runoff — Incidental/Non-incidental Definition	B.4 [page 16]	CASQA Recommendation Option #2 If Section B.4 is not deleted and replaced with the above, replace it with the following provisions: - Discharges of incidental runoff shall be controlled. Water leaving an intended use area is not considered incidental if it is part of the facility design, if it is due to excessive application, if it is due to intentional overflow or application, or if it is due to negligence. Non-stormwater discharge runoff that is not incidental is prohibited, unless otherwise specified in Section B.3. above.
			Clarify the different between incidental runoff and discharges that are not considered incidental. This may be accomplished by defining minimal overspray (incidental runoff) vs. excessive application (non-incidental).
21	Discharges of Incidental Runoff – Detect and Correct Timeline	B.4.a [page 16]	Correction of leaks and repairs might not be able to done in 72 hours if noticed late on Friday and if a contractor needs to be hired. Remove the reference to 72 hours and 1000 gallons (B.4.a). Repairs should be completed within a reasonable time as determined by the permittee. Permittees lack the resources and staff to correct and enforce this requirement, which is beyond the federal mandate for stormwater programs.
			CASQA Recommendation This language should be deleted since there is already an educational requirement with reference to the Water Efficient Landscape Ordinance (see Comment #21 above that recognizes this).
22	Discharge Prohibitions – RWQCB Notification Timeline	B.4.d	Requiring a permittee to notify the RWQCB while determining that a discharge <u>may</u> happen four hours in advance of a 25-year, 24 hour storm event or larger is unreasonable. When large storm events occur, municipalities prioritize and public safety first. Recommend RWQCB notification 48 hours after discharge.

Program Management	nagement		
Ammente The Market	Conjustif Remit Element / Issue). Concern	Location if Draft Permit	Comment/Recomments
23	Legal Authority – Overall	E.4.a-b [pages 19-21]	These sections require that all necessary ordinances or other regulatory mechanisms be in place by May 2013 and that reporting related to legal authority be completed by September 2013. However, it would be very difficult to develop and implement these requirements within year 1 of the effective date of the permit. Ordinances and regulatory mechanisms are not meaningful and implementable unless the authority they provide the MS4 is supported by a description of how that authority will be exercised and enforcement will be carried out. Therefore, developing and approving appropriate regulatory mechanisms such as ordinances will require that MS4s first determine their organizational needs and existing capabilities, develop necessary funding sources, increase or reorganize their staff resources, and define internal programs and procedures. These processes will take at least a few years for most MS4s to accomplish. CASQA Recommendation CASQA requests that timelines be modified. Recommendations for revising Program Management timelines are provided in Table A-1.
24	Legal Authority – Overall	E.4.a-b [pages 19-21]	CASQA Recommendation CASQA requests that the State Water Board assist MSAs in accomplishing the requirements of E.4.a and E.4.b by providing samples of or templates for the required ordinances/regulations and certification statements.

Program M	Program Management		
Corrections	uestos /otas //ustroje (iturų)	Togation in Dietif Rermit	Comment/Recommentation
25	Legal Authority – Definition of Illicit Discharges and Illegal Connections	E.4.a.ii.b [page 19]	This section requires permittees to have an ordinance or other regulatory mechanism that will prohibit and eliminate illicit discharges and illegal connection to the MS4. However, this section specifically includes discharges from charity car washes, mobile cleaning and pressure wash operations. CASOA recommends that the specificity be removed from this section and that charity car washes be addressed as a part of the Public Outreach section (E.5) Regulating charity car washes be addressed as a part of the Public Outreach section (E.5) Regulating charity car washes be addressed as a part of the Public Outreach section and that charity car washes sum unenforceable, given their many are not held by organized where most charity car washes will appear, given their many are not held by organized cubs or groups and few are widely announced in advance. A reasonable expectation for this permit term is for permittees to conduct education and outreach to organized groups about car wash activities, and identify best practices for stormwater pollution prevention. CASOA Recommendation: Modify the Phase II permit as follows: ("Ib) Prohibit and eliminate illicit discharges to enter the MS4. Illicit discharges include all non-steam unclude typedians include presented elements of eleminate of elements of the petential to allow an illicit discharge to enter the MS4. Illicit discharges include all non-steam elements of eleminate and pressure wash operations." ("Illicit Discharge" – Any discharge to an MS4 that is not composed entirely of stormwater, except allowable discharges pursuant to an NPDES permit and those identified within Provision B.3. [Based on 40 CFR 122.26(b)[2]] "Illicit Discharge" – Any discharge conveyance or drainage system, pipeline, conduit, inlet or outlet, through which the discharge of any pollutant to the stormwater drainage system occurs or may occur.
			The state of the s

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Program Management	nagement		
	Permit Element/ Issue/ Concern	iocation in Diaff Permit	Comment/Recommendation
26	Legal Authority – Missing Subsection	E.4.a.ii.e [page 19]	Item "e" has been omitted.
27	Legal Authority – Implementation Level	E.4.a.ii.f [page 19]	This provision should recognize that both source and treatment controls may be necessary at a facility/site.
			CASQA Recommendation (f) Require operators of construction sites, new or redeveloped land; and industrial and commercial facilities to minimize the discharge of pollutants to the MS4 through the installation, implementation, and maintenance of <u>source control and/or treatment control</u> BMPs consistent with the California Storm Water Quality Association (CASQA) Best Management Practice Handbooks or equivalent.
28	Legal Authority – Implementation Level	E.4.a.ii.g [page 19]	This section requires permittees to request a copy of the NOI as well as supporting documents. Permittees should only need to request the WDID#.
			(g) Request from a construction site or industrial facility operator the WDID # a copy of the NOI submitted to obtained from the Water Boards. The Permittee may also request as well-as supporting materials such as storm water pollution prevention plans (SWPPPs), inspection reports, and monitoring results, information required by local development policy or public health regulations, and other information deemed necessary to assess compliance with this Order and/or the local codes and ordinances. The Permittee shall also have the authority to review designs and proposals applications for new development and redevelopment to determine whether adequate BMPs will be installed, implemented, and maintained during construction and after final stabilization (post-construction).

Program Management	anagement		
Comment#	Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
59	Legal Authority – Implementation Level	E.4.a.ii.i.1 [page 20]	This section requires the Permittees to require a discharger to abate and clean up their discharge, spill, or pollutant release within 48 hrs. However, this timeframe cannot always be met – it is recommended that the language be modified to allow for a 72 hour timeframe.
			CASQA Recommendation: Modify the Phase II permit as follows: (1) Effectively require the discharger to abate and clean up their discharge, spill, or pollutant release within 48 72 hours of notification;
30	Legal Authority – Implementation Level	E.4.a.ii.j. [page 20]	CASQA Recommendation: Modify the Phase II permit as follows: (I) When warranted, a Traditional Small MS4 Permittee shall have the ability to: (1) Levy citations or administrative fines against responsible parties either immediately at the site, or within a few days. (2) Require recovery and remediation costs from responsible parties.

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Program Management	nagement		TO COMPANY AND
E E E E E	ية المعادد وافتائه///dau ومسودي	Vocation in Diaft Permit	Comment Recommendation.
31	Legal Authority – Implementation Level	E.4.a.ii.l [page 20]	This section requires permittees to control the contribution of pollutants and flows from one portion of the MS4 to another portion through interagency agreements with other MS4s. Permitted MS4s should be required to control only the pollutants within their jurisdiction.
			CASQA Recommendation Option #1 (Preferred) Delete provision.
			CASQA Recommendation Option #2 If this requirement is retained, a longer timeframe for compliance must be provided, as it can be very time consuming to reach interagency agreements, and the timing depends on the cooperation of other parties, placing the schedule outside an individual Permittee's control.
32	Legal Authority – Implementation Level	E.4.a.ii.m [page 20]	The Permit includes a provision that requires the Permittees to have the legal authority to "require documentation on the effectiveness of BMPs implemented to reduce the discharge of pollutants to the MS4s to the MEP and protect water quality".
			As it is currently written, this provision broadly applies to any aspect of the stormwater program where BMPs have been implemented – the result is that this provision sets up a process for the establishment of multiple third party monitoring programs and expenditure of a significant amount of funds to monitor the effectiveness of BMPs. If the desire is to document the effectiveness of certain types of BMPs, it would be much more effective and scientifically sound to establish special studies by entities qualified to conduct such sampling instead of requiring potentially hundreds of third parties to conduct a monitoring program for every BMP that is implemented.
		·	CASQA Recommendation Delete the provision.

Program Management	anagement		
Comment #	Permit Element/ Issue/ Concern	Location in Draft. Permit	Comment/Recommendation
33	Certification – Timeline	E.4.b.iii [page 21]	The reporting timeline should be modified to year 2 to be consistent with timelines for establishing sufficient legal authority.
			CASQA Recommendation: CASQA requests that timelines be modified. Recommendations for revising Program Management timelines are provided in Table A-1 .
34	Enforcement Measures and Tracking – Enforcement Response Plan	E.4.c [page 21]	CASQA Recommendation Option 1 (preferred) CASQA recommends that this section be revised to allow for the permittees, where applicable, to <u>demonstrate</u> that they already have applicable ordinances or policies and the ability to implement and enforce them to the Maximum Extent Practicable (MEP), rather than developing a new plan that duplicates the processes described in the ordinances/policies.
			CASQA Recommendation Option 2 CASQA requests that the State Water Board assist MSAs in accomplishing the requirements of E.4.c by providing a statewide template for the required response plan.

Program Management	nagement		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	-
				·
35	Enforcement Measures and Tracking – NPDES Permit Referrals	E.4.c.ii.d [pages 22-23]	This section requires the permittees to refer non-filers for construction projects or industrial facilities subject to the State's IGP as well as ongoing violations to the RWQCB. The permit should not arbitrarily determine when an ongoing violation should be referred to the Regional Board since every case is different.	
			It should also be noted that there is an existing mechanism for reporting non-filers to the State Water Board. This section should be revised to have permittees use the reporting form within 30 days on the State Water Board's website at: http://www.waterboards.ca.gov/water issues/programs/stormwater/nonfiler form.shtml	
			CASQA Recommendation (2) Refer ongoing violations to the appropriate Regional Water Board provided that the Permittee has made a good faith effort of progressive enforcement to achieve compliance with its own ordinances. At a minimum, the Permittee's good faith effort shall include documentation of two follow-up inspections and two warning letters or notices of wolation. In making such referrals, the Permittee shall include, at a minimum, the following information: (a) Construction project or industrial facility location (b) Name of owner or operator (c) Estimated construction project size or type of industrial activity (including Standard)	
			Industrial Classification or North American Industry Classification system if Known) (d) Records of communication with the owner or operator regarding the violation, including at least two follow up inspections, two warning letters or notices of violation, and any response from the owner or operator	

	l.		
	Comment/Recommendation	CASOA recommends that the Enforcement Response Plan (ERP) be submitted in year 3 of the permit cycle.	CASQA Recommendation CASQA requests that timelines be modified. Recommendations for revising Program Management timelines are provided in Table A-1 .
	Location in Draft Permit	E.4.c.iii [page 23]	
anagement	Permit Element/ Issue/ Concern	Enforcement Measures and Tracking – Reporting	
Program Management	Comment #	36	

Ensure Adequate Resources to Castion in the premittees should not be required to spend the time and resources to document expenditures. Further it is a duplicative requirement to estimate the preceding reporting period's expenditures. Further it is a duplicative requirement to estimate the preceding reporting period's expenditures during the final four years of the term when that information was also submitted in the previous year CASOA Recommendation Option 1 (preferred) Delete provision CASOA Recommendation Option 2 If this section remains, then it should be modified to keep it consistent with the Code of Federal Regulations and other permits within the state. Modify the Phase il permit as follows: (ii) Implementation Level - Conduct an annual analysis of the following: (iv) Replacementation tevel - Conduct an annual analysis of the following: (iv) Replacementation of the source of funds that one proposed to meet the next reporting period. (b) Expenditures, including legal restrictions on the use of such funds: (c) Capter of the static responsing the requirements of this Order. (c) Capter of the security of the source of funds that one proposed to meet the necessary expenditures, including legal restrictions on the use of such funds.	Program Management	anagement		
Ensure Adequate Resources to [page 24] Comply with Order [page 24]		Permit Bement/Issue/ concern-	Lecation in Draft Permit	Comment/Recommendation
Delete provision CASQA Recommendation Option 1 If this section remains, then it should be modified to keep it consistent with the Code of Federal Regulations and other permits within the state. Modify the Phase II permit as follows: (ii) Implementation Level - Conduct an annual analysis of the following: (a) Cepital and ORAM expenditures needed, allocated and spenting the required. (b) Hoecessary staff resources needed and enforcement activities required. (a) (c) Estimated expenditures for the reporting period, the preceding period. (b) (4) Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds. (e) Description of the sources necessary to meet the requirements of this Order.	37	Ensure Adequate Resources to Comply with Order	E.4.d.ii [page 24]	Permittees should not be required to spend the time and resources to document expenditures. Further it is a duplicative requirement to estimate the preceding reporting period's expenditures during the final four years of the term when that information was also submitted in the previous year
If this section remains, then it should be modified to keep it consistent with the Code of Federal Regulations and other permits within the state. Modify the Phase II permit as follows: (ii) Implementation Level - Conduct an annual analysis of the following: (iii) Implementation Level - Conduct an annual analysis of the following: (ii) Implementation Level - Conduct an annual analysis of the following: (iii) Implementation Level - Conduct an annual analysis of the following: (iv) Nacessary staff resources needed and allocated to meet the requirements of this Orden including period, and enforcement activities required. (iv) Nacessary staff resource of funds that are proposed to meet the necessary exporting period. (iv) (4)-Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds.	,-			CASQA Recommendation Option 1 (preferred) Delete provision
Modify the Phase II permit as follows: (ii) Implementation Level - Conduct an annual analysis of the following: (a) Capital and O&M expanditures needed, allocated and spent. (b) Necessary staff resources needed and allocated to meet the requirements of this Order including any development, implementation, and enforcement activities required. (a) (c) Estimated expenditures for the reporting period, the preceding period, and the next reporting period. (b) (d) Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds.				CASOA Recommendation Option 2 If this section remains, then it should be modified to keep it consistent with the Code of Federal Regulations and other permits within the state.
(b) Nacessary staff resources needed and allocated to meet the requirements of this Order including any development, implementation, and enforcement activities required. [a] (c) Estimated expenditures for the reporting period, the preceding period, reporting period. [b] (d) Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds. (e) Description of the staff resources necessary to meet the requirements of this Order.				Modify the Phase II permit as follows: (ii) Implementation Level - Conduct an annual analysis of the following: (a) Capital and O&M expenditures needed, allocated and spent.
(b) (d) Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds. (e) Description of the staff resources necessary to meet the requirements of this Order.				(b) Necessary staff resources needed and allocated to meet the requirements of this Order, including any development, implementation, and enforcement activities required. (a) (e) Estimated expenditures for the reporting period, the preceding period, and the next reporting period.
	·			(b) (d) Description of the source of funds that are proposed to meet the necessary expenditures, including legal restrictions on the use of such funds. (a) Description of the staff resources necessary to meet the requirements of this Order.

Program Management	anagement		
Comment #	Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
88	Ensure Adequate Resources to Comply with Order	E.4.d.iii [page 24]	Consistent with Comment #43, CASQA recommends that the fiscal reporting be limited to those items identified within the Code of Federal Regulations. In addition, the reporting section should not add more fiscal reporting requirements to those outlined within E.4.d.(ii).
			CASOA Recommendation: Modify the Phase II permit as follows: [This comment is in addition to Comment #2 regarding the use of dates within the Permit) - (iii) Reporting — By September 15, 2013 online Annual Report and annually thereafter, submit a summary of the annual fiscal analysis. The summary shall include the information included in Section E.4.d.(ii), as well as the costs for staffing resources, maintaining existing structural BMPs, creating new BMPs, retrofitting existing BMPs to include green infrastructure, developing and disseminating storm water information to stakeholders, and developing non-structural storm water programs.

Public Outreach	reach Permit Eighren Vissige/Concern	Lacation in Distribution	Comment/Recommendation
36	Public Outreach and Education Program – General	E.5 [page 25]	This section header has changed from "Public Education and Outreach" to "'Public Outreach and Education. Public Education and Outreach is consistent with US EPA terminology and PEO has become a familiar acronym; it will be confusing and somewhat time consuming to re-learn slightly changed acronym. CASQA Recommendation Modify this section header to read "Public Education and Outreach."
40	Implementation Level - CBSM	E.S.b – d	CASQA Recommendation: CASQA strongly recommends urges the removal of all requirements related to CBSM. CASQA strongly recommends urges the removal of all requirements related to CBSM. CBSM strategies are difficult and expensive to fully implement, given that they are based on the application of psychology-based concepts that are most appropriately implemented by professionals. It is estimated the Public Education and Outreach section alone will cost upwards of \$600,000 in the first year and \$450,000 in subsequent years to comply for a large Phase II MS4. This requirement should be replaced with one that calls for incorporating the most readily achievable principles and goals of CBSM. While it might be possible to measure an increase in knowledge about stormwater, measuring behavioral changes is very hard, if not impossible. Many Phase I communities are finding it difficult (and again, if not impossible) to demonstrate reductions in pollutant releases on a five year timeframe. Behavioral changes often take many years to take an effect. Recycling has taken well over 20 years to get to the point it is now.
41	Implementation Level - CBSM	E.5.b – d	CASQA Recommendation It is unclear what it means to "Elicit commitment to implement desired behavior from target audience" Please provide Give acceptable examples of how to "elicit commitment" in c.2what this means and how it would be demonstrated as a part of the program.

Public Outreach	each		
Comment #	Permit Element/Issue/Concern	Location In Draft Permit	Comment/Recommendation
45	Implementation Level - CBSM	E.5.b – d	The term "credible source" implies that the permittees must pay a marketing firm to develop a message. Remove the words "credible source" in c.5. The permittee should have the ability to develop and determine individual messages.
			CASQA Recommendation Modify the permit language as follows: (5) Use education messages that are specific, easy to remember, f rom a credible source, and appropriate for the target audience.
43	Develop and Implement Program – Timeline	E.S.a.i [page 25]	If the permittees choose to contribute to a countywide or regional outreach program, this will take a minimum of 6 months to one year to set up by the time that MOUs and any contracts are developed, adopted and signed. The timeline must acknowledge the time it will take to form partnerships and coordinated multi-permittee programs. Implementation within the first permit year is too aggressive a timeline for the scope of this provision.
			CASQA Recommendation CASQA requests that timelines be modified. Recommendations for revising the timelines are provided in Table A-2.
4	Task Description – Timeline	E.S.b.i [page 26]	The task description requires the Permittee to develop and implement a comprehensive stormwater public outreach and education program by May 15, 2013 that will: • Measurably increase the knowledge of targeted communities of stormwater • Measurably change behaviors of target audiences. It would not be possible to both develop and have full implementation by May 15, 2013.
			CASQA Recommendation Modify the permit language as follows: (i) Task Description – By <u>the first year after the effective date of the permit, May 15, 2013,</u> the Permittee shall develop and implement a comprehensive storm water public outreach and education program to be implemented over the subsequent years of the permit term.

Public Outreach	oublic Outreach comment: - Remnit Element/ lissue/ Concern	Location in Draft Permit	-> Comment/Recommendation
45	Implementation Level – Budget	E.S.b.ii.a [page 26]	This section requires the development of a strategy that must include a budget for implementing the tasks. Permittees do not break down budgets for small projects or tasks. Permittees should not be required to break the budget down further than what is required in E.4.d.ii.
			CASQA Recommendation Modify the permit language as follows: (a) Develop and implement a public education strategy that establishes education tasks based on water quality problems, target audiences, and anticipated task effectiveness. The strategy must include identification of who is responsible for implementing specific tasks, and a schedule for task implementation, and a budget for implementing the overall Public Education and Outreach Program tasks
46	Implementation Level – Water Efficient Landscape Ordinance	E.5.b.ii.h [page 27]	This section requires coordination with outreach programs for the Water Efficient Landscape Ordinance. This requirement should complement existing efforts and recognize that the traditional MS4s are already subject to water conservation program requirements to comply with AB 1881 (Water Conservation in Landscaping Act of 2006). [Note - this Act required cities, counties and charter cities and charter counties to adopt water-efficient landscape ordinances by January 1, 2010. Section 2, Article X of the CA Constitution also states the waste water from runoff, overspray, low head drainage, leaks and excessive amounts of applied irrigation water in landscapes is prohibited.]
			CASQA Recommendation Modify the permit language as follows: (h) Coordination with <u>existing</u> outreach programs for the Water Efficient Landscape Ordinance to explain the benefits of storm water-friendly landscaping;

Public Outreach	reach		
Comment *	Permit Element/ Issue/ concern	Location in Oraft Permit	Comment/Recommendation
47	Implementation Level – Technical and Financial Assistance for Stormwater-Friendly Landscaping	E.S.b.ii.i [page 27]	This provision requires the traditional and non-traditional MS4s to provide technical and financial assistance as well as implementation guidance related to stormwater-friendly landscaping.
			CASQA Recommendation: Delete this provision. Few jurisdictions have the ability to provide technical and financial resources for stormwater friendly landscaping assistance. In addition, this requirement is redundant, given that this assistance is provided by the water conservation program or designated agency, where possible.
48	Implementation Level – Education and Environment Initiative Curriculum	E.S.b.ii./ [page 27]	CASQA Recommendation: Delete this provision since this curriculum has already been developed by the California Environmental Protection Agency Office of Education and the Environment for implementation by professional educators (AB1528 and AB1721).
49	Implementation Level – Reporting	E.S.b.iii [page 28]	CASQA Recommendation: Delete the sentence "Annually report number of trainings, describe the technical and Jinancial program and implementation, and the study and results to date." This does not directly correlate to the activities conducted pursuant to the Public Outreach and Education Program.
20	Industrial/Commercial Outreach and Education Program – Implementation Level	E.5.c.ii [page 29]	Implementation within the first year is too aggressive a timeline for the scope of this provision, especially when a similar effort is expected to be conducted within the same time period for the general public.
			CASQA Recommendation: This provision should be divided into phases to allow the MS4 to focus the first year on evaluating current programming or lack thereof and setting reasonable targets and then meeting the targets set in the subsequent four reporting years.

Public Outreach	ach		
Confinent	comment Permit Rememy Issue/ Concern	Location In Draft Permit	Comment/Recommendation:
51	Industrial/Commercial Outreach and Education Program – Inventory	E.S.c.ii.a [page 29]	CASQA Recommendation: This provision should be deleted since the inventory of the high priority industrial and commercial facilities will be developed under the Industrial/commercial Section per E.11.a.li.a&e.
52	Industrial/Commercial Outreach and Education Program – Reference Correction Needed	E.S.c.ii.a [page 29]	The section quoted in the draft permit E.7.b is incorrect since this section refers to high priority areas and not industrial and commercial facilities.

Public Outreach	ach		
Comment #	Permit Element/Issue/Concern	Location in Draft Permit	Comment/Recommendation
23	Industrial/Commercial Outreach and Education Program – Budget	E.S.c.ii.b [page 29]	This section requires the development of a strategy that must include a budget for implementation. Permittees do not break down budgets for small projects or tasks. Permittees should not be required track and break down budget beyond what is required in E.4.d.ii.
			CASQA Recommendation Modify the permit language for E.S.b.(ii.)(a) as follows: (a) Develop and implement a public education strategy that establishes education tasks based on water quality problems, target audiences, and anticipated task effectiveness. The strategy must include identification of who is responsible for implementing specific tasks, and a schedule for task implementation, and a budget for implementing the overall Public Education and Outreach Program tasks
			Modify the permit language for E.5.c(ii)(b) as follows: (b) Development and implementation of an industrial/commercial outreach and education strategy that establishes measurable goals and prioritizes education tasks based on water quality problems, target audiences, and anticipated task effectiveness. The strategy must include identification of who is responsible for implementation, and a budget for implementing measurable goals, and a schedule for task implementation, and a budget for implementing the tasks and meeting the measurable goals designed to demonstrate how specific high priority storm water quality issues in the community or local pollutants of concern are addressed.
54		E.S.c.ii.e [page 30]	CASQA Recommendation CASQA recommends that the Industrial/ Commercial program be limited to inventorying and outreaching to industrial/ commercial facilities (versus inspections). As such, modify the permit language as follows: and provide guidelines regarding the types of BMPs that may be implemented to prevent and/or mitigate non-storm water discharges at that facility type, and explain penalties for noncompliance.

Public Outreach	ach		
Sept. III BILL	Peimit Elemeit/Tssule/ Concern	Estation In Digit Permit	Longian Meconnicademics
55	Construction Outreach and Education Program – Implementation Level	E.5.d [page 31]	This section is focused solely on construction sites <1 acre —instead, it should be focused on sites greater than 1 acre until a full construction education program is developed and implemented. Future Phase II permits could consider focusing on sites < 1 acre, however, for now — the program should focus on the larger sites. Outreach materials could be made available at planning counters or through other permitting processes so that all construction sites, no matter what the size could receive this information (if they trigger the need to obtain a permit).
			CASQA Recommendation: Modify the permit language as follows: (i) Task Description – By <u>the first year after the effective date of the permit, May 15, 2013,</u> (i) Task Description – By <u>the first year after the effective date of the permit, May 15, 2013,</u> the Permittee shall develop and implement, a construction outreach and education program for construction sites smaller <u>greater</u> than one acre <u>to be implemented over the</u> program for construction sites smaller greater.
56	Construction Outreach and Education Program – Implementation Level	E.5.d.(ii)(a) [page 31]	CASQA Recommendation: This provision should be deleted since the inventory of the high priority residential and commercial construction site will be developed under the Construction Program per E.8.a.

	dget for sor tasks. Ogram. The necessary.	– the program es determine	ication tasks sk effectiveness. ting specific he <u>overall</u>	tion strategy water quality y must include ining rimplementing rsurable goals es in the sponsible for als.
ation	This section requires the development of a strategy that must include a budget for implementation. Permittees do not break down budgets for small projects or tasks. Typically, permittees allocate an overall budget for the public education program. The requirement to track and break down budget for the three sections is not necessary.	Additionally Permittees should not be required to anticipate effectiveness – the program effectiveness guidance provided by CASQA and that State help municipalities determine effectiveness and were not intended to predict.	CASQA Recommendation Modify the permit language for E.S.b.ii.a as follows: (a) Develop and implement a public education strategy that establishes education tasks based on water quality problems, <u>and</u> target audiences , and anticipated task effectiven The strategy must include identification of who is responsible for implementing specific tasks, a schedule for task implementation, and a budget for implementing the <u>overall</u>	rutreach and educc tion tasks based on veness. The strateg scific tasks and atta on, and a budget f yy must include me n water quality issu Establish who is re ng the tasks and ga
Comment/Recommendation	nt of a strategy the break down budge rall budget for the n budget for the th	e required to antic ASQA and that Sta to predict.	.ii.a as follows: ducation strategy <u>1</u> target audiences, on of who is respo ntion, and a budge: am tasks	(ii)(b) as follows: of a construction of d prioritizes educa: cipated task effecti r implementing sp task implementat e-goals. The strate is high priority stori ern are addressed
Comm	es the developme Permittees do not es allocate an ove ick and break dow	ttees should not b ance provided by C were not intended	dation language for E.S.b plement a public e ality problems, <u>an</u> include identificati inc task implemento or task implemento	language for E.5.d d implementation assurable goals an adiences, and antition is responsible for and the assurable strate how specific pollutants of concols and a budget
	This section requir implementation. I Typically, permitte requirement to tra	Additionally Permittees should not be required effectiveness guidance provided by CASQA and effectiveness and were not intended to predict.	CASOA Recommendation Modify the permit language for E.5.b.ii.a as follows: [a] Develop and implement a public education strategy that establishes education tasks based on water quality problems, <u>and</u> target audiences , and anticipated task effectiveness. The strategy must include identification of who is responsible for implementing specific tasks, a schedule for task implementation, and a budget for implementing the <u>overall</u> Public Education and Outreach Program tasks	Modify the permit language for E.5.d(ii)(b) as follows: (b)Development and implementation of a construction outreach and education strategy that establishes measurable goals and prioritizes education tasks based on water quality problems, target audiences, and anticipated task effectiveness. The strategy must include identification of who is responsible for implementing specific tasks and attaining measurable goals, and a schedule for task implementation, and a budget for implementing the tasks and meeting the measurable goals. The strategy must include measurable goals designed to demonstrate how specific high priority storm water quality issues in the community or local pollutants of concern are addressed. Establish who is responsible for specific tasks and goals and a budget schedule for meeting the tasks and goals.
Location in Draft Permit	E.S.d.(ii)(a) [page 31]			
ach 'Permit Element/ Issue/ Concern	Construction Outreach and Education Program – Implementation Level			
Public Outreach	57			

Public Involvement	vement		
Comment #	Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
88 55	Public Involvement and Participation – Citizen Advisory Group	E.6.ii.b [page 33]	This section requires the permittee to establish a citizen advisory group that must include residents, business owners, and environmental organizations. The formation of citizen advisory groups is very time consuming and, for some permittees and communities, staff time may be better spent implementing other mechanisms for public involvement and participation.
			CASQA Recommendation: CASQA recommends that the permittees be allowed the ability to create their own public involvement and participation strategy (consistent with E.6.d.(ii)(a) strategy that <u>may</u> include a citizen group, but that does not <u>require</u> the formation of a citizen group. Instead the permittees should be provided with an option to create other mechanisms to engage the public in the implementation of the stormwater program if they so choose. This would allow the permittee to choose the option that is appropriate for its community.

IDDE			
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
59	IDDE Program Costs	E.7 [page 33]	Costs associated with an IDDE Monitoring Program are prohibitive for a Phase II entity. According to pg. 37 of the Center for Watershed Protection (CWP) IDDE Program Guidance Manual, the average startup cost for a Phase II IDDE program is \$62,300 and the annual implementation costs average \$84,750/yr. The two highest cost elements of the IDDE program are sample analysis and program administration/staff.
			Performing analytical monitoring yearly is too restrictive and wasteful given the intermittent and transient nature of illicit discharges. If pollutants are not detected and there is little change to land uses or physical conditions, monitoring on perhaps a five year basis would be more reasonable. Or depending upon the nature of the pollutant, inexpensive field tests as opposed to analytical analysis should be allowed. And if illicit discharges are detected, more monitoring may be called for within a short period of time so as to narrow down and determine the source.
			CASQA Recommendation – Option #1 (Preferred) This entire section should be replaced with an Urban Watch-type dry weather flow monitoring program [such as the program currently being implemented by the Coastal Watershed Council (CWC)] that emphasizes visual monitoring of outfalls. Monitoring stations may be selected non-randomly according land use and pollutants of concern. Number of monitoring stations should ensure adequate coverage of priority areas. Dry weather flows will be monitored visually, and if warranted, with field test kits for odor, ph, temperature, orthophosphates, NH3, color, grease/oil film, and/or trash. No monitoring should occur within 72 hours of the last rain or during snowmelt periods as these will not produce representative samples of dry weather flow. Follow-up investigations are required if warranted.
			If this section is retained – CASQA offers the following comments below (Option #2)

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
09	MS4 Mapping	E.7.a.i [page 34]	This provision requires the permittee to map its storm drain system in GIS. GIS may be helpful but is not necessary for managing an effective IDDE Program. A GIS capability can be encouraged, but not required, by the Permit. Requiring GIS mapping will place an undue and substantial economic burden on the permittees. Many MS4s do not have GIS systems or staff trained in GIS mapping. In addition, many facilities have security concerns that need to be considered when requiring this type of mapping (such as correctional and military facilities) CASQA Recommendation Revise the language as follows: By the second year after the effective date of the permit, May 15, 2014, the Permittee shall maintain an up-to-date and accurate storm drain system map. The map may be in hard copy and/or electronic form such as Google earth or within a geographic information system (GIS).
61	IDDE Program – Renewal Traditionals & Illicit Discharge Education & Training – Task Description	E.7.c and E.7.f.i [page 33 and 38]	Date stated in E.7 (c) (May 15, 2014) conflicts with E.7.f (i) (May 15, 2015).
62	MS4 Mapping – Implementation Level	E.7.a.ii.a [page 34]	CASQA Recommendation Define "Outfall" within the glossary per 40 CFR 122.26.
63	MS4 Mapping – Implementation Level	E.7.a.ii.d [page 34]	Field screening sites are not required until May 2015 per E.7.c; however, this section requires mapping them by May 2014.
		·	CASUA Recommendation Please clarify timeline.

Comment	Identify Permit Element/ Issue/	Location in	in the second of the second
#	Concern	Draft Permit	Comment/Recommendation
64	Identifying Priority Areas – Reword	E.7.b.ii [page 34]	If the permittee identifies all the priority areas, and it comes to be less than 20% of the urbanized area, they should not have to pick another area just to meet a 20% minimum mandated threshold.
			CASQA Recommendations The Permittee shall, at a minimum, identify the following as priority areas and 20 percent of the Permittee's urbanized boundary shall be identified as priority for this program element using the following screening criteria: The Permittee shall inventory the following priority areas:
			 (a) Areas with infrastructure that is more likely to have illicit connections and a history of sewer overflows or cross-connections; (b) Industrial, commercial, or mixed use areas; (c) Areas with a history of past illicit discharges'
			 (d) Areas with a history of illegal dumping; (e) Areas with onsite sewage disposal systems; (f) Areas that directly discharge to upstream of sensitive water bodies; and (g) Areas that drain to outfalls greater than 36" that directly discharge to the ocean.
65	Field Screening – Task Description & Implementation Level	E.7.c.i & ii [page 35]	CASQA Recommendations CASQA recommendations CASQA recommends the following language changes: (a) Identify stations within each priority area where field screening will take place. (b) Conduct dry weather field screening at each station identified above at least once a year. (d) Conduct a follow-up investigation if the benchmarks associated with the
99	Field Screening to Detect Illicit Discharges – Implementation Level	E.7.c.ii [page 35]	constituents are exceeded, deemed necessary CASOA Recommendation Define Major Outfall within the alossary ner 40 CFR 122 25
		,	die englie minimum grootely pur 10 cm 126.40.

Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
29	Field Screening - Implementation	E.7.c.il.a [page 35]	This section states: "If the Permittee is made aware of illicit discharges that occuroutside of the priority areas, the Permittee shall include field screening stations in those areas." However, it would be overly burdensome to start a new field screening station for every illicit discharge that may be reported. Instead, the procedures for responding to an illicit discharge should be followed and new areas added if they meet the established criteria.
			CASQA Recommendation (a) Identify stations within each priority area where field screening and analytical monitoring will take place. In addition, if the Permittee is made aware of illicit discharges a response will be initiated per section E.7.e. that occur during the permit term outside of the priority areas, the Permittee shall include field screening stations in those areas. Stations shall be selected according to one of the following methods:
89	Field Screening - Reporting	E.7.c.iii [page 36]	This section states "If the Permittee finds that after two subsequent field screening tests have been completed that the field screening station is dry, select an alternate station for monitoring." If this section remains, specify that if a whole area of grids is dry twice in a row, then the area can be removed from monitoring.
			CASQA Recommendations Modify the following language: (iii) Reporting – By September 15, 2015 online Annual Report, submit a report summarizing the field screening and analytical monitoring program procedures, including a summary of the field screening and illicit discharge investigation results. If the Permittee finds that after two subsequent field screening tests have been completed that the field screening station is dry (i.e., no flowing or ponded runoff) or the flows are due to natural sources (i.e., natural spring) the station may be removed from the program and an alternate station for monitoring. In subsequent online Annual Reports, the Permittee shall assess the IDDE program to determine whether updates are needed.

IDDE			
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
69	Source Investigations — Task Description	E.7.d.i [page 36 & 37]	Requires written procedures by May 2016; however, the spill response plan is required in year one (2013).
			CASQA Recommendation Modify the permit language as follows: Recommend that this potential timeline conflict be revised (i.e., the deadline for the spill response plan be aligned with May 2016 deadline).
70	Source Investigations – Implementation Level	E.7.d.ii.c & d [page 36-37]	CASQA Recommendation Modify the permit language as follows: (ii) Implementation Level - At a minimum, the Permittee shall conduct investigation(s) to identify and locate the source of any illicit discharge. The investigation shall be initiated within 48 hours of becoming aware of the suspected illicit discharge.
			(d) If the observed discharge is intermittent, the Permittee shall document that a minimum of three (3) separate investigations were made in an attempt to observe the discharge when it was flowing using best professional judgment. If these attempts are unsuccessful or the Permittee is unable to determine the source of the discharge, the Permittee shall include written documentation in the online Annual Report.

Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
7.1	Source Investigations – Implementation Level	E.7.d.ii.e [page 37]	This section states: "Permittee shall immediately notify the responsible party of the problem and require the responsible party to conduct all necessary corrective actions to eliminate the illicit discharge within 48 hours of notification."
			This may not be feasible. For example, an illicit discharge could occur and the Permittee may not be able to immediately identify the responsible party. Additionally, if the illicit discharge occurs on a weekend or during a large public event, it may not be feasible to eliminate the illicit discharge within 48 hours (i.e. contractors and equipment may not be readily available).
			CASOA Recommendation Modify permit language as follows: " Permittee shall immediately notify the responsible party of the problem and require the responsible party to conduct all necessary corrective actions to eliminate the illicit discharge within 48 72 hours of notification."

Comment Identify Permit Element/ Issue/ # Concern Draft Permit To Spill Response Plan - Detail E.7.e E.7.e requires a spill reserventing spills (see sure preventing spi	
Spill Response Plan - Detail [page 37] what the plant	
CASQA Recommendatio Modify the permit langu (ii) Implementatio (iii) Implementatio information from E Environmen - The procedu - How investion - How reporti	
responder, e responder, e plan shall ou and record t	Modify the permit language as follows: (ii) Implementation Level — At a minimum, the spill response plan will incorporate the information from E.7.d and outline the following: - The agency roles and responsibilities (e.g., County Department of Environmental Health, local police department, local fire department, etc.) - The procedures for responding to complaints - How investigations are to be conducted - How reporting is completed and what information is required - how to respond to illicit discharges and spills, including coordination of a qualified spill response plan shall outline how to notify other operators within 48 hours of discovery and record the information.

		set less	s = se	иid
	S4s. As reportii ncrease	section velop a nd with	omplian so. If th ne Phas ociated	rently p
	mall Mi eet the ely to ir	rtified in ''s to de MEP - a	uring cost to do sough the sts asso	Fee curi
	EP for s er to m nd is lik	nts ider r Board es and	k of ens source: tees thi their co	MDID.
10 0	yond M d in ord uality a	quireme al Wate principi	the wor ancial re permit defray	hare the
nendat	goes be require water q	tion red Region control	to put the finate Phase I	sm to si
Recolnif	ion E.8 will be nprove	construe and the diment	appears ag them oility to	nechanı ıte.
Comment/Recommendation	d in sectal MS4s ssarily in tions.	der the mittees n and se	permit of providing seponsile finance	elop a r
je.	dentified the sma ot neces ork viola	Reconsil se II peri n erosion efforts.	hase II vithout rs this ra wide the vide the illities.	ould dev
	effort i ffort by ch will n saperwo	tation: the Pha: cused or	e draft le MS4 v transfe nust pro	dation: oard sh nd subn
	level of ificant e nts, whi	ommeno rk with nents fo	ge in th SP on th er Board State r	ommen Nater B eloper a
	Overall the level of effort identified in section E.8 goes beyond MEP for small MS4s. As a result, significant effort by the small MS4s will be required in order to meet the reporting requirements, which will not necessarily improve water quality and is likely to increase fines and suits for paperwork violations.	CASQA recommendation: Reconsider the construction requirements identified in section E.8 and work with the Phase II permittees and the Regional Water Board's to develop a set of requirements focused on erosion and sediment control principles and MEP - and with less of a focus on the reporting efforts.	The language in the draft Phase II permit appears to put the work of ensuring compliance with the CGP on the MS4 without providing them the financial resources to do so. If the State Water Board transfers this responsibility to Phase II permittees through the Phase II permit, the State must provide the financial resources to defray their costs associated with CGP compliance responsibilities.	CASQA recommendation: The State Water Board should develop a mechanism to share the WDID Fee currently paid by the developer and submitted to the State.
		CA! E:8	Sta Vitte	\$ \frac{1}{2} \frac{1}{2}
Tecation In Draft Permit	E.8 [page 38]		ge 38]	
982 S.C	E.8 [pag		E.8 [pag	
/enss	T T		Fee	
	- MEP		- WDID	
Spinis Slein	nment-		mment	
in identily Remit Element (ssue). Concern	General Comment – MEP		General Comment – WDID Fee	
	Gen		Gen	
Construction	73		47	
පි දීම				<u>.</u> <u></u>

Construction	u		
Comment	identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
75	General Comment – Scope	E.8	The language of the draft Phase II permit is unclear as to the required scana of the
		[page 38]	construction program element. In various locations of section E.8 requirements are described for:
			 All projects that disturb soil
			 All project covered by grading and building permits
			 1+ acre projects (presumably those that have CGP coverage)
			CASQA Recommendation: Clarify the scope of the construction program classes is in
			unreasonable to require application of the requirements of this permit or the local erosion
			and sediment control ordinance to all projects that disturb soil. CASOA recommends the
			scope be limited to those projects covered by the CGP which are issued a local building or
			grading permit. Those smaller projects which trigger the need for a local building or grading permit will be addressed by the public education and outreach program
9/	General Comment – Reporting	ж ш	The draft Dhase II were it is the control of the draft Dhase II were it is the control of the co
	Requirements	[2000 20]	Construction alament Increased account of the construction alament the
	•	[hage 20]	expension conditions and a second conditions are second to the second conditions and the second conditions are second conditions.
			With limited that come I McAz and State on the send a field presence by agency staff.
_			With milled staff, small MS4s are forced to choose between preparing and submitting
		-	reports and taking actions to control runoff.
			CASOA Recommendation: Eliminate the increased reporting requirements and active and
			current reporting burden on small MS4s. The permit should emphasize the more cost
			effective approach which includes plan review, educational outreach, and focused field
			inspections that are customized to the local jurisdiction.

Construction	n Gandiv Reumit Blemen V Issue).	locationin Diaft Pemit	Comment/Recommendation
77	Construction Site Inventory – Redundancy	E.8.a. [page 39]	This inventory requirement will create a redundant database to the existing SMARTS database for projects covered by the CGP. Small MS4s can access SMARTS for this information. This redundancy adds unnecessary time and expends precious resources for the small MS4s.
			CASOA Recommendation: Eliminate the inventory requirement and direct small MS4s to use SMARTS to obtain inventory information for projects in their jurisdiction.
			Although CASQA strongly recommends that the inventory requirement is replaced with the ability of the Permittees to use the SMARTS system to obtain the information that they need — additional recommendations are provided below if the Board does not make this change.
78	Construction Site Inventory – Types of projects which require compliance	E.8.a.i [page 39]	The permit inconsistently uses "all projects" versus projects which meet the requirements of the CGP. This needs to be clarified. As an example, this paragraph states "all" in the first sentence and then states "at a minimum" in the second. CASQA Recommendation: Revise language to clarify that the intent is that only "projects that meet the CGP" are the focus of the construction program element and allow the permittees to use SMARTS for this database/inventory, rather than creating a redundant database/inventory.

	*** ** **	- A		
	Comment/Recommendation	This data is already included in SMARTS. We suggest allowing permittees to use the same criterion for determining "receiving waters" as the Construction General Permit (CGP). This is a consistent approach with the CGP, and would allow permittees to use SMARTS as their construction database, rather than create a redundant inventory system. This information is included in SMARTs and the Permittees can obtain this information with the project inventory	CASQA Recommendations Modify the permit language as follows (i) Task Description - Each Permittee shall maintain an inventory of active CGP projects all grading and construction activity within its jurisdiction. At a minimum, This inventory shall include all public and private construction sites that result in a total land disturbance of either one acre or more or that result in a total land disturbance of less than one acre if part of a larger common plan or development or sale.	(ii) Implementation Level – By August 15, 2012, Within the first year of the effective date of the permit, the Permittee shall complete an inventory and continuously update it as new projects are permitted and projects are completed. The inventory will be obtained from the SMARTS database and supplemented as needed by the Permittee such that the inventory contains the following:
	Location in Draft Permit	E.8.a.ii [page 39]		
	identify Permit Element/Issue/ Concern	Construction Site inventory – Clarify	,	
Construction	Comment #	62		

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Construction	Soussi / Jemennik Element/ (Soussi)	i ostanin Postani	Comment/Recommendation
08	oval –	E.8.b.ii.b [page 40]	Quantifying soil loss potential from BMPs is not commonly performed nor is it required for projects permitted under the CGP. Requiring these calculations be included in Erosion Control Plans for small MS4s imposes a higher level of performance on projects constructed in small communities than those in Phase I communities or in areas outside the Phase I and Phase II MS4 boundaries. The unequal burden will place Phase II municipalities at a disadvantage for attracting new and redevelopment projects. The requirement to do soil loss calculation is better piloted at the state-level through the CGP. CASQA Recommendation: Revise the language to read "Require that the erosion and sediment control plan include the rationale used for selecting or rejecting BMPs."
81	Plan Review and Approval – Permitting	E.8.b.ii.c [page 40]	The US ACOE requires that all other permits be in place prior to issuing the 404 permit. It is not possible to have the 404 permit prior to issuing a grading and building permit. This is a classic Chicken and Egg scenario and costs thousands of dollars for projects whose proponents and consultants try to address order of permits. CASQA Recommendation: Revise this language to read "Require that the Erosion and Sediment Control Plan list applicable permits including, but not limited to the State Water Board's CGP, State Water Board 401 Water Quality Certification, U.S. Army Corp 404 permit, and California Department of Fish and Game 1600 Agreement. Include as a condition of the grading permit that the Operator submit evidence to the MS4 that all permits required for the project have been obtained prior to commencing ground disturbing activities."
85	Inspection and Enforcement — Evaluate and Update Existing Programs	E.8 c [page 41]	Footnote 26 appears to provide a welcome opportunity for currently permitted small MS4s to demonstrate that existing programs are protective of water quality. In reality however, it is unlikely that this flexibility will be exercised because it is unknown what level of water quality protection will be provided by the yet untried provisions of the draft Phase II Permit. CASQA Recommendation: Provide guidance that is noticed concurrently with the revised permit on how a small MS4 would document and obtain approval for an 'in-lieu' program.

Construction			
Comment #	identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
83	Inspection and Enforcement	E.8.c.ii	The prescriptive nature of the permit requirements will prevent small MSAs from
	Inspection Frequency	[page 41]	local knowledge and priorities to the inspection program. While small MS4's can add to
			the inspection priorities, they cannot delete any of the mandated inspections. A potential
			unexpected negative consequence to mandated inspection frequencies is this: Inspectors
			"inspected", to meet the permit, rather than productively and efficiently focusing on
			projects that really do need their attention.
			Projects in sediment impaired watersheds will be subject to the CGP risk level 2 or 3 or 111P
		_	type 2 or 3 requirements with their higher level BMPs and runoff monitoring. Given the
			higher state level scrutiny on these projects, local resources might be better focused on
			known problem sites than distributing resources across all sites in a watershed.
	74		With the realities of the resource limitations of small MS4s, it will be infeasible to focus the
			inspection workload within a short period of time prior to predicted rain events or
			following actual rain events. Small MS4s need the flexibility to uniformly distribute
			inspection workloads.
			The most frequent inspections are required for sites that will be subject to the CGP, which
			requires the Owner to appoint a QSP to perform routine and storm-related inspections.
			Requiring similar inspections by the MS4 permittee is unnecessary for these already highly
			inspected sites. Additionally, the presence of a local inspector will divert the QSP's
		,	attention from her/his Kain Event Action Plan, inspection, and maintenance activities.
			Prior to implementing any additional reporting or mandated inspection requirements the
			cost effectiveness of the reporting compared to improvements in water quality must be
		-	Considered.
			CASQA Recommendation: Establish a permit condition that requires agencies to develon
			an inspection program to conduct adequate inspections to control soil erosion and
			sediment discharge. The frequency and other inspection prioritization criteria should be
			suggested guidelines – not requirements, and need to be labeled as such.

			**	Frequency	1) at least once every two weeks-monthly			As needed based on the evaluation of the factors that are a threat to water quality*	Il be considered soil erosion vater bodies; proximity to non-compliance by the <u>stions staff</u> , and any water	in Table A and make slity factors and incorporate	ne BMP requirements of the able to determine what lible to require every project CGP acreage requirements.
	nmendation	led below.	ction Frequencies		1) at least once		At least monthly	As needed base factors that are	owing factors sha vity of receiving w les; past record of kormwater inspec	ection frequency dge and water qua nance.	t comply with the ction should be a sonable or feasing on the ction of
	Commentation	Suggested modifications to Table A are provided below	Table A: Suggested Inspection Frequencies**	Site	a. All sites one (1) acre or larger that discharge to a tributary listed by the state as an impaired water for sediment or turbidity under the CW/A § 303(4) subject to the CGP	b. Other sites one (1) acre or more determined to be a significant threat to water quality*	e. All other construction sites with one (1) acre or more of soil disturbance not meeting the criteria above	d. Construction sites less than one (1) acre in size	*In evaluating the threat to water quality, the following factors shall be considered soil erosion potential, site slope; project size and type; sensitivity of receiving water bodies; proximity to receiving water bodies; non-storm water discharges; past recoiving water bodies; non-storm water discharges; past recoiving water bodies; non-storm water discharges; past record of non-compliance by the operators of the construction site; availability of stormwater inspections staff; and any water quality issue relevant to the particular MS4.	1** Each agency shall consider the suggested inspection frequency in Table A and make appropriate modifications based on local knowledge and water quality factors and incorporate in to the local Erosion and Sediment Control Ordinance.	The last paragraph implies that all projects must comply with the BMP requirements of the CGP. If the project is under an acre, the jurisdiction should be able to determine what appropriate BMPs will be required. It is not reasonable or feasible to require every project to comply with CGP BMP requirements if they do not meet the CGP acreage requirements.
P. C. St. Commission of the Co	Toralloning Branceemic	E.8.c.ii	[pages 41-42]		·						E.8 d [page 44]
e Wellinstein State and Control of the Control of t	A identity Permindlement/ Issue/	Inspection and Enforcement —	Inspection Frequency								Training — Compliance with CGP
Construction	Cost Trrings	84		_							85

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Construction			
Comment	dentify Permit Element/ Issue/	Location in Draft Permit	Comment/Recommendation
98	Training – QSD/QSP	E.8.d	Qualification as a QSD and QSP requires an extensive background in engineering, erosion
		[page 44]	and sediment control, geology, landscape architecture, or hydrology. The plan review and inspection staff of most small MS4s tends to be early in their careers and new to the
			construction/erosion control field. As such they typically do not have professional
			registrations nor do they have the experience that would allow them to obtain the professional certifications that are the pre-requisites for OSD or OSP qualification
			When needed, such as for capital projects subject to the CGP, small MS4s contract for QSD
			and Cor services.
			Training existing staff or hiring staff qualified to obtain QSP and QSD certification is beyond the resources of small MS4s and is not practical.
			CASQA Recommendation: Eliminate the requirement for Phase II MS4s to obtain QSD or
			QSP certification for inspection, plan review staff or individuals supervising these staff. In
			lieu of this, CASQA recommends that the requirement be modified to require that
			inspection; plan review staff; or an individual supervising inspectors and plan reviewers
			complete the QSP and QSD training respectively. That is required the completion the QSP or OSD course and passion the oxem but not require and passion the oxem but not require and passion the oxem but not require and passion of the completion.
			certification (e.g. CPESC, CISEC, PE, PG).
87	Training – Scope	E.8.d.	Agencies and organization subject to the Phase II permit typically do not have staff whose
		[page 44]	primary job duties are construction stormwater programs so it is unclear how this
			requirement would apply.
			CASQA Recommendation: .
			(i) Task Description – The Permittee shall ensure that all staff whose primary job duties are
			related to implementing the construction storm water program are adequately trained.
			Add the following to E 0 d (ii)
			מיניר ליויטיזיווק גם ביסימי(וו)
			(d) Or designated person on staff with each credential: QSD to supervise plan review, QSP
			to supervise inspection operations.

Construction		Vecamin	ocapionin Comment/Recommentarion
88	Education – Clarification	E.8.e.ii.b [page 45]	The last clause in this item refers to providing outreach and education on BMPs "as well as overall program compliance". The scope of this outreach message is unclear.
			CASQA recommendation: Delete the "as well as overall program compliance" or clarify to provide context to the outreach efforts for construction site operators.

Page A-46 of A-107

Pollution Pr	Pollution Prevention/ Good Housekeeping		
Comment	Identify Permit Element/Issue/Concern	Location in Draft Permit	Comment/Recommendation
න 8	Facility Mapping – Task Description	E9.b.i [page 47]	This task should solely focus on mapping of the Permittee owned and operated facilities. Any BMPs that need to be mapped are already addressed within other sections of the Permit.
			CASQA Recommendation (i) Task Description – By <u>the second year of the effective</u> date of the permit May 15, 2013 , submit map of the area covered by the MS4 permit and identify where the Permittee- owned or operated facilities and storm water BNAPs are located.
06	Facility Mapping – Reporting	E.9.b.iii [page 47]	CASQA Recommendation Revise timeline to allow mapping facility locations by year 2 of the effective date of the permit and providing facility detail by year three of the effective date of the permit. See Table A-3 for recommended timeline revisions.
91	Facility Assessment – Hotspot	E.9.c.i and ii	CASQA Recommendation Move footnote #34 to the main text of the Order, Section E.9.c.i. The footnote contains a 'shall' statement and should be obvious in the requirements of the permit since the guidance manual that is referenced provides definitions and checklists for this section
95	Reporting	E.9.c.iii [page 48]	Reporting currently requires "identified deficiencies and any corrective actions taken" under the Facility Assessment. Since the Task description for this item includes only assessment, suggest this is only reported under section E.9.e Inspections, Visual Monitoring, and Remedial Action.
			CASQA Recommendation [iii] Reporting – By the third year of the effective date of the permit, September 15, 2014 online Annual Report, include summarize the results of the Permittee's annual assessment, any identified deficiencies and corrective actions taken, and list of the identified pollutant "hotspots".

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Pollution Pre	Pollution Prevention/ Good Housekeeping		が関いています。 の関いでは、 のでは、
	Seis Pidentin Permit 4	Treationing Treitsterning	Ç <u>omment/Recommendation</u> i
93	SWPPPs – Redundant Requirement	E.9.d [page 48]	CASQA recommends that the Permittees be allowed to utilize an existing document if that document includes the necessary information required within the SWPPP. CASQA Recommendations Modify the permit language as follows: (ii) Implementation Level – The Permittee shall implement the following:
			 Facility specific information (location, owner, address, etc.) Purpose of the document Key staff/contacts at the facility Site map with drainage identified Identification of significant materials that are handled and stored at the facility that may be exposed to stormwater Description of potential pollutant sources Best management practices employed at the facility Spill control and cleanup – responses to spills
			If a Permittee already has an equivalent document (such as a Hazardous Materials Business Plan, Standard Operating Procedure, etc.) that contains the above information, that may be utilized in the same capacity as the SWPPP.
94	SWPPP – Implementation Level	E.9.d.ii [page 48]	CASQA Recommendation It is suggested that the Board provide a template or checklist on what is expected in the SWPPP. This could be provided as an attachment to the Order.

Pollution Pr	Pollution Prevention/ Good Housekeeping		
comment.	ldentify Permit Element/Issue/Concern	Location in Draft Permit	Comment/Recommendation
95	Inspections, Monitoring and Remedial Action – Inspection Frequency	E.9.e.ii.b [pages 48 & 49	For a government entity with statewide facilities such as California Department of Correction and Rehabilitation, the inspection component would require at least one staff, one day per week per facility. Combined with the level of inspection and reporting required in this section, this represents a significant staff demand. In addition, the likely hotspots are buildings and structures with established storage areas, permanent BMPs, and regular staff, without much change to configuration of the sites.
			CASQA Recommendation CASQA suggests the following inspection frequencies: a) Quarterly Hotspot visual inspections (not weekly) b) Semi-annual Hotspot comprehensive inspections (not quarterly) c) Semi-annual Hotspot visual observations of stormwater and non-stormwater discharges (not quarterly) d) Annual Non-Hotspot Inspections (same as current permit)
96	Inspections, Monitoring and Remedial Action – Remediation of Problem Sites	E.9.e.ii.c [page 49]	The requirement to complete BMPs in 3 days is too short. Facilities consist of permanent buildings and BMPs. If structural BMPs are needed, physical alterations to the site may be necessary which will require more than 3 days to design and construct. CASQA Recommendation Suggest using language such as "shall be remedied as soon as practicable and reported/tracked within the annual report."
97	Reporting	E.9.e.(iii) [page 49]	CASQA Recommendation Add the following to the reporting requirements: (e) Identified deficiencies at any of the facilities inspected and the corrective actions taken

Pollution Pre	Pollution Prevention/ Good Housekeeping		10 - Copyright of Management of the second o
	identivitemii E Elenenvissus (Consern	esturiograpo la esturio mestante	Comment/Recommendation
86	Assessment and Prioritization – Storm Drain System Definition	E.9.f [page 49]	CASQA Recommendation Clarify Catch Basin definition—E.9.f directs Permittees to prioritize all catch basins. The definition states these are also considered drain inlets. Our interpretation of this definition is a drain inlet with structures such as grates, sumps, inlet/outlet structure, or other related infrastructure intended to convey stormwater runoff.
			CASQA suggests excluding simple culvert pipes, such as those installed under a rural driveway allowing cars to cross over roadside ditches, in the definition of catch basin. Inclusion of these in the required maintenance schedule would significantly increase the effort of this task with limited water quality benefit, especially in rural areas. Additionally, most of these are to be maintained by homeowners.
66	Assessment and Prioritization – Minimum High Rank	E.9.f.ii Pages 49 & 50]	CASQA Recommendation CASQA recommends that the minimum percentage of high priority catch basins be removed. 20% is an arbitrary number that is not MEP and has no quantifiable benefit to water quality. We suggest amending the language to include the ability to reduce or rerank high priority infrastructure as trash or debris issues are mitigated without a % minimum.
100	Maintenance – Cleaning Frequency	E.9.g.ii.b [page 50]	Cleaning all basins that are $1/3^{rd}$ full is arbitrary and not a good use of limited resources as some of the catch basins that are $1/3^{rd}$ full may not be a problem – likewise, other catch basins that are less than $1/3$ full may be a problem. Depending on the number of catch basin to be cleaned, cleaning within a week may not be feasible. Some catch basins may fill to $1/3$ multiple times during a winter.
			CASQA Recommendation Suggest the language be changed to: " <u>Annually inspect catch basins (prior to storm season) and establish a cleaning schedule</u> <u>that targets high priority sites</u> ."

Pollution Pr	Pollution Prevention/ Good Housekeeping		
Comment #	Identify Permit Element/Issue/Concern	Location in Draft Permit	Comment/Recommendation
•	Maintenance – Storm Drain System Definition	E.9.g.ii.d [page 50]	The visual monitoring of all open channels annually is unrealistic for many Phase IIs. For instance, even a small Phase II such as Truckee has about 150 miles of road with most having drainage ditches on both sides for an estimated total of 300 miles. This is difficult to complete in a summer in addition to all of the other requirements that can only be completed in summer. Prioritization is recommended for this requirement. Trash removal 3 times per year in all structures is not MEP and does not have a linkage to water quality benefits. For instance, in areas that are covered by snow for a significant amount of the year, this is not an efficient use of staff time as trash removal activities can only occur in the summer.
			CASQA Recommendation CASQA suggests that this requirement be rewritten as follows: "(a) Maintenance of surface drainage structures — All permittee owned open channels, detention basins, and other drainage structures shall be identified and prioritized. High priority facilities shall be reviewed as needed. Non-priority facilities shall be reviewed as needed." Remove the section that states "At a minimum, removal of trash and debris from open channels and other drainage structures annually" as this will be covered by the revision below. Rewrite last sentence to: "Removal of trash and debris from high priority areas shall occur at least three times naturally."
101	O&M Activities: BMP Inspection	E.9.h.i [page 51]	CASQA Recommendation Change to the quarterly assessment to an <u>annual</u> assessment. In practice, this has been found to be adequate to demonstrate maintenance and compliance, as personnel are trained annually so that if water quality issues are noticed, then O&M personnel will take care of them. In addition, in areas that receive snow, most of the items listed such as outdoor events and outdoor maintenance activities, cannot be inspected auarterly.

Comment/Recommendation	Given the extensiveness of proposed Permit requirements, any reference to retrofitting should be deferred until the following permit term. Additional problems could develop by adding habitat or vegetation into a facility which has a specified design capacity and may not have room for expansion. Additionally, having a minimum annual compliance number may be impossible to meet as retrofitting requires US ACOE and Department of Fish and Game permits which could take multiple years to receive (as well as possible need for an environmental impact study). In addition, current climate of fiscal contraction will leave no funding for retrofit projects and existing land use practices and law have long set legal precedent that only require conformance to new standards with new development applications for permits.	CASQA Recommendation CASQA requests the removal of this requirement from the Permit or modification of this requirement to focus solely on new facilities. It may be more appropriate to replace this requirement to focus solely on new facilities. It may be more appropriate to replace this requirement with one that requires new flood control facilities to incorporate water quality and habitat enhanced features, if practicable (it may not make sense for some regional flood control facilities to provide water quality treatment if it serves areas that already have water quality BMPs in place).	CASQA Recommendation Please clarify what is meant by "or that discharge into the MS4." Will it be a requirement to retrofit facilities that discharge into the MS4? This standard implies that MS4s are responsible for land uses outside our jurisdiction. In nearly all cases, MS4s have no ability to control land uses outside their jurisdictions. As indicated above, this requirement should be removed from the permit or re-focused to new facilities.	What does it mean to "Implement educational activities and permits"? Currently, it is required to have a permit under pesticide regulations. Is this to require an additional permit or just to verify that the applicator is permitted? CASOA Recommendation Please reword to make intent clear.
Coation In Digit. Permit	E.9.i.ii [page 52]		E.9.1.ii [page 52]	E.9.j.ii.b.1 [page 53]
Pollution Prevention/ Good Housekeeping conmany Emiliary Comits (Gongern)	/ and		Incorporation of Water Quality and Habitat Enhancement Features in Flood Management Facilities – Discharge into the MS4	Pesticide, Herbicides and Fertilizer Management – Clarification
Pollution Pr	102		103	104

	Comment/Recommendation	CASQA Recommendation	Please clarify that this requirement only applies to the Permittee activities and no other	public agencies within the Permittee's area. It is assumed the education activities are for	the Permittee's staff and contractors only.	CASQA Recommendation	Please clarify why grass mowing is a water quality issue (beyond stating that the purpose is	to minimize clippings, etc.). Please clarify what the intent is behind this requirement. Are	we concerned with greenwaste or greenwaste with herbicides in water?
	Location in Draft Permit	E.9.j.ii.b.1	[page 53]			E.9.j.ii.b.2	[page 53]		
Pollution Prevention/ Good Housekeeping	Identify Permit Element/Issue/Concern	rtilizer	Management – Clarification			Pesticide, Herbicides and Fertilizer	Management – Grass Clippings		
Pollution Pr	Comment #	105				106			

Trash Reduction	ction		
Comment	Identify Permit Element/ Issue/	Location in	Comment/Recommendation
#	Concern	Draft Permit	
107	Trash Reduction – Trash Abatement Plan	E.10.ii [page 54]	This section incorporates requirements that go beyond the Phase II program that is contemplated within the Code of Federal Regulations. Additionally, this section makes the assumption that all of the permittees require a trash reduction program and that the majority of trash is generated by the commercial retail/wholesale sector. The 20% minimum is arbitrary and has no apparent nexus with water quality. As a result, this type or program approach may not end up targeting high trash generating areas and/or targeting the pollutants of concern within a community.
			CASQA Recommendation Delete this provision.

Industrial/	Industrial/ Commercial Facility Runoff Control Program	ogram	
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
108	Industrial/Commercial Inspection Program	E.11 c, E.11.d, and E.11.e	An Industrial/Commercial inspection program was never anticipated under the Federal Phase II Rule. These sections should be deleted.
			CASQA Recommendation CASQA strongly recommends that the provisions related to industrial/commercial inspections be deleted and, instead, that the industrial/commercial provisions be limited to provision E.S.c Industrial /Commercial Outreach and Education Program which requires inventorying business locations (per E.7.b criteria; which is different than inventory requirements in section E.11.a.) and providing outreach regarding best management practices.
109	General – Missing Reporting Requirements	E.11.a and e	Reporting requirements are missing for sections E.11.a and E.11.e.
110	Inventory – Modification	E.11.a.ii.a	The Permittee is given one year to develop the required inventory which includes a substantial list of required information such as pollutants potentially generated by the facility/source, SIC codes, nature of the business and a narrative description of the products or services provided at each facility. For many permittees this will require a field visit to each business. The timeframe for completing this work is not reasonable. It is estimated that for a community with a population of 100,000 people, there are 1,000 I/C facilities that would fall within the inventory categories. MS4s should be allowed the first year to identify I/C facilities that fall within the required categories. The permit should limit inventory information within the first year to I/C name and location only. Expanded inventory information such as that listed in E.11.a.ii.a would be developed during the permit term with the Permittee showing progress towards completion each year.
			Provide a phased approach over the permit term for the development of the industrial/commercial inventory. Recommendations for revising the timelines are provided in Table A-4 .

<u> </u>	<u> </u>			<u>.</u>
Comment/Recommendation	The permit requires the facility information be placed into a GIS. Since many Phase IIs do not have GIS capabilities, the Permit should not specify how or where data is kept. That should be left up to the permittee, as there are less expensive methods for tracking facilities.	CASQA Recommendation The use of GIS should be recommended, not required. Modify the provision to state "Incorporation of facility information into GIS is required <u>recommended</u> "	The list of commercial facilities is extensive and should be reevaluated and paired down to a much smaller list similar to those required by the Ventura or Bay Area MS4 Permits (see Attachment B). The list can be modified over multiple permit cycle terms with the focus in the first permit term on higher stormwater pollutant generating facilities.	CASQA Recommendation Either significantly reduce the list of commercial facilities that are included within this program element or allow the Permittee to select the types of facilities that are addressed within their jurisdiction based on their local attributes and needs. The permit could identify that each Permittee select up to five facility categories to address during this permit term.
Location in Draft Permit	E.11.a.ii.a		E.11.a.ii.b.1	
Industrial, Commercial Facility Kunon Control of Bush	Timeline modification		Commercial Facilities/Sources – Focus on High Priority Facilities	
Comment	111		112	

Industrial/	Industrial/ Commercial Facility Runoff Control Program	ogram	
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
113	Commercial Facilities/Sources – Facility vs. Activity Specific	E.11.a.ii.b.1	The list is subjective. For example the 5th bullet is "Automobile (or other vehicle) parking lots and storage facilities" Is the intent that all parking lots be included?
			Additionally many of the commercial facilities listed are project or activity-specific (versus facility specific) and should be removed from the list. This includes, but is not limited to cement cutting, charitable car wash areas, masonry work, power washing, painting, pest control, etc. The number and types of commercial facilities should be reduced.
·			CASQA Recommendation In addition to reducing the number of facilities (see previous comment) activities should be deleted as well. This includes: • Cement mixing or cutting
			 Charitable car wash areas Masonry work
114	Commercial Facilities/Sources – Mobile Businesses	E.11.a.ii.b.1	The development and implementation of a commercial outreach program for mobile business is very difficult, particularly for mobile business that operate within the MS4 but have their corporate or local offices located elsewhere. For example a pest service or carpet cleaning company will have a multitude of vans in their fleet. It is unrealistic and an inefficient use of resources to inspect each van and operator individually.
			CASQA Recommendation The industrial/commercial program should only focus on fixed facilities – the mobile businesses, which are more difficult to outreach to, should be phased in during the next permit term.

Comment #	Comment Identify Permit Element/ Issue/ Loca Draft	Location in Draft Permit	Comment/Recommendation
115	Commercial Facilities/Sources –	E.11.a.ii.b.1	Compost facilities are included in the 1 st and 2 nd bullets.
	Compost Facilities		CASQA Recommendation Delete one of the bullets to avoid duplication.
116	Commercial and Industrial Facilities/Sources – NAICS	E.11.a.ii.b.1, 2	CASQA Recommendation The permit should use the North American Industry Classification System (NAICS codes) to clearly specify the types of business to be included in the program.
117	IGP Coverage – Modification	E.11.a.ii.c	The Permittee is required to determine, during the first year, if facilities that are required to be covered under a NPDES stormwater permit have done so. This should be an ongoing effort with no timeframe attached.
			CASQA Recommendation This provision should be modified to indicate that this is an ongoing effort. During the first year the Permittee can identify how they intend to determine if facilities are covered and show progress in implementation during each reporting period.
118	Facility Prioritization – Modification	E.11.a.ii.e,g	In section (g) the Permittee is required to annually prioritize the inventory based on extensive specific criteria. This is already requested in item e. Duplicating this work annually is not an efficient use of limited resources.
			CASQA Recommendation Delete provision (g) since it directly duplicates provision (e).

Industrial/	Industrial/ Commercial Facility Runoff Control Program	ogram		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation	
119	Minimum High Priority Requirement	E.11.c.ii.b	The minimum 20% high priority requirement is an arbitrary number and has no direct correlation or quantifiable benefit for water quality. The percentage of high priority sites should be driven by the results of the prioritization analysis using the criteria established to make the determination.	T
			CASQA Recommendation Delete the sentence that requires at least 20% of facilities to be high priority.	
120	Stormwater BMPs Remove Requirements	E.11.b	According to the permit the permittee must "require industrial and commercial facilities included in the inventory to select, install, implement and maintain storm water BMPs." This is stating that commercial and industrial facilities should be retrofitted. Further, the Permittees are required to notify facilities of these requirements by 2014. The expectation that businesses are going to make significant structural changes (site grading changes, berming, new roofing areas, etc.) to meet the standards in this Permit is unreasonable. Additionally, many of the businesses listed are tenant business and do not own property. How is a Permittee to compel or require a tenant business to make changes to a site they do not own? Section 11.b is recommended to be removed in its entirety or amended such that retrofitting for stormwater quality compliance occurs within 120 days of a transfer of property ownership. CASQA Recommendation As indicated in previous comments, CASQA recommends that the Industrial/ Commercial provision be limited to inventory and outreach in this permit term. As such CASQA recommends that this section be deleted and replaced with a reference to the outreach requirements specified in E.S.c.	

Comment	Identify Per	Location in	Comment/Recommendation
#=	Concern		
121	Inspections Requirements – Focus	E.11.c, d, e	Sections 11.c, d and e pertain to inspections.
	on Program Establishment		
			CASQA Recommendation
			Inspections should be removed from this permit cycle. This permit cycle should focus on
			inventory development, prioritization and outreach and education.
122	Staff Training – Remove Provision	E.11.f.	CASQA Recommendation
			Based on our earlier comments regarding the need to jocus the must have been a small to the second of the deleted
			program on memorying and carried only, are defined by equilibrian element.

Comment #			
	Identify Permit Element/ Issue/	Location in	Comment/Recommendation
	Concern	Draft	
	General Comment – Organization	E.12 All	CASOA Recommendation
			1) To improve clarity, revise format such that water quality/85 th percentile stands as one header, and hydromod/watershed characterization another
			2) Under hydromod, include the watershed characterization (do not separate the sediment budget).
			 Adjust the timeline to phase in post-construction requirements starting with the integration of water quality/LID criteria, followed by progress toward hydromodification criteria.
124 (General Comment – Timing	E.12 All	CASQA Recommendation
			More time should be allotted for the development of a post-construction program. The subwatershed baseline should be developed by Year 4 after the effective date of the permit, and hydromodification criteria should be required in a subsequent permit such
125 (Compliance Tiers – Timing	E.12.b	CASQA Recommendation
			New Traditionals with less than 25,000 population should implement this program in Year 3 after the effective date of the permit. This would be consistent with the same three-year implementation period provided in the CGP (note: CGP for post-construction becomes effective July 2013).
126	Compliance Tiers – Applicability New Traditionals	E.12.b	The CGP is written for implementation by a discharger, not an MS4. Some clarification should be provided. The permit should be specific as to which parts of the CGP apply.
			CASQA Recommendation
			For example, the permit should read:
			The MS4 shall require the responsible construction site dischargers to replicate the
			perentile storm event for the smallest storms up to the 85 th
			larger)." Etc.

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Post-Construction	uction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
127	Compliance Tiers – Non- Traditionals	E.12.a	Where Non-Traditionals could be regulated by the CGP or E.12, depending upon whether the area of Urban Land Uses within any single HUC12 subwatershed exceeds ten percent, the area of Urban Land Uses within any single HUC12 subwatershed exceeds ten percent, the State should develop a common map and identify those Non-Traditionals. The alternative is for each non-traditional to develop such a map. This results in numerous small agencies each individually and separately developing a GIS-based analysis of land use and watersheds. This is a highly technical expectation for very small agencies that lack the resources (staff or consultant) to develop such analysis, which in turn carries significant long-term consequences. It would be more cost-effective and reliable for the State Water Board to make this determination, and apply that determination consistently and uniformly throughout the state.
128	Compliance Tiers: Small MS4s in ESH	E.12.a and d	CASQA Recommendation Applicability criteria should be the same between New Traditionals and Renewal Traditionals with 5k <population<25k endangered="" habitat.="" located="" see<br="" species="" within="">comment below.</population<25k>
129	Compliance Tier – Define Endangered Species Habitat	E.12.a	CASQA Recommendation "Endangered Species Habitat" should be defined immediately following its reference on page 64. Use language from page 8 concerning discharge to sensitive water bodies. Revise: a) New Traditional Small MS4 Permittees with a population greater than 25,000 or with a population greater than 5,000 and discharging to a water body known to provide existing habitat for salmonids (e.g. chinook, coho or steelhead) located within Endangered Species Habitat shall comply with all requirements in this Section.
130	Compliance Tiers – "Minimum standards" vs. "all requirements"	E.12.a and c	CASQA Recommendation Revise New traditionals and Non traditionals each to "meet the minimum standards of this Section" Delete "shall comply with all requirements"

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
131	Watershed Characterization – Methodology	E.12.b.1	The detailed requirement for a watershed baseline characterization/sediment budget for Phase II communities exceeds EPA's 6 minimum control measures and exceeds the ability of most MS4s to comply with this provision. Based upon similar watershed characterizations, this effort is expensive and requires sophisticated technical expertise. Even with the best professionals working together, there is no agreed-upon or commonly used method to identify "dominant watershed processes potentially affected by changes in storm water runoff caused by new and redevelopment projects" that a permittee can then use to establish development criteria. The few Phase I MS4s who have completed such studies have all utilized different approaches resulting in different criteria and applicability. The only common factor is cost: such studies have all been in the range of \$500 - \$1M with the bulk paid by grants.
			CASQA Recommendation Until the state can provide a method for linking receiving water impacts to site development criteria, this requirement should be deleted or modified to a method that can be conducted using desktop watershed characterization methods and readily available information. Anything less increases MS4 exposure to third party lawsuits due to an inability to meet the permit objectives.
			At a minimum, CASQA recommends this section be integrated into the hydromodification portion of the permit, and be limited to characteristics which are readily available or easily determined using desktop techniques, and characteristics addressed in other parts of this Order (e.g. IDDE and monitoring). The characterization factors should be focused and limited to development of hydromodification controls (which should be addressed in the next permit term).

Post-Construction	uction Identify Permit Element/ Issue/	Location in	Comment/Recommendation
#	Concern	Draft	
132	Watershed Characterization – Methodology	E.12.b.1	CASQA Recommendation Define the method or approach to "complete a watershed characterization." There is no direction or guidance on how to compile, process, and interpret the data and how to identify key subwatershed processes as they relate to development. Under item (e), it is particularly unclear how an MS4 is to "rank the health" of watershed processes as listed. Given the lack of guidance, this requirement should be deleted unless the State can provide detailed guidance on a desktop watershed characterization methodology using readily available data.
133	Watershed Characterization – GIS Data Availability	E.12.b.1.c	CASQA Recommendation The state should provide a clearinghouse of all necessary data listed in this draft Order; if not, then the requirement should be removed. The intent should not be for each permittee to search, create, or generate new GIS layers when they already exist; many small permittees lack a GIS and cannot assemble the data.
134	Watershed Characterization – Rapid Assessment	E.12.b.1.d	CASOA Recommendation The rapid stream assessment requirement should be removed from this permit. The Watershed Characterization should be limited to desktop analyses only with the possibility of adding in a field component in future years. Center for Watershed Protection's Unified Stream Assessment is a continuous stream walk that is very time intensive. This process typically requires 40 hours of in-office preparation and 40+ hours of in-office postprocessing, and results in a large amount of data that will likely go unused. Additionally, the estimate of time spent in the field depends on the number of stream miles. A team of two can typically cover 2 to 3 stream miles in a day, depending on stream conditions.

Post-Construction	truction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
135	Sediment Budget	E.12.b.2.	CASQA Recommendation
			If retained:
			a) Note that a sediment budget is scheduled to be developed (May 2013) before the
			watersnea cnaracterization (May 2015), but implementation is based upon the information gathered in Section E.12.b.1.
			b) Delete this as a separate item. It is part of a watershed characterization attribute. "Sediment supply and delivery to stream channels" is already noted as
			process under item (e) E.12.b.1.
			c) The referenced methodology (Reid and Dunne, 1996) is not readily available,
			requires an extensive and costly effort to implement, and will require municipalities
			to hire a consultant to complete. This reference should be removed and instead
			specifies on the desktop, in-office sediment budgeting effort that is expected should be clearly outlined within the permit text.
136	Water Quality Runoff Standards	E.12.b.3	CASQA Recommendation
			Add the world "discretionary" to the first sentence under the title, so as to read, "The Permittee shall require all <u>discretionary projects fittina the cateaory descriptions.</u> "
137	Water Quality Runoff standards –	E.12.b.3	CASQA Recommendation
	l erminology	[b.66]	"Capture, infiltrate and evapotranspirate" should be revised to "capture <u>and retain</u> (infiltrate, evapotranspirate, and/or harvest)."
138	Water Quality Runoff standards –	E.12.b.3	CASQA Recommendation
	Pre-project Conditions		The Water Quality Runoff Standard should be modified from a full-retention requirement
			to one that requires projects to match pre-project conditions. This acknowledges the Volume of rainwater that would naturally infiltrate or evanotranshing.
			soils/bedrock, some sites would not naturally absorb that the full 85 th percentile storm
			event. New development should not be expected to exceed these natural, background
			hydrologic conditions. Additionally, acknowledging pre-project conditions would provide a
			dunc in crediting system for redevelopment projects (see comment below).

Post-construction	נחכרוסוו		
Comment	Identify Per	Location in	Comment/Recommendation
#	Concern	Dran	
139	Water Quality Runoff Standards – Redevelopment	E.12.b.3	CASQA Recommendation Redevelopment projects can produce less impervious cover per capita than their greenfield counterparts ² , making it desirable to encourage redevelopment projects. In addition, it may not be appropriate or feasible for redevelopment projects to either retain the full 85 th percentile storm event or match pre-development (i.e., undeveloped) conditions. As such, CASQA strongly recommends that incentives or credits be applied allowing flexibility in treatment BMP selection to ensure that this type of development is not discouraged.
140	Water Quality Runoff Standards – Redevelopment	E.12.b.3	CASQA Recommendation Post-construction requirements should acknowledge water quality benefits and the challenges and constraints associated with redevelopment and infill. The City of Stockton's and County of San Joaquin's new development and redevelopment guidance document and County of San Joaquin's new development are examples of where this has been accomplished. Stockton and West Virginia require that new development and redevelopment projects reduce stormwater runoff volumes to pre-project levels for the 0.51-inch storm depth and 1-inch storm depth, respectively. Both provide an incentive in the form of credits based on the type of redevelopment. A reduction from the storm depth is additive and possible for projects that meet the following requirements: are developed in brownfields, meet a minimum standard of density, meet a minimum standard of vertical density, and are mixed use and transit oriented. CASQA recommends that this permit allow the flexibility for communities to craft similar credit systems.

² US EPA. 2005. Using Smart Growth Techniques as Stormwater Best Management Practices. Washington, DC.

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
141	Water Quality Runoff Standards –	E.12.b.3	CASQA Recommendation
	IIII E ASIOIII ()		Site conditions will exist where full retention is neither feasible and/or desirable. Infeasibility criteria should be listed (as in multiple Phase I permits including Ventura) and
			include the following:
			• <u>High groundwater table</u> : The bottom of the infiltration practice should be a certain minimum distance obove the seasonal high groundwater table.
			 Protection of source water: Infiltration practices should be set back a certain
			minimum distance from a groundwater well.
			 Potential for pollutant mobilization: Infiltration practices should not be utilized
			in brownfield sites or other locations where pollutant mobilization is a documented concern
···			• Clay soils infiltration practices are infamily when and the contraction of the contract
			rates.
			 Potential geotechnical hazard: Water infiltration can cause aeotechnical
			issues, including: settlement through collapsible soil, expansive soil movement,
			slope instability, and increased liquefaction hazard. Infiltration practices
			should not be used where geotechnical issues are a documented concern.
			 Land use of concern: To prevent groundwater contamination, infiltration
			practices should not be used in high-risk areas such as service/gas stations,
			truck stops, and heavy industrial sites. This should be acknowledged in the
			Special Project Category Requirements (E.12.b.3).
			 Impairment of beneficial uses: Locations where reduction of surface runoff or
			increase in infiltration may potentially impair beneficial uses of the receiving
			Water as aocumented in a site-specific study (e.g., CEQA analysis) or watershed nlan
			Conflict with water conservation goals: Use of evanotransairation and other
			vegetated practices may conflict with water conservation goals in arid
			climates (e.g., a green roof that requires irrigation during the dry season).
		<u></u>	 Lack of demand for harvested stormwater: Projects must be able to
			demonstrate sufficient demand for harvested stormwater to be able to draw
			down the cistern prior to the next storm event to prevent bypass.
			Additional implementation constraints as identified by the permittee.

Post-Construction			
Comment	Identify Permit Element/ Issue/	Location in	Comment/Recommendation
#	Concern	Draft	
142	Water Quality Runoff Standard – Affordable Housing	E.12.b.3	CASQA Recommendation In addition to the criteria identified for new development projects, CASQA also recommends that the permit allow for a crediting system specific to affordable housing projects located in redevelopment areas or an infeasibility criteria as follows: Affordable Housing. Where municipalities have assigned minimum low income housing project densities, the full retention standard shall be reduced.
143	Water Quality Runoff Standards – Off-ramps	E.12.b.3	CASOA Recommendation All regulated projects (including special project categories) should have the option of considering volume-based (bioretention areas) AND flow-based BMPs if the full retention requirement cannot be met. The permit should allow the use of bioretention areas with underdrains where infiltration is infeasible. Text edits specific to these sections are provided below: • Page 66:Runoff from the 85 th percentile storm that cannot be eaptured, infiltrated, and evapotranspired must be treated via a volume-based or flow-through devices must be designed to treat runoff at a flow rate produced by a rain event • Page 67:!f this standard cannot be met, the volume of frunoff equivalent to the excess volume must be captured, infiltrated must be treated via a volume-based or flow-through device. MS4s have the option of setting up an offsite mitigation program where the amount that was not retained onsite is infiltrated within the same subwatershed. Where infiltration is infeasible or discouraged due to geotechnical constraints, bioretention may provide underdrains.

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
144	Water Quality Runoff Standards – Offsite Mitigation	E.12.b.3	Permittees should not be required to create and administer an offsite mitigation program. Establishing an offsite mitigation program should be optional due to the administrative burden that it places on small local governments. Nationally, offsite mitigation programs have presented numerous challenges for local governments and as such have been abandoned by several communities including Clark County, WA and Howard County, MD.
			CASQA Recommendation Revise the permit provision as follows: If this standard cannot be metexcess volume must be <u>may be</u> captured, infiltrated, and evapotranspirated within the same subwatershed through an offsite mitigation program.
145	Water Quality Runoff Standards – High Rank Recharge and/or Discharge Subwatershed	E.12.b.3	CASQA Recommendation Define "high rank" for groundwater recharge and/or discharge. See discussion on Watershed characterization ranking above. Use the following definition: For regulated special projectsin subwatersheds that have a high rank for groundwater recharge where infiltration would result in direct groundwater
146	Water Quality Runoff Standards – Special Projects	E.12.b.3	Including Special Projects in this category of full onsite infiltration is inappropriate - many types of Regulated Special Projects (i.e. auto repair, gasoline outlets, etc.) are high risk of contamination to groundwater and should provide pre-treatment prior to infiltration onsite. Further, many redevelopment projects of this nature are located in areas with existing soil contamination. CASQA Recommendation.
			Kevise the language to include the infeasibility criteria discussed above.

Post-Construction	ruction		
Comment	Identify Permit Element/ Issue/	Location in Draft	Comment/Recommendation
147	Water Quality Runoff Standards – Water Quality Standard and Hydromodification Criteria	E.12.b.3	The interim hydromod volume/rate control criteria (match 2-year or 5-year storm events) and the 85 th percentile infiltration criteria apply simultaneously to certain projects in this draft permit.
			CASQA Recommendation Delete the interim requirements.
148	Water Quality Runoff Standards – Organization	E.12.b.3.i	CASQA Recommendation Overall organization suggestion for E.12.b.3.i is to list the project types altogether and then have a separate standalone threshold subsection to state whether the trigger is based on 5K or 10K square feet of impervious surface. That would avoid the confusion of commercial being listed twice, for example. And provisions that apply to all of the land use categories would not be repeated.
149	Water Quality Runoff Standards – Regulated Projects	E.12.b.3.i	CASOA Recommendation Add the world "discretionary" to the title, so as to read, "Regulated <u>Discretionary</u> Projects". Similar comment for E.12.b.3 (i)(a) Title [p. 67] so as to read, "Regulated <u>Discretionary</u> Project Categories"
150	Water Quality Runoff Standards – Define "replace"	E.12.b.3.i.a.1	CASQA Recommendation Define "replace" 5,000 sf or more impervious as "no net increase in impervious footprint".

Post-Construction	ruction		
Comment	Identify Permit Element/ Issue/	Location in	Comment/Recommendation
#	Concern	Draft	
151	Water Quality Runoff Standards – Exclusions	E.12.b.3.i.a.1	CASQA Recommendation Add the following type of exemptions/clarifications in a separate subsection related to exemptions:
			 Redevelopment does not include routine maintenance activities that are conducted to maintain original line and grade, hydraulic capacity, original purpose of facility or emergency redevelopment activity required to protect public health and safety. Removing and replacing a paved surface to base course or lower, or repairing the roadway base is not considered a routine maintenance activity.
			 The following road maintenance practices are exempt: pothole and square cut patching, overlaying existing asphalt or concrete pavement with asphalt or concrete without expanding the area of coverage, shoulder grading, reshaping/regarding drainage systems, crack sealing, resurfacing with in-kind material without expanding the road prism, and vegetation maintenance.
			 Redevelopment of existing single-family structures is exempt. Underground utility projects that replace the ground surface with in-kind material or materials with similar runoff characteristics are exempt.
152	Water Quality Runoff Standards – Special Project Categories	E.12.b.3.i.a.1	Automotive repair shops and retail gasoline outlets are commercial developments. Do not include as separate category as this is misleading and confuses other commercial automotive uses. Clarify that only the parking lot is held to the standards.
			1 Reco categ
			(i) Commercial (ii) Industrial or (iii) Uncovered parking lots that are is stand-alone or part of another development project

Comment/Recommendation		CASOA Recommendation Move specific exclusions above to follow immediately below item (a) and indent bullets as follows:	1. Regulated projects – Within two years of the effective date of the permit, the Permittee shall regulate projects. Regulated projects as they are defined to be a subject of the permittee shall regulate projects.	of a larger plan of development Specific exclusions to Regulated Projects are:	 <u>Detached single-family home projects that are not part of a larger plan of development</u> 	Interior remodels.	 Routine maintenance or repair such as: 	 roof or exterior wall surface replacement 	 pavement resurfacing within the existing footprint 	(a) Regulated Special Project Categories etc.	Specific Exclusions are:	• Interior Remodels	 Routine maintenance or repair such as 	 roof or exterior wall surface replacement 	 pavement resurfacing within the existing footprint
	Location in Draft	E.12.b.3.i.a.1													
uction	Identify Permit Element/ Issue/ Concern	Water Quality Runoff Standards – Specific Exclusions													
Post-Construction	Comment #	153													

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
154	Water Quality Runoff Standards – Define "alteration"	E.12.b.3.i.a.2	CASQA Recommendation Replace "alteration" with " <u>increase</u> ". Increased impervious footprint is clear; altered impervious is not clear. This would be consistent with WQO-2003-0005.
			Redevelopment of Regulated Special Projects, where the redevelopment 'alters' more than 50% of the total impervious surface of the existing development, the requirement to infiltrate 100% of runoff from the existing surfaces will result in challenging constraints for many businesses. CASQA suggests an MEP standard for these situations.
			(2) Where a redevelopment project in the categories specified above results in an alteration <u>increase</u> of more than 50 percent of the impervious surface of a previously existing development, runoff from the entire project, consisting of all existing, new and/or replaced impervious surfaces, must be included in the treatment system design to the maximum extent practicable
155	Water Quality Runoff Standards Deemed Complete	E.12.b.3.i.a.4	Provision (4) dates are unclear, since permittee must regulate projects by May 15, 2014. But regulations do not apply to projects deemed complete on or before "permit effective date" Projects deemed complete between permit effective date and May 15, 2014 should be unregulated under this WQO. Revise as follows: For any private development project in the categories specified above for which a planning application has been deemed complete by a Permittee on or before the Permit effective date or by May 15, 2014, whichever comes first, the treatment standards shall not apply
			Inis language may conflict with existing land use laws and vested development rights laws. State Water Board legal or land use attorney should review for legal consistency, especially as it relates to vested development rights and subsequent permit renewals, in relation to automatic map renewals allowed by the Subdivision Map Act, and in relation to the Permit Streamlining Act. Any provision affecting this draft Order should be in compliance with existing land use law.

Comment Identify Permit Element/ Issue/ Location in Draft Comment/ Recommendation 156 Water Quality Runoff Standards – Deemed Complete E.12.b.3.i.a.4 CASQA Recommendation Development applicants may be pursuing financing and/or in as follows: Diligent pursuance may be demonstrated by the provision of the original application, required for any necessary approvals of the project by required for any necessary approvals of the project by required by the applicant's pursuit of financing.	Post-Construction	uction		
Water Quality Runoff Standards — E.12.b.3.i.a.4 CASQA Deemed Complete as follor	Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
the project.	156	Water Quality Runoff Standards – Deemed Complete	E.12.b.3.i.a.4	CASQA Recommendation Development applicants may be pursuing financing and/or in litigation on projects. Revise as follows: as follows:Diligent pursuance may be demonstrated by the project applicant's submittal of supplemental information to the original application, plans or other documents required for any necessary approvals of the project by the Permittee, or may be demonstrated by the applicant's pursuit of financina, or by ongoing litigation on the project.

Post-Construction	iruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
157	Water Quality Runoff Standards – Treatment Thresholds	E.12.b.3.i.a.5	CASQA Recommendation Regulated Special Projects must infiltrate and evapotranspirate the entire 85 th percentile storm event (and if that cannot be met, it must be infiltrated within the same subwatershed). However, treatment thresholds are also required. If there is no runoff generated from the 85 th percentile, then how can there be treatment thresholds? What
			runoff do these standards apply to? Delete treatment thresholds. If the draft Order is revised to allow treated discharge of the 85 th percentile storm, then the entire paragraph (5) describing a percent removal is not a technically valid way to
			descent removal does not resilula is no longer used in permits since it is recognized that percent removal does not result in effective BMPs. This is because a project can assume artificially high influent concentrations, treat to satisfy the required percent reduction threshold, and still discharge a high effluent concentration.
			For example, hydrodynamic separators can be shown to have high TSS removal efficiencies because they are typically tested with very high influent TSS concentrations. But actual performance testing data shows TSS effluent values much higher than filtration-based BMPs. In contrast, BMPs that treat stormwater runoff with low influent concentrations are likely to achieve low percent removals, although they may be reducing pollutants in
			CASOA recommends the entire paragraph (5) be deleted and replaced with the following: Treatment BMPs shall be selected based on the primary class of pollutants likely to be discharged from the project (e.g. for automotive-related land uses.
			metals, and oil and grease). Treatment BMPs shall be selected that have a high or medium effectiveness for the pollutants of concern as identified in the CASQA Stormwater BMP Handbook for New Development or an adopted local stormwater BMP design manual.

Comment Ider	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
158	Water Quality Runoff Standards – Other Development Projects	E.12.b.3.i.b	CASOA Recommendation Add the world "discretionary" to the title (b), so as to read, "Other <u>Discretionary</u> Development Projects"
			Revise sentence within paragraph (b) as follows: This category includes <u>discretionary</u> development projects on public or private land that fall under the planning and building <u>permitting authority</u> of the Permittee."
159	Water Quality Runoff Standards – Other Development Projects	E.12.b.3.l.b	Commercial is a project type listed under Other Development Projects and as a Regulated Special Project Category E.12.b.3.i.a.1. It cannot be in both categories because they have different infiltration thresholds.
			CASQA Recommendation Delete commercial from "other" as follows: (b) Other Development Projects New developmentincluding commercial, industrial, residential housing subdivisions (i.e. detached), mixed-use, and public projects are held to the standards above.
			Note that if this revision in not made, under "Regulated Special Project Categories", commercial is regulated at 5,000 sf threshold while under "Other Development Projects" industrial is regulated at 10,000 sf. Commercial and industrial can be expected to have similar pollutant loadings, depending, and should have matching thresholds.
160	Water Quality Runoff Standards – Other Redevelopment Projects	E.12.b.3.i.c	CASQA Recommendation Add the world "discretionary" to the title, so as to read, "Other <u>Discretionary</u> Redevelopment Projects"
			Revise sentence to read, "This category includes <u>discretionary</u> development projects on public or private land that fall under the <u>permitting authority of the Permittee."</u>

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
161	Water Quality Runoff standards – Other Redevelopment Projects	E.12.b.3.i.c	Note that Regulated Projects (E.12.b.3.i) and Other Development Projects (E.12.b.3.i.b) include exclusions for "Detached single-family home projects that are not part of a larger plan for development".
			CASQA Recommendation If recommended revision above is not made, then this exclusion should be repeated under Other Redevelopment Projects.
162	Water Quality Runoff standards – Other Redevelopment Projects	E.12.b.3.i.c	This sentence is missing a verb, such as "are held to the standards above" as noted in (b) Other Development Projects. Define "replace" 10,000 sf or more impervious as "no net increase in impervious footprint". Commercial is a project type listed under Other Development Projects and as a Regulated Special Project Category E.12.b.3.i.a.1. It cannot be in both categories because they have different infiltration thresholds.
			CASQA Recommendation Revise as follows: (c) Other Redevelopment projects
			Redevelopment projects that create and/or replace <u>increase footprint by</u> 10,000 square feet or more of impervious surfaceincluding commercial, industrial, of residential housing subdivisionsmixed use, and public projects shall comply with the Water Quality Runoff Standards above
163	Water Quality Runoff standards – Routine Maintenance	E.12.b.3.i.c.1 and E.12.b.3.i.c.2	CASQA Recommendation Revise indent for items (1) and (2), since it seems to be referring to routine maintenance or repair exclusions.

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/	Location in Draft	Comment/Recommendation
164	Other Redevelopment Projects -	E.12.b.3.i.c.1 and E.12.b.3.i.c.2	CASQA Recommendation Replace "alteration" with "increase". Increased impervious footprint is clear; altered impervious is not clear. This would be consistent with WQO-2003-0005.
 			Revise as follows: (1) Where a redevelopment project in the categories specified above results in an alteration increase of more than 50 percent of the impervious surface of a previously existing development, runoff from the entire project, consisting of all existing, new and/or replaced impervious surfaces, must be included in the
			treatment system aesign to the maximum extern, procured above results in an (2) Where a redevelopment project in the categories specified above results in an attention increase of less than 50 percent of the impervious surface of a previously existing development, only runoff from the new and/or replaced impervious surfaces of the project must be included in the treatment system design.
165	Water Quality Runoff standards – Road Projects Applicability	E.12.b.3.l.d	Many small MS4s do not treat runoff from public roadway projects and will assume that the "building and planning authority of a Permittee" refers to the zoning code where development permits are issued. Since MS4s are exempt from issuing themselves development permits for public roadway projects, they will not apply this criteria to public road projects.
			CASQA Recommendation Revise as follows: Any of the following types of road projects that create 10,000 square feet or more of newly constructed contiguous impervious surface and that <u>are public road projects and/or</u> fall under the building and planning authority of a Permittee:

8/29/2011

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
166	Regulated Projects – Trails	E.12.b.3.i.d	Requiring treatment for impervious pedestrian/bike trail projects which are greater than 10 ft wide or are creek-side (within 50 ft of the top of the bank) is not commensurate with water quality impacts — these trails support bike and foot traffic. These projects are usually located within a narrow right-of-way where the width would not accommodate retention BMPs.
			CASQA Recommendation Remove trails from the list of regulated projects. (3) Construction of impervious trails that are greater than 10 feet wide or are Greek side (within 50 feet of the top of bank)
167	Regulated Projects – Road Projects Modification	E.12.b.3.i.d	In lieu of treating the runoff from the 85 th percentile storm that cannot be infiltrated, the water quality standards for road projects should follow USEPA guidance regarding Managing Wet Weather with Green Infrastructure: Green Streets to the maximum extent practicable.
			CASQA Recommendation Revise as follows:
			(a) Koaa Projects Any of the following types of road projects that create 10,000 square feet or more of newly constructed continuous impervious surface and that fall under the building and planning authority of a Permittee <u>shall comply with the</u>
			Water Quality Runoff Standards except that treatment of runoff from the 85 th percentile that cannot be infiltrated onsite shall follows USEPA guidance regarding green infrastructure to the maximum extent practical.
			Iypes of road projects include:

Comment #	Comment Identify Permit Element/ Issue/	Location in Draft	Comment/Recommendation
168	Interim Hydromodification Management	E.12.b.4	CASQA Recommendation Interim hydromodification standards should be removed and implementation of the stormwater retention standard in E.12.b.3 be deemed compliance with hydromodification requirements during the interim period. Implementing one set of criteria and changing those criteria within one or two years places undue burden on MS4s and particularly on development community, whose permit approval process for projects > 1 acre of development often span several years.
169	Hydromodification – Exemptions for Site Constraints	E.12.b.4	If the interim hydromodification criteria is retained, it is unrealistic to assume that matching the pre-project hydrograph will be achieved for every project. In some instances it may be difficult or cost prohibitive to mimic the pre-project hydrograph. Site constraints, soil conditions, and topography all play a part in determining the hydrology of any particular site. See site constraints discussion above, under Water Quality Standards. CASQA Recommendation Allow exemptions for tidal areas and concrete-lined stream channels. Allow a 15% tolerance for hydrograph matching.
170	Hydromodification – Exemptions for Alternate Approaches	E.12.b.4	Allow permittees with existing or in-progress RWQCB-approved hydromodification development standards to fulfill this requirement. For example, Region 3 is in process of development standards to fulfill this requirement. For example, Region 3 is in process of developing criteria for hydromodification based upon a similar but slightly different approach than shown in this permit. The outcome may include different criteria than an 85th percentile for volume, or a 2-yr/5-yr recurrence interval for volume and rate. CASQA Recommendation Revise as follows: 1) Task Description – By May 15, 2016, the Permittee shall use Specific Exclusions Any RWQCB-approved long-term watershed process management plan or approach shall supersede all E12 requirements in this permit, and upon Executive Officer approval of this approach, this permit shall no longer regulate the affected MS4s. 1) Implementation Leveletc.

Post-Construction	truction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
171	Long-Term Watershed Process Management	E.12.b.5.ii.a	All of the terms used in this subsection are vague in terms of establishing numeric criteria.
			CASQA Recommendation These terms should either be defined and metrics provided or, preferably, the listed items should be removed and a reference to future guidance developed by the State Water Board staff (with input or assistance from CASQA) should be inserted
172	Long-Term Watershed Process Management	E.12.b.5	As discussed above under Watershed Characterization, hydromodification control criteria is a new and evolving area of stormwater management. There are no current models to follow or approaches with known adaptations to small MS4s. For example, in California the approach is research-oriented and highly technical, with approximately four existing models (Contra Costa, Alameda, Sacramento, San Diego), and several currently under research (Ventura, Orange County, Region 3). In each, the outcome and approach have been totally different. None have attempted to integrate groundwater recharge, ET, sediment supply/delivery, and water quality fate and transport as proposed in this permit. It is therefore unreasonable to delegate this responsibility to Small MS4s.
			CASOA Recommendation The entire section E.12.b.5 should be deferred to another permit cycle or until such time a reasonable approach can be provided.
173	Long-Term Watershed Process Management – Implementation Level	E.12.b.5.ii.a	Numeric criteria and applicability thresholds are undefined and ambiguous: "to support and protect watershed processes affected by storm water" and "to maintain watershed processes necessary to achieve long-term watershed health". CASQA Recommendation
			Clarify and define "achieve long-term watershed health" in the context of an MS4's development criteria.
174	Implementation Strategy for Watershed Process Management – Implementation Schedule	E.12.b.6.ii	CASOA Recommendation The implementation schedule of May 15, 2017 occurs after establishment of numeric criteria (May 15, 2016). Development of an implementation strategy for numeric criteria should occur before implementing the criteria. Revise to apply in following permit term.

Post-Construction	ruction		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
175	Watershed-Based Storm Water Management – Implementation Level	E.12.b.7	Design principles are vague, such as "streets and mobility" or "use mix". These are subject to change in the following years. Better to reference reputable publications.
			CASQA Recommendation
			Revise as follows:
			(3) identify how the following design principles such as those from Better Site <u>Design (CWP) or Using Smart Growth Techniques as Stormwater Best</u>
			Management Practices (EPA), can be incorporated into their regulations:
			.j.— Natural systems and green infrastructure
			ii) Infill and Redevelopment
			iii) Compact Design
			iv) Use Mix
			y) Streets and Mobility
			vi) Parking
			What does "NOI" refer to under (iii) Reporting? (Delete "City")
176	Watershed-Based Storm Water	E.12.b.7	CASQA Recommendation
	Management - Reporting		Revise as follows:
			(iii) Reporting – By September 15, 2017, online Annual Report, submit plan with NOI including identified agns/impediments and how/when the City plans to <u>Permittee shall</u>
			adjust their regulations accordingly.
177	Operation and Maintenance –	E.12.b.8	CASQA Recommendation
i	Clarification		Specify that this requirements applies to new development only (i.e., it does not
			retroactively apply to existing development).
			(i) Task Description – The permittee shall by May 15, 2014, implement and O&IV Varification Program for those new development projects regulated under this
			Order.

1						
	Comment/Recommendation	It is outside authority of MS4 to establish legally enforceable mechanisms requiring private property owners to provide access to other agency's staff, including vector control or State Water Board staff.	CASQA Recommendation Revise as follows:	(c) Conditions of approval or other legally enforceable agreements or mechanisms for all Regulated Projects and Regulated Special Projects that require the granting of site access to all representatives of the permittee, local mosquite and vector control agency staff, and Water Board staff, for the sole purpose of performing O&M inspections of the installed treatment system(s) and hydromodification control(s) (if any).	In addition to water quality standards, regulated projects should also be required to implement site design techniques (e.g., minimize land disturbance) and source controls (e.g., storm drain stenciling and fueling area design) where applicable, similar to WQO-2003-0005.	CASQA Recommendation The permit should be revised to include these provisions for consistency and clarity throughout the state.
	Location in Draft	E.12.b.8.b and c			n/a	
ruction	Identify Permit Element/ Issue/ Concern	Operation and Maintenance — Mosquito and Vector Control			New – Additional Standards	
Post-Construction	Comment #	178			179	

ient/ Issue/ Loc	ation in
General Comment — E.13 All A monitoring program was never anticipated under the Federal Phase II Rule. This section should be deleted. Receiving water monitoring should be considered in a future permit term and after EPA's federal rulemaking is completed.	All
CASQA Recommendation Instead, CASQA strongly recommends an expansion of the statewide or regional SWAMP Bioassessment and Stream Pollution Trends (SPoT) monitoring programs. This approach would be cost-effective for permittees and the State. Also, this approach would produce better data quality and would result in a more consistent, statistically valid, and scientifically defensible monitoring design. It would also naturally leverage knowledge of locally-important pollutants gained from existing data (Phase I, SWAMP, USGS, etc.).	CASQA Recommendation Instead, CASQA strongly in Bioassessment and Streat would be cost-effective for better data quality and we scientifically defensible in locally-important polluta
The proposed broad requirements imply that Phase II discharges may have more of an impact on receiving waters than Phase I discharges. If we accept that Phase II discharges have the same impacts as Phase I discharges, it stands to reason that Phase II programs should monitor only the constituents that been shown to cause 303(d) listings in Phase I areas. We recommend that SWAMP take advantage of existing water quality information from Phase I programs to better leverage monitoring resources toward quantifying problems that are much more likely to occur.	The proposed broad recimpact on receiving wan have the same impacts should monitor only the areas. We recommend from Phase I programs problems that are much
[The comments below are provided to address issues with permit language if the provision is not deleted]	[The comments below is not deleted]

Receiving V	Receiving Water Monitoring		
Comment	Identify Permit Element/ Issue/	Location in	Comment/Recommendation
##	Concern	Draft Permit	
181	General Comment	E.13. All	CASQA supports that outfall monitoring has not been included in the draft permit because characterization of pollutants in urban storm water runoff is generally well established (e.g., types, loading, concentrations), and it would therefore not be an effective use of limited resources to require outfall monitoring at this time. Furthermore, outfall monitoring is an expensive and substandard tool for measuring the effectiveness of local stormwater programs. The high variability of the outfall monitoring data, due to natural factors such as rainfall, make it difficult to detect increasing or decreasing trends in pollutant levels carried by stormwater runoff.
			CASQA Recommendation CASQA requests that outfall monitoring not be included in future iterations of this permit renewal.
182	Phase II Stormwater Management Questions	E.13 All	Monitoring indicators should be driven by specific management/monitoring questions that are built from overall program objectives and goals, developed through a collaborative process with stakeholder input, and included at the beginning of Provision E.13. These management questions are not stated, and therefore the purpose of the monitoring is unclear.
			CASQA Recommendation Clearly state specific management/ monitoring questions at the beginning of Provision E.13.

183 General Monitor	General – Credit for Previous Monitoring Work		
		E.13 All	Lack of Consideration of Existing Monitoring Data - The Permit needs to be clarified to allow Phase II Permittees to obtain credit for previous and current monitoring work.
			CASOA Recommendation In the Permit that allows a stormwater program to reduce monitoring requirements contained in the Permit to the extent that it can certify that it has already requirements contained in the Permit to the extent that it can certify that it has already completed a substantially similar body of monitoring work during the last 10 years. Such a reduction in requirements would need to be authorized by the RWQCB Executive Officer. Credit should also be given for ongoing contributions from existing Phase II Permittees to regional monitoring programs such as the Regional Monitoring Program in the Bay Area or other similar efforts throughout the state.
184 General	General - Applicability	E.13 All	The receiving water monitoring section appears to apply only to freshwater bodies.
·			CASQA Recommendation Clearly state that the receiving monitoring provisions apply only to freshwater bodies at the beginning of E.13.
185 Ocean Monit Requirement	Ocean Monitoring – Remove Requirement	E.13.b.	CASOA Recommendation Remove ocean receiving water requirements and rely on an expanded SWAMP program to measure water quality in the ocean receiving waters.
186 Ocean	Ocean Monitoring – Clarification	E.13.b.	CASOA Recommendation Clarify that within any watershed where receiving water monitoring is required by this clarify that within any watershed where receiving water monitoring is required, either the Ocean draft permit that only one type of receiving water monitoring is required, either the Ocean Plan monitoring as described in Appendix III of the California Ocean Plan, ASBS Special Protections monitoring, Bay monitoring through a program such as the Bay Area's Regional Monitoring Program, or receiving water monitoring as described in E.13.

Receiving V	Receiving Water Monitoring		
Comment #	identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
187	Ocean Monitoring – Draft Procedures	E.13.b.	Until Appendix III – Standard Monitoring Procedures – to the California Ocean Plan is finalized it would be infeasible for a stormwater program to implement the current monitoring procedures of Appendix III in the 2009 California Ocean Plan as the requirements are tailored to wastewater treatment plants.
			CASQA Recommendation The California Ocean Plan monitoring procedures should not be required until/unless Appendix III is finalized.
188	Ocean Monitoring – Organization	E.13.b.	CASQA Recommendation If this provision is not removed from the permit, move the content of E.13.b to E.13.a and move E.13.a to E.13.b. This will improve the organizational flow of the outline structure.
189 0	Compliance Tiers - Thresholds	E.13.a	The cost and the scope of the requirements in section E.13 are similar to requirements for Phase I Permittees. For example, the City of Vallejo, with a population of over 115,000, is covered by the Phase I Municipal Regional Permit. This City is required to sample as follows: 4 BMI sites/year, 1 Continuous Monitoring General Water Quality site/year, 1 temperature logger site/yr, 1 water column toxicity site/yr, 1 chlorine site/yr, 1 sediment toxicity site/yr, 2 pathogen sites 2 times in the permit term, and 3 stream miles/year mapped. The requirements described in Table B of the draft Phase II permit are greater for a city with a population of 25,000 than they are for the City of Vallejo with its population of 115,000. This is not equitable. As municipal population decreases staff and fiscal resources also decrease. For this reason, resource-intensive monitoring requirements must be scaled according to population size.
			CASQA Recommendation Change requirement to say "New and Renewal Traditional Small MS4 Permittees with a population greater than 25,000 <u>50,000</u> "

Receiving V	Receiving Water Monitoring		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
190	Compliance Tiers - Thresholds	E.13.a	CASQA Recommendation Add the following sentence at the end of E.13.a "Unincorporated Counties with population greater than 50,000 shall comply with the monitoring requirements in this Section only within Census Designated Places that fall within, or adjacent to and within the same watershed, an incorporated municipality designated as a New or Renewal Traditional Small MS4 Permittee with a population greater than 50,000.
191	Compliance Tiers – Clarification	E.13.a	Based on the language in section 13.a, it is unclear which municipalities are subject to these receiving water monitoring requirements. CASQA Recommendation Clearly identify what municipalities are subject to receiving water monitoring requirements in E.13.a.
192	Compliance Tiers – Define CDP	E.13.a and b	CASQA Recommendation Define "CDP" in the Order and in the glossary. CDP first appears on page 76 of the order. Where "CDP" is included in Figure 2 on page 84, please replace with "urbanized area" if that is what was intended in Figure 2. Define and include references related to "urbanized area."
193	Compliance Tiers – Local Subwatershed Delineations	E.13.a and b	CASQA Recommendation Allow Permittees to use existing local subwatershed delineations and indicate the target subwatershed size that should be used. The HUC 12-Digit subwatershed boundaries are in some cases very different from subwatershed boundaries that are used at the local level to implement watershed-based stormwater and flood control programs.
194	Receiving Water Monitoring – Modification	E.13.b.ii.a.3	CASQA Recommendation Suggest the following modification: "Where multiple Permittees, <u>each with population</u> g <u>reater than 50,000</u> , have urban land uses in an urbanized area, all Permittees must conduct, contribute to, or otherwise participate in Receiving Water Monitoring."

8/29/2011

Receiving \	Receiving Water Monitoring			
#	Concern Concern	Location in Draft Permit	Comment/Recommendation	
195	Receiving Water Monitoring – Applicability	E.13.b.ii.a	E.13.b.ii.a.3 is difficult to understand because it does not mention HUCs. Additionally, the directions of (2) and (4) seem to direct a Permittee that occupies multiple HUC to conduct monitoring using two separate criteria (or both of them).	T
			CASQA Recommendation Clarify applicability for (2), (3), and (4).	
196	Receiving Water Monitoring – Modification	E.13.b.ii.a.4	"Bottom of the watershed" sediment quality studies will integrate the effects of land uses that are not part of the urban MS4 (i.e. agriculture)	
			CASQA Recommendation Modify this requirement such that sediment samples are taken from drainage areas that primarily comprise of MS4 land uses.	
197	Receiving Water Monitoring – Organization	E.13.b.ii.a.4.	CASQA Recommendation Please clarify:	
			Is the intent to have the following paragraphs moved up to be under E.13.ii a. Receiving Water Monitoring, before numbers $(1) - (4)$:	
			"Receiving water sampling locations should be selected to represent the contribution of urban storm water discharges to the receiving water. Generally, the Permittee should locate sampling stations at the farthest downstream extent of the urbanized portion of the watershed.	
			The Permittee shall sample for the parameters at the frequencies listed in Table B." Or do they only apply to section E.13.ii (4) as implied by the permit organization?	

Receiving V	Receiving Water Monitoring		Comment/Recommendation
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	
198	Follow-up Analysis and Actions – TIE and TREs	E.13.ii.b	This section exceeds MEP. The suggested methods, such as TIE and TREs, have not been proven to be technically appropriate or economically feasible through the Phase I permits per the definition of MEP. For this reason, it is recommended that this requirement be removed and follow-up analysis and actions requirements should be considered for a future permit term.
			Additionally, there already exists a good understanding of the causes of <i>Hyalella azteca</i> toxicity in urban runoff and at this stage follow-up TIE requirements would not provide useful additional information. At downstream locations there are potentially a large number of contributory sources, and toxicant identification (type and source) could be highly complex and unrelated to municipal sources. The TIE requirement would increase monitoring and administrative costs dramatically for the permittees. Sediment analytical chemistry is already sufficient to identify <i>Hyalella Azteca</i> toxicity from urban runoff
			sources. Furthermore, stormwater programs already have extensive pesticide use outreach programs that address the TRE requirements. We request that the TIE and TRE requirements be removed.
			CASQA Recommendation Delete TIE and TRE requirements.
199	Follow-up Analysis and Actions — TIE and TREs	E.13.ii.b	CASQA Recommendation If the language should be rewritten to clarify that the If the TRE/TIE requirement is retained, the language should be rewritten to clarify that the TRE and the TIE are examples of the types of guidance that may be used to guide follow-up studies (different guidance would be used if the follow-up study was not about toxicity).
			If the Follow-up and Analysis and Actions section is not removed entirely from the Permit. Move it to the end of the Monitoring Section to allow for greater continuity.

Receiving	Kecelving Water Monitoring		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
200	Follow-up Analysis and Actions — TIE and TREs	E.13.ii.b	CASQA Recommendation If the TRE/TIE requirement is retained, at a minimum, this section should be revised to require, during the permit term, a maximum of <u>one</u> follow-up study by each Permittee subject to the non-ocean receiving water monitoring provisions described in E.13, or one follow-up study per every 10 Permittees participating in a regional monitoring program. Requiring only one follow-up study would allow the Permittee to focus on a high priority water body segment, as opposed to spreading sparse public resources to many sites. Just one TIE/TRE study would cost at least \$100,000. The Phase I Municipal Regional Permit in the Bay Area requires only 10 follow-up analyses for 72 Permittees named in the permit.
201	Reporting & Organization	E.13.b.iii	An implementation date should be included in this section. Currently a plan is required, but no monitoring start date is included.
			CASQA Recommendation To allow for ramping up by Permittees, CASQA recommends a start date in the 4^{th} year of the permit term if monitoring is not removed entirely from this permit for Permittees that participate in a regional monitoring program and in the 3^{td} year of the permit term for Permittees that participate in an individual monitoring program. See Table A-5 for recommended timeline.
202	Reporting & Organization	E.13.b.iii	CASQA Recommendation Reorganize the monitoring section. It should list requirements and deadlines for completing requirements in sequential order. Due dates for plan development and implementing monitoring should be stated before the reporting requirement section. Monitoring section should be easily-followed (i.e. step 1, 2, 3). Move Figure 2 so that the reader sees it right after reading E.13.ii.a.

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Comment Identify Permit Element/ Issue/ Concern Location in Draft Permit Element/ Issue/ Concern Location in Draft Permit Element/ Draft Permit Concern Concern Concern Concern Concern Concern CASOA Recommendation Concern preceding reporting requirements. CASOA Recommendation Add-in footnotes or delete associal padd-in footnotes are delete associal padd-in footnotes or delete associal padd-in footnotes or delete associal padd-in footnotes are delete associal padd-in	Receiving W	Receiving Water Monitoring		
Reporting/Water Quality E.13.b.iii.a Exceedances Reporting Table B – Footnotes E.13 Table B Table B – Additional Information E.13 Table B Needed	Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
Reporting Table B – Footnotes Table B – Additional Information E.13 Table B Needed	203	Reporting/Water Quality Exceedances	E.13.b.iii.a	CASQA Recommendation This section should be revised to add the following onto the end of the paragraph: " <u>The</u> preceding reporting requirements shall not apply to continuing or recurring exceedances of water quality standards previously reported to the Water Board or to exceedances of pollutants that are to be addressed pursuant to Provision E.15 of this Permit and in accordance with Provision D."
Table B – Footnotes Table B – Additional Information E.13 Table B Needed	204	Reporting	E.13.b.III.b	CASQA Recommendation Sentence should read: " <u>Follow-up Analysis and Action is as needed</u> ."
Table B – Additional Information E.13 Table B Needed	205	Table B – Footnotes		Footnotes 46 & 56 are missing.
Table B – Additional Information E.13 Table B Needed				CASQA Recommendation Add-in footnotes or delete associated references.
quality criteria/objectives/thresh	206	Table B – Additional Information Needed		Table B last column describes "Result(s) that Trigger Stressor/Source Identification". The thresholds, water quality criteria or water quality objectives for each of the parameters that Permittees must use to compare results against are not clear. Footnotes 48 and 55 refer to journal articles that appear to contain threshold information. CASQA Recommendation In the interest of reducing potential confusion and inefficiency, threshold information should be provided in the body of the permit or in a well-organized attachment. The requirements should be evident in the permit particularly for required analytes and water quality criteria/objectives/thresholds.

Receiving V	Receiving Water Monitoring		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
207	Table B – General Water Quality	Table B	"General Water Quality" is not tied to a specific Phase II stormwater program
			management question and therefore provides an unknown benefit to Phase II stormwater programs and communities. Continuous monitoring (temp, DO, cond, and pH) will require MS4s to either purchase or rent a multi-parameter sonde as well as a protective case
			chains and locks that must be used during deployment. Sondes range in price from \$7,000 - \$10,000. Rental sondes from a company called GeoTech out of Denver (ships to
			appropriately measures mid-stream, mid-depth conditions would likely require additional
			and streams with naturally occurring algae may see wide swings in temperature, DO, and that exceed the threshold but it is a second threshold but it i
			the number of sites required within each subwatershed, this requirement could require a
			Substantial investment and the sondes may be vandalized or stolen in the field. Staff time would also be needed for equipment calibration, sonde deployment and retrieval, and
•			data management.
			CASQA Recommendation
			Remove general water quality
208	Table B Temperature	Table B	Temperature is not tied to a specific Phase II stormwater program management question and therefore provides an unknown benefit to Phase II stormwater programs and communities.
			CASQA Recommendation Remove temperature
		ļ	

Comment #	Comment Identify Permit Element/ Issue/	Location in Draft Permit	Comment/Recommendation
509	Table B – Nutrients	Table B	A single grab sample for nutrients will provide little useful information given the variability on a daily, seasonal, and annual basis. A useful, comprehensive nutrient study to obtain average concentration is cost-prohibitive, would require automated samplers, dedicated staff to manage monitoring equipment, and consultants to permit complex data analysis and reporting.
			CASQA Recommendation Remove this requirement
210	Table B – Biological Assessment	Table B	Biological Assessment is not tied to a specific Phase II stormwater program management question and therefore provides an unknown benefit to Phase II stormwater programs and communities.
			CASQA Recommendation Remove Biological Assessment
211	Table B – Algae	Table B	The Algae bioassessment protocol for the State of California cited in footnote 54 is currently in draft form and to-date has not been fully tested. Therefore, algae bioassessment should not be required by the Permit until such protocols are finalized and the State has fully evaluated the utility of algae bioassessment results. Additionally, algal biomass reflects in-stream conditions such as substrate type, current speed, light, and temperature as much as it reflects concentrations of dissolved or particular nutrients that might be contributed by urban runoff. Stressor-response relationships are poor between nutrients and stream algal biomass. This requirement should be removed given the poor linkage between urban runoff and algal biomass.
			Remove algae requirement

necelville v	neceiving water Monitoring		
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft Permit	Comment/Recommendation
212	Table B – Bedded Sediment	Table B	The sampling method and protocol requirement for sediment toxicity refers to a range of test methods in the 2008 SWAMP QAPrP, including water column toxicity tests. The only sediment method included in this range is Table A14, the 10 day <i>Hyalella azteca</i> in sediment test. Sediment analytical chemistry is already sufficient to identify <i>Hyalella azteca</i> toxicity from urban runoff sources.
			CASOA Recommendation Remove Hyalella azteca toxicity from Table B.
213	Table B – Bedded Sediment, Fine Grained	Table B	Footnote 55, which contains the sampling method and protocol requirement for sediment toxicity, refers to analytical chemistry on fine-grain sediments for metals, TOC, and pyrethroids as well as analytes reported in MacDonald et al. 2000 (including copper, nickel, mercury). However, in the Table B row that addresses pollutants – bedded sediment, fine grained, the text refers to footnote 56, which does not exist in the permit.
			CASQA Recommendation To clarify what methods and protocols apply when and where, remove footnote references and clearly identify the required analytes and water quality criteria/objectives related to the sediment chemistry monitoring in the body of the permit or in a clearly written attachment.

Comment	Comment Identify Permit Element/ Issue/	Location in Draft Permit	Comment/Recommendation
214	Table B – Bedded Sediment, Fine Grained	Table B	It is prohibitively expensive to link receiving water constituent levels specifically to Phase II management practices and distinguishably from Phase I and other pollutant sources. As such, a logical alternative objective for receiving water pollutants might be to assess whether receiving waters are in nonattainment of water quality objectives.
			CASQA Recommendation – Option #1 (Preferred) As indicated in previous comments, CASQA recommends the expansion of the SWAMP program as it would be better suited to answer these questions
			If this section is retained – CASQA offers the following comment (Option #2) It would be cost-effective to limit receiving water monitoring to the pollutants that cause 303(d) listings from neighboring Phase I communities.
215	Relates to E.13	Attachment K	The cost and the scope of the requirements in E.10, E.12, and E.13 are excessive for a traditional MS4 of 25,000 people. Cities of this size do not have the staff or the fiscal resources to implement such costly and prescriptive requirements.
			CASQA Recommendation Increase the threshold to 50,000.
216	Relates to E.13	Attachment K	Attachment K lists traditional MS4s that are greater than 25,000 in population. It does not include unincorporated county governments that do exceed 25,000. We're assuming this is because unincorporated populations are usually smaller than 25,000 and tend to be scattered around the unincorporated county.
			CASQA Recommendation Clarify that counties with more than 25,000 in population are <u>not subject</u> to the non-ocean receiving water monitoring requirement in E.13 or to the E.12 and the E.10 provisions.

					T				T		
Comment/Recommendation	CASQA Recommendation	Referring to requirements of an earlier permit may lead to confusion. Remove the	reference to Attachment 4, Section B, Design Standards of WQO 203-0005-DWQ and	instead explain which Permittees this requirement applies to.	CASQA Recommendation	The requirements of this section should be included and the results reported under the	Post-Construction Section (E.12.b.8). This requirement addresses operation and	maintenance related issues for these BMPs, not effectiveness assessments.	CASQA Recommendation	The term "urban Storm water BMPs" is not clear. This term appears to mean post	construction BMPs. Please clarify.
Cocation in Draft Permit	E.14.b.a	[bage 88]			E.14.b.a	[bage 88]			E.14.b.ii	[bage 88]	
ectiveness Identify Remni: Element/ Issue/ Concern	Compliance Tiers			3	Best Management Practice	Condition Assessment	O'Bailleation		BMP Condition Assessment –	Implementation Level	
Program Effectiveness ंटिन्मामुल्काः ः िर्वकाराङ्ग	217				218				219		

	Program Effectiveness েন্দ্ৰ	ectiveness িনিল্যানির্ভিন্যা গ্রীন্যা নির্শাধি শুন্		Commendation
BMP Condition Assessment E.14.b.ii • Ti Implementation Level [page 88] tt • Ti •		The Collection of the Collecti	المالية القارة الإسالية	
• T • T • T • T • N • II • III	220	BMP Condition Assessment – Implementation Level	E.14.b.ii [page 88]	The permittee is required to develop and implement a methodology similar to the Lake Tahoe BMP Rapid Assessment Methodology to inventory, map and determine
TT This some some some some some some some som		-		the relative maintenance condition of the urban stormwater biving.
h h h l l l l l l l l l l l l l l l l l				 Thus far, no community has been able to fully implement the methodology in this manual and it has not been proven.
k k k k k k k k k k k k k k k k k k k				
k k a a a a a a a a a a a a a a a a a a				have the staffing for this.
k N N N N N N N N N N N N N N N N N N N				 The manual requires the permittee to have GIS which requires expensive software and
ASC				knowledgeable staff. Others mapping options such as "Google Farth Should be allowed as an option to GIS for permittees without a GIS program due to the costs.
Management Practices Program. These monies were received as grants from 8 different agencies including 3 million from Prop 50. The BMP RAM Technical Document will require funding opportunities and grants to implement across the state. CASQA Recommendation Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				
different agencies including 3 million from Prop 50. The BMP RAM Technical Document will require funding opportunities and grants to implement across the state. CASQA Recommendation Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				from
state. CASQA Recommendation Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				different agencies including 3 million from Prop 50. The BMP RAM Technical
CASQA Recommendation Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations." This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				Document will require funding opportunities and grants to implement across the
Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				state.
Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				CASQA Recommendation
recommends the following replacement language: "Develop and implement a methodology to inventory, map and determine the maintenance condition may be maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				Instead of requiring the Lake Tahoe BMP Rapid Assessment methodology, CASQA
"Develop and implement a methodology to inventory, map and determine the may be maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees reauire annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				recommends the following replacement language:
maintenance condition of the Post Construction BMPs. Maintenance condition may be determined through a self-certification program where permittees require annual reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				"Develop and implement a methodology to inventory, map and determine the
reports by other parties demonstrating proper maintenance and operations". This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.	-			maintenance condition of the Post Construction BIMPs. Maintenance condition may be
This would be in line with the language in the permit which states "The methodology shall be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				reports by other parties demonstrating proper maintenance and operations."
be a simple and repeatable field observation and data management tool that determines relative condition of structural post-construction BMPs.				This would be in line with the language in the permit which states "The methodology shall
relative condition of structural post-construction BMPS.				be a simple and repeatable field observation and data management tool that determines
				relative condition of structural post-construction BMPs.

Program Effectiveness		
	Location in Draft Permit	Comment/Recommendation
BMP Condition Assessment – Implementation Level	 E14.b.ii.a [page89]	The permittee is required to inventory and map existing and proposed post-construction BMPs in to GIS.
		CASQA Recommendation Post-construction BMPs should not be mapped until installed – remove "proposed". (a) Inventory and map existing and proposed post-construction BMPs.
Municipal Watershed Pollutant Load Quantification	 E.14.c [page 89]	This section requires analyses that will be highly burdensome and resource intensive for MS4s to conduct, will be of limited accuracy and limited value because it is based on many assumptions and generalized models, and will likely be applied inconsistently from MS4 to MS4. In addition, it assumes that the constituents identified are priority constituents for all communities and/or that there is a general methodology that can be followed in order to consistently determine what the annual loads are (e.g., trash).
		CASQA recommends that the program effectiveness assessment be limited to the guidance provided in the CASQA manual and to the requirements contained in provision E.14.a. In addition, any attempts to assess outcome levels four and five should be closely coordinated with the monitoring program and follow the existing guidance that has already been developed. CASQA is currently assessing pollutant load reductions and methodologies for those determinations and will provide additional direction within the CASQA Manual update that is anticipated for early 2012.
	,	CASQA Recommendation- Option #1 (Preferred) Delete Section E.14.c

() Parameter ()		Attachment G should not expand the TMDL implementation actions beyond their referenced Basin Plans. Requirements in Attachment G appear to go above and beyond what has been adopted in the Basin Plan Amendments (BPA). When the State Board includes effluent limitations in an NPDES permit based upon a TMDL, it must do so in a manner that is "consistent with the assumptions and requirements of any available wasteload allocation for the discharge" (40 CFR section 122.44(d)(1)(vii)((B).)	For example, in Region 3 the SLO Creek TMDL for Pathogens includes a long list of requirements taken from the Stormwater Management Plan—not from the referenced Resolution. In Region 2, requirements referenced from pathogen BPAs for Tomales Bay, Richardson Bay, and Napa River are found in Region 3 BPAs.	CASQA Recommendation Attachment G should only incorporate by reference into the permit those TMDLs that have been adopted and are effective as of the effective date of the permit. For those TMDLs, there should be a reference to the corresponding Basin Plan and implementation plans, however the detail of the implementation plan or of the technical portion of the TMDL should not be reiterated within Attachment G. This is also consistent with the language provided in E.15.b – thus the detail is not necessary within Attachment G.	E.15.a. The Permittee shall comply with all applicable TMDLs approved pursuant to 40 CFR § 130.7 for which the Permittee has been assigned a Waste Load Allocation and/or a Load Allocation or has been identified in (see Attachment G).	E.15.b. Waste Load Allocations (WLA), Load Allocations (LA) and implementation requirements are specified in the adopted and approved Regional Water Board Basin Plans and authorizing resolutions which are incorporated herein by reference as enforceable parts of this General Permit. Applicable Basin Plan amendments and resolutions are identified in Attachment G. Attachment Gadditionally contains a list of requirements developed by the Regional Boards for compliance with the implementation requirements of the relevant TMDLs. These requirements are an
•	Location in Draft	E.15.a and b [page 91] Attachment G				
	Identify Permit Element/ Issue/ Concern	TMDL Compliance Requirements – Implementation Actions				
TMDLs	Comment #	223				

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

TMDLs			
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
224	TMDL Compliance Requirements – Implementation Actions	E.15.a and b [page 91] Attachment G	CASQA Recommendation Recognizing that there are over 1,300 waterbodies in California listed as impaired and needing TMDLs, the State Water Board should consider providing guidance to the RWQCBs identifying a menu of cost-effective BMPs that can be utilized for the TMDLs in order to provide some local, inter-regional, and statewide consistency. For example, the guidance could identify the typical source and treatment controls that may be utilized for sediment TMDLs, and those controls that are typically utilized for nutrient TMDLs, etc.
225	Attachment G – Formatting	Attachment G	CASQA Recommendations Formatting suggestions for Attachment G: (1) Remove the "Regional Board" column and make those subheaders instead; (2) repeat the column headers on each page; (3) make the column headers consistent.
			Attachment G - The "Compliance Due Date" column should be deleted and the "Deliverables/Actions Required/Waste Load Allocations" should include the reference to the Basin Plan and implementation plan, etc. so that the TMDL is incorporated by reference. Given the number of TMDLs being referenced and the fact that many of them will be re-evaluated and/or re-opened to incorporate new information – this will allow the Phase II Small MS4 permit the ability to remain flexible and responsive to the TMDLs
226	TMDL Compliance Requirements – Clarification	E.15.c [page 92]	CASQA Recommendation Modify the permit language as follows: Notwithstanding requirements described in E.15.a. and E.15.e., the State Water Board may revise this General Permit to incorporate any modifications or revisions to the TAADLS in Attachment G, or to incorporate any Basin Plan Amendments that (1) modify an existing TMDL identified in Attachment G or (2) that established a new TMDL adopted during the term of this General Permit that assign a WLA to the Permittee or that identifies the Permittee as a responsible party. In revising Attachment G, the State Water Board will allow adequate public review.
			The term "responsible party" has a significant (and different) meaning in environmental law. In this case, the deleted statement is redundant with the WLA (the Permittee would be responsible because they have a WLA).

Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
227	TMDL Compliance Requirements – Retroactive Compliance	E.15.b [page 91]	This section states "In some cases, dates are given that fall outside the term of this General Permit. Compliance dates that have already passed are enforceable on the effective date of this General Permit" However, how can a jurisdiction retroactively comply or be enforced against? This requirement is of significant concern. MS4s must comply with their NPDES permits. The federal Clean Water Act does not require implementation plans and due dates, so requiring immediate compliance with a RWQCB implementation plan is not necessary under the federal NPDES program.
			CASQA Recommendation Modify the permit language as follows Compliance dates that have already passed are <u>may be</u> enforceable on the effective date of this General Permit; <u>however, this will have to be determined on a TMDL by</u> <u>TMDL basis.</u>
			In many cases, the effective date of the TMDL is interpreted as the effective date of this General Permit. For example, requirements due two years after the effective date of the TMDL will be enforceable two years after the effective date of this General Permit."

	Comment/Recommendation	CASQA Recommendations The point of compliance with TMDL allocations needs to be clarified as follows:	E.15.a. The Permittee shall comply with all applicable TMDLs approved pursuant to 40 CFR § 130.7 for which the Permittee has been assigned a Waste Load Allocation and/or a Load Allocation or has been identified in (see Attachment G).	The Permittees shall comply with the Waste Load Allocations, consistent with the assumptions and requirements of the Waste Load Allocations documented in the implementation Plans, including compliance schedules, associated with the State adoption and approval of the TMDL at compliance monitoring points established in the TMDL Monitoring Program (40 CFR 122.44(d)[1][wii][B]).	The determination of compliance with the WLAs shall be based on implementation of BMPs as specified in the implementation plans for the approved TMDLs or based on plans developed as per the approved TMDLs. The Permittees obligation to meet the WLAs is met if the water quality standards in the impaired receiving waters are met through implementation of control measures approved by the Regional Roard
	Location in Draft	E.15			
	Identify Permit Element/ Issue/ Concern	TMDL Compliance Requirements			
TMDLs	Comment #	228			

Reporting			
Comment #	Identify Permit Element/ Issue/ Concern	Location in Draft	Comment/Recommendation
229	Reporting Clarification	General	In various elements of the Permit, the Permittee is required to submit certain information (e.g. inventory of construction sites – E.8.a.iii. What kind of data can be uploaded into SMARTS? It will be important for the Permit to clearly state the capabilities of SMARTS so Permittees can collect data in appropriate formats to allow for easy uploads for annual reporting (pdf, word, etc). In addition, there should be a template for SMARTS once it is functioning so that the Permittees have clear direction regarding the type of information that will be required, the format that it will be required in, and the extent of the reporting and data fields for each element.
			CASQA Recommendation Recognizing that SMARTS does not yet work for MS4s, this requirement should include a caveat such as "with each online Annual Report via SMARTS <u>, once it is functionina for</u> Phase II MS4s."
230	Category 4b – Typographical Error	E.15.e	CASOA Recommendation Suggested edits: "associated with Clean Water Act <u>\$s</u> ections 303[d], 306 <u>5[b]</u> and 314"
231	Regional Reporting – Clarification	E.15.b	This section indicates that SMARTS will accept only one report on behalf of a Permittees that are involved in a regional program. This does not support regional outreach programs. In Section E.S.a.2.b, it states that Permittees can contribute to a regional outreach collaborative effort. Please clarify how a regional outreach program should report.
	·	·	This section could be interpreted to mean that SMARTS will only accept one report on behalf of Permittees that are involved in a regional program.
			CASQA Recommendation Suggested re-write: "SMARTS will accept only one report on behalf of <u>all</u> Permittees that are involved in a regional program."
232	Annual Reporting Program	E.16.a	CASQA Recommendation Syntax error: "available during normal business hours, unless <u>otherwise</u> agreed to by the Regional Water Board's"

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Table A-2. Recommended Timeline Revisions for Public Education and Outreach (E.5)

	E.5 Public Outreach and Education Program. Revised Timeline	
Section	Description	Proposed Timeframe
(e)	Public Education Stratemy	One year after the effective date of the
1	י ממונה בתתכשוניון פוושופול	permit
		Baseline - Three years after the
		effective date of the permit
9	Sibjey	Follow-up - Five years after the
2 :	Onlyey	effective date of the permit
0	CBSM or Equivalent	Remove
Ð	Stormwater Message	Two years after the effective date of
		the permit
(a)	Develop Materials	Three years after the effective date of
2	Povojo majerials	the permit
€	Public Drogram Develorment	Three years after the effective date of
		the permit
(5)	Distribute Materials	Four years after the effective date of
6		the permit
Ē	Water Efficient Landscape Ordinance	Remove
Θ	Technical and Financial Assistance	Remove
(1)	IDDE Message Development	Four years after the effective date of
		me permit

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

							_	
Proposed Timeframe	Four years after the effective date of	the permit	Four years after the effective date of	the permit	The state of the other state of the other of	FIVE years after the effective date of	the permit	
E S Public Cutréach and Education Program Revised Timeline Pascadolon				Stammater Education for School-age Children	SCOTTINGED ECACATION OF THE COLUMN OF THE CO	Reducing Discharges from Charity Car Washes, Mobile Cleaning and Pressure	Mashing Operations and Landscaping	
		(2)	(K)	€			Œ	

Table A-3. Recommended Timeline Revisions Pollution Prevention/Good Housekeeping (E.9)

	POLICE AND	
	Section 1 Particular Section 1	
	nojidio og "	Proposed lear 3.
S. Constitution of the second		One year after the effective date of the
3	Inventory Darmittee-Owned and Operated Facilities	permit
(g)		One year after the effective date of the
Ę	Man of Dermittee Owned or Operated Facilities	permit
(a)	Map of Fellintee-Owned of Operace Commo	Two years after the effective date of the
(Lecility Accessment	permit
(2)	Tacility Assessations	Four years after the effective date of the
₹	Stormwater Pollution Prevention Plans	permit
(a)		Five years after the effective date of the
3	Incredions Visual Monitoring and Remedial Action	permit
(a)	Hisperiols, visual months and in the second	Five years after the effective date of the
•	Storm Drain System Assessment and Prioritization	permit
		Next Permit Term
6	Mantenance of South Prain Oyson	Four years after the effective date of the
3	Permittee Operations and Maintenance Activities	permit
	Incorporation of Mater Onality and Habitat Enhancement Features	Remove
	Ilical polation to track the state of the st	Three years after the effective date of
6	Desticides Harbicide and Fertilizer Application	the permit
3		Two years after the effective date of the
<u> </u>	Training and Education	permit
Y)		

Attachment A: CASQA Specific Comments on Draft Phase II Small MS4 General Permit

Table A-4. Recommended Timeline Revisions for Industrial / Commercial (E.11)

Dermit		
Two years after the effective date of the	Comprehensive Outreach and Education Program (need additional time to develop the program)	(၁)
Proposed Very	Revised Timeline Description	Section
on Program	E.S.c Industrial/ Commercial Facility Outreach and Education Program	
ed section E.5.c for this permit cycle	I/C should be limited to inventory and education and outreach per PO modified section E.5.c for this permit cycle	Note
Remove	Inspection Requirements	9
Romove	Industrial/ Commercial Facility Inspections	<u> </u>
Remove	Industrial/Commercial Stormwater BMPs	<u>a</u>
Five years after the effective date of the permit	Inventory (allow MS4s to complete over time with progress each year)	(a)
ogram Proposed Year	E.11 Industrial/ Commercial Facility Runoff Control Program Revised Timeline Description	Section

Table A-5. Recommended Timeline Revisions for Receiving Water Monitoring

Proposed Year	Two years after the effective date of the permit	Three years after the effective date of the permit	Three years after the effective date of the permit	Four years after the effective date of the permit	Five years after the effective date of the	
E.13 Receiving Water Monitoring Revised Timeline Description	Individual: Develop Monitoring Plan	Regional: Develop Monitoring Plan	Individual: Implement Monitoring Plan	Regional: Implement Monitoring Plan	Conduct Follow-up Analysis	
Section	(Q)	(Q)	(Q)	(q)	(q)	