



**SEDIMENT QUALITY AND BIOLOGICAL
EFFECTS IN SAN FRANCISCO BAY**

**BAY PROTECTION AND TOXIC CLEANUP
PROGRAM**

**FINAL
TECHNICAL REPORT**

**California State Water Resources Control Board
Division of Water Quality**

San Francisco Bay Regional Water Quality Control Board

**California Department of Fish and Game
Marine Pollution Studies Laboratory**

**California State University
Moss Landing Marine Laboratories**

**University of California, Santa Cruz
Institute of Marine Sciences**

-8 : ND

-9 : not analyzed

August, 1998

(Hunt et al., 1998)

b

**SEDIMENT QUALITY AND BIOLOGICAL EFFECTS
IN SAN FRANCISCO BAY**

BAY PROTECTION AND TOXIC CLEANUP PROGRAM

**FINAL
TECHNICAL REPORT**

Authors:

**John W. Hunt, Brian S. Anderson, Bryn M. Phillips, John Newman, Ron S. Tjeerdema
Institute of Marine Sciences, University of California, Santa Cruz**

**Karen Taberski
San Francisco Bay Regional Water Quality Control Board**

**Craig J. Wilson
Division of Water Quality, California State Water Resources Control Board**

**Mark Stephenson, H. Max Puckett
Marine Pollution Studies Laboratory, California Department of Fish and Game**

**Russell Fairey and James Oakden
Moss Landing Marine Laboratories**

ACKNOWLEDGMENTS

This study was conducted with the assistance of a number of colleagues from the Marine Pollution Studies Laboratory and its facilities at Granite Canyon, Moss Landing, and Santa Cruz, California. The authors would like to specifically acknowledge the following people for their efforts in the successful completion of the studies described in this report.

University of California, Santa Cruz, Staff Conducting Toxicity Testing at Granite Canyon

Steve Clark, Matt Englund, Michelle Hester, Hilary McNulty, Patty Nicely, Steve Osborne, Witold Piekarski, Kelita Smith, Shirley Tudor, Lisa Weetman, Michelle White

University of California, Santa Cruz, Trace Organics Laboratory

Jonathan Becker, Gloria J. Blondina, James Derbin, Linda Hannigan, Deborah Holstad, Dana Longo, Raina Scott, Katharine Semsar, Thomas Shyka, Matthew Stoetling, Else Gladish-Wilson, Laura Zirelli

California Department of Fish and Game, Trace Metal Analytical Laboratory

Jon Goetzl, Gary Ichikawa, Jim Kanihan, Kim Paulson, Mark Pranger

San Jose State University, Sample Collection and Data Management

Ross Clark, James Downing, Michele Jacobi, Eric Johnson, Brenda Konar, Stewart Lamerdin, Eli Landrau, Cassandra Roberts

Moss Landing Marine Laboratories (SJSU), Organic Carbon and Grain Size Analysis

Bill Chevalier, Steve Fitzwater, Craig Hunter, Pat Iampietro, Sean McDermott, Michelle White

Moss Landing Marine Laboratories (SJSU), Benthic Community Analysis

Carrie Bretz, Diane Carney, Jim Oakden, John Oliver, Pete Slattery

We would especially like to thank Michelle White and Patty Nicely for assistance with preparing this report, specifically for their skills with mapping, data compilation, and statistical analysis. We greatly appreciate the editorial review by Gita Kapahi, SWRCB.

This study was funded by the State Water Resources Control Board and San Francisco Bay Regional Water Quality Control Board through the Bay Protection and Toxic Cleanup Program.

EXECUTIVE SUMMARY

Study Objectives

The Bay Protection and Toxic Cleanup Program (BPTCP) was established by the California State Legislature in 1989 with four major goals:

- 1) To provide protection of present and future beneficial uses of the bay and estuarine waters of California;
- 2) To identify and characterize toxic hot spots;
- 3) To plan for toxic hot spot cleanup or other remedial or mitigation actions; and
- 4) To develop prevention and control strategies for toxic pollutants that will prevent creation of new toxic hot spots or the perpetuation of existing ones within the State's bays and estuaries.

These goals are being addressed through activities in each of the coastal Regional Water Quality Control Boards, including that representing the Bay Region. BPTCP program activities in the San Francisco Bay Region have included initiating the Regional Monitoring Program and conducting studies of fish tissue contamination (as described in the Introduction section of this report). The BPTCP has also implemented regional monitoring studies to identify toxic hot spots. The four major objectives of BPTCP monitoring in the San Francisco Bay Region, as described in this report, are:

- 1) To identify locations in enclosed bays, estuaries, or the ocean that are potential or candidate toxic hot spots;
- 2) To determine the extent of biological impacts in portions of enclosed bays and estuaries not previously sampled (areas of unknown condition);
- 3) To confirm the extent of biological impacts in enclosed bays and estuaries that have been previously sampled; and
- 4) To assess the relationship between toxic pollutants and biological effects.

The focus of BPTCP monitoring in San Francisco Bay has been to conduct sediment quality assessments in several phases: 1) Approximately 100 reports were evaluated for previous information on water and sediment quality; 2) A large number of bay and wetland sites were surveyed in the Pilot Regional Monitoring Program (PRMP), which also included a methods validation study along a pollution gradient; 3) A reference site study was completed that evaluated ambient conditions in the Bay, and evaluated toxicological and statistical methods for differentiating polluted sites and reference conditions, 4) Approximately 127 stations from throughout the region (selected on the basis of previous information and PRMP results) were screened for sediment toxicity and/or chemistry; and 5) A number of sites that exhibited toxicity and/or elevated chemistry were resampled for additional biological and chemical analyses to confirm previous results. This confirmation survey incorporated three components commonly known as the sediment quality triad: toxicity testing, chemical measurement, and benthic community analysis. Additional samples were collected at selected confirmation sites to estimate the bioavailability of sediment-associated chemicals. Concurrent with this phased sediment monitoring effort, a study was conducted in 1994 to determine chemical concentrations in fish tissues. The results of that study were the basis for a subsequent public health advisory for fish consumption in the Bay and Delta.

Tasks Accomplished

This report describes the results of BPTCP sediment monitoring activities in the San Francisco Bay Region to identify toxic hot spots. During the screening phase of this study, 127 sites that had been identified in previous investigations were screened for sediment toxicity. Since funding constraints precluded comprehensive assessments at each screening site, toxicity testing was used as the screening tool. Toxicity tests are direct, precise indicators of the integrated effects of sediment contaminants, and they provide information about biological impacts of pollutants, information difficult to discern solely from chemical measurements. Generally, two toxicity tests were used at each screening site: a solid-phase sediment test with benthic amphipods, and a sediment porewater test using developing embryos of sea urchins. As methodological improvements were incorporated during the study, some screening samples were tested with sea urchins exposed to the sediment-water interface instead of porewater.

After reviewing the screening data and information from previous studies, a number of stations were resampled during the confirmation phase of the study. Twelve stations were resampled and analyzed with the sediment quality triad, including two toxicity tests, sediment chemistry, and benthic community analysis. Ten of these stations were also analyzed for bioaccumulation, using 28-day laboratory exposures with the clam *Macoma nasuta*. A total of 46 stations were screened for a broad suite of trace metal and organic compounds, and a total of 143 samples were analyzed for mercury and PCBs, chemicals that were identified as elevated in fish tissues in the Bay (Fairey et al., 1997) and were the subject of a fish consumption health advisory. An additional 15 stations were resampled and tested with sea urchin larvae in sediment-water interface exposures, because their screening samples exhibited toxicity only in sea urchin porewater tests that were accompanied by elevated sulfide or ammonia concentrations.

In order to provide additional information about potential toxic hot spot sites, linear transects (gradients) were sampled at some confirmation stations to evaluate relationships between sediment chemistry and biological effects at these sites. Phase I sediment Toxicity Identification Evaluations (TIEs) were conducted at two sites, and an abbreviated sediment-water interface TIE was conducted at a third site to investigate possible causes of sediment toxicity.

Major Findings

After screening 127 stations from throughout the Bay area, and returning to 12 of those for more intensive analysis during the confirmation stage, this study successfully identified several highly polluted locations that exhibited adverse biological effects. The study also indicated that 21% of all samples tested were toxic to amphipods, 31% of porewater samples were toxic to sea urchin embryos, and 33% were toxic to sea urchin embryos exposed at the sediment-water interface. Statistical analyses indicated a number of chemicals that were both correlated with biological effects and found at concentrations exceeding sediment quality guideline values.

A number of sites had high concentrations of chemical mixtures, numerous chemicals with concentrations above sediment quality guideline values, and significant biological effects. These sites were categorized based on the magnitudes of chemical concentrations and effects. The sites exhibiting highest chemical concentrations and greatest biological effects included: Stege Marsh, Mission Creek, Islais Creek, Point Portrero (notable for extremely high PCB and mercury concentrations), Pacific Drydock, Castro Cove, Peyton Slough, and San Leandro Bay.

Mercury and total PCBs were identified in a California Office of Environmental Health Hazard Assessment health advisory on consuming fish caught in San Francisco Bay and the Delta. These chemicals were found at elevated concentrations in a number of sediment samples analyzed in this study. PCBs, but not mercury, were accumulated to high levels in clams exposed to 6 of 10 sediment samples tested. Mercury, but not PCBs, was found to correlate with toxicity to sea urchins in sediment-water interface exposures.

In Principal Components Analyses (PCA), sediment quality guideline quotient means (ERMQs) and number of chemicals exceeding guideline values covaried negatively with biological indicators (increasing concentration associated with decreasing biological function). Chemicals identified by PCA that also exceeded guideline values and were significantly correlated with adverse biological effects included: total chlordanes and 2-methylnaphthalene (with amphipod toxicity); cadmium, copper, silver, and zinc (with sea urchin porewater toxicity); and cadmium, copper, and zinc (with sea urchin SWI toxicity).

Sediment quality guidelines, as described in the Methods section, have been derived empirically from a large number of studies nationwide to indicate chemical concentrations often associated with adverse biological effects. The use of guideline values allows simple comparisons of sample concentrations to those observed in numerous other studies. This comparison is useful for perspective, but does not necessarily indicate that chemicals with concentrations above guideline values are responsible for any observed impacts. Only site-specific intensive investigations, using TIEs and other toxicological methods, can be used to determine causal relationships. In the present study, numerous chemicals were found at concentrations exceeding guideline (ERM) values. Of these, chlordanes, PCBs, DDTs, PAHs, dieldrin, copper, mercury, lead and zinc were commonly found above ERMs. Hexachlorobenzene and chlorpyrifos, for which ERM values have not yet been derived, were often found at concentrations above the 90th percentile of the statewide BPTCP sediment chemistry data base. Combined concentrations of chemical mixtures were high at many sites, with 9 sites having mean ERM quotients above the 95th percentile of the statewide distribution.

In tests of 10 samples from the Bay, exposed clams accumulated elevated tissue concentrations of nine chemicals or chemical classes: copper, lead, total chlordanes, total DDTs, dieldrin, total PCBs, LMW PAHs, HMW PAHs, and total PAHs. The identification of these chemicals was dependent on the particular samples tested, the physiology of the

clam *Macoma nasuta*, and the 28-day exposure period of the laboratory tests.

The data provided in this report represent a significant body of information to assist in management efforts to identify and remediate toxic hot spots in San Francisco Bay. A number of sites were identified as having elevated pollutant concentrations and severe biological impacts. Determination of spatial extent and development of information relevant to pollutant source control at these sites may require additional investigation. A number of other sites demonstrated elevated chemical concentrations without severe acute toxicity, and still other sites had toxic sediment without having elevated concentrations of measured chemicals. These sites may warrant further studies of chronic effects and/or investigations to determine the likely causes of observed biological impacts.

TABLE OF CONTENTS

ACKNOWLEDGMENTS	ii
EXECUTIVE SUMMARY	iii
Study Objectives	iii
Tasks Accomplished	iv
Major Findings.....	iv
TABLE OF CONTENTS.....	vii
LIST OF FIGURES	viii
LIST OF TABLES.....	ix
LIST OF APPENDICES.....	x
LIST OF ABBREVIATIONS.....	xi
INTRODUCTION	1
Goals and Objectives	1
Study Area	4
Previous and Concurrent Monitoring Programs	6
METHODS	10
Study Approach	10
Sample Collection and Processing.....	11
Toxicity Testing.....	23
Toxicity Identification Evaluations (TIEs).....	28
Trace Metals Analysis of Sediments.....	31
Trace Organic Analysis of Sediments (PCBs, Pesticides, and PAHs).....	32
Total Organic Carbon Analysis of Sediments	38
Grain Size Analysis of Sediments.....	39
Benthic Community Analysis.....	40
Bioaccumulation Tests with the Clam <i>Macoma balthica</i>	44
Statistical Analyses	45
Weight-of-Evidence and Categorization of Sites.....	53
RESULTS AND DISCUSSION.....	57
Sediment Toxicity.....	57
Sediment Chemistry.....	59
Bioaccumulation Tests.....	64
Benthic Community Structure	65
Relationships between Sediment Chemistry and Biological Effects.....	66
Weight-Of-Evidence Categorization Of Stations	71
CONCLUSIONS.....	73
Study Limitations.....	73
Completion of Study Objectives.....	73
Sites Demonstrating the Highest Levels of Pollution and Biological Effects	74
Chemicals Of Concern.....	74
REFERENCES	178

LIST OF FIGURES

Figure 1.	Location Of Region 2 Sampling Areas	9
Figure 2a-g.	Sample Station Locations	12
Figure 3.	Location Of Region 2 Confirmation Stations	19
Figure 4a-g.	Results Of Amphipod Toxicity Screening	76
Figure 5a-g.	Results Of Porewater Toxicity Screening	83
Figure 6a-g.	Results Of Sediment-Water Interface Toxicity Screening	90
Figure 7a-g.	Results Of Amphipod Toxicity Confirmation	97
Figure 8a-g.	Results Of Sediment-Water Interface Toxicity Confirmation	104
Figure 9a-g.	Spatial Distribution Of ERM Quotient Values	111
Figure 10a-g.	Spatial Distribution Of Total PCB Concentrations	118
Figure 11a-g.	Spatial Distribution Of Mercury Concentrations	125
Figure 12a-g.	Spatial Distribution Of Total Chlordane Concentrations	132

LIST OF TABLES

Table 1.	Unionized Ammonia and Hydrogen Sulfide Effects Thresholds	25
Table 2.	Dry Weight Minimum Detection Limits For Trace Metals	32
Table 3.	Dry Weight Minimum Detection Limits For Chlorinated Pesticides	34
Table 4.	Dry Weight Minimum Detection Limits For NIST PCB Congeners	35
Table 5.	Dry Weight Minimum Detection Limits For Additional PCB Congeners	36
Table 6.	Dry Weight Minimum Detection Limits For Chlorinated Mixtures	36
Table 7.	Dry Weight Minimum Detection Limits For PAHs In Tissue	37
Table 8.	Dry Weight Minimum Detection Limits For Organometals	37
Table 9.	Detectable Difference (MSD) Toxicity Thresholds	46
Table 10.	Reference Envelope Toxicity Tolerance Limits	47
Table 11.	Sediment Quality Guidelines Chemistry Values	49
Table 12.	Screening Values For Additional BPTCP Chemicals	51
Table 13.	Results of Amphipod Toxicity Screening	139
Table 14.	Results of Porewater Toxicity Screening	142
Table 15a-b.	Results of Toxicity Confirmation	147
Table 16.	Summary of Chemistry Data	150
Table 17.	Summary of PCB and Mercury Data	155
Table 18.	Acid-Volatile Sulfides and Simultaneously Extracted Metals	159
Table 19a-d.	Laboratory Bioaccumulation Exposures With <i>Macoma nasuta</i>	160
Table 20.	Benthic Community Analysis Data	164
Table 21.	Correlations Between Chemistry and Biological Effects	165
Table 22.	Guadalupe Slough TIE	166
Table 23.	Peyton Slough Site TIE	167
Table 24.	Stege Marsh EDTA Treatment of SWI Exposures	167
Table 25a-b.	Mission Creek Gradient	168
Table 26a.	Islais Creek Gradient	169
Table 27a.	Peyton Slough Gradient	170
Table 28.	Categorization Of Stations Based On Integrated Monitoring Data	171

LIST OF APPENDICES

APPENDIX A: DATA BASE DESCRIPTION

APPENDIX B: SAMPLING DATA

APPENDIX C: ANALYTICAL CHEMISTRY DATA

Section 1: Trace Metal Concentrations

Section 2: Acid Volatile Sulfides And Simultaneous Extracted Metals Concentrations

Section 3: Pesticide Concentrations

Section 4: PCB And Arochlor Concentrations

Section 5: PAH Concentrations

Section 6: Chemistry Summations And Quotients

Section 7: Bivalve Tissue Chemistry

APPENDIX D: SEDIMENT GRAIN SIZE AND TOTAL ORGANIC CARBON ANALYSES

APPENDIX E: TOXICITY TEST DATA

Section 1: *Eohaustorius estuarius* Survival In Sediment

Section 2: *Strongylocentrotus purpuratus* Development In Porewater

Section 3: *Strongylocentrotus purpuratus* Development In Intact Sediment Cores

Section 4: *Ceriodaphnia dubia* Survival In Intact Sediment Cores

Section 5: *Hyaella azteca* Survival In Sediment

APPENDIX F: BENTHIC COMMUNITY DATA

APPENDIX G: RESULTS OF POREWATER EXTRACTION METHODS VALIDATION

LIST OF ABBREVIATIONS

AA	Atomic Absorption
ASTM	American Society for Testing Materials
BPTCP	Bay Protection and Toxic Cleanup Program
CDFG	California Department of Fish and Game
CH	Chlorinated Hydrocarbon
COC	Chain of Custody
COR	Chain of Records
EDTA	Ethylenediaminetetraacetic Acid
EMAP	Environmental Monitoring and Assessment Program
EPA	Environmental Protection Agency
EqP	Equilibrium Partitioning
ERL	Effects Range - Low
ERM	Effects Range - Median
ERMQ	Effects Range - Median, Quotient
FAAS	Flame Atomic Absorption Spectroscopy
GC/ECD	Gas Chromatograph Electron Capture Detection
GFAAS	Graphite Furnace Atomic Absorption Spectroscopy
HCl	Hydrochloric Acid
HDPE	High-density Polyethylene
HMW PAH	High Molecular Weight Polycyclic Aromatic Hydrocarbons
HNO ₃	Nitric Acid
HPLC/SEC	High Performance Liquid Chromatography Size Exclusion
H ₂ S	Hydrogen Sulfide
IDORG	Identification and Organizational Number
KCl	Potassium Chloride
LC50	Lethal Concentration (to 50 percent of test organisms)
LMW PAH	Low Molecular Weight Polycyclic Aromatic Hydrocarbons
MDL	Method Detection Limit
MDS	Multi-Dimensional Scaling
MLML	Moss Landing Marine Laboratories
MPSL	Marine Pollution Studies Laboratory
MSD	Minimum Significant Difference
NH ₃	Ammonia (Un-ionized)
NOAA	National Oceanic and Atmospheric Administration
NOEC	No Observed Effect Concentration
NS&T	National Status and Trends Program
PAH	Polycyclic Aromatic Hydrocarbons
PCB	Polychlorinated Biphenyl

LIST OF ABBREVIATIONS (CONTINUED)

PEL	Probable Effects Level
PELQ	Probable Effects Level Summary Quotient
PPE	Porous Polyethylene
PVC	Polyvinyl Chloride
QA	Quality Assurance
QAPP	Quality Assurance Project Plan
QC	Quality Control
REF	Reference
SCCWRP	Southern California Coastal Waters Research Project
SEM-AVS	Simultaneously Extracted Metals minus Acid Volatile Sulfide
SFBRWQCB	San Francisco Bay Regional Water Quality Control Board
SJSUF	San Jose State University Foundation
SPARC	Scientific Planning and Review Committee
SQC	Sediment Quality Criteria
SWRCB	State Water Resources Control Board
T	Temperature
TBT	Tributyltin
TEL	Threshold Effects Level
TFE	Tefzel Teflon®
TIE	Toxicity Identification Evaluation
TOC	Total Organic Carbon
TOF	Trace Organics Facility
UCSC	University of California at Santa Cruz
U.S. EPA	U.S. Environmental Protection Agency
WCS	Whole core squeezing

Units

1 part per thousand (ppt) = 1 mg/g sediment, or 1 g/L

1 part per million (ppm) = 1 mg/kg, 1 µg/g sediment, or 1 mg/L

1 part per billion (ppb) = 1 µg/kg, 1 ng/g sediment, or 1 µg/L

INTRODUCTION

Goals and Objectives

Legislative Mandate

This report presents and interprets data to assist in the identification of toxic hot spots in San Francisco Bay. The sediment quality assessment information described here is in support of management activities to protect the quality of waters and sediments of the State from discharges of waste, in-place sediment pollution, and any other factor that can impact beneficial uses of enclosed bays, estuaries and coastal waters (pursuant to Sections 13390 et seq., 13140 and 13143 of the California Water Code).

In 1989, the California State legislature added to and modified the California Water Code, Division 7, Chapter 5.6 to establish the Bay Protection and Toxic Cleanup Program (BPTCP), a comprehensive program to protect the existing and future beneficial uses of California's enclosed bays and estuaries. State Senate and Assembly bills SB 475 (1989), SB 1845 (1990), AB 41 (1989), and SB 1084 (1993) modified Chapter 5.6 [Bay Protection and Toxic Cleanup (Water Code Sections 13390-13396.5)] Division 7 of the Water Code for this purpose. The BPTCP has provided a new focus on regional efforts to control pollution of the State's bays and estuaries by establishing a program to identify toxic hot spots and plan for their cleanup.

Program Goals and Objectives

The BPTCP has four major goals:

- 1) To provide protection of present and future beneficial uses of the bay and estuarine waters of California;
- 2) To identify and characterize toxic hot spots;
- 3) To plan for toxic hot spot cleanup or other remedial or mitigation actions; and
- 4) To develop prevention and control strategies for toxic pollutants that will prevent creation of new toxic hot spots or the perpetuation of existing ones within the bays and estuaries of the State.

San Francisco Bay Study Goals and Objectives

As part of the legislative mandate, the BPTCP has implemented regional monitoring studies to identify toxic hot spots (Water Code Section 13392.5). The four objectives of BPTCP regional monitoring are:

- 1) To identify locations in enclosed bays, estuaries, or the ocean that are potential or candidate toxic hot spots;
- 2) To determine the extent of biological impacts in portions of enclosed bays and estuaries not previously sampled (areas of unknown condition);
- 3) To confirm the extent of biological impacts in enclosed bays and estuaries that have been previously sampled; and
- 4) To assess the relationship between toxic pollutants and biological effects.

Definition of a Toxic Hotspot

Section 13391.5 of the Water Code defines toxic hot spots as: "...[L]ocations in enclosed bays, estuaries, or adjacent waters..., the pollution or contamination of which affects the interests of the State, and where hazardous substances have accumulated in the water or sediment to levels which (1) may pose a substantial present or potential hazard to aquatic life, wildlife, fisheries, or human health, or (2) may adversely affect the beneficial uses of the bay, estuary, or ocean waters as defined in the water quality control plans, or (3) exceeds adopted water quality or sediment quality objectives."

Although the Water Code provides some direction in defining a toxic hot spot, the definition presented in Section 13391.5 is broad, and has been further refined by the State Water Resources Control Board (SWRCB) and Regional Water Quality Control Boards (RWQCBs). For a candidate toxic hot spot to be considered a "known toxic hotspot," the RWQCB and SWRCB must approve that designation, and the site must be adopted into the consolidated statewide toxic hot spot cleanup plan. At that point the site shall be considered a known toxic hot spot and all the requirements of the Water Code shall apply to that site. A "candidate toxic hotspot" is a site that meets the following conditions, but has not yet been approved by the RWQCB and SWRCB.

A site meeting any one or more of the following conditions is considered to be a "candidate" toxic hot spot:

1. The site exceeds water or sediment quality objectives for toxic pollutants that are contained in appropriate water quality control plans, or exceeds water quality criteria promulgated by the U.S. Environmental Protection Agency (U.S. EPA).
2. The water or sediment exhibits recurrent toxicity associated with toxic pollutants that is significantly different from the toxicity observed at reference sites (*i.e.*, when compared to the lower confidence interval of the reference envelope), based on toxicity tests acceptable to the SWRCB or the RWQCBs. Toxic pollutants should be present in the media at concentrations sufficient to cause or contribute to toxic responses in order to satisfy this condition.
3. The tissue toxic pollutant levels of organisms collected from the site exceed levels established by the United States Food and Drug Administration (FDA) for the protection of human health, or the National Academy of Sciences (NAS) for the protection of human health or wildlife. When a health advisory against the consumption of edible resident non-migratory organisms has been issued by the Office of Environmental Health Hazard Assessment (OEHHA) or Department of Health Services (DHS), on a site or water body, the site or water body is automatically classified as a "candidate" toxic hot spot if the chemical contaminant is associated with sediment or water at the site or water body.
4. Impairment measured in the environment is associated with toxic pollutants found in resident individuals. Impairment means reduction in growth, reduction in reproductive capacity, abnormal development, histopathological abnormalities.

5. Significant degradation in biological populations and/or communities is associated with the presence of elevated levels of toxic pollutants.

A "potential toxic hot spot" is defined as a suspect site with existing information indicating possible impairment but without sufficient information to be classified further as a candidate toxic hot spot. Additional details of the toxic hot spot definition used in the BPTCP can be found in SWRCB (1994).

Studies Designed to Meet Program Objectives

A phased process using effects-based measurements was used to identify toxic hot spots in California's enclosed bays and estuaries. In the San Francisco Bay Region, this process included: 1) a review of approximately 100 reports on water and sediment quality; 2) a survey of numerous bay and wetland sites in the Pilot Regional Monitoring Program (PRMP), which also included a methods validation study along a pollution gradient; 3) a reference site study that evaluated toxicological and statistical methods for identifying polluted sites by comparison with reference conditions, 4) a toxicity screening study of 127 stations from throughout the region (selected on the basis of previous information and PRMP results); and 5) confirmation studies of sites that exhibited toxicity and/or elevated chemistry during screening. The preliminary studies are described below. The screening and confirmation studies were designed to incorporate three measures, commonly known as the sediment quality triad. The triad approach consists of toxicity testing, benthic community analysis, and chemical analysis for trace metals and organic compounds. An additional bioaccumulation component was employed at selected sites.

While toxicity testing was used for screening the majority of stations, stations could also be evaluated with benthic community analyses or chemical tests or bioaccumulation data to provide sufficient information to list a site as a potential toxic hot spot or a site of concern. Sediment grain size, total organic carbon (TOC), NH_3 , and H_2S concentrations were measured on all samples. While these factors are naturally occurring components of benthic environments, TOC, NH_3 , and H_2S concentrations can be enhanced by human activities. They were quantified to assist in the interpretation of biological analyses.

A positive result or an observed adverse effect in any of the triad tests would trigger the confirmation step (depending on available funding). The confirmation phase consisted of performing all components of the sediment quality triad: toxicity, benthic community analysis, and chemical analysis, on the previously sampled site of concern. Assessment of benthic community structure was not included at all confirmation stations due to difficulty in interpreting the information for parts of San Francisco Bay, as described in greater detail in the Methods Section. Sediment samples from many of the confirmation stations were analyzed in laboratory bioaccumulation tests to determine whether sediment-associated chemicals were bioavailable to exposed biota.

Study Area

Geography, Hydrology and Biology

The San Francisco Bay Region is comprised of most of the San Francisco estuary up to the mouth of the Sacramento-San Joaquin Delta (Figure 1). The San Francisco estuary conveys the waters of the Sacramento and San Joaquin rivers into the Pacific Ocean. Located on the central coast of California, the Bay system functions as the only drainage outlet for waters of the Central Valley. It also marks a natural topographic separation between the northern and southern coastal mountain ranges.

The Sacramento and San Joaquin rivers, which enter the Bay system through the Delta at the eastern end of Suisun Bay, contribute almost all of the freshwater inflow to the Bay. Many smaller rivers and streams also convey fresh water to the Bay system. The rate and timing of these freshwater flows are among the most important factors influencing physical, chemical and biological conditions in the estuary. Flows in the region are highly seasonal, with more than 90 percent of the annual runoff occurring during the winter rainy season between November and April.

San Francisco Bay is typical of estuaries worldwide in that it provides critical habitat for aquatic species, including many commercially and ecologically important marine species that use estuaries as rearing grounds for sensitive early life-stages (Conomos et al., 1979). San Francisco Bay is also home to hundreds of introduced exotic species, brought in over the last 150 years, primarily in ship ballast water. The San Francisco estuary is made up of many different types of aquatic habitats that support a great diversity of organisms. Suisun Marsh in Suisun Bay is the largest brackish-water marsh in the United States. San Pablo Bay is a shallow embayment strongly influenced by runoff from the Sacramento and San Joaquin Rivers. The Central Bay is the portion of the Bay most influenced by oceanic conditions. The South Bay, with less freshwater inflow than the other portions of the Bay, acts more like a tidal lagoon. Together these areas sustain rich communities of aquatic life and serve as important wintering sites for migrating waterfowl and spawning areas for anadromous fish.

Human Uses of Land and Waterways

The natural harbor provided by the Bay has made it the focus of tremendous economic and industrial activity. There are three major port facilities, located at Oakland, San Francisco, and Richmond, as well as numerous tanker moorings associated with local refining activities, and many past and presently utilized military docks and shipyards. Most industrial sectors are represented along the Bay shores, including metal works, chemical manufacturing plants, ship yards, oil refineries, military bases, commercial fishing and shipping facilities, salt evaporation ponds, agriculture, and construction of residential and commercial buildings to serve the fourth largest metropolitan area in the United States. The Bay is at the center of an urban area including all or major portions of 9 counties: Alameda, Contra Costa, Marin, Napa, San Francisco, San Mateo, Santa Clara, Solano, and Sonoma.

General Sources of Pollution

San Francisco Bay is an extremely dynamic depositional environment. Sediments flow from the major river systems and storm water channels and are deposited in the Bay. Strong winds and tidal currents resuspend and redeposit these sediments, resulting in a system where sediments are well mixed. Bioaccumulative contaminants attach to sediments and are distributed and mixed by the same physical processes. Chemical transport is complex, and the sediments act as a sink for pollutants. These sediments may then act as sources of pollutants to organisms in the aquatic food chain and ultimately to humans.

The San Francisco estuary has high concentrations of metals due to contributions from numerous sources, both natural and anthropogenic. Natural sources include runoff from geologic formations, such as the local Franciscan Formation and the distant Sierra Nevada mountains and foothills. These formations are naturally enriched in some metals, including nickel, chromium, and mercury. Localized deposits of these metals were unearthed in a great wave of mining activity from the 1820's, continuing, in some cases, into the 1970's. Mercury was mined at numerous locations in the Coastal Range and then transported to the Sierra Nevada foothills to be used in the amalgamation of gold in placer and hydraulic mining. Drainage from natural mercury deposits, mine tailings, and processing activities, both in the coast range and the Sierra Nevada, is part of a complex transport process leading to elevated concentrations of mercury in Bay sediments and organisms. Transport of some naturally occurring metals, such as selenium, has been enhanced by leaching from irrigated agricultural soils. Selenium is also a waste product of oil refining activities. Metals such as copper, zinc, and silver are components of industrial and municipal wastewater discharged to the Bay, and industrial slag deposits may be responsible for some locally elevated concentrations of these and other metals.

Organic chemicals enter the Bay from a variety of sources. PCBs have accumulated in the sediments of the estuary due to past use and deposition. PCB mixtures were used extensively in the U.S. prior to 1979, when their manufacture, processing, use and application was banned, except in totally enclosed applications such as transformers. PCBs were used for industrial applications requiring fluids with thermal stability, low flammability, oxidation resistance, and solubility in organic compounds, and their widespread use provided a variety of opportunities for transport into the Bay. PCBs have proven to be extremely persistent in the environment. Regional Monitoring Program (RMP) data indicate that PCBs exceed non-promulgated U.S. EPA water quality criteria in water-column samples from throughout the estuary. This is probably due to resuspension from Bay sediments. BPTCP monitoring has shown that, except for a few areas described in this report, PCBs are fairly well mixed in the sediments of the estuary, which act as an ongoing source to organisms up the food chain. Storm events can mobilize PCBs from soils and urban surfaces and transport them into the estuary. Recent monitoring by the RMP has indicated that Coyote Creek may be a current source of PCB loads into the South Bay (SFEI, 1997). Increased monitoring is necessary to identify and cleanup any ongoing sources.

Pesticide transport to the Bay is greatly affected by compound class and history of use. Persistent organochlorine pesticides, such as the DDTs, chlordanes and dieldrin that were identified in the BPTCP fish study (SFBRWQCB, 1995), have similar properties in that they are

extremely persistent in the environment and highly lipid soluble. Since these lipid soluble compounds are not easily metabolized or excreted, they are stored in fatty tissue and can readily bioaccumulate in fish tissue with high lipid content. Although these chemicals (and many other organochlorines) have been banned for use in the U.S. for approximately 20 years, they persist in soils that wash into the Bay, and are still commonly detected at elevated concentrations in sediments and tissue from throughout the estuary. One large historic source of DDT, Lauritzen Channel in Richmond Harbor, has been recently dredged and capped. Other sources may be detected through increased monitoring of sediment-laden stormwater.

The newer generation organophosphate, carbamate and pyrethroid pesticides are more water-soluble and accumulate to a lesser degree in sediments and tissues, yet they may be responsible for biological impacts to water-column species. Many of these compounds are widely available for residential use, and have been found in toxic concentrations in urban stormwater entering the Bay (Hansen et al., 1993). They are also applied in large quantities on farmlands, and have been implicated in toxicity of Central Valley agricultural drain water (Norberg-King et al., 1991). The Central Valley RWQCB has supported numerous studies investigating the transport and impacts of these compounds in the Delta, tributary rivers, and urban creeks.

Polycyclic aromatic hydrocarbons (PAHs) are a group of compounds that vary considerably in toxicity and are widely distributed in Bay sediments. Low-molecular-weight PAHs tend to be more acutely toxic, while high-molecular-weight PAHs have greater carcinogenic potential, often after being metabolized in organisms (Kennish, 1998). Sources of PAHs include oil, municipal and industrial wastewaters, combustion of fossil fuels, and urban runoff.

As industrial and municipal waste treatment has improved, and population around the Bay has increased, urban stormwater runoff has become the major source for mass loading of pollutants that accumulate in the food chain and of pesticides that cause acute toxicity to aquatic organisms. In the past several years, the RMP and the Bay Area Stormwater Management Agencies Association (BASMAA) have been conducting limited monitoring studies of runoff from urban creeks. Through this monitoring, Coyote Creek has been identified as a source of PCBs and chlorinated pesticides to the estuary. In other urban creeks, high levels of toxicity have been identified during runoff events, possibly due to the pesticides diazinon and chlorpyrifos (e.g., Hansen et al., 1993). Identification of the sources of these contaminants and the development of watershed management plans are necessary to protect the beneficial uses of the estuary. U.S. EPA and the State Board strongly encourage the development of watershed management plans to protect watersheds draining to the Bay. However, there must be increased watershed monitoring and assessment in order to identify and prioritize current or potential problems, so that watershed management plans can be adequately targeted and evaluated.

Previous and Concurrent Monitoring Programs

Pilot Regional Monitoring Program

In addition to the screening and confirmation of toxic hot spots, several other studies have been conducted through the BPTCP in this region. In 1991 and 1992, the Pilot Regional Monitoring Program (PRMP) was conducted. The main purpose of this study was to develop

the design and methodology for an ongoing regional monitoring program. The PRMP also had a screening component where sediment chemistry and toxicity was measured in wetlands throughout the Bay. The third component was a gradient study, conducted in Castro Cove, to validate methods for the BPTCP and RMP.

Regional Monitoring Program

In 1993, the San Francisco Estuary Regional Monitoring Program for Trace Substances (RMP) was established. The program is administered through the San Francisco Estuary Institute and funded by municipal and industrial entities that discharge wastewater to the Bay, and by those involved in bay dredging activities. Through this program, chemistry and toxicity data are collected from water-column and sediment samples collected at established sites along the central spine of the estuary. Bioaccumulation is measured in tissues of transplanted bivalves from throughout the estuary, and the program conducts a number of special studies each year investigating sources and causes of observed biological effects. The data collected has been valuable in identifying seasonal, temporal and spatial trends in contamination, toxicity, and benthic community structure, as well as in the investigation of physical and biological processes affecting chemical transport and exposure. These data are available in annual reports (e.g., SFEI, 1997) and through the SFEI website, newsletters and other media.

Fish Tissue Study

In 1994, a study was conducted under the BPTCP to measure contaminant levels in fish from San Francisco Bay (SFBRWQCB, 1995). This was the first study conducted in the Bay to investigate whether contaminant concentrations were elevated in fish being consumed by the public, and to determine whether a health advisory was necessary. Results of the study indicated that six chemicals or chemical groups were of potential concern. These chemicals were mercury, PCBs, DDT, dieldrin, chlordane and dioxins. As a result of the study, the Office of Environmental Health Hazard Assessment (OEHHA) issued an interim health advisory on consuming fish caught in San Francisco Bay and the Delta. Regular monitoring of contaminants in fish, studies on consumption patterns, public outreach, and education projects are currently being conducted in this Region to address these concerns.

Sediment Reference Site Study

In 1994 and 1995, a study was conducted to identify sediment reference sites in San Francisco Bay, to identify toxicity test methods that would be most appropriate for use in the Bay, and to develop a statistical method to distinguish between sites representing ambient conditions and those where locally elevated chemical concentrations may have been responsible for biological impacts (Hunt et al., 1998). This study was necessary because varying levels of sediment toxicity had been observed even in less polluted sites that were relatively remote from sources, and standard statistical methods could not adequately distinguish this level of toxicity from more severe levels observed at other sites. Since the purpose of the BPTCP was to identify toxic hot spots, new methods needed to be developed that could distinguish between ambient conditions, as represented by a distribution of reference site data, and more toxic sites that might be considered for remedial action. This study identified five reference sites in the Bay (two in San Pablo Bay, one in the Central Bay and two in the South Bay), evaluated nine different toxicity tests for use in toxic hot spot

screening and confirmation studies, and developed a statistical method to distinguish between ambient conditions and potential toxic hot spots. Once reference sites were identified, toxicity tests chosen, and the statistical method developed, screening and confirmation studies began.

Methods Validation: Effects of Extraction Method on Porewater Toxicity

As part of the development and validation of analytical methods for the BPTCP, a study was conducted in 1993 to assess the effects of three extraction methods on the toxicity of sediment porewater. Sediment was collected at four sites in the San Francisco Bay Region, and porewater was extracted by centrifugation, piston squeezing, and passive separation through sediment settlement. The results of this study are reported in Appendix G of this report.

Studies of Additional Sites of Concern

There are additional sites of concern in the San Francisco Bay Region that do not technically qualify as candidate toxic hot spots under the definition used in this program. Most of these sites are redevelopment properties or military bases slated for closure. Many of these sites are the subject of large-scale investigations, including environmental risk assessments. Lauritzen Channel, which was previously listed as a potential toxic hot spot in 1993, was investigated under CERCLA; this site was dredged and the bottom then capped with sand during the summer of 1997.

At military bases, sediment pollution is evaluated in the larger context of determining the risk to human and ecological receptors in ecological risk assessments required under the federal CERCLA program. CERCLA is the primary regulatory authority driving environmental investigations at military bases, and these investigations are generally extensive. Jurisdictions other than the Regional Board, including the U.S. EPA, the U.S. Fish and Wildlife Service, the National Oceanic and Atmospheric Administration, the California Department of Fish and Game and the California Department of Toxic Substances Control also participate in designing and determining the scope of these characterizations. Although some of these sites were visited by the BPTCP early in the program, and efforts were made by others to use methods and protocols consistent with those of the BPTCP, the study designs used and the scale of these investigations were distinctly different from the BPTCP studies reported here. Because of funding constraints and a desire to avoid regulatory overlap, evaluations of these sites was left to responsible agencies and not further addressed in the BPTCP.




Figure 1. Location of Region 2 Sampling Areas.

METHODS

Study Approach

Sampling Design and Analyses Conducted

Rationale

Sampling site selection was based on knowledge of geographic and hydrologic characteristics of the Bay, sources of chemical inputs, and results of previous sediment assessment studies. Sites were selected with the specific intention of investigating those areas thought most likely to be affected by pollutants. Randomized sampling was not incorporated into the study design. The primary sources for previous information used to identify screening sites included the Pilot Regional Monitoring Program described by Flegal et al. (1994), the sediment toxicity studies of Long et al. (1990), State Mussel Watch data (e.g., Phillips, 1988) and approximately 100 additional reports on water and sediment quality that were reviewed by RWQCB staff.

Screening and Confirmation Sampling and Analysis

Due to the size of the San Francisco Bay, the large number of potential problem sites, and funding limitations, it was not possible to fully characterize every site where pollution problems might exist. In order to focus efforts on the sites of greatest concern, a two-phase sampling process was used. In the first phase, 127 sites that had been identified through previous investigations were screened for sediment toxicity (Figure 2). While toxicity testing may not detect chronically toxic compounds and does not directly predict impacts to biological communities (Luoma and Carter, 1993), it was used as the screening tool because the tests are simple, precise indicators of the integrated effects of sediment contaminants (Swartz et al., 1985). Knowledge of sediment chemistry alone is currently insufficient to predict biological effects (Chapman et al., 1987), and measures of benthic community structure in San Francisco Bay can be confounded by salinity fluctuations and the impact of invading exotic species (Nichols and Thompson, 1985). Toxicity testing was therefore selected as the primary screening tool.

After reviewing the screening data and information from previous studies, a number of stations were resampled as part of the confirmation phase of the study (Figure 3). Twelve stations were resampled and analyzed with the sediment quality triad, including two toxicity tests and sediment chemical analysis at all confirmation stations, and benthic community analysis at multiple stations within seven main confirmation sites. Ten of these confirmation stations were also analyzed for bioaccumulation using 28-day laboratory exposures with the clam *Macoma nasuta*. A total of 46 stations were screened for a broad suite of trace metal and organic compounds, and a total of 143 samples were analyzed for mercury and PCBs, chemicals that were identified as elevated in fish tissues in the Bay (Fairey et al., 1997). An additional 15 stations were resampled and tested with sea urchin larvae in sediment-water interface exposures, because their screening samples exhibited toxicity only in porewater tests that were accompanied by elevated sulfide or ammonia levels.

Sediment reference sites identified in a previous study (Hunt et al., 1998) were sampled during each screening and confirmation survey. Toxicity data from these reference sites were added to the reference data base from which toxicity tolerance limits were calculated (see Statistical Analyses section, below). Maps of sampling stations are presented in Figure 2. Specific station location information, including GIS latitude and longitude data, are provided in Appendix B.

There was no field replication in either the screening or confirmation phases of this study. Consideration of spatial extent of pollution was generally deferred to future studies of sites identified in screening and confirmation. However, linear transects leading away from some confirmation stations provided opportunities to investigate relationships between sediment chemistry and biological effects along contamination gradients. Phase I sediment Toxicity Identification Evaluations (TIEs) were conducted at two sites, and an abbreviated sediment-water interface TIE was conducted at a third site to investigate possible causes of sediment toxicity.

Surficial sediments were collected in this program to evaluate the most biologically active layer of sediment and its effects on aquatic organisms. Due to the dynamic nature of the sediments in this Region, sediment samples were collected to a depth of 5 cm, the same depth that is sampled in the RMP. In other BPTCP regional studies, the sample depth was 2 cm.

Sample Collection and Processing

Summary of Methods

Specific techniques used for collecting and processing samples are described in this section. Because collection of sediments influences the results of all subsequent laboratory and data analyses, it was important that samples be collected in a consistent and conventionally acceptable manner. Field and laboratory technicians were trained to conduct a wide variety of activities using standardized protocols to ensure comparability in sample collection among crews and across geographic areas. Sampling protocols in the field followed the accepted procedures of EMAP, NS&T, and ASTM and included methods to avoid cross-contamination; methods to avoid contamination by the sampling activities, crew, and vessel; collection of representative samples of the target surficial sediments; careful temperature control, homogenization and subsampling; and chain of custody procedures.

Cleaning Procedures

All sampling equipment (i.e., containers, container liners, scoops, water collection bottles) was made from non-contaminating materials and was precleaned and packaged protectively prior to entering the field. Sample collection gear and samples were handled only by personnel wearing non-contaminating polyethylene gloves. All sample collection equipment (excluding the sediment grab) was cleaned by using the following sequential process: Two-day soak and wash in Micro® detergent, three tap-water rinses, three deionized water rinses, a three-day soak in 10% HCl, three ASTM Type II Milli-Q® water rinses, air dry, three petroleum ether rinses, and air dry.




Figure 2a. Sampling Locations in Suisun Bay.




Figure 2b. Sampling Locations in San Pablo Bay.




Figure 2c. Sampling Locations in Central San Francisco Bay.




Figure 2d. Sampling Locations in South San Francisco Bay.




Figure 2e. Sampling Locations in Oakland.




Figure 2f. Sampling Locations in San Francisco.




Figure 2g. Sampling Locations in Tomales Bay and Bolinas Lagoon.




Figure 3. Location of Region 2 Confirmation Stations.

All cleaning after the Micro® detergent step was performed in a positive pressure "clean" room to prevent airborne contaminants from contacting sample collection equipment. Air supplied to the clean room was filtered.

The sediment grab was cleaned prior to entering the field, and between sampling stations, by utilizing the following sequential steps: a vigorous Micro® detergent wash and scrub, a sea-water rinse, a 10% HCl rinse, and a methanol rinse. The sediment grab was scrubbed with seawater between successive deployments at the same station to remove adhering sediments from contact surfaces possibly originating below the sampled layer.

Sample storage containers were cleaned in accordance with the type of analysis to be performed upon its contents. All containers were cleaned in a positive pressure "clean" room with filtered air to prevent airborne contaminants from contacting sample storage containers.

Plastic containers (HDPE or TFE) for trace metal analysis media (sediment, archive sediment, pore water, and subsurface water) were cleaned by: a two-day Micro® detergent soak, three tap-water rinses, three deionized water rinses, a three-day soak in 10% HCl or HNO₃, three Type II Milli-Q® water rinses, and air dry.

Glass containers for total organic carbon, grain size or synthetic organic analysis media (sediment, archive sediment, pore water, and subsurface water) and additional Teflon sheeting cap-liners were cleaned by: a two-day Micro® detergent soak, three tap-water rinses, three deionized water rinses, a three-day soak in 10% HCl or HNO₃, three Type II Milli-Q® water rinses, air dry, three petroleum ether rinses, and air dry.

Sediment Sample Collection

All sampling locations (latitude & longitude), whether altered in the field or predetermined, were verified using a Magellan NAV 5000 Global Positioning System, and recorded in the field logbook. The primary method of sediment collection was by use of a 0.1m² Young-modified Van Veen grab aboard a sampling vessel. Modifications include a non-contaminating Kynar coating which covered the grab's sample box and jaws. After the filled grab sampler was secured on the boat gunnel, the sediment sample was inspected carefully. The following acceptability criteria were met prior to taking sediment samples. If a sample did not meet all the criteria, it was rejected and another sample was collected.

1. Grab sampler was not over-filled (*i.e.*, the sediment surface was not pressed against the top of the grab).
2. Overlying water was present, indicating minimal leakage.
3. Overlying water was not excessively turbid, indicating minimal sample disturbance.
4. Sediment surface was relatively flat, indicating minimal sample disturbance.
5. Sediment sample was not washed out due to an obstruction in the sampler jaws.
6. Desired penetration depth was achieved (*i.e.*, 10 cm).
7. Sample was muddy (>30% fines), not sandy or gravelly.
8. Sample did not include excessive shell, organic or man-made debris.

It was critical that sample contamination be avoided during sample collection. All sampling equipment (*i.e.*, siphon hoses, scoops, containers) was made of non-contaminating material and was cleaned appropriately before use. Samples were not touched with un-gloved fingers. In addition, potential airborne contamination (*e.g.*, from engine exhaust, cigarette smoke) was avoided. Before sub-samples from the grab sampler were taken, the overlying water was removed by slightly opening the sampler, being careful to minimize disturbance or loss of fine-grained surficial sediment. Once overlying water was removed, the top 5 cm of surficial sediment was sub-sampled from the grab. Subsamples were taken using a precleaned flat bottom scoop. This device allowed a relatively large sub-sample to be taken from a consistent depth. When subsampling surficial sediments, unrepresentative material (*e.g.*, large stones or vegetative material) was removed from the sample in the field. Small rocks and other small foreign material remained in the sample. Determination of overall sample quality was determined by the chief scientist in the field. Such removals were noted on the field data sheet. For the sediment sample, the top 5 cm was removed from the grab and placed in a pre-labeled polycarbonate container. Between grabs or cores, the sediment sample in the container was covered with a Teflon sheet, and the container covered with a lid and kept cool. When a sufficient amount of sediment was collected, the sample was covered with a Teflon sheet assuring no air bubbles. A second, larger Teflon sheet was placed over the top of the container to ensure an air tight seal, and nitrogen was vented into the container to purge it of oxygen.

If water depth did not permit boat entrance to a site (*e.g.*, <1 meter), divers sampled that site using sediment cores (diver cores). Cores consisted of a 10 cm diameter polycarbonate tube, 30 cm in length, including plastic end caps to aid in transport. Divers entered a study site from one end and sampled in one direction, so as to not disturb the sediment with feet or fins. Cores were taken to a depth of at least 15 cm. Sediment was extruded out of the top end of the core to the prescribed depth of 5-cm, removed with a polycarbonate spatula and deposited into a cleaned polycarbonate tub. Additional samples were taken with the same seawater rinsed core tube until the required total sample volume was attained. Diver core samples were treated the same as grab samples, with Teflon sheets covering the sample and nitrogen purging. All sample acceptability criteria were met as with the grab sampler.

Replicate benthic samples ($n = 3$) were obtained at predetermined sites from separate deployments of the sampler. The coring device was 10 cm in diameter and 14 cm in height, enclosing a 0.0075 m² area. Corers were placed into sediment with minimum disruption of the surface sediments, capturing essentially all surface-active fauna as well as species living deeper in the sediment. Corers were pushed about 12 cm into the sediment and retrieved by digging along one side, removing the corer and placing the intact sediment core into a PVC screening device. Sediment cores were sieved through a 0.5 mm screen and residues (*e.g.*, organisms and remaining sediments) were rinsed into pre-labeled storage bags and preserved with a 10% formalin solution. After 3 to 4 days, samples were rinsed and transferred into 70% isopropyl alcohol and stored for future taxonomy and enumeration.

Transportation of Samples

Six-liter sample containers were packed (three to an ice chest) with enough ice to keep them cool for 48 hours. Each container was sealed in precleaned, large plastic bags closed with a cable tie to prevent contact with other samples or ice or water. Ice chests were driven back to the laboratory by

the sampling crew or flown by air freight within 24 hours of collection.

Homogenization and Aliquoting of Samples

Samples remained in ice chests (on ice, in double-wrapped plastic bags) until the containers were brought back to the laboratory for homogenization. All sample identification information (station numbers, etc.) was recorded on Chain of Custody (COC) and Chain of Record (COR) forms prior to homogenizing and aliquoting. A single container was placed on plastic sheeting while also remaining in original plastic bags. The sample was stirred with a polycarbonate stirring rod until mud appeared homogeneous.

All pre-labeled jars were filled using a clean Teflon or polycarbonate scoop and stored in freezer/refrigerator (according to media/analysis) until analysis. The sediment sample was aliquoted into appropriate containers for trace metal analysis, organic analysis, pore water extraction, and bioassay testing. Samples were placed in boxes sorted by analysis type and leg number. Sample containers for sediment bioassays were placed in a refrigerator (4°C) while sample containers for sediment chemistry (metals, organics, TOC and grain size) were stored in a freezer (-20°C).

Procedures for the Extraction of Pore water

Pore water was extracted using centrifugation. All pore water extraction procedures were performed using trace metal and trace organic clean techniques in a positive pressure clean room with filtered air to prevent airborne contamination.

All sample containers or sampling equipment in contact with sediment or pore water received a scrub and 2 day soak in MICRO® detergent, followed by triple fresh and deionized water rinses. Equipment was then immersed in 10% HCl for 3 days, triple rinsed in MILLI-Q® Type II water, air dried, and triple rinsed with petroleum ether.

Samples were stored on ice at 4°C prior to centrifugation. Pre-cleaned Teflon scoops were used to transfer sediment from sample containers into high-speed one-liter polycarbonate centrifuge jars, which were spun at 2500 G for 30 minutes at 4°C in a Beckman J-6B refrigerated centrifuge.

Porewater was transferred from each centrifuge jar into final sample containers (250 pre-cleaned borosilicate glass jars) using pre-cleaned polyethylene siphons. While decanting, care was taken to avoid floating debris, fauna, shell fragments or other solid material. After transfer into final sample containers, porewater was immediately refrigerated at 4°C. Samples were refrigerated, not frozen, and testing was initiated within 24 hours of extraction of the final samples.

Chain of Records & Custody

Chain-of-records documents were maintained for each station. Each form was a record of all subsamples taken from each sample. IDORG (a unique identification number for only that sample), station numbers and station names, leg number (sample collection trip batch number), and date collected were included on each sheet. A Chain-of-Custody form accompanied every sample so that each person releasing or receiving a subsample signed and dated the form.

Authorization/Instructions to Process Samples

Standardized forms entitled "Authorization/Instructions to Process Samples" accompanied the receipt of any samples by any participating laboratory. These forms were completed by DFG personnel, or its authorized designee, and were signed and accepted by both the DFG authorized staff and the staff accepting samples on behalf of the particular laboratory. The forms contain all pertinent information necessary for the laboratory to process the samples, such as the exact type and number of tests to run, number of laboratory replicates, dilutions, exact eligible cost, deliverable products (including hard and soft copy specifications and formats), filenames for soft copy files, expected date of submission of deliverable products to DFG, and other information specific to the lab/analyses being performed.

Toxicity Testing

Summary of Methods

All toxicity tests were conducted at the California Department of Fish and Game (DFG) Marine Pollution Studies Laboratory (MPSL) at Granite Canyon. Toxicity tests were conducted by personnel from the Institute of Marine Sciences, University of California, Santa Cruz. The following toxicity tests were conducted in this study: infaunal amphipod *Eohaustorius estuarius* 10-day survival in solid-phase sediment, sea urchin *Strongylocentrotus purpuratus* 96-hour embryo-larval development in sediment porewater, and sea urchin *Strongylocentrotus purpuratus* 96-hour embryo-larval development in sediment-water interface (SWI) exposures to intact cores of solid-phase sediment. Two freshwater samples were each tested with the amphipod *Hyaella azteca* 10-day survival test in solid-phase sediment and the water flea *Ceriodaphnia dubia* 96-hour survival test in sediment porewater.

Sediment Samples

Bedded sediment samples were transported to MPSL from the sample-processing laboratory at Moss Landing in ice chests at 4°C. Transport time was approximately one hour. Samples were held at 4°C, and all tests were initiated within 14 days of sample collection, unless otherwise noted in the Quality Assurance Appendix. All sediment samples were handled according to procedures described in ASTM (1992) and BPTCP Quality Assurance Project Plan (Stephenson et al. 1993). Samples were removed from refrigeration the day before the test, and loaded into test containers. Water quality was measured at the beginning and end of all tests. At these times pH, temperature, salinity, and dissolved oxygen were measured in overlying water from all samples to verify that water quality criteria were within the limits defined for each test protocol. Total ammonia concentrations were also measured at these times. Samples of overlying and interstitial water for hydrogen sulfide measurement were taken at the beginning and end of each toxicity test. Hydrogen sulfide samples were preserved with zinc acetate and stored in the dark until time of measurement.

Porewater Samples

Once at MPSL, pore water samples were stored in the dark, at 4°C. Samples were equilibrated to test temperature (15°C) on the day of the test, and pH, temperature, salinity, and dissolved oxygen were measured in all samples to verify water quality criteria were within the limits defined for the test protocol. Total ammonia and sulfide concentrations were also measured. Pore water samples with salinities outside specified ranges for each protocol were adjusted to within the acceptable

range. Salinities were increased by the addition of hypersaline brine, which was drawn from partially frozen seawater at a salinity of 60 to 80‰. In cases where original sample salinity was very low, addition of hypersaline brine diluted the samples to as low as 55% of their original strength, thus similarly diluting any potential toxins present. Dilution was greatest in North Bay and marsh samples during winter surveys (sampling dates are given in the appendices). Water quality parameters, as mentioned above, were measured at the beginning and end of each pore water test.

Measurement of Ammonia and Hydrogen Sulfide

Total ammonia concentrations were measured using an Orion Model 95-12 Ammonia Electrode. The concentration of unionized ammonia was derived from the sample pH and concentration of total ammonia using the following equation (from Whitfield 1974, 1978):

$$[\text{NH}_3] = [\text{total ammonia}] \times ((1 + \text{antilog}(\text{pK}_a^\circ - \text{pH}))^{-1}),$$

where pK_a° is the stoichiometric acidic hydrolysis constant for the test temperature and salinity. Values for pK_a° were experimentally derived by Khoo *et al.* (1977). The method detection limit for total ammonia was 0.1 mg/L.

Total sulfide concentrations were measured on a spectrophotometer using a colorimetric method (Phillips *et al.* 1997). The concentration of hydrogen sulfide was derived from the concentration of total sulfide by using the following equation (ASCE 1989):

$$[\text{H}_2\text{S}] = [\text{S}^{2-}] \times (1 - ((1 + \text{antilog}(\text{pK}_a^\circ - \text{pH}))^{-1})),$$

where temperature and salinity dependent pK_a° values were taken from Savenko (1977). The method detection limit for total sulfide was 0.01 mg/L. Values and corresponding detection limits for unionized ammonia and hydrogen sulfide were an order of magnitude lower than those for total ammonia and total sulfide, respectively. Care was taken with all sulfide and ammonia samples to minimize volatilization by keeping water quality sample containers capped tightly until analysis. Initial and final ammonia and sulfide values were measured, and the highest of these two values were reported for each sample tested.

Effects of Unionized Ammonia and Hydrogen Sulfide

Toxicity results were screened against known application limits for unionized ammonia and hydrogen sulfide (Table 1). Toxicity test ammonia and sulfide concentrations above the application limits were taken into consideration when examining toxicity test results.

Table 1. Unionized ammonia and hydrogen sulfide effects thresholds for BPTCP toxicity test protocols.

Species	Unionized Ammonia (mg/L)	Limit Definition	Reference
<i>Ampelisca</i>	0.4	Application Limit	EPA 1995
<i>Eohaustorius</i>	0.8	Application Limit	EPA 1995
Red Abalone	0.05	NOEC	MPSL
<i>Mytilus</i>	0.15	LOEC	Tang et al. 1997
<i>Neanthes</i>	1.25	LOEC	Dillon 1993
<i>Rhepoxynius</i>	0.4	Application Limit	EPA 1995
Purple Urchin Development	0.07	NOEC	Bay et al. 1993
Purple Urchin Fertilization	>1.4	NOEC	Bay et al. 1993

Species	Hydrogen Sulfide (mg/L)	Limit Definition	Reference
<i>Eohaustorius</i>	0.114	LOEC	Knezovich et al. 1996
<i>Mytilus</i>	0.0053	LOEC	Knezovich et al. 1996
<i>Rhepoxynius</i>	0.087	LOEC	Knezovich et al. 1996
Purple Urchin Development	0.0076	LOEC	Knezovich et al. 1996
Purple Urchin Fertilization	0.007-0.014	NOEC	Bay et al. 1993

Amphipod (*Eohaustorius estuarius*) Survival Tests

Solid-phase sediment toxicity was assessed in 127 samples using the 10-day amphipod survival toxicity test protocols outlined in EPA 1994. All *Eohaustorius* test amphipods were obtained from Northwestern Aquatic Sciences (NWAS) in Yaquina Bay, Oregon. Animals were separated into groups of approximately 100 and placed in polyethylene boxes containing Yaquina Bay collection site sediment, then shipped on ice via overnight courier. Upon arrival at Granite Canyon, the *Eohaustorius* were acclimated to 20‰ (T=15°C). Once acclimated, the animals were held for an additional 48-hours prior to addition to the test containers.

Test containers were one liter glass beakers or jars containing 2 cm of sediment and filled to the 700-ml line with control seawater adjusted to the appropriate salinity using spring water or distilled well water. Test sediments were not sieved for resident organisms prior to testing although at the conclusion of the test, the presence of any predators was noted and recorded on the data sheet. Test sediment and overlying water were allowed to equilibrate for 24 hours, after which 20 amphipods were placed in each beaker along with control seawater to fill test containers to the one-liter line. Test chambers were aerated gently and illuminated continuously at ambient laboratory light levels.

Five laboratory replicates of each sample were tested for ten days. A negative sediment control consisting of five lab replicates Yaquina Bay home sediment was included with each sediment test. After ten days, the sediments were sieved through a 0.5-mm Nitex screen to recover the test animals. The number of survivors was recorded for each replicate, and percent survival was calculated as:

$$\frac{(\text{Number of surviving amphipods})}{(\text{Initial number of amphipods})} \times 100$$

Positive control reference tests were conducted concurrently with each sediment test using cadmium chloride as a reference toxicant. For these tests, amphipod survival was recorded in three replicates of four cadmium concentrations after a 96-hour water-only exposure. Negative controls for the reference test consisted of one micron-filtered Granite Canyon seawater, diluted to the appropriate salinity.

Sea Urchin (*Strongylocentrotus purpuratus*) Embryo-Larval Development Test

The sea urchin (*Strongylocentrotus purpuratus*) larval development test was conducted on 95 pore water samples. Details of the test protocol are given in EPA 1995. A brief description of the method follows.

Sea urchins were collected from the Monterey County coast near Granite Canyon, and held at MPSL at ambient seawater temperature and salinity (33±2‰) until testing. Adult sea urchins were held in complete darkness to preserve gonadal condition. On the day of a test, urchins were induced to spawn in air by injection with 0.5M KCl. Eggs and sperm collected from the urchins were mixed in seawater at a 500 to 1 sperm to egg ratio, and embryos were distributed to test containers within 1 hour of fertilization. Test containers were polyethylene-capped, seawater leached, 20-ml glass scintillation vials containing 10 mLs of sample. Each test container was inoculated with approximately 250 embryos (25/ml). Forty seven of the 95 pore water samples were tested at three concentrations: 100, 50 and 25% pore water, each having three replicates. These samples were diluted with one micron-filtered Granite Canyon seawater. Laboratory controls were included with each set of samples tested. Controls include a dilution water control consisting of Granite Canyon seawater, and a brine control with all samples that require brine adjustment. Tests were conducted at ambient seawater salinity (33±2‰). A 96-hour positive control reference test was conducted concurrently with each pore water test using a dilution series of copper chloride as a reference toxicant.

After a 96-hour exposure, larvae were fixed in 5% buffered formalin. Approximately 100 larvae in each container were examined under an inverted light microscope at 100x to determine the proportion of normally developed larvae as described in EPA 1995. Visual clues used to identify embryos as normal included development of skeletal rods (spicules) that extend beyond half the length of the larvae and normal development of a three-part gut. Embryos demonstrating retarded development were considered abnormal. Percent normal development was calculated as:

$$\frac{\text{Number of normally developed larvae counted}}{\text{Total number of larvae counted}} \times 100$$

Sea Urchin Test Using The Sediment-Water Interface Exposure System

The purple sea urchin (*Strongylocentrotus purpuratus*) embryo/larval development test at the sediment-water interface was conducted on 40 intact core sediment samples taken with minimal disturbance from the Van Veen grab sampler or directly from in-place sediments. The method follows Anderson et al. (1996); a brief description follows.

Sea urchins were collected, handled, spawned and fertilized as described above. Each sediment-water interface test container consisted of a polycarbonate tube with a 25- μ m screened bottom placed inside the sediment core tube so that the screen was within 1 cm of the sediment surface. Seawater at ambient salinity was gently poured into the core tube and allowed to equilibrate for 24 hours before the start of the test. After inserting the screen tube into the equilibrated cores, each tube was inoculated with approximately 250 embryos. The laboratory control consisted of similar core tubes holding Yaquina Bay amphipod home sediment provided by NWAS. Tests were conducted at ambient seawater salinity \pm 2‰. Ambient salinity at Granite Canyon is usually 32 to 34‰. A water-only positive control reference test was conducted concurrently with the test using a dilution series of copper chloride as a reference toxicant.

After an exposure period of 96 hours, larvae were fixed in 5% buffered formalin. One hundred larvae in each container were examined under an inverted light microscope at 100x to determine the proportion of normally developed larvae as described in EPA 1995. Percent normal development was calculated as:

$$\frac{\text{Number of normally developed larvae counted}}{\text{Total number of larvae counted}} \times 100$$

Water Flea (*Ceriodaphnia dubia*) Acute Survival Test

Aquatic toxicity of two freshwater samples was assessed using the Cladoceran water flea *Ceriodaphnia dubia* acute survival test. The method follows EPA (1993); a brief description follows.

Ceriodaphnia neonates (<24 h) were obtained either from in-house cultures or from Toxscan Laboratories (Watsonville, CA). Neonates were isolated on Day 0 of the test. All dilution water was prepared according to EPA (1993). Pore water test containers were 50-mL glass beakers containing 15 mL of test solution. Each test container was inoculated with 5 or 8 neonates depending on availability. The laboratory negative control consisted of EPA dilution water. After an exposure period of 96 hours neonates were counted. A positive control reference test was conducted concurrently with the test using a dilution series of copper chloride as the reference toxicant.

Freshwater Amphipod (*Hyaella azteca*) Survival Test

Freshwater amphipod tests were conducted on two samples following the ASTM (1993) *Hyaella azteca* protocol. All *Hyaella* were obtained from NWAS in Yaquina Bay, Oregon. Animals were separated into groups of approximately 1000 and placed in polyethylene cubitainers containing NWAS laboratory water, then shipped via overnight courier. Upon arrival at Granite Canyon, the amphipods were acclimated to Granite Canyon well water (25°C). Once acclimated, the animals were held for an additional 48-h prior to addition to the test containers.

Test containers were one-liter glass jars containing 2 cm of sediment and filled to the 700-mL line with Granite Canyon well water. Test sediment and overlying water were allowed to equilibrate for 24 hours, then 20 amphipods were placed in each beaker along with well water to fill each test container to the one-liter line. Test chambers were gently aerated and continuously illuminated.

Five replicates of each sample were tested for 10 days. In addition, a negative sediment control consisting of 5 replicates of Yaquina Bay home sediment was included with each set of samples tested. Test containers were fed a slurry of crushed alfalfa pellets three times per week (ASTM 1993). After 10 days, samples were sieved through a 0.5-mm Nitex screen to recover the test animals, and the number of survivors was recorded for each replicate. Percent survival was calculated as:

$$\frac{(\text{Number of surviving amphipods})}{(\text{Initial number of amphipods})} \times 100$$

Positive control reference tests were conducted concurrently with each sediment test using cadmium chloride as a reference toxicant. In these tests, amphipod mortality was recorded in three replicates of four cadmium concentrations after a 96-hour water-only exposure. A dilution water control consisting of Granite Canyon well water was included in each test.

Test Acceptability and Evaluation

Quality Assurance/Quality Control (QA/QC) guidelines for the toxicity tests used in the BPTCP project are summarized in the BPTCP Quality Assurance Project Plan (Stephenson, et al. 1993). Test acceptability criteria from published protocols were evaluated for all tests. Quality assurance checklists were compiled that noted compliance for all tests with each of these criteria. Evaluation codes were assigned to each deviation from QA/QC guidelines, and can be summarized as follows:

- 3: sample has minor exceedances of QA criteria that are unlikely to affect assessments.
- 4: sample meets or exceeds control criteria requirements.
- 5: data has exceedances, but are generally usable for most assessments and reporting purposes.
- 6: sample has major exceedances of control criteria requirements and the data is not usable for most assessments and reporting purposes. No toxicity test data in this report warranted this designation.

It is recommended that the QA evaluations listed in the appendices be consulted before using any data reported here for critical management decisions.

Toxicity Identification Evaluations (TIEs)

TIEs with *Strongylocentrotus purpuratus*

Phase I TIEs are designed to characterize samples by isolating broad classes of compounds to determine their relationship to observed toxicity. Phase I TIE procedures include adjustment of sample pH, chelation of cationic compounds (including many trace metals), neutralization of oxidants (such as chlorine), aeration to remove volatiles, inactivation of metabolically activated toxicants, solid-phase extraction (SPE) of non-polar organic compounds on C-18 columns and subsequent elution of extracted compounds. Each sample fraction, in which classes of

compounds have been removed, inactivated, or isolated, is then tested for toxicity. TIE procedures followed the methods described by US EPA (1996). These procedures are described briefly below. All TIE treatments were tested with the purple urchin embryo-larval development test, as described above. Treatment solution (sample fraction) was divided into 5 replicate 20-mL scintillation vials (10 mL of solution), with approximately 250 embryos inoculated into each vial. Each sample was tested at three dilutions. The sample underwent the TIE treatment prior to being diluted with one micron-filtered Granite Canyon seawater that had also undergone the TIE treatment. Testing sample dilutions provides information on the degree of sample toxicity. The TIE treatments are described as follows:

Aeration

Sample was aerated for one hour to remove volatile compounds.

Filtration

Sample was filtered through a 0.45 μm glass fiber filter to remove toxicants associated with particulate material.

Graduated pH

Adjusting sample pH can affect the toxicity of hydrolyzable, ionic, acidic, or basic compounds. Sample pH was adjusted and maintained at pH 7.9, 8.1 and 8.4 by the addition of hydrochloric acid and/or sodium hydroxide.

EDTA Chelation

Addition of EDTA binds cationic trace metals, such as copper, cadmium, mercury, zinc, lead, nickel, and, to a lesser extent, silver and manganese, resulting in relatively non-toxic metal complexes (Hockett and Mount 1996). EDTA was added to the sample for a final concentration of 60 mg/L. The sample was allowed to interact with the EDTA for three hours before the pH was adjusted with sodium hydroxide. pH was checked prior to distributing sample into test containers.

Sodium Thiosulfate Addition

Addition of sodium thiosulfate (STS) reduces oxidants, such as chlorine, ozone, chlorine dioxide, mono- and di-chloroamines, bromine, iodide, manganous ions, and certain electrophilic organic chemicals (Mount and Anderson-Carnahan, 1988a). It also binds some trace metals, such as copper, cadmium, mercury, silver, and to a lesser extent, zinc, lead, and nickel (Hockett and Mount, 1996). STS was added to the sample for a final concentration of 50 mg/L. The sample was allowed to interact for one hour.

Solid Phase Extraction (SPE)

Solid-phase extraction through a C-18 SPE column was used to remove a range of non-polar organic compounds from sample solutions. The SPE columns were later eluted with 100% methanol to allow toxicity testing of compounds retained on the column. Sample was pumped through silicone tubing that had been cleaned by running 25 mL of distilled water followed by 25 mL of methanol through each tubing apparatus (but not through the column). The column was

prepared by pumping 30 mL of methanol through it, followed by 50 mL of distilled water. Next, laboratory dilution water was pumped through the column; the first 20 mL was discarded, and the remaining volume was kept as the column control solution. Finally, 200 mL of sample was run through the column; the first 20 mL was discarded, and the remaining volume collected as SPE treated sample. Column was kept wet until all sample had been passed through.

Column Eluate

After C-18 SPE extraction described above, the column was then run dry and air-dried with a syringe. With the stopcock tightly shut, 2 mL of 100% methanol was added to the column. The stopcock was then opened, and air pumped into the column at 2 mL/min until the column was dry. Eluate was collected in a small vial. The 2 mL aliquot of eluate was then delivered into 800 mL of laboratory dilution water. Assuming that all non-polar organic constituents from the sample were retained on the column (no breakthrough), and assuming that all of these compounds were then completely removed from the column in the methanol eluate, then the eluate treatment (2 mL in 800 mL) would contain 25% of the concentration of these constituents as did the original sample (25% addback). This low level of addback was necessitated by scarcity of pore water sample and by volume requirements for treatment testing. An eluate control consisting of 2 mL of methanol added to 800 mL of laboratory dilution water was tested with each C-18 eluate treatment.

Piperonyl Butoxide Tests

A number of organophosphate pesticides (phosphorothioate compounds such as diazinon, chlorpyrifos, malathion, parathion, methyl parathion and fenthion) require metabolic activation by exposed organisms before they become toxic. These activation reactions consist of oxidative metabolism by the cytochrome P-450 group of enzymes (Durhan et al. 1993). This activation can be blocked by compounds such piperonyl butoxide (PBO), thereby reducing or eliminating toxicity due to this class of compounds.

In this study, PBO was added to test samples to determine whether metabolically activated pesticides were responsible for observed toxicity. 2.5 mL of 50 mg/L PBO stock solution was added to 250 mL of each sample (resulting in a concentration of 0.5 mg/L PBO). PBO controls were made by adding 20 mL PBO to 180 mL of laboratory dilution water.

Abbreviated *Strongylocentrotus purpuratus* Sediment-Water Interface TIEs with EDTA

The purple sea urchin (*Strongylocentrotus purpuratus*) embryo/larval development test at the sediment-water interface (SWI) was conducted on intact core sediment samples taken with minimal disturbance. Details of the SWI test protocol are described above. Duplicate cores were collected for EDTA and blank treatments. Addition of EDTA binds cationic trace metals, such as copper, cadmium, mercury, zinc, lead, nickel, and, to a lesser extent, silver and manganese, resulting in relatively non-toxic metal complexes (Hockett and Mount 1996). EDTA was mixed into seawater at ambient salinity for a final concentration of 50 mg/L, and the pH was adjusted back to ambient pH using sodium hydroxide. This EDTA-spiked seawater was then added as overlying water in the SWI containers, while untreated seawater was added as overlying water to the untreated samples. Overlying water was allowed to equilibrate for 24 hours before the start of the test. After inserting the screen tube into the equilibrated cores, each tube was inoculated

with approximately 250 embryos. The laboratory controls consisted of Yaquina Bay amphipod home sediment from Northwestern Aquatic Sciences with and without EDTA in the overlying water.

Trace Metals Analysis of Sediments

Summary of Methods

Trace metals analyses were conducted at the California Department of Fish and Game's (CDFG) Trace Metals Facility at Moss Landing, CA. Table 2 indicates the trace metals analyzed and lists method detection limits for sediments. These methods were modifications of those described by Evans and Hanson (1993), as well as those developed by the CDFG (California Department of Fish and Game, 1990). Samples were selected for chemical analyses by SWRCB staff based on results from toxicity tests.

Sediment Digestion Procedures

One gram aliquot of sediment was placed in a pre-weighed Teflon vessel, and one ml concentrated 4:1 nitric:perchloric acid mixture was added. Vessels were capped and heated in a vented oven at 130 °C for four hours. Three ml hydrofluoric acid were added to the vessel, recapped and returned to oven overnight. Twenty ml of 2.5% boric acid were added to the vessel and placed in oven for an additional 8 hours. Weights of Teflon vessel and solution were recorded, and solution was poured into 30 ml polyethylene bottles.

Tissues Digestion Procedures

A three gram aliquot of tissue was placed in a pre-weighed Teflon vessel, and three mls of concentrated 4:1 nitric:perchloric acid mixture was added. Samples then were capped and heated on hot plates for five hours. Caps were tightened and heated in a vented oven at 130°C for four hours. Samples were allowed to cool and 15 mls of Type II water was added to the vessels. The solution was then quantitatively transferred to a pre weighed 30 ml polyethylene (HDPE) bottle and taken up to a final weight of 20 g with Type II water.

Atomic Absorption Methods

Samples were analyzed by furnace AA on a Perkin-Elmer Zeeman 3030 Atomic Absorption Spectrophotometer, with an AS60 auto sampler, or a flame AA Perkin Elmer Model 2280. Samples, blanks, matrix modifiers, and standards were prepared using clean techniques inside a clean laboratory. ASTM Type II water and ultra clean chemicals were used for all standard preparations. All elements were analyzed with platforms for stabilization of temperatures. Matrix modifiers were used when components of the matrix interferes with adsorption. The matrix modifier was used for Sn, Sb and Pb. Continuing calibration check standards (CLC) were analyzed with each furnace sheet, and calibration curves were run with three concentrations after every 10 samples. Blanks and standard reference materials, MESS1, PACS, BCSS1 or 1646 were analyzed with each set of samples for sediments.

Method Detection Limits

Table 2. Dry Weight Trace Metal Minimum Detection Limits

<i>Analytes</i> [†]	<i>MDL, µg/g dry Sediment</i>	<i>MDL, µg/g dry Tissue</i>	<i>MDL, µg/L Water</i>
Silver	0.002	0.01	0.001
Aluminum	1	1	NA
Arsenic	0.1	0.25	0.1
Cadmium	0.002	0.01	0.002
Copper	0.003	0.1	0.04
Chromium	0.02	0.1	0.05
Iron	0.1	0.1	0.1
Mercury	0.03	0.03	NA
Manganese	0.05	0.05	NA
Nickel	0.1	0.1	0.1
Lead	0.03	0.1	0.01
Antimony	0.1	0.1	NA
Tin	0.02	0.02	NA
Selenium	0.1	0.1	NA
Zinc	0.05	0.05	0.02

Trace Organic Analysis of Sediments (PCBs, Pesticides, and PAHs)

Summary of Methods

Analytical sets of 12 samples were scheduled such that extraction and analysis would occur within a 40 day window. Methods employed by UCSC-TOF were modifications of those described by Sloan *et al.* (1993). Tables 3-7 indicate the pesticides, PCBs, and PAHs currently analyzed, and list method detection limits for sediments and tissues on a dry weight basis.

Sediment Extraction

Samples were removed from the freezer and allowed to thaw. A 10 gram sample of sediment was removed for chemical analysis and an independent 10 gram aliquot was removed for dry weight determinations. The dry weight sample was placed into a pre-weighed aluminum pan and dried at 110°C for 24 hours. The dried sample was reweighed to determine the sample's percent moisture. The analytical sample was extracted 3 times with methylene chloride in a 250 mL amber Boston round bottle on a modified rock tumbler. Prior to rolling, sodium sulfate, copper, and extraction surrogates were added to the bottle. Sodium sulfate dehydrates the sample allowing for efficient sediment extraction. Copper, which was activated with hydrochloric acid, complexes free sulfur in the sediment. After combining the three extraction aliquots, the extract was divided into two portions, one for chlorinated hydrocarbon (CH) analysis and the other for polycyclic aromatic hydrocarbon (PAH) analysis.

Tissue Extraction

Samples were removed from the freezer and allowed to thaw. A 5 gram sample of tissue was removed for chemical analysis and an independent 5 gram aliquot was removed for dry weight determinations. The dry weight sample was placed into a pre-weighed aluminum pan and dried at

110°C for 24 hours. The dried sample was reweighed to determine the sample's percent moisture. The analytical sample was extracted twice with methylene chloride using a Tekmar Tissumizer. Prior to extraction, sodium sulfate and extraction surrogates were added to the sample and methylene chloride.

The two extraction aliquots were combined and brought to 100 mL. A 25 mL aliquot was decanted through a Whatmann 12.5 cm #1 filter paper into a pre-weighed 50 mL flask for lipid weight determination. The filter was rinsed with ~15 mL of methylene chloride and the remaining solvent was removed by vacuum-rotary evaporation. The residue was dried for 2 hours at 110°C and the flask was re-weighed. The change in weight was taken as the total methylene chloride extractable mass. This weight then was used to calculate the samples "percent lipid".

Organic Analysis

The CH portion was eluted through a silica/alumina column, separating the analytes into two fractions. Fraction 1 (F1) was eluted with 1% methylene chloride in pentane and contained > 90% of p,p'-DDE and < 10% of p,p'-DDT. Fraction 2 (F2) analytes were eluted with 100% methylene chloride. The two fractions were exchanged into hexane and concentrated to 500 µL using a combination of rotary evaporation, controlled boiling on tube heaters, and dry nitrogen blow downs.

F1 and F2 fractions were analyzed on Hewlett-Packard 5890 Series gas chromatographs utilizing capillary columns and electron capture detection (GC/ECD). A single 2 µl splitless injection was directed onto two 60 m x 0.25 mm I.D. columns of different polarity (DB-17 & DB-5; J&W Scientific) using a glass Y-splitter to provide a two dimensional confirmation of each analyte. Analytes were quantified using internal standard methodologies. The extract's PAH portion was eluted through a silica/alumina column with methylene chloride. It then underwent additional cleanup using size-exclusion high performance liquid chromatography (HPLC/SEC). The collected PAH fraction was exchanged into hexane and concentrated to 250 µL in the same manner as the CH fractions.

Table 3: Dry Weight Minimum Detection Limits of Chlorinated Pesticides.

<i>Analytes</i>	<i>Database Abbreviation</i>	<i>MDL, ng/g dry Sediment</i>	<i>MDL, ng/g dry Tissue</i>	<i>MDL, ng/L Water</i>
<i>Fraction #1 Analytes</i> [†]				
Aldrin	ALDRIN	0.5	1.0	2.0
alpha-Chlordene	ACDEN	0.5	1.0	1.0
gamma-Chlordene	GC DEN	0.5	1.0	1.0
o,p'-DDE	OPDDE	1.0	3.0	1.0
o,p'-DDT	OPDDT	1.0	4.0	2.0
Heptachlor	HEPTACHLOR	0.5	1.0	2.0
Hexachlorobenzene	HCB	0.2	1.0	1.0
Mirex	MIREX	0.5	1.0	1.0
<i>Fraction #1 & #2 Analytes</i> ^{†, ‡}				
p,p'-DDE	PPDDE	1.0	1.0	0.5
p,p'-DDT	PPDDT	1.0	4.0	2.0
p,p'-DDMU	PPDDMU	2.0	5.0	5.0
trans-Nonachlor	TNONA	0.5	1.0	1.0
<i>Fraction #2 Analytes</i> [†]				
cis-Chlordane	CCHLOR	0.5	1.0	1.0
trans-Chlordane	TCHLOR	0.5	1.0	1.0
Chlorpyrifos	CLPYR	1.0	4.0	4.0
Dacthal	DACTH	0.2	2.0	2.0
o,p'-DDD	OPDDD	1.0	5.0	5.0
p,p'-DDD	PPDDD	0.4	3.0	3.0
p,p'-DDMS	PPDDMS	3.0	20	20
p,p'-Dichlorobenzophenone	DICLB	3.0	25	25
Methoxychlor	METHOXY	1.5	15	15
Dieldrin	DIELDRIN	0.5	1.0	1.0
Endosulfan I	ENDO_I	0.5	1.0	1.0
Endosulfan II	ENDO_II	1.0	3.0	3.0
Endosulfan sulfate	ESO4	2.0	5.0	5.0
Endrin	ENDRIN	2.0	6.0	6.0
Ethion	ETHION	2.0	NA	NA
alpha-HCH	HCHA	0.2	1.0	1.0
beta-HCH	HCHB	1.0	3.0	3.0
gamma-HCH	HCHG	0.2	0.8	1.0
delta-HCH	HCHD	0.5	2.0	2.0
Heptachlor Epoxide	HE	0.5	1.0	1.0
cis-Nonachlor	CNONA	0.5	1.0	1.0
Oxadiazon	OXAD	6	NA	NA
Oxychlordane	OCDAN	0.5	0.2	1.0

[†] The quantitation surrogate is PCB 103.

[‡] The quantitation surrogate is d8-p,p'-DDD

Table 4: Dry Weight Detection Limits of NIST PCB Congeners.

<i>Analytes[†]</i>	<i>Database Abbreviation</i>	<i>MDL, ng/g dry Sediment</i>	<i>MDL, ng/g dry Tissue</i>	<i>MDL, ng/L Water</i>
2,4'-dichlorobiphenyl	PCB8	0.5	1.0	1.0
2,2',5-trichlorobiphenyl	PCB18	0.5	1.0	1.0
2,4,4'-trichlorobiphenyl	PCB28	0.5	1.0	1.0
2,2',3,5'-tetrachlorobiphenyl	PCB44	0.5	1.0	1.0
2,2',5,5'-tetrachlorobiphenyl	PCB52	0.5	1.0	1.0
2,3',4,4'-tetrachlorobiphenyl	PCB66	0.5	1.0	1.0
2,2',3,4,5'-pentachlorobiphenyl	PCB87	0.5	1.0	1.0
2,2',4,5,5'-pentachlorobiphenyl	PCB101	0.5	1.0	1.0
2,3,3',4,4'-pentachlorobiphenyl	PCB105	0.5	1.0	1.0
2,3',4,4',5-pentachlorobiphenyl	PCB118	0.5	1.0	1.0
2,2',3,3',4,4'-hexachlorobiphenyl	PCB128	0.5	1.0	1.0
2,2',3,4,4',5'-hexachlorobiphenyl	PCB138	0.5	1.0	1.0
2,2',4,4',5,5'-hexachlorobiphenyl	PCB153	0.5	1.0	1.0
2,2',3,3',4,4',5-heptachlorobiphenyl	PCB170	0.5	1.0	1.0
2,2',3,4,4',5,5'-heptachlorobiphenyl	PCB180	0.5	1.0	1.0
2,2',3,4',5,5',6-heptachlorobiphenyl	PCB187	0.5	1.0	1.0
2,2',3,3',4,4',5,6-octachlorobiphenyl	PCB195	0.5	1.0	1.0
2,2'.3.3'.4.4'.5.5'.6-nonachlorobiphenyl	PCB206	0.5	1.0	1.0
2,2'.3.3'.4.4'.5.5'.6,6'-decachlorobiphenyl	PCB209	0.5	1.0	1.0

[†] PCB 103 is the surrogate used for PCBs with 1 - 6 chlorines per molecule. PCB 207 is used for all others.

Table 5: Additional PCB Congeners with Dry Weight Minimum Detection Limits.

<i>Analytes</i> [†]	<i>Database Abbreviation</i>	<i>MDL, ng/g dry Sediment</i>	<i>MDL, ng/g dry Tissue</i>	<i>MDL, ng/L Water</i>
2,3-dichlorobiphenyl	PCB5	0.5	1.0	1.0
4,4'-dichlorobiphenyl	PCB15	0.5	1.0	1.0
2,3',6-trichlorobiphenyl	PCB27	0.5	1.0	1.0
2,4,5-trichlorobiphenyl	PCB29	0.5	1.0	1.0
2,4',4-trichlorobiphenyl	PCB31	0.5	1.0	1.0
2,2',4,5'-tetrachlorobiphenyl	PCB49	0.5	1.0	1.0
2,3',4',5-tetrachlorobiphenyl	PCB70	0.5	1.0	1.0
2,4,4',5-tetrachlorobiphenyl	PCB74	0.5	1.0	1.0
2,2',3,5',6-pentachlorobiphenyl	PCB95	0.5	1.0	1.0
2,2',3',4,5-pentachlorobiphenyl	PCB97	0.5	1.0	1.0
2,2',4,4',5-pentachlorobiphenyl	PCB99	0.5	1.0	1.0
2,3,3',4',6-pentachlorobiphenyl	PCB110	0.5	1.0	1.0
2,2',3,3',4,6'-hexachlorobiphenyl	PCB132	0.5	1.0	1.0
2,2',3,4,4',5-hexachlorobiphenyl	PCB137	0.5	1.0	1.0
2,2',3,4',5',6-hexachlorobiphenyl	PCB149	0.5	1.0	1.0
2,2',3,5,5',6-hexachlorobiphenyl	PCB151	0.5	1.0	1.0
2,3,3',4,4',5-hexachlorobiphenyl	PCB156	0.5	1.0	1.0
2,3,3',4,4',5'-hexachlorobiphenyl	PCB157	0.5	1.0	1.0
2,3,3',4,4',6-hexachlorobiphenyl	PCB158	0.5	1.0	1.0
2,2',3,3',4,5,6'-heptachlorobiphenyl	PCB174	0.5	1.0	1.0
2,2',3,3',4',5,6-hexachlorobiphenyl	PCB177	0.5	1.0	1.0
2,2',3,4,4',5',6-hexachlorobiphenyl	PCB183	0.5	1.0	1.0
2,3,3',4,4',5,5'-heptachlorobiphenyl	PCB189	0.5	1.0	1.0
2,2',3,3',4,4',5,5'-octachlorobiphenyl	PCB194	0.5	1.0	1.0
2,2',3,3',4,5',6,6'-octachlorobiphenyl	PCB201	0.5	1.0	1.0
2,2',3,4,4',5,5',6-octachlorobiphenyl	PCB203	0.5	1.0	1.0

[†] PCB 103 is the surrogate used for PCBs with 1 - 6 chlorines per molecule. PCB 207 is used for all others.

Table 6: Dry Weight Minimum Detection Limits of Chlorinated Technical Grade Mixtures. Aroclors 1248, 1254, and 1260 were calculated from measured congener-specific results as described in Newman et al. (in press).

<i>Analyte</i>	<i>Database Abbreviation</i>	<i>MDL, ng/g dry Sediment</i>	<i>MDL, ng/g dry Tissue</i>	<i>MDL, ng/L Water</i>
Toxaphene [‡]	TOXAPH	50	100	100
Polychlorinated Biphenyl Aroclor 1248	ARO1248	5	100	100
Polychlorinated Biphenyl Aroclor 1254	ARO1254	5	50	50
Polychlorinated Biphenyl Aroclor 1260	ARO1260	5	50	50
Polychlorinated Terphenyl Aroclor 5460 [†]	ARO5460	10	100	100

[†] The quantitation surrogate is PCB 207.

[‡] The quantitation surrogate is d8-p,p'-DDD

Table 7: Dry Weight Minimum Detection Limits of Polyaromatic Hydrocarbons in Tissue

Analytes [†]	Database Abbreviation	MDL, ng/g	MDL, ng/g	MDL, ng/L
		dry Sediment	dry Tissue	Water
Naphthalene	NPH	5	10	30
2-Methylnaphthalene	MNP2	5	10	30
1-Methylnaphthalene	MNP1	5	10	30
Biphenyl	BPH	5	10	30
2,6-Dimethylnaphthalene	DMN	5	10	30
Acenaphthylene	ACY	5	10	30
Acenaphthene	ACE	5	10	30
2,3,5-Trimethylnaphthalene	TMN	5	10	30
Fluorene	FLU	5	10	30
Dibenzothiophene	DBT	5	10	30
Phenanthrene	PHN	5	10	30
Anthracene	ANT	5	10	30
1-Methylphenanthrene	MPH1	5	10	30
Fluoranthrene	FLA	5	10	30
Pyrene	PYR	5	10	30
Benz[a]anthracene	BAA	5	10	30
Chrysene	CHR	5	10	30
Tryphenylene	TRY	5	10	30
Benzo[b]fluoranthrene	BBF	5	10	30
Benzo[k]fluoranthrene	BKF	5	10	30
Benzo[e]pyrene	BEP	5	10	30
Benzo[a]pyrene	BAP	5	10	30
Perylene	PER	5	10	30
Indeno[1,2,3-cd]pyrene	IND	5	15	45
Dibenz[a,h]anthracene	DBA	5	15	45
Benzo[ghi]perylene	BGP	5	15	45
Coronene	COR	5	15	45

[†] See QA report for surrogate assignments.

Table 8: Dry Weight Minimum Detection Limits of Organometallic Compounds

Analytes [†]	Database Abbreviation	MDL,	MDL,	MDL,
		ng/g dry Sediment	ng/g dry Tissue	ng/L Water
Tributyltin	TBT	13	20	1

Total Organic Carbon Analysis of Sediments

Summary of Methods

Samples were received in the frozen state and allowed to thaw at room temperature. Source samples were gently stirred and sub-samples were removed with a stainless steel spatula and placed in labeled 20 ml polyethylene scintillation vials. Approximately 5 grams equivalent dry weight of the wet sample was sub-sampled.

Sub-samples were treated with two, 5 ml additions of 0.5 N reagent grade HCl to remove inorganic carbon (CO_3), agitated, and centrifuged to a clear supernate. Some samples were retreated with HCl to remove residual inorganic carbon. The evolution of gas during HCl treatment indicates the direct presence of inorganic carbon (CO_3). After HCl treatment and decanting, samples were washed with approximately 15 ml of deionized-distilled water, agitated, centrifuged to a clear supernate, and decanted. Two sample washings were required to remove weight determination and analysis interferences.

Prepared samples were placed in a 60° C convection oven and allowed to come to complete dryness (approx. 48 hrs.). Visual inspection of the dried sample before homogenization was used to ensure complete removal of carbonate containing materials, (shell fragments). Two 61 mm (1/4") stainless steel solid balls were added to the dried sample, capped and agitated in a commercially available ball mill for three minutes to homogenize the dried sample.

A modification of the high temperature combustion method, utilizing a Wheatstone bridge current differential was used in a commercially available instrument, (Control Equipment Co., 440 Elemental Analyzer) to determine carbon and nitrogen concentrations. The manufactures suggested procedures were followed. The methods are comparable to the validation study of USEPA method MARPCPN I. Two to three aliquots of 5-10 mg of dried prepared sub-sample were used to determine carbon and nitrogen weight percent values. Calibration of the instrument was with known standards using Acetanilide or L-Cystine. Detection limits are 0.2 ug/mg, carbon and 0.01 ug/mg nitrogen dry weight.

The above methods and protocols are modifications of several published papers, reference procedures and analytical experimentation experience (Franson, 1981; Froelich, 1980; Hedges and Stern, 1983; MARPCPN I, 1992).

Quality Control/Quality Assurance for TOC Measurement

Quality control was tested by the analysis of National Research Council of Canada Marine Sediment Reference Material, BCSS-1 at the beginning and end of each sample analysis set (20-30 individual machine analyses). All analyzed values were within suggested criteria of $\pm 0.09\%$ carbon (2.19% Average). Nitrogen was not reported on the standard data report, but was accepted at $\pm 0.008\%$ nitrogen (0.195% Average) from the EPA study. Quality assurance was monitored by re-calibration of the instrument every twenty samples and by the analysis of a standard as a unknown and comparing known theoretical percentages with resultant analyzed percentages. Acceptable limits of standard unknowns were less than $\pm 2\%$. Duplicate or triplicate sample analysis variance (standard

deviation/mean) greater than 7% is not accepted. Samples were re-homogenized and re-analyzed until the variance between individual runs fell below the acceptable limit of 7.0%.

Grain Size Analysis of Sediments

Summary of Methods

The procedure used combined wet and dry sieve techniques to determine particle size of sediment samples. Methods follow those of Folk (1974).

Sample Splitting and Preparation

Samples were thawed and thoroughly homogenized by stirring with a spatula. Spatulas were rinsed of all adhering sediment between samples. Size of the subsample for analysis was determined by the sand/silt ratio of the sample. During splitting, the sand/silt ratio was estimated and an appropriate sample weight was calculated. Subsamples were placed in clean, pre-weighed beakers. Debris was removed and any adhering sediment was washed into the beaker.

Wet Sieve Analysis (Separation of Coarse and Fine Fraction)

Beakers were placed in a drying oven and sediments were dried at less than 55°C until completely dry (approximately three days). Beakers were removed from drying oven and allowed to equilibrate to room temperature for at least a half-hour. Each beaker and its contents were weighed to the nearest .01 g. This weight minus the empty beaker weight was the total sample weight. Sediments in beakers were disaggregated using 100 ml of a dispersant solution in water (such as 50g Calgon/L water) and the sample was stirred until completely mixed and all lumps disappear. The amount and concentration of dispersant used was recorded on the data sheet for each sample. Sample beakers were placed in an ultrasonic cleaner for 15 minutes for disaggregation. Sediment dispersant slurry was poured into a 63 μm (ASTM #230, 4 phi) stainless steel or brass sieve in a large glass funnel suspended over a 1L hydrometer cylinder by a ring stand. All fine sediments were washed through the sieve with water. Fine sediments were captured in a 1L hydrometer cylinder. Coarse sediments remaining in sieve were collected and returned to the original sample beaker for quantification.

Dry Sieve Analysis (Coarse Fraction)

The coarse fraction was placed into a preweighed beaker, dried at 55-65°C, allowed to acclimate, and then weighed to 0.01 g. This weight, minus the empty beaker weight, was the coarse fraction weight. The coarse fraction was poured into the top sieve of a stack of ASTM sieves having the following sizes: No. 10 (2.0 mm), 18 (1.0 mm), 45 (0.354 mm), 60 (0.25 mm), 80 (0.177 mm), 120 (0.125 mm), and 170 (0.088 mm). The stack was placed on a mechanical shaker and shaken at medium intensity for 15 minutes. After shaking, each sieve was inverted onto a large piece of paper and tapped 5 times to free stuck particles. The sieve fractions were added cumulatively to a weighing dish, and the cumulative weight after each addition determined to 0.01g. The sample was returned to its original beaker, and saved until sample computations were completed and checked for errors.

Analytical Procedures

Fractional weights and percentages for various particle size fractions were calculated. If only wet sieve analysis was used, weight of fine fraction was computed by subtracting coarse fraction from

total sample weight, and percent fine composition was calculated using fine fraction and total sample weights. If dry sieve was employed as well, fractional weights and percentages for the sieve were calculated using custom software on a Macintosh computer. Calibration factors were stored in the computer.

Hydrometer Analysis (Fine Fraction)

Hydrometers used for the analysis were precalibrated using the techniques of Lewis (1984). A reference cylinder was filled with water and 100 ml of dispersant solution. Prior to the analysis, a hydrometer reading was taken for Cc, the composite correction for temperature, dispersing agent, and the meniscus.

For each of the sample cylinders, the volume was raised to 1000 ml using tap water. The hydrometer number was recorded, the temperature was noted, and the sample added and stirred for 1 minute.

Hydrometer readings were taken at 1 minute, 3 minutes, 10 minutes, 30 minutes, 90 minutes, 4.5 hours and 24 hours. If the water temperature had changed by greater than 2°C then hydrometer corrections were remeasured. The colloidal weight was determined by subtracting the other fractions from the total weight.

Benthic Community Analysis

Summary of Methods

Each catalogued sample was processed individually in the laboratory to obtain an accurate assessment of species diversity and abundance. All macroinvertebrates were sorted from residues under a dissecting microscope, identified to lowest possible taxon, and counted. Laboratory processing of benthic cores consists of both rough and fine sorting. Initial sorting separates animals into large taxonomic groups such as polychaetes, crustaceans, mollusks and other (*e.g.*, phoronids). Bound laboratory logbooks were maintained and used to record number of samples processed by each technician, as well as results of any sample resorts, if necessary. Sorters were required to sign and date a Milestone Progress Checksheet for each replicate sample processed. Specimens of similar taxonomic groups were placed in vials and labeled internally and externally with project, date collected, site/station information, and IDORG. Samples were selected for benthic community analysis by SWRCB staff based on results from toxicity tests.

In-house senior taxonomists and outside specialists processed and verified the accuracy of species identification and enumeration. An archived voucher specimen collection was established at this time.

Relative Benthic Index

Benthic samples were sieved, sorted and the number of individuals of each species in each replicate core were identified. A number of summary statistics were calculated for each station, including summaries of total fauna, number of species, and the 4 major phyla (Polychaetes, Crustaceans, Mollusks, and Echinoderms).

The Relative Benthic Index (RBI) used in this study utilizes the above summarized fauna information in a refined version of the benthic index presented in the San Diego BPTCP report (Fairey et al. 1996). It is based on simple, realistic natural history concerning responses of marine benthic communities to anthropogenic and natural disturbances. The community patterns used in the index include number of species (all taxa, only mollusks, and only crustaceans); and the number of individuals of crustaceans, the number of individuals of selected species that are indicators of relatively disturbed benthic habitats, and the number of individuals of selected species that are indicators of relatively undisturbed benthic habitats. The RBI is developed for particular areas by selecting different indicator species. It does not require the presence of uncontaminated reference stations, and does not refer to data beyond that collected in each study. Often the evaluation of community degradation depends on comparisons to uncontaminated reference sites which are difficult to locate and vary for reasons that are unknown and unrelated to contamination.

Number of Species

The number of species often decreases with severe disturbances (Oliver et al. 1977, 1980, Lenihan and Oliver 1995) and is the best indicator of biodiversity, particularly when species are sampled in relation to habitat area (Hurlbert 1971, Jumars 1975, 1976, Abel and Walters 1979). Therefore, the first community parameter in the RBI is the total number of species found in a standard sample of habitat area. Among the more numerous large taxonomic groups, crustaceans are generally more sensitive to environmental contaminants and other anthropogenic disturbances than most other components of the infauna, particularly polychaetes (Pearson and Rosenberg 1978, Reish et al. 1980, Thistle 1981, Swartz et al. 1986, Stull et al. 1986, Oliver et al. 1977, Lenihan and Oliver 1995, Lenihan et al. 1995). Speciose and numerically abundant crustacean faunas on the Pacific coast of the United States are generally only found in uncontaminated environments (Barnard 1963), making the number of crustacean species an important indicator of overall environmental health. To a lesser degree, the number of mollusk species also increase with decreasing environmental stress (Stull et al. 1986, Swartz et al. 1986, Oliver et al. 1977), and are thus also included in the RBI. Polychaetes, crustaceans, and mollusks are the three dominate groups of benthic macro-invertebrates from many nearshore communities (Oliver et al. 1980), but unlike the crustaceans and mollusks, many of the most opportunistic or weedy species are polychaete (Grassle and Grassle 1974, McCall 1977, Oliver et al. 1977, Pearson and Rosenberg 1978, Reish et al. 1980, Sanders et al. 1980, Santos and Simon 1980, Thistle 1981, Rhoads et al. 1982, Lenihan and Oliver 1995). As a result, the number of polychaete species was not used in the RBI, because they do not indicate as clearly either a relatively disturbed habitat or a relatively undisturbed habitat.

Number of Individuals

An increase in the number of crustacean individuals is also indicative of relatively healthy environments (Stull et al. 1986, Swartz et al. 1986, Oliver et al. 1977, Lenihan and Oliver 1995), although sometimes one or two crustacean species can be abundant in disturbed habitats (Vetter 1995, Okey 1997), but less so than for other major taxonomic groups, particularly polychaete worms (Pearson and Rosenberg 1978, Grassle and Grassle 1974, Oliver et al. 1977). Therefore, the number of individuals of crustaceans is also used in the RBI, but not the number of

individuals in any other major taxonomic group.

Indicator Species

Even more than the number of species or the number of crustacean individuals, the population sizes of selected indicator species are strongly associated with benthic habitats that are relatively disturbed or undisturbed (Grassle and Grassle 1974, Oliver et al. 1977, Davis and Spies 1980, Westin 1990, Lenihan and Oliver 1995, Okey 1997). Therefore, five species were used in the RBI as indicators of either highly disturbed or undisturbed benthic communities and habitats. The number and identity of indicator species can change from one regional study site to another. Selection of indicator species was based on known responses to anthropogenic and other disturbances (Grassle and Grassle 1974, McCall 1977, Oliver et al. 1977, Pearson and Rosenberg 1978, Davis and Spies 1980, Sanders et al. 1980, Santos and Simon 1980, Thistle 1981, Lenihan and Oliver 1995, Okey 1997) and related natural history such as life history traits (Grassle and Grassle 1974, Oliver et al. 1977, Rhoads et al. 1978, Rhoads and Boyer 1982, Lenihan and Oliver 1995) and abundance patterns along environmental gradients and among the study stations (Oliver et al. 1980, Stull et al. 1986, Swartz et al. 1986, Weston 1990). The 2 negative indicator species are highly opportunistic annelids which thrive in disturbed, polluted, or marginal environments, and are generally not found in less disturbed communities. The 3 positive indicator species are generally not found in polluted habitats and are characteristic of regions where anthropogenic and other severe disturbances do not play major roles in structuring communities. Each indicator species is discussed below:

Negative Indicator Species

Capitella capitata

The *Capitella* species complex is a cosmopolitan group which lives in a wide range of conditions: fouled or low oxygen, high organic matter and fine sediments. They are abundant around outfalls discharging biological wastes, and have a rapid (1 to 2 month) life cycle.

Capitella are capable of surviving for days with little or no oxygen, and are often considered the best example of a "weedy", opportunistic species (Grassle and Grassle 1974, Grassle and Grassle 1976, Oliver et al. 1977, McCall 1977, Pearson and Rosenberg 1978, Lenihan and Oliver 1995, Okey 1995 and many others).

Oligochaetes

Oligochaetes are a poorly known group typically found in peripheral/disturbed habitats such as under decaying algae on beaches, and in fouled or low oxygen muds of back bays, estuaries, and harbors (Brinkhurst and Simmons 1968, Pearson and Rosenberg 1978, Brinkhurst and Cook 1980). They often occur in large masses with nearly no other macrofauna. In SF Bay they may comprise 100% of the fauna where there is gross pollution (i.e. large amounts of organic material from sewage). If oxygen levels are sufficient, and there is little toxic waste and high bacterial levels, oligochaete densities become extremely high (Smith and Carlton, 1975; Brinkhurst and Simmons, 1968). They are well known indicators of relatively degraded freshwater ecosystems (Brinkhurst and Simmons 1968, Pearson and Rosenberg 1978, Brinkhurst and Cook 1980).

a double square-root transformation to compress the range of values. For each species, the transformed abundance was converted to a percentage of the total range. The transformed values of the negative indicator species were summed and subtracted from the sum of the values for the positive indicator species.

The overall RBI was calculated by summing the values of the Total Fauna, Total Mollusks, Crustacean Species, and Indicator Species, and standardizing it to the total range. This resulted in a range in values from 0.00 (Most Impacted) to 1.00 (Least Impacted).

Use of Relative Benthic Index

It is not possible to compare directly RBI values between different regions. The high and low ranges of values vary based on the extreme values within each data set. In addition, different indicator species are often used between regions. What the RBI does provide is the relative "health" of each of the stations in a given data set compared to the other stations in the same data set.

The RBI does not indicate causality. While a low RBI value could be the result of chemical toxicity, it also could be the result of other types of anthropogenic disturbance, such as dredging, or could result from a variety of natural disturbances, such as freshwater runoff, temperature stratification, or storm impacts.

It is not possible to test the RBI to determine significance levels or confidence levels, or to statistically determine what ranking indicates significant impact. However, since a degree of arbitrariness is incorporated into all determinations of significance, whether statistical or intuitive, this should not be considered a significant drawback. For this study, the threshold for significantly impacted benthic community structure was set at a RBI less than or equal to 0.30. While this threshold is necessarily somewhat arbitrary, it is considered suitable based on the best professional judgment of the benthic ecologists who performed the analysis. Several factors were considered in deriving this threshold: the stations below the threshold have few overall species, few crustacean species, presence of negative indicator species, and absence of positive indicator species. These stations would be considered to be significantly degraded by the vast majority of naturalists familiar with San Francisco Bay. The RBI can be used in combination with chemistry and toxicity test data to provide a "weight-of-evidence" for determination of the most impacted stations.

Bioaccumulation Tests with the Clam *Macoma balthica*

The 28-day bioaccumulation tests with *Macoma balthica* were conducted according to EPA/Army Corps of Engineers Inland Testing Manual (EPA/ACOE, 1994). Clams were obtained from Brezina and Associates (Dillon Beach, CA). Clams arrived via overnight courier on day 0 of the test. Test containers consisted of 5L polyethylene trays with 2.5L of sediment. Sediment was loaded into test containers, and allowed to equilibrate for 24 hours before clams were added. Fifteen clams were placed in each of 3 replicate containers and flow-through seawater was started at a rate of 120 mL per minute. After 28 days, sediment was screened and discarded. Surviving clams were placed in clean, flow-through seawater to depurate for 24 hours. After depuration,

Positive Indicator Species

Ampelisca

Ampelisca filter-feed from vertical tubes which they build at the surface of clean, fine sediments. Tremendous densities of *Ampelisca* can form a dense carpet of tubes which changes the physical structure of the sedimentary regime. The carpet also enhances habitat values and supports a very diverse fauna (Mills 1967, Oliver et al. 1983, 1984, Oliver and Slattery 1985). Although *Ampelisca* can colonize open sediment patches (Mills 1967), they do not colonize disturbed sites nearly as rapidly as the more motile and non-tube dwelling amphipod groups (Oliver and Slattery 1985b, Klaus et al. 1990).

Macoma

The clams *Macoma* and *Tellina*, both in the Tellinidae, are small and live shallowly under the sediment surface. *Macoma* generally favors finer sediment, including bays, than *Tellina*. Some *Macomas* filter feed, others deposit feed by vacuuming sediment surface with their incurrent siphon (Reid and Reid 1969). They are not known to be early colonists in disturbed sedimentary habitats (Oliver et al. 1977).

Tellina

Tellina live in clean, well-oxygenated sands of shallow water (Oliver et al. 1980). Species in Southern California attain great enough densities to be a major component of the shallow water, benthic infaunal community (Barnard 1963). They are not known to be early colonists in disturbed sedimentary habitats (Oliver et al. 1977).

Calculation of Relative Benthic Index

Previous versions of the RBI have used individual impact thresholds for determination of degree of negative impact to Total Fauna and Number of Crustacean Species (Fairey et al. 1996). While these thresholds have been useful, the necessarily arbitrary nature of the selection process introduced potential artifacts for stations whose values for Total Fauna, Total Mollusks and Total Crustacea approached the threshold value. To address this problem, calculation of the RBI was revised to be based on percentages of the total range. The final threshold value for determination of impacted versus non-impacted sites was based on the overall RBI and selected using best professional judgment. Justification for this critical threshold value of the RBI is discussed below.

For total fauna, number of mollusk species and number of crustacean species, the maximum and minimum values in these parameters over all the stations were determined. For each station, the total number of species, total mollusk species, and total number of crustacean species were then converted to the percentage of the total range for these parameters. The number of crustacean individuals at each station is similarly converted to a percentage of the total range, and is added to the total fauna, mollusk, and crustacean species numbers. The community numbers thus represent four sixths of the Relative Benthic Index for each station.

For the positive and negative indicator indices, the final index was weighted towards presence and absence of key indicator species, with abundance of each species given additional incremental weight. Accordingly, the abundance of each indicator species was transformed using

clams were blotted dry, weighed, and frozen for tissue analysis at minus 12°C.

A negative control consisting of either Yaquina Bay amphipod home sediment from Nwas or *Macoma* collection site sediment was used. Three replicates of clams were depurated for 24 hours at the initiation of the test to obtain baseline tissue concentrations.

Statistical Analyses

Toxicity Data

The statistical significance of toxicity test results was evaluated using three complimentary methods. Two of the methods were based on comparison to laboratory controls, while the third was based on comparison to reference sites.

Comparisons to Laboratory Controls

Samples were defined as significantly more toxic than laboratory controls if the following two criteria were met: 1) a separate-variance t-test determined there was a significant difference ($p < 0.05$) in mean toxicity test organism response (e.g., percent survival) between the sample and the laboratory control, and 2) mean organism response in the toxicity test was lower than a certain percentage of the control value, as determined using the 90th percentile Minimum Significant Difference (MSD).

Statistical significance in t-tests is determined by dividing an expression of the difference between sample and control by an expression of the variance among replicates. We used a "separate variance" t-test that adjusted the degrees of freedom to account for variance heterogeneity among samples. If the difference between sample and control was large relative to the variance among replicates, then the difference was considered significant. In many cases, however, low between-replicate variance will cause a comparison to be considered significant, even though the magnitude of the difference can be small. The magnitude of difference that can be identified as significant is termed the Minimum Significant Difference (MSD), which is dependent on the selected alpha level, the level of between-replicate variation, and the number of replicates specific to the experiment. With the number of replicates and alpha level held constant, the MSD varies with the degree of between-replicate variation. The "detectable difference" inherent to the toxicity test protocol can be determined by identifying the magnitude of difference that can be detected by the protocol 90% of the time (Schimmel et al., 1994; Thursby and Schlekot, 1993). This is equivalent to setting the level of statistical power at 0.90 for these comparisons. This is accomplished by determining the MSD for each t-test conducted, ranking them in ascending order, and identifying the 90th percentile MSD (the MSD that is larger than or equal to 90% of the MSD values generated).

Thursby et al. (1997) identify a value of 80% of the control as the detectable difference for the *Ampelisca* test, and similar values for other species have been derived from BPTCP test data. Current BPTCP detectable difference (90th percentile MSD) values are listed in Table 9. Samples with toxicity test results lower than the values given, as a percentage of control response, would be considered toxic if the result was also significantly different from the control in the individual t-test.

Table 9. Ninetieth percentile MSD values and threshold percentage of control values used in determining statistically significant sample toxicity. MPSL indicates values derived by the Marine Pollution Studies Laboratory, using the entire BPTCP data base. *Protocols for which insufficient BPTCP data were available were assigned the 80% value derived for *Ampelisca* by Thursby et al. (1997).

Protocol	MSD	% of control	N	Reference
<i>Ampelisca</i> solid-phase	20	80		Thursby, 1997
<i>Ceriodaphnia</i> (96-h) porewater	20	80		Thursby, 1997*
<i>Ceriodaphnia</i> (96-h) SWI	20	80		Thursby, 1997*
<i>Eohaustorius</i> solid-phase	25	75	385	MPSL
<i>Hyalella</i> solid-phase	20	80		Thursby, 1997*
Abalone water (5 reps)	10	90	131	MPSL
Abalone water (3 reps)	36	64	336	MPSL
Abalone water (all reps)	32	68	467	MPSL
<i>Mytilus</i> porewater	20	80	223	MPSL
<i>Neanthes</i> Surv. solid-phase	36	64	335	MPSL
<i>Neanthes</i> Wt. solid-phase	56	44	335	MPSL
<i>Rhepoxynius</i> solid-phase	23	77	720	MPSL
Urchin Dev. porewater (5 reps)	22	78	309	MPSL
Urchin Dev. porewater (3 reps)	45	55	630	MPSL
Urchin Dev. porewater (all)	40	60	939	MPSL
Urchin Dev. SWI	41	59	109	MPSL
Urchin Fertilization	12	88	79	MPSL

Reference Envelope Statistical Method

The "reference envelope" approach was developed to provide an appropriate statistical method for determining whether conditions at test sites were significantly worse than those in the surrounding area. This objective is different from that of determining absolute sample toxicity, as described above. Rather than comparing results of test samples with laboratory controls using laboratory replicate variance as the statistical test variance component, the reference envelope method establishes tolerance limits based on test results from reference site samples. Tolerance limits are calculated to identify samples significantly more toxic than a chosen proportion of the reference site distribution, and statistical significance is determined using variation among reference site results. In this way, the method considers all relevant sources of variation that could affect comparisons between sites, such as variation in time and space, the interaction of time and space components, and variation between replicates (the error term). If natural factors such as grain size vary among reference sites or between surveys, then the effects of these factors are accounted for in the analysis. Any additional variation (i.e., increased toxicity) is assumed to be the result of increased pollution at test sites.

Tolerance limits were calculated using reference site data collected during a study specifically designed to evaluate reference sites in San Francisco Bay (Hunt et al., 1998), and detailed

information on reference sites and the reference envelope statistical method were presented there. In this study, samples with survival or normal development less than the respective tolerance limits were considered toxic. Tolerance limits used in the present study were based on an alpha value of 0.05 and a "p" value of 10. Samples would thus be considered toxic if there were at least a 95% probability that the sample was as toxic or more toxic than would be expected of the worst 10% of reference site samples. Tolerance limits for each toxicity test protocol used in this study, as a percentage of test control values, are given in Table 10.

Table 10. Reference Envelope Tolerance Limits.

Protocol	Tolerance Limit as % of the control
Amphipod (<i>Eohaustorius</i>) Survival	69.5 %
Sea Urchin Larval Development in Porewater	94.3 %
Sea Urchin Larval Development at SWI	86.7 %

The high values for the sea urchin protocols indicate that reference site samples had very low toxicity to sea urchin larvae, with little variation among samples. These high sea urchin test tolerance limits do not necessarily indicate that these differences from the control were biologically significant. For the sea urchin tests, we have deferred to the lower standard defined by the detectable difference values given in Table 9.

Chemistry Data

Comparisons with Sediment Quality Guideline Values

Bioavailability is the key to understanding the relationship between sediment chemistry and biological impacts. However, it was not possible to use TIEs, bioaccumulation analyses, or other specialized methods to evaluate bioavailability on the large number of samples evaluated in BPTCP studies to date. In order to assess large numbers of samples for their potential to impact biological resources, we compared sediment chemical concentrations to published guideline values derived from studies of approximately one thousand samples collected nationwide. These studies have used empirical observation of large data sets containing matching chemistry and biology data to provide guidance for evaluating the probability that measured contaminant concentrations might contribute to observed biological effects (MacDonald, 1994; Long et al., 1995). While the reported guideline values were derived from sediments containing mixtures of chemicals, they were calculated individually for each chemical. Their application may be confounded in sediments where biological responses are affected by synergistic or antagonistic interactions among multiple compounds, by unmeasured or unidentified compounds, or by unmeasured physical factors.

The National Status and Trends Program has evaluated chemical and toxicological evidence from a number of laboratory, field, and modeling studies to establish three ranges of chemical concentrations that are either rarely, sometimes, or usually associated with biological effects. Evaluation of available data (Long et al., 1995) has resulted in the identification of three

concentration ranges for selected chemical compounds:

- 1) Minimal Effects Range: The range in concentrations over which toxic effects are rarely observed.
- 2) Possible Effects Range: The range in concentrations over which toxic effects are occasionally observed.
- 3) Probable Effects Range: The range in concentrations over which toxic effects are frequently or always observed.

Two different methods were used to determine these chemical ranges. One method developed by NOAA (Long et al., 1995) used chemical data which were associated with a toxic response. These data were used to determine the lowest 10th percentile of ranked data where chemical concentration was associated with an effect (Effects Range - Low, or ERL). Chemical concentrations below the ERL are expected to rarely affect organisms. The Effects Range-Median (ERM) reflects the 50th percentile of ranked data and represents the level above which effects are expected to occur. Effects are occasionally expected to occur when chemical concentrations fall between the ERL and ERM.

The screening concentrations described by MacDonald (1996) also identify three ranges of chemical concentrations associated with toxic biological responses, but use an alternate method. The ranges are differentiated by the PEL (Probable Effects Level) and TEL (Threshold Effects Level). TELs were derived by taking the geometric mean of the 50th percentile of the "No Effects" data and the 15th percentile of the "Effects" data. The PEL values were derived by taking the geometric mean of the 85th percentile of the "No Effects" data and the 50th percentile of the "Effects" data. The ERL, ERM, TEL, and PEL values are provided in Table 11.

Although different data sets and percentiles were used in these two approaches to derive chemical screening concentrations, they are in close agreement, usually within a factor of 2. While neither of these methods is advocated over the other in this report, we have presented only ERM comparisons to simplify the many presentations of the data. Long, Field, and MacDonald (1998) found that the predictive ability of ERMs was slightly greater than that of PELs in a recent evaluation of additional sediment data.

It should be noted that the degree of confidence that MacDonald (1996) and Long et al. (1995) had in their respective numerical guidelines varied considerably among the different chemicals. For example, neither had great confidence in the values for nickel, mercury, DDTs, dieldrin, and endrin. DDT compounds were among those exceeding the PEL and ERM values most often at the 43 stations sampled in this study. Due to the pervasive presence of DDT compounds and the uncertainty of the DDT ERM value, we have used an alternative DDT guideline value in this report. That value is 100 µg DDT per gram organic carbon, derived by Swartz et al. (1994) from intensive studies in Lauritzen Channel, Richmond Harbor, San Francisco Bay.

Table 11. Sediment Quality Guideline values developed by NOAA and the State of Florida.

SUBSTANCE	State of Florida (1)		NOAA (2,3)	
	TEL	PEL	ERL	ERM
Total PCB (ug/kg- dry weight)	21.550	188.79	22.70	180.0
PAH (ug/kg- dry weight)				
Acenaphthene	6.710	88.90	16.00	500.0
Acenaphthylene	5.870	127.89	44.00	640.0
Anthracene	46.850	245.00	85.30	1100.0
Fluorene	21.170	144.35	19.00	540.0
2-methylnaphthalene	20.210	201.28	70.00	670.0
Naphthalene	34.570	390.64	160.00	2100.0
Phenanthrene	86.680	543.53	240.00	1500.0
Total LMW-PAHs	311.700	1442.00	552.00	3160.0
Benz(a)anthracene	74.830	692.53	261.00	1600.0
Benzo(a)pyrene	88.810	763.22	430.00	1600.0
Chrysene	107.710	845.98	384.00	2800.0
Dibenz(a,h)anthracene	6.220	134.61	63.40	260.0
Fluoranthene	112.820	1493.54	600.00	5100.0
Pyrene	152.660	1397.60	665.00	2600.0
Total HMW-PAHs	655.340	6676.14	1700.00	9600.0
Total PAHs	1684.060	16770.54	4022.00	44792.0
Pesticides (ug/kg- dry weight)				
p,p'DDE	2.070	374.17	2.20	27.0
p,p'DDT	1.190	4.77		
Total DDT	3.890	51.70	1.58	46.1
Total DDT (Swartz et al., 1994)				100µg/g OC
Lindane	0.320	0.99		
Chlordane	2.260	4.79	2.00	6.0
Dieldrin	0.715	4.30		8.0
Endrin				45.0
Metals (mg/kg- dry weight)				
Arsenic	7.240	41.60	8.20	70.0
Antimony			2.00	25.0
Cadmium	0.676	4.21	1.20	9.6
Chromium	52.300	160.40	81.00	370.0
Copper	18.700	108.20	34.00	270.0
Lead	30.240	112.18	46.70	218.0
Mercury	0.130	0.70	0.15	0.7
Nickel	15-900	42.80	20.90	51.6
Silver	0.733	1.77	1.00	3.7
Zinc	124.000	271.00	150.00	410.0

(1) D.D. MacDonald, 1994

(2) Long et al., 1995

(3) Long and Morgan, 1990

Non-Guideline Chemicals

To evaluate chemicals for which no ERM or PEL guidelines have been calculated, concentrations of specific chemicals were compared to the range of chemical concentrations in the BPTCP statewide database. This database contains concentrations of approximately 120 analytes measured in sediments collected in the majority of California bays, estuaries, lagoons and coastal areas. The following information was described for each chemical: the Method Detection Limit (MDL), the number of samples analyzed, the number of samples above the MDL, the highest value in the data set, and the 90th and 95th percentile thresholds for each chemical. In this report, chemicals for which no sediment quality guideline values have been calculated were compared to the 90th and/or 95th percentile of the statewide database (Table 12).

Reference Envelope Tolerance Limits for Selected Chemicals

Tolerance limits were calculated for a number of chemicals, based on the distribution of chemical concentrations measured at reference sites in San Francisco Bay (Smith, 1997, report to the SFBRWQCB). Reference sites and the reference envelope approach were described by Hunt et al. (1998), and the reference envelope approach was briefly described above with reference to toxicity data. The calculated chemical tolerance limits are given in Table 12. These were calculated to provide 95% certainty that measured concentrations exceeding the tolerance limit would be as high or higher than expected of the highest 15% of samples from reference sites. This reflects the "p" value of 0.85 selected by the Regional Board staff when they derived threshold values for ambient concentrations of these chemicals in their assessments of test sites (Gandesbery and Hetzel, 1998). Concentrations above the tolerance limits could therefore be assumed to be elevated relative to optimal ambient conditions in the Bay. No assumptions are made about the relationship between the tolerance limit concentrations and their potential for biological effects; they are simply descriptive of chemical concentrations found at reference sites.

These values were not used in the analysis of screening and confirmation data as described in the Results and Discussion section of this report, but two points should be mentioned regarding the values in Table 12. First, for the majority of chemicals for which S.F. Bay reference tolerance limits were derived, these limits were much lower than either the 90th percentile of the BPTCP statewide distribution or the ERM values calculated using concentrations relative to observed biological effects. Second, the nickel concentration at the 85th percentile of the SF Bay reference site distribution (the tolerance limit) was higher than the 90th percentile for all BPTCP samples statewide, many of which were collected to characterize potentially polluted sites. As mentioned in the Introduction, geologic abundance and human-enhanced transport of this element, among other factors, has apparently resulted in elevated concentrations throughout San Francisco Bay.

Table 12. Chemical comparison values: the 90th percentile of the statewide BPTCP data base, reference envelope tolerance limit (p = 0.85), and ERM. MDL is minimum detection limit. Metals are in mg/kg; organics are in µg/kg. Tolerance limits assume a grain size 40-100% fines.

Chemical Name	MDL	Samples Analyzed	Highest Value	90th % Threshold	Tolerance Limit p = .85	ERM (Long et al., 1995)
Aluminum	1	603	165,000	83,000	na	n/a
Antimony	0.1	603	52.8	3.35	na	25
Arsenic	0.1	544	1140	21.2	15.3	70
Cadmium	0.002	603	27.9	1.76	0.33	9.6
Chromium	0.02	603	860	212	112	370
Copper	0.003	603	7,800	300	68.1	270
Iron	0.1	603	336,300	55,300	na	n/a
Lead	0.03	603	2100	120	43.2	218
Manganese	0.05	603	1190	630	na	n/a
Mercury	0.03	603	9.14	0.969	0.43	0.7
Nickel	0.1	550	167	88	112	51.6
Silver	0.002	603	35.7	1.58	0.58	3.7
Selenium	0.1	544	35.7	1.09	0.64	n/a
Tin	0.02	603	92.9	9.03	na	n/a
Zinc	0.05	603	6,000	490	158	410
Aldrin	0.5	621	8.2	4.7	na	n/a
Chloropyrifos	1	444	78	28	na	n/a
Total Chlordane	3	612	246	44.57	1.1	6
Dacthal	0.2	465	25.2	7.51	na	n/a
Total DDT (*Swartz)	5.4	621	3,569	235.5	7.0	100µg/gOC*
pp-Dichlorobenzophenone	3	465	63.3	30.6	na	n/a
Dieldrin	0.5	618	62.6	11.7	0.44	8
Endosulfan I	0.5	606	19.6	13.4	na	n/a
Endosulfan II	1	606	59.8	10.4	na	n/a
Endosulfan Sulfate	2	606	163	21	na	n/a
Endrin	2	618	21.8	16.4	na	45
Ethion	2	69	36.4	36.4	na	n/a
alpha-HCH	0.2	465	292	26.1	na	n/a
beta-HCH	1	465	56.8	56.8	na	n/a
gamma-HCH (Lindane)	0.2	618	8.4	2.82	na	0.99 (PEL)
delta-HCH	0.5	465	99.4	14.4	na	n/a
Heptachlor	0.5	621	15.8	4.5	na	n/a
Heptachlor Epoxide	0.5	618	17.8	2.5	na	n/a
Hexachlorobenzene	0.2	621	59.7	3.63	0.48	n/a
Methoxychlor	1.5	606	131	55.3	na	n/a
Mirex	0.5	620	103	2.6	na	n/a
Oxadiazon	6	465	114	45.8	na	n/a
Oxychlordane	0.5	465	30.3	10.7	na	n/a
Toxaphene	50	609	3,200	3,200	na	n/a
Tributyltin	0.003	555	6.21	0.422	na	n/a
Total PCB	9	684	19,901	497	14.8	180
Low MW PAHs	60	624	92,097	2,585	434	3,160
High MW PAHs	60	628	225,740	15,727	3060	9,600
Total PAHs	60	628	227,801	17,107	3390	44,792
Total Organic Carbon	n/a	686	26.8	3	na	n/a
Mean ERM Quotient	n/a	548	4.37	1.11	na	n/a
Mean PEL Quotient	n/a	553	7.8	1.52	na	n/a

ERM and PEL Quotients

Sediment Quality Guideline quotients (SQGQ) were calculated to allow a simple comparison between observed chemical concentrations and guideline values developed for that chemical using a nationwide data base. To derive these quotients for a given sample, the concentration of each chemical was divided by its respective SQG value to get a quotient. Quotient values greater than 1 indicated that the chemical in that sample exceeded its guideline value, and was likely to be associated with biological effects, based on comparisons to the large data sets from which the guidelines were derived.

In screening samples for potential effects of chemical mixtures, the quotient values for 16 chemicals were averaged to get a mean SQG quotient. In this report, sample chemical concentrations were compared primarily to ERM values, where possible, and mean ERMQ values were generally used as summary quotients for chemical mixtures. This mean value was calculated somewhat differently from mean ERMQ values presented by Long et al. (1998), as is discussed below in the section on the use of threshold values. The 16 chemicals used to derive this mean value were: antimony, arsenic, cadmium, chromium, copper, lead, mercury, silver, zinc, total DDT (using the DDT value of Swartz, et al., 1994), total chlordane, dieldrin, endrin, total PCBs, low molecular weight (LMW) PAHs, and high molecular weight (HMW) PAHs. In cases where concentrations of these chemicals were below the analytical method detection limit (MDL), a value of one-half the MDL was used in the derivation of the mean ERMQ. The use of mean ERMQ values was designed to assist with screening samples in which multiple compounds contributed to the overall level of chemical pollution, and was intended for use in conjunction with the standard chemical-specific method discussed above. Although synergistic effects are possible with the different contaminants, this is not implied by the use of mean SQGQs.

Multivariate and Univariate Techniques for Comparison of Chemistry and Toxicity Data

While the main objective of this study was to identify stations of concern, the data were also evaluated to investigate whether certain individual chemicals were found to be associated with biological impacts. These evaluations were made using Principal Components Analysis (a multivariate technique) followed by Correlation Analysis (a univariate technique). This association of chemicals with toxicity does not in itself prove cause and effect, but it allows the suggestion of hypotheses regarding the chemical causes of biological impacts, which can later be tested with TIEs and other more extensive toxicological methods.

Principle Components Analysis

Because many chemicals tend to co-vary in sediments, Principal Components Analysis (PCA) was used to investigate relationships between chemistry, toxicity, and benthic indicators prior to conducting simple correlation analyses. The PCA was treated as exploratory in nature; therefore, data were not screened for sample size, normality, linearity, outliers or multicollinearity.

Principal components were extracted using SYSTAT statistics software (v. 7.0.1 for Windows; SPSS, 1997). The analysis was run with a correlation matrix and varimax rotation, and included any factors which accounted for greater than 10% of the total variance. A component loading

cutoff value of 0.40 was used in selecting variables for inclusion into factors, based on suggestions by Tabachnick and Fidell (1996) that a cut-off of at least 0.32 be used.

Correlation Analysis

Compounds determined by PCA to have a negative relationship with biological indicators (e.g., increasing concentration associated with decreasing survival) were selected for univariate correlation analysis. In order to examine associations between levels of these pollutants in sediments and the response observed in toxicity tests, Spearman rank correlation coefficients (Rho) were calculated using Systat 7.0 software. Since the response of the control groups for each toxicity test was both acceptable and consistent, the sediment toxicity test data were not normalized to control results. Rho values, corrected for ties, were determined for each toxicity test and each pollutant or pollutant class, and were compared to tables at the appropriate n value to determine the level of statistical significance associated with the observed correlation.

Weight-of-Evidence and Categorization of Sites

Toxicological, chemical, and ecological measures were combined to provide a weight-of-evidence categorization of sediment quality at each site. This approach is consistent with generally accepted methods of sediment quality assessment, such as the commonly used "sediment quality triad" described by Chapman et al. (1987). The three primary measures in the triad approach are sediment chemical analysis, toxicity testing, and benthic community analysis. All of these measures have their advantages and drawbacks, but together they can be used effectively to characterize sediment quality. In San Francisco Bay, toxicity testing was used as the primary screening tool in the first round of sampling. Stations that produced toxic samples or had been shown in previous studies to have elevated chemistry, bioaccumulation, or other measures of pollution were then resampled and analyzed for toxicity, chemistry, and, to a lesser extent, benthic community structure. Benthic community measures were originally de-emphasized because of the difficulty interpreting benthic data from San Francisco Bay, where waves of invading exotic species and extreme salinity fluctuations strongly affect benthic communities. Benthic data were eventually collected at 14 stations during the confirmation phase of the study, and these data were supplemented with laboratory bioaccumulation data from 10 stations.

Use of Threshold Values

Using the data collected in this study, stations were categorized based on chemical concentrations, the severity of biological impacts, and the completeness of sample characterization. The conceptual framework for categorizing stations is provided in the listing below. In order to categorize stations, it was necessary to define terms such as "elevated chemistry", "sample toxicity" or "degraded benthos" for a large number of samples. To be consistent, thresholds were established for this purpose. Those thresholds are defined below in the description of the first category. Toxicity thresholds were based on the reference envelope tolerance limits for amphipod tests, and t-test plus detectable difference criteria for sea urchin development tests (as defined above, because sea urchin tolerance limits were higher than could be justified based on best professional judgement of the biological significance of small

differences from controls). Benthic community degradation was defined as a Relative Benthic Index ≤ 0.30 , based on the best professional judgement of the ecologists who developed the index. Elevated chemistry was defined as 6 or more chemicals exceeding ERM guidelines, a mean ERMQ above 0.5, or one or more chemicals at concentrations high enough to likely be associated with biological effects, based on best professional judgement. The mean ERMQ value of 0.5 was based on an evaluation by Long and MacDonald (in press) that indicated at least 50% of samples in a nationwide evaluation exhibited toxicity when this value was exceeded. The BPTCP has calculated mean ERMQ values using a different suite of chemicals than used by Long and MacDonald (in press); the primary differences being that Long and MacDonald (in press) used a number of individual PAHs and the DDT ERM, whereas the BPTCP used only the summary low and high molecular weight PAHs (2 values) and the DDT value of Swartz et al. (1994). When the mean ERMQ values, as calculated by the BPTCP, were compared with amphipod toxicity in the statewide BPTCP database, 62% of the samples with mean ERMQs greater than 0.5 were found to be toxic to amphipods.

These chemistry, toxicity, and benthic community threshold values were derived to allow a consistent interpretation of data from samples throughout the Region and state. It is important to note that while these threshold values were selected based on the best available information and best professional judgement of the authors, they are by nature discretionary. Chemical bioavailability varies from sample to sample, and the exact definitions of toxicity and benthic degradation depend on factors not easily analyzed in a large number of samples. Further data collection and analysis may result in the determination of different threshold values and different definitions for biological impacts. The thresholds and station characterizations used here are not intended to be absolute. They are intended to aid in the screening of data collected from a large number of locations and to support management decisions for further action. In some cases, additional studies may be undertaken to further evaluate the sites of concern identified in this Region-wide assessment. If more data become available through additional studies at selected locations, more accurate site-specific characterizations of sediment quality may result.

Weight-of-Evidence Categorization Criteria

A weight-of-evidence approach was used to combine toxicity, chemistry, and benthic community data in order to categorize stations. This categorization was intended to assist in comparisons of sites that might be considered for management activity. The following is a list of categories, followed by the criteria and threshold values used to determine how each station was grouped.

Category 1:

Stations with elevated chemistry, recurrent toxicity, and degraded benthos.

Elevated Chemistry was indicated by either:

- 1) a guideline (ERM) quotient mean above 0.5, indicating a mixture of pollutants, or
- 2) six or more chemicals having concentrations above guideline (ERM) values, or
- 3) one or more individual chemicals at concentrations high enough to likely be associated with biological effects, based on best professional judgement.

Recurrent toxicity was indicated when at least two samples collected at different times from a station or site were determined to be significantly toxic by any of the BPTCP toxicity test protocols.

Degraded benthos was indicated by a Relative Benthic Index score of 0.30 or less, as described above.

Category 2:

Stations with elevated chemistry, toxicity in one (of one) sampling event, and degraded benthos.

Category 3:

Stations with highly elevated sediment concentrations of chemicals cited in the San Francisco Bay Fish Advisory (mercury and PCBs).

Category 4:

Stations with elevated chemistry, and biological impact measured by either toxicity or degraded benthos (with no data available for the second biological indicator):

- a. Stations with elevated chemistry, degraded benthos, and no available toxicity data.
- b. Stations with elevated chemistry, recurrent toxicity and no available benthics data.
- c. Stations with elevated chemistry, toxicity in a single sample and no available benthics data. (only one toxicity sample tested)

Category 5:

Stations with elevated chemistry and mixed results from biological indicators.

- a. Stations with elevated chemistry, degraded benthos, and multiple toxicity tests with some toxic and some non-toxic.
- b. Stations with elevated chemistry, degraded benthos, and toxicity data indicating samples were non-toxic.
- c. Stations with elevated chemistry, recurrent toxicity and data indicating non-degraded benthos.
- d. Stations with elevated chemistry, toxicity in a single sample and data indicating non-degraded benthos. (only one toxicity sample tested)
- e. Stations with elevated chemistry, data indicating non-degraded benthos and multiple toxicity tests with some toxic and some non-toxic.

Category 6:

Stations with measured biological impact but chemistry values below thresholds.

- a. Stations with recurrent toxicity, and degraded benthos, but no chemistry data available.
- b. Stations with recurrent toxicity, and degraded benthos, and elevated NH_3 or H_2S^* but no other elevated chemistry.
- c. Stations with recurrent toxicity, and degraded benthos, but existing chemistry data has no chemicals measured at elevated concentrations.
- d. Stations with a single indicator of biological effect (either recurrent toxicity or degraded benthos), but existing chemistry data has no chemicals measured at elevated concentrations.
- e. Stations with a single toxic sample, but existing chemistry data has no chemicals measured at elevated concentrations

Category 7:

Stations with chemistry, toxicity, benthic degradation below thresholds.

Reference Stations

These were selected in a previous study (Hunt et al., 1998), based on location distant from sources of pollution, chemical concentrations below guideline values, fine grain size, and minimal biological impacts.

Ranking within these major categories was determined by the actual data values, for example, 20% survival would be considered worse than 55% survival, etc.

*Elevated concentrations of NH_3 or H_2S may have resulted from natural processes, or may be enhanced by human activity. They can therefore be considered either as interferences in toxicity or benthic assessments, or as anthropogenically-derived toxins. This should be considered on a site-by-site basis.

RESULTS AND DISCUSSION

The data figures and tables discussed below are presented consecutively following the Conclusions section.

Sediment Toxicity

Data Quality

The primary quality assurance criterion for toxicity testing in this study was satisfactory survival or normal larval development in laboratory controls, as described by Stephenson et al. (1993). All toxicity data presented in this report were generated in tests with satisfactory control response, indicating that any negative responses observed in test organisms were due to sample characteristics rather than initial organism health or testing conditions. Minor deviations of QA criteria were observed in tests of a number of samples, as indicated by quality assurance codes of "-3" or "-5" in Appendix E. These deviations included test solution dissolved oxygen concentrations above 100% saturation, salinity variations of more than 3 ‰, temperature variations of greater than 1° C, and precision estimates for these water quality parameters (or for pH, ammonia or sulfide) beyond the specified ranges. Quality assurance reports were delivered to the State Water Resources Control Board with every data report, and details of minor QA exceedences can be found there. None of the variations from QA criteria were expected to affect the results of any tests from which data presented here were derived. If critical management decisions must be based on data for which a "-5" code is assigned in Appendix E, the reader is advised to consult the reports on file at the SWRCB.

Toxicity Screening

Solid-Phase Amphipod Tests

Samples from throughout the region were screened for solid-phase sediment toxicity (Figure 4). Of 122 samples, 26 (21%) were significantly toxic relative to reference envelope tolerance limits (Table 13). Toxic samples were collected from a wide variety of locations, including: Stege Marsh, Carlson Creek, and Castro Cove near Richmond, Peyton Slough in Suisun Bay, Pacific Drydock, Fruitvale, Schnitzer, and San Leandro Bay near Oakland, Mayfield Slough and San Bruno Channel in the South Bay, Islais Creek and Mission Creek in San Francisco, Waldo Point in Marin County, and Marconi Cove in Tomales Bay. Most of these sites were selected for additional sampling in the confirmation phase of the study. Of note in the screening data is the extremely high ammonia value for sample 1503 from Oakland Fruitvale (Table 13). This sample had high ammonia at the beginning of the exposure, but the concentration increased by two orders of magnitude during testing due to decomposition of dead clams. Hydrogen sulfide was also elevated, and dissolved oxygen was very low at the end of the exposure. Amphipod survival was 16% in this sample.

Sea Urchin Larval Development Tests in Porewater and at the Sediment-Water Interface

Of 99 porewater samples screened for toxicity to sea urchin larvae, 31 (31%) were toxic (Figure 5). Forty-two of the 99 samples were also tested in dilutions of 50% and 25% porewater; of

these, 34 (81%) were toxic at all dilutions, seven (17%) were toxic only at full strength, and one (2%) was toxic at 100% and 50% dilution but non-toxic at 25% dilution. None were toxic in lower dilutions when the full strength porewater was non-toxic. Ammonia and/or hydrogen sulfide were above threshold toxicity limits in many samples (Table 14).

In sediment-water interface (SWI) exposures, 11 of 33 samples (33%) were toxic to sea urchin larvae (Figure 6, Table 14). Three of the toxic samples had ammonia or hydrogen sulfide above threshold values, and three of the non-toxic samples had ammonia or hydrogen sulfide above threshold values, providing evidence of the uncertainty involved in the estimation of toxicity thresholds for these (and other) compounds. Further studies are necessary to refine ammonia and sulfide toxicity thresholds, including investigation of critical exposure periods over the embryo/larval development cycle.

Toxicity at Confirmation Stations

Twelve sites, some incorporating multiple stations, were resampled in the confirmation phase, based on toxicity or chemistry data from screening analyses. Eight of the 12 confirmation stations exhibited significant toxicity to amphipods during screening, and all eight were again toxic to amphipods in the confirmation tests. Samples from five of these eight stations were also toxic to sea urchins (Figures 7 and 8). Trends along gradients from selected confirmation stations, along with TIE and other supporting information are discussed in subsequent sections.

Four sites selected for confirmation were toxic only to sea urchins in pore water during screening (Table 15a). None of these were toxic to sea urchins in confirmation phase SWI tests, but one (Central Basin) was toxic to amphipods.

The Oakland Fruitvale station that produced the sample with extremely high ammonia in the screening phase did not have elevated ammonia concentrations in the confirmation sample, and hydrogen sulfide was only slightly above the threshold value (0.1231 mg/L compared to the threshold of 0.114 mg/L). Amphipod survival in this sample was 55% (Table 15a; Appendix E). Additional samples in which ammonia or hydrogen sulfide may have influenced toxicity test results (Table 15) are not discussed in detail here, but can be investigated by comparing values for those samples (Appendix E) with threshold values (Table 1). Elevated ammonia and hydrogen sulfide may be the result of natural processes, or their concentrations may be enhanced by human activities, such as discharge of organically enriched wastewater. These compounds can therefore be considered as natural interferences in toxicity tests (if of natural origin) or as pollutants in need of management (if anthropogenically enhanced). In either case, elevated ammonia or hydrogen sulfide concentrations do not in any way preclude the presence of other chemicals in toxic concentrations.

In addition to confirmation sampling at the stations described above, a set of eleven other stations were also sampled a second time to investigate toxicity to sea urchin larvae in porewater samples rich in ammonia or hydrogen sulfide (Table 15b). Porewater samples from these eleven stations were toxic to sea urchin larvae during screening, but porewater ammonia and/or

hydrogen sulfide concentrations were above thresholds, solid-phase samples were not toxic to amphipods, and available chemistry data indicated generally low concentrations. In the second round of testing at these stations, samples were tested using SWI exposures to provide a more environmentally relevant exposure, and to minimize the effects of porewater ammonia and hydrogen sulfide (Anderson et al., 1996). Only two of the eleven were found to be toxic to sea urchin larvae exposed at the sediment-water interface (Table 15b). None of the SWI test overlying water solutions had ammonia or hydrogen sulfide above threshold values. In the two samples with SWI toxicity, the magnitude of the response was not as extreme as in the porewater samples.

While testing porewater is useful for investigating bioavailability and routes of exposure for sediment associated chemicals, sea urchin embryos do not naturally occur in porewater environments. The negatively buoyant embryos may come into contact with sediment surfaces, however, and the SWI exposures were designed to investigate effects of chemicals fluxing from polluted sediments. The SWI exposures also dilute porewater chemicals, including ammonia and hydrogen sulfide, because the exposures are initiated with clean laboratory seawater overlying the test sediments. While the SWI exposures reported here resulted in decreased toxicity, it cannot be inferred that the sediment porewaters were any less toxic in the second set of samples, or that the observed porewater toxicity was due solely to ammonia or hydrogen sulfide. In addition to considerations of environmental relevance, the SWI exposures have two other advantages. One is that intact sediment cores (rather than homogenates) can be tested, resulting in less disturbance of sediment equilibrium conditions. This allows more realistic assessments of chemical partitioning and flux to overlying water. A second advantage is that salinity adjustment is not necessary, because organisms are suspended above the sediment in overlying laboratory seawater. Salinity adjustment of porewater for toxicity testing can result in unequal dilution of porewater samples, especially in an estuary with wide salinity fluctuations, such as San Francisco Bay. In a recent study of S.F. Bay porewater toxicity, final porewater concentrations as low as 55% were necessary after salinity adjustment with hypersaline brine (Hunt et al, 1998; their Table 3), while other samples collected concurrently from other parts of the Bay could be tested at full strength.

Sediment Chemistry

Data Quality

All trace metal analyses met all quality assurance criteria as described by Stephenson et al. (1993). Many trace organic analyses had minor deviations from QA criteria, as indicated by "-5" QA codes (Appendix C). Most of these deviations involved blank responses outside of control chart guidelines, in which case the chemical concentrations measured were corrected based on blank response prior to reporting. If critical management decisions must be based on data for which a "-5" code is assigned in Appendix C, the reader is advised to consult the data QA reports on file at the SWRCB.

Chemical Mixtures

All stations analyzed had detectable levels of multiple chemicals (Appendix C). These chemical mixtures have resulted from the variety of pollutant sources and the complexity of chemical transport within San Francisco Bay (Kennish, 1998). Areas in which sediments accumulate also tend to accumulate sediment-associated chemicals. The resulting chemical mixtures affect organisms unpredictably, and no two suites of chemicals are identical, though trends in covariance can be detected. In an attempt to measure the cumulative level of chemical pollution, and to roughly gauge their probable impact on biological resources, guideline quotient values were used. These values, their derivation and use are described in the Statistical Analyses/Chemical Data part of the Methods section of this report. Also described there is the justification for using a threshold value for the mean sediment quality guideline quotient for screening the large number of samples investigated in this study. An Effects Range Median quotient value (ERMQ) ≥ 0.50 was used to screen for elevated chemical mixtures. ERMQ values were calculated only when both trace metal and organic chemicals were measured; in cases where only one or the other group of compounds were analyzed, an "na" appears in the ERMQ column of the data tables.

Of the 46 stations screened for trace metal and organic chemicals, 23 (50%) had mean ERM quotients greater than 0.50 (Table 16). ERMQ values ranged as high as 3.94 (at a Pacific Drydock station). Other stations with highly elevated levels of chemical mixtures included: Mission Creek (3.93), Peyton Slough (3.58), Stege Marsh #1 (2.70), Stege Marsh #2 (2.59), Castro Cove (2.25), San Leandro Bay Site 4 (2.01) and San Leandro Bay Site 1 (1.52; see Figure 9). Samples from each of these stations had numerous chemicals at concentrations above ERMs, some much greater than 10 times the guideline values. Only three stations had no chemicals measured above ERM values (Table 16). An additional nine stations exceeded only the ERM value for nickel, which is common in San Francisco Bay sediments and is derived primarily from geologic sources, though substantial anthropogenic sources exist.

Chemicals Found at Elevated Concentrations

Chemicals or chemical classes commonly found above guideline values included: chlordanes, PCBs, DDTs, PAHs, dieldrin, hexachlorobenzene*, chlorpyrifos*, copper, mercury, lead, selenium*, and zinc (Table 16). (*There are no ERM values currently derived for hexachlorobenzene, chlorpyrifos, or selenium, but these chemicals were often found above the 90th percentile of samples collected by the BPTCP statewide.) Detection of chlorpyrifos in sediments is worth noting because its occurrence in sediments has not been extensively documented. A few of these chemicals or chemical classes are discussed below, because their presence was especially pervasive in Bay sediments (e.g., chlordane, PAHs) or in fish tissues (e.g., PCBs and mercury, the subjects of the health advisory for fish consumption).

Some chemicals were found at the highest sediment concentrations measured anywhere in the State by the BPTCP: arsenic and selenium (at Stege Marsh #1), copper and zinc (at Peyton Slough Upper #2), mercury (at Pt. Portrero #2), total PCBs (at Pt. Portrero #1), and total and high molecular weight PAHs (at Castro Cove). (See Tables 12, 16, and Data Appendices).

PCBs

PCBs have accumulated in the sediments of the estuary due to historic use and continuing deposition from storm water runoff. This class of chemicals is comprised of 209 compounds called congeners. Mixtures of congeners have been manufactured in the U.S. since 1929 and sold under the trade name Aroclor. These mixtures were used extensively in the U.S. prior to 1979 when their manufacture, processing, use and application was banned, except in totally enclosed applications such as transformers. PCBs were used for industrial applications requiring fluids with thermal stability, fire and oxidation resistance, and solubility in organic compounds. PCBs have proven to be extremely persistent in the environment. RMP monitoring data indicate that PCBs in the water column exceed non-promulgated U.S.EPA water quality criteria throughout the estuary. This is most probably due to resuspension from the sediments, where they provide an ongoing source to organisms in the food chain (RMP, 1997). These substances are highly lipophilic, have a high potential to accumulate in the tissues of aquatic organisms, and can represent a significant human health hazard (Moore and Walker, 1991).

Although the use of PCBs has been banned there are historic deposits in the sediment and on land. Point Portrero, at the Port of Richmond, had ten times the PCB concentration (19.9 ppm) of any other sample collected in this study (Table 17). Other stations with elevated sediment PCB concentrations include Stege Marsh, Yosemite Creek, Islais Creek, Pacific Drydock, San Leandro Bay, and Mission Creek (Figure 10). Stormwater events can mobilize PCBs deposited on land and transport them into the estuary. Recent monitoring by the RMP indicates the existence of current sources contributing to PCB loads into the South Bay from Coyote Creek. Increased monitoring is necessary to identify active sources and minimize their impacts.

Mercury

Mercury was mined in the Coast Range from the early 1800's through the mid-1900's. Initially, most of the mercury was used in the amalgamation of gold in placer and hydraulic mining operations. Mining activity introduced mercury into the San Francisco estuary system in a number of ways. Runoff from mercury mines within the region transported mercury-rich sediment into the Bay and estuary. In the Sierra, mercury was added to sediment to aid in the separation of gold from waste in placer and hydraulic mining operations. Most of this mercury ended up in the aquatic system, becoming attached to sediment particles flushing downstream. Mining of gold and silver ores exposed surrounding rock that was enriched in mercury by the same geologic processes that created the gold and silver deposits, again introducing mercury-rich sediment into the stream systems that drain into San Francisco Bay. Continuing drainage from these mines has introduced mercury and other metals into the streams that drain into the estuary (Kennish, 1998).

The estuary, therefore, has become a sink for sediments rich in mercury that are likely to be a continuing source for the bioaccumulation of mercury up the food chain. Data from the current study indicate that mercury concentrations in the estuary are elevated but highly dispersed (Table 17). There are a number of individual sites around the margins of the Bay where mercury concentrations are higher than historically elevated levels. These are usually due to past industrial practices such as the smelting of ore. Stations with highly elevated mercury

concentrations include: Point Portrero, Mission Creek, Pacific Drydock, Kirker Creek, Stege Marsh, and Castro Cove (Figure 11).

Although mining practices were historic, runoff from abandoned mines and mine tailings continue to be an ongoing source of mercury to the estuary. Data from the Sacramento River indicate that the Cache Creek drainage and the Sacramento drainage above the Feather River are major, ongoing sources to the lower watershed (personal communication, Chris Foe, Central Valley Regional Water Quality Control Board). In the southern part of San Francisco Bay, the major ongoing source is the drainage from New Almaden mining region (SFBRWQCB, 1998). Other less significant sources include POTWs, industrial discharges and aerial deposition. Recent pollution prevention audits indicate that human waste, water supplies, laundry waste, household products, thermometers, and waste from hospitals and dental facilities are the most significant sources flowing into POTWs (SFBRWQCB, 1998). Known industrial discharges of mercury are from raw materials used in the facilities. About half the aerial deposition appears to come from global fuel combustion and the other half from local fuel combustion.

The key environmental concern about mercury in the San Francisco Bay system is the extent to which it bioaccumulates in the food chain. Bioaccumulation, in turn, is governed by the level of methyl mercury in the Bay sediment system. Methyl mercury is formed primarily by microbial activity, and only under certain physical and chemical conditions. Different forms of mercury as well as different environmental conditions may increase the rate of mercury methylation. This process must be better understood in order to regulate the current reservoir of mercury and minimize the creation of environments that may increase the rate of methylation.

Trace Metals (Other than Mercury)

A number of trace metals were measured at elevated concentrations in numerous samples (Table 16). Nickel and chromium, as previously discussed, were elevated throughout the Bay, due generally to geologic abundance and specifically to human inputs in some areas. Other metals commonly found at elevated concentrations included arsenic, copper, lead, selenium, silver, and zinc. These are derived from a variety of sources, including foundry, electroplating, etching and other industrial operations, oil refining, piping systems, POTWs, agricultural tail water, urban runoff, construction grading, mining operations, ore processing, and natural rock formations.

Metals entering aquatic systems often bind to charged particles such as clays, and thus accumulate in sediments, where they can form insoluble metal sulfides under anaerobic conditions. The sediment concentration of acid-volatile sulfide (AVS) under anaerobic conditions has been shown to affect the toxicity of some sediment-associated divalent metals, such as cadmium and nickel, and, to varying degrees, copper, lead, and zinc (DiToro et al., 1990, 1992). Only when combined concentrations of these metals exceed those of AVS (on a molar basis) will they be available for other binding phases (such as with clay or organic carbon) or for affecting organisms. Therefore, when the metals concentration (as the total molar concentration of the five metals, extracted simultaneously with AVS) is less than the AVS concentration, these metals should not be toxic in anaerobic sediments. In order to gain insights into the bioavailability and potential toxicity of trace metals in sediments from stations in San Francisco Bay, we measured SEM (simultaneously extracted metals) and AVS concentrations. SEM-AVS

data and their relationship to toxicity were interpreted cautiously, however, because surficial sediments collected in the present study were generally not anaerobic, and sediments were necessarily aerated during sampling and toxicity testing.

The SEM concentration exceeded that of AVS in sediments from stations at Peyton Slough, San Leandro Bay and Paradise Cove (Table 18). Samples from the two Peyton Slough stations with SEM > AVS were toxic to amphipods, with one of the two being toxic to sea urchin larvae in SWI tests. The San Leandro Bay Site 4 sample had SEM > AVS and was toxic to amphipods and sea urchins. In samples from three other stations in which SEM exceeded AVS by lesser amounts (Paradise Cove, San Leandro Bay 5, and San Leandro Bay 6), significant toxicity was not observed. Metals at these stations may have been bound by organic carbon and/or may have been at concentrations below toxic levels. For example, the SEM concentration at Paradise Cove was 2 to 20 times lower than SEM concentrations at San Leandro Bay and Peyton Slough stations (Table 18).

Since metals not bound to AVS may bind to other sediment constituents, such as organic carbon and clay particles, SEM-AVS data are generally used as evidence to eliminate metals as causes of toxicity when SEM is less than AVS. Among samples in which SEM was less than AVS (Mission Creek, Islais Creek, Pacific Drydock, and other San Leandro Bay stations), there was wide variation in toxicity, from 100% amphipod mortality to high levels of survival and normal development (Table 18). Concentrations of organic chemicals were elevated at all of these stations, as often were concentrations of hydrogen sulfide and ammonia, and these compounds could have contributed to toxicity in the absence of trace metal effects. The relationships between trace metal concentrations and biological effects are discussed further in subsequent sections dealing with correlations, TIEs and gradient studies.

Chlordanes

As in previous BPTCP statewide monitoring studies (Fairey et al., 1996; Anderson et al., 1997; Anderson et al., 1998), and in San Francisco Bay Regional Monitoring Program studies (RMP, 1997) total chlordane was one of the pesticides most commonly measured at elevated concentrations (Figure 12). Total chlordane is the summation of the major constituents of technical grade chlordane and its metabolites (in this case cis- and trans-chlordane, oxychlordane, and cis- and trans-nonachlor; Appendix C). These comprise a group of nonsystemic stomach and contact insecticides which until the mid 1970's had been used extensively in home and agricultural applications. Although the use of this compound was discontinued in this country due to its widespread occurrence, biomagnification through the foodchain, and persistence in non-target systems, chlordane continues to occur in aquatic ecosystems. Due to their limited water solubility, chlordane compounds tend to bind to organic carbon and settle out of the water column, accumulating in sediments (Wilcok et al., 1993). Stations with the highest measured concentrations of total chlordanes included Pacific Drydock, Mission Creek, and San Leandro Bay (Table 16). These sites receive urban runoff from creeks and storm drains.

DDTs

DDT and its metabolites are a class of relatively water-insoluble organo-chlorine compounds which tend to bind to organic particulates and thus accumulate in sediments. Concentrations of these compounds have generally declined in aquatic ecosystems since they were banned for most insecticide applications in 1972, although concentrations of some DDT metabolites have increased. Like chlordane and dieldrin, it is persistent in sediments and may be of significant environmental concern at higher concentrations (Hoke et al., 1994; Swartz et al., 1994). Sites with elevated concentrations of DDT compounds (primarily p'p' DDE) included Stege Marsh, Islais Creek, Pacific Drydock, Peyton Slough, and San Leandro Bay (Table 16). One important source of DDT in the Bay, Lauritzen Channel in Richmond Harbor, was not sampled in this study. This site had extremely elevated levels of DDT, and was recently cleaned up under the federal CERCLA program, with the U.S.EPA acting as the lead agency.

PAHs

Polycyclic Aromatic Hydrocarbons (PAHs) are base-neutral organic compounds that are components of crude and refined petroleum products. They are also produced by incomplete combustion of hydrocarbons. These compounds are common components of contaminated sediments and are toxic to infaunal invertebrates (Eisler, 1987; Neff, 1979; Neff and Anderson, 1981), in particular amphipods (Swartz et al., 1995). Due to their similar modes of toxicity, individual PAHs are combined into low and high molecular weight groups.

A number of stations had measured concentrations of PAH compounds above guideline values, with the highest concentrations at Castro Cove and Pacific Drydock. Castro Cove had highly elevated concentrations of individual PAH compounds (such as dibenzo(a)anthracene) and total high molecular weight PAHs. Surficial sediments from this site contain a distinct petrogenic profile dominated by alkylated high molecular weight PAHs. This is in contrast to the pyrogenic (derived from combustion) profile which is the prevalent PAH contamination profile in San Francisco Bay. The high relative abundance of alkylated naphthalenes, the dominance of anthracene over phenanthrene, and the abundance of alkylated high molecular weight PAHs show Castro Cove to be unique. The low water solubility of the dominant PAH compounds suggests a local source and/or historical release (Newman, 1998).

Bioaccumulation Tests

Data Quality

The bioaccumulation data presented here should be interpreted with caution. Only one laboratory replicate of each sample was analyzed, so the precision of quantitative estimates of chemical bioaccumulation is unknown. Clams were exposed to additional laboratory replicates of each sample, but the storm event of February 2, 1998, cut power and access to the laboratory at which the samples were held in frozen storage, and the additional replicates thawed before power could be restored. In addition, control survival of clams over the 28-day exposure in one set of tests was less than recommended in the test protocol (ASTM, 1996). Because of these limitations, the data were not analyzed statistically, but rather were evaluated quantitatively only to determine whether they were at least ten times greater than comparable control values, or whether they exceeded EPA or NAS guidelines. While bioaccumulation data were not listed in the final weight-of-

evidence table, they provided a qualitatively indication of which sediment associated contaminants were bioavailable. Information about bioavailability should be considered along with sediment chemical concentrations to evaluate risks of biological impacts at test sites.

Chemicals Detected in Tissues of Exposed Clams

Chemicals or chemical classes found in exposed clam tissues at concentrations at least 10 times higher than in controls included copper, lead, total chlordanes, total DDTs, dieldrin, total PCBs, and low and high molecular weight PAHs (Table 19). Total DDT was found to exceed the NAS guideline for protection of wildlife in one sample (from Stege Marsh). US EPA screening levels for protection of human health were exceeded for total PCBs at Mission Creek, Pacific Drydock, San Leandro Bay and Stege Marsh. PCBs and mercury were two chemicals cited in the California Office of Environmental Health Hazard Assessment health advisory for fish consumption in San Francisco Bay and the Delta. While PCBs were highly accumulated in clam tissues after laboratory exposures, mercury never accumulated by more than a factor of about two over controls in these tests (Table 19a). There are a number of possible reasons for this, including: 1) clams were collected from Tomales Bay, which receives drainage from mercury mine operations, and control tissue levels may have been elevated prior to testing; 2) bioaccumulation rates are governed by organism physiology, and bivalves may not accumulate mercury as efficiently as other resident biota; and 3) methyl mercury is the most bioavailable form, and the degree of methylation in test sediments was unknown.

Stations with Samples Exhibiting Bioaccumulation

Bioaccumulation was measured in samples from 10 stations, including a reference station at Paradise Cove. Clams exposed to samples from this reference station and two other stations, Islais Creek and Warm Water Cove, did not accumulate any chemicals by factors ≥ 10 times control values, nor did they exceed NAS or EPA guidelines in these tests (Table 19d). Stations with chemicals that accumulated substantially in test clams included: Peyton Slough (copper and lead), Mission Creek (PCBs), Stege Marsh # 1 (PCBs), San Leandro Bay (lead and chlordanes), Pacific Drydock (lead, PCBs, low MW, high MW and total PAHs), Stege Marsh # 2 (DDTs, PCBs, low MW, high MW and total PAHs), and Stege Marsh # 3 (DDTs, Dieldrin, PCBs, high MW and total PAHs). These data can be interpreted qualitatively to indicate that chemicals in these samples were bioavailable and were capable of accumulating in tissues of exposed organisms.

Benthic Community Structure

Data Quality

All benthic community analyses followed the quality control procedures described in the Methods section of this report and in the BPTCP QAPP (Stephenson et al., 1994). All resulting data met the quality assurance criteria described in Stephenson et al. (1994).

Benthic Community Structure at Sampled Stations

Benthic communities were classified as degraded (Relative benthic Index [RBI] ≤ 0.30) in samples from five of the 22 stations studied (23%; Table 20). No living organisms were found in samples from either of the Stege Marsh stations. Two stations in Islais Creek had degraded

benthos, determined primarily by the absence of amphipods or mollusks. One station in Mission Creek had an RBI of 0.00, based primarily on the dominance of pollution tolerant *Oligochaetes* (Appendix F). This and a sample from another Mission Creek station had no mollusks and only one amphipod between them.

Stations with RBI values above 0.30 but still relatively low (transitional category: 0.31 to 0.60) included Peyton Slough (no mollusks), and the San Pablo Bay Island # 1 reference station (no amphipods). Other characterizations of benthic communities at this San Pablo Bay station have indicated possible benthic impacts (RMP, 1997). Most of the samples from San Leandro Bay were characterized as non-impacted, though two of these were right at the RBI cutoff value of 0.60 (Table 20). (Limitations regarding the use of RBI values and associated thresholds are considered in the Methods section.) The other two sediment reference sites, Paradise Cove and North South Bay, had transitional benthic communities, with no mollusks present at Paradise Cove. These reference sites have been shown to have relatively low pollutant concentrations (Hunt et al., 1998), and the characterizations of benthic communities at these sites as transitional (moderately impacted) reflects the difficulty in assessing pollution impacts on benthic communities in an area subject to high levels of physical and biological disturbance. These difficulties are important considerations in interpreting the results of benthic analyses here. Many of the stations sampled are subjected to either very low or very high salinity, grain size and TOC fluctuations, and severe biological impacts from exotic species invasions.

Relationships between Sediment Chemistry and Biological Effects

Principal Components Analysis and Correlations

Many chemical classes have affinities for sediment particles, and chemical concentrations in sediments tend to covary. Principal Components Analysis (PCA) of 46 samples for which synoptic chemical and biological data were collected found a number of incidences of chemical covariance. Many of these covarying groups of chemicals (PCA factors) were negatively associated with biological indicators (i.e., as concentrations increased, normal biological function decreased).

Amphipod survival in toxicity tests was negatively associated with concentrations of a number of covarying chemicals (Table 21). Of these, chlordanes and the PAH 2-methylnaphthalene were also found to be significantly negatively correlated with amphipod toxicity in Spearman Rank (univariate) correlations, and had at least some samples with concentrations above ERM guideline values. Principal Components Analysis also indicated that amphipod survival was negatively associated with the number of chemicals exceeding ERM guidelines and the mean ERM quotient.

No significant associations were found between chemical concentrations and sea urchin development in undiluted porewater, probably because sea urchin development was not affected by some samples and was almost completely inhibited by others, and the lack of intermediate response provided insufficient resolution to elicit significant correlations. Sea urchin development in 50% and 25% porewater dilutions were negatively associated with a number of

metals in PCA, and four of these metals (Cd, Cu, Ag, and Zn) were found at concentrations above ERMs, indicating potential for causal associations with biological effects. Summary ERM quotients for trace metals and mean ERM quotient values also were negatively associated with sea urchin embryo/larval development in the PCA. While these factors were associated with toxicity in PCA, and concentrations were above those associated with biological effects in other studies (e.g., Long et al., 1995), none were significantly correlated with toxicity in univariate correlations, as will be discussed at the end of this section.

Sea urchin embryo/larval development at the sediment-water interface (SWI) was negatively associated with concentrations of a number of chemicals in PCA. Of these, a number of metals were both correlated with toxicity and had concentrations above guideline values (Table 21). These included cadmium, copper and zinc. The number of chemicals exceeding ERM guideline values was also correlated with SWI toxicity.

The Relative Benthic Index was associated with chemical mixtures in PCA. The summary metal ERM quotient and the mean ERM quotient were both negatively associated with benthic community structure indices (Table 21).

Toxicity Identification Evaluations

The Toxicity Identification Evaluations (TIEs) reported here were conducted by exposing sea urchin embryos to samples of sediment porewater and to test solutions produced by chemical and physical fractionation of porewater. Sea urchin embryos are sensitive indicators of a number of toxins, and are known to be sensitive to trace metals, notably copper, silver, and zinc (Bay et al., 1993). TIE concepts and techniques are described in the Methods section.

Guadalupe Slough

In the initial test of porewater from Guadalupe Slough (Station 21041, Figure 2d), no embryos developed normally in 100% porewater, and 98% developed normally in 25% porewater. TIE treatments used 100%, 50% and 25% porewater, plus blanks for each treatment. The control and 25% porewater treatment in the TIE baseline test had high rates of normal development, while toxicity increased from 50% to 100% porewater. (The baseline test is conducted with the original unmanipulated sample for comparison with concurrently tested TIE treatments.) Of all the TIE treatments, only addition of EDTA substantially reduced sample toxicity (Table 22). Since EDTA binds divalent cations, this indicates that trace metals were responsible for the observed toxicity. Filtration through the C-8 column slightly reduced toxicity, more so than did simple filtration on glass fiber filters, but compounds eluted from the column were not toxic, indicating that organic compounds were marginally, if at all, responsible for sample toxicity. Of the trace metals measured in Guadalupe Slough samples, only nickel was above the ERM guideline value (Table 16). However, since chemical analyses were conducted only on bulk-phase sediment, and no SEM-AVS analyses were conducted at this site, no information is available to predict metal bioavailability. Analysis of porewater metal concentrations would allow comparisons with known effects concentrations to develop a toxic units approach to identify chemicals causing toxicity.

Peyton Slough

The Peyton Slough porewater sample was highly toxic, with toxicity being detected in porewater diluted to 13% strength in the initial test (Table 23). The TIE tested concentrations up to 15% porewater, which elicited 0% normal sea urchin embryo/larval development in the baseline test. Toxicity was reduced by addition of EDTA, addition of STS, and filtration with both glass fiber filters and C-8 columns. Since the C-8 column eluate was not toxic, physical filtration rather than removal of organic compounds was apparently responsible for toxicity reduction in this treatment. Both EDTA and STS have been shown to strongly remove toxicity due to copper, cadmium and mercury (Hockett and Mount, 1996). The filtration process used in this TIE trapped clay and other sediment particles on filters through which remaining sample passed, and charged clay particles are effective at removing ionic metals from solution. Chemical analyses of bulk-phase sediment from Peyton Slough indicated high concentrations of copper, zinc, cadmium and other metals (Table 16), though SEM-AVS measurements indicated that these metals might not be bioavailable in this particular sample (Table 18). As mentioned previously, metal binding by AVS occurs primarily in anaerobic sediments, and the SEM-AVS relationship may not apply to the surficial sediments evaluated here. The combined evidence indicates that copper, zinc, or combined metal concentrations were responsible for sediment toxicity at Peyton Slough. Analysis of porewater metals would help clarify causes of toxicity at this site.

Stege Marsh

Since Stege Marsh samples were highly toxic to sea urchins in SWI exposures (Table 14), overlying water in SWI exposures was treated with EDTA to investigate whether toxicity was due to fluxes of trace metals from these solid-phase samples. Samples from Stege Marsh stations # 1 and # 2 were highly toxic, and EDTA addition did not reduce toxicity. Sea urchin normal development was 19% in the SWI exposure of the Stege Marsh # 3 sample. This toxicity was partially reduced by EDTA addition (Table 24). EDTA additions in themselves were not toxic, as indicated by control responses. This evaluation was not a comprehensive Phase I TIE, and few alternative hypotheses regarding causes of toxicity could be ruled out by the resulting data. The high toxicity of the Stege Marsh # 3 sample may have been at least partially due to divalent cationic trace metals (such as copper, zinc, etc.). The even higher toxicity of samples from Stege Marsh # 1 and # 2 were due either to compounds other than divalent cationic trace metals, to other compounds and divalent cationic trace metals, or at least partially to divalent cationic metals that existed at concentrations high enough to overwhelm the binding capacity of the EDTA. The large number of chemicals above guideline values at these sites (Table 16) indicates the presence of elevated chemical mixtures that may overwhelm initial TIE attempts to resolve causes of toxicity. Identification of causal agents could be further explored by conducting the full suite of TIE manipulations on dilutions of overlying water (or porewater), with sequential treatments to isolate multiple chemicals. The extremes of salinity and pH at this site would also need to be accounted for in any assessments of porewater toxicity.

Gradient Studies

Sampling along geographical transects away from presumed highly polluted sites allows investigations of co-occurring trends in sediment chemistry and biological effects. It also provides opportunities for rough estimation of the spatial extent of pollution. Three sites were sampled in limited gradient studies during the confirmation phase of this project: Mission Creek, Islais Creek, and Peyton Slough. All three were narrow channels, and each gradient consisted of three stations originating at the most inland station (thought to be most highly polluted) and ending near the mouth of the channel as it approached the Bay. By definition, these study designs assumed declining chemical concentrations away from the most polluted site. However, in the complex depositional environment of San Francisco Bay, multiple chemicals from multiple sources often confound delineation of simple gradients, and trends in biological effects can be difficult to resolve with respect to a given suite of measured chemicals. The likely presence of unmeasured chemicals further complicates interpretation of gradient study results. An additional limitation is that samples were collected from only three stations along each gradient, the bare minimum for resolution of linear relationships. Trends in chemical concentrations and biological effects are discussed below.

Castro Cove

An extensive gradient study was conducted at Castro Cove in an earlier phase of the BPTCP. The results of those studies have been presented by Spies et al. (1993) and Flegal et al. (1994), and are not discussed further here.

Mission Creek

During the screening phase of this project, two stations were sampled in Mission Creek, one near the upper end and one near the mouth. The upper station is near a combined sewage overflow (CSO) and is closer to sources of urban runoff. The upper station was more toxic than the downstream station to both sea urchins and amphipods. The upper station also had higher levels of multiple pollutants, as indicated by the mean ERM quotients (Table 25).

Two years passed between screening and confirmation sampling, and chemical concentrations at the upper Mission Creek station increased substantially over this period (Table 25). Mean ERM quotients increased eightfold, and metals, PCBs, and total chlordanes were 5 to 15 times their initial concentrations. Since PCBs and chlordanes have been banned for more than twenty years, these increases were likely the result of resuspension of polluted sediments during storm events, or transport of contaminated particles in urban runoff and sewage overflow.

During the confirmation phase, three stations were sampled: one at the same upper site, one midway down the channel, and one near the mouth (more than 200 m from the original creek mouth station (Figures 7f and 8f). Concentrations of a number of chemicals, including PCBs, chlordanes, lead, mercury, silver and zinc, decreased downstream, as did the mean ERM quotient. Sea urchin SWI tests showed greatest toxicity at the upper station, with insignificant toxicity at the two stations further downstream. The upper station was most highly toxic to amphipods, with toxicity decreasing downstream. Downstream sites were

less toxic even though these lower stations had 100% fine grained sediment. Hydrogen sulfide may have influenced this trend in toxicity; the upper station was above threshold values for both sea urchins and amphipods, while neither lower station was (Tables 1 and 25). The upstream site sample also had low dissolved oxygen concentrations during amphipod testing. The relative benthic index (RBI) also increased downstream, with RBI values increasing from degraded (0.00), through transitional (0.34), to undegraded (0.65; Table 25). This limited data would indicate that measures of biological effects responded predictably to pollutants, including hydrogen sulfide. The high hydrogen sulfide levels indicate a potential for dissolved oxygen depletion, which may also have played a role in benthic impacts (though we have no direct evidence of this).

Islais Creek

Islais Creek has also been influenced by a CSO outfall near the upper sampling station, and receives urban runoff. In Islais Creek, the highest concentrations of multiple chemicals (ERMQ = 1.2), the highest concentrations of some classes of compounds (chlordanes, PCBs, low MW PAHs), the highest concentrations of ammonia and hydrogen sulfide, and the highest toxicity to both sea urchins and amphipods occurred at the upper station (Table 26). Chemical concentrations decreased by a factor of about two from the upper station to the two lower stations, but chlordanes and PCBs remained above guideline values, and ammonia remained above the sea urchin toxicity threshold. Amphipod survival, the relative benthic index, and sea urchin normal development were higher at the two downstream stations. The data describe a clear distinction between the upper site and the two lower sites, rather than a gradual linear transition along the gradient.

Peyton Slough

As discussed above, TIE results suggested that sea urchin larval development was inhibited by sediment trace metals at Peyton Slough. There was a clear copper gradient at this site, with the upper station having highly elevated copper concentrations (Table 27). Other metals, especially zinc, were also much higher at the upstream site, while the two lower stations were similar to each other with lower metals concentrations. While hydrogen sulfide was below the thresholds for sea urchins in the SWI tests, ammonia was above the sea urchin threshold at the mid-gradient site. Upper and mid-gradient samples were highly toxic to sea urchins, due presumably to copper and ammonia, respectively, while the furthest downstream station was non-toxic. Salinity was a complicating factor at Peyton Slough, since the ambient salinity of approximately 2‰ was well below the test salinity of 34‰. Salinity adjustment during testing presumably had a significant effect on metal bioavailability.

The amphipod test results indicate a more complicated situation. In the first survey, the upper Peyton Slough site was highly toxic to amphipods, with only 1% survival (Table 27b). The upper site was also significantly toxic in the second survey (69% survival), when it was sampled concurrently with mid and end gradient sites. However, the two downstream sites were more toxic than the upper site, even though they had generally lower concentrations of anthropogenic chemicals. The greatest toxicity was observed in the furthest downstream site, which had hydrogen sulfide concentrations slightly above threshold levels. Both

downstream stations had 100% fine grained sediment, while the upstream station was mostly sand. Hydrometer analysis of grain size at the lower two stations indicated mostly fine silts and clays, with 35% and 45% clay at the mid and lower gradient stations, respectively. High clay content may negatively affect survival of *Eohaustorius*, though this has not been clearly demonstrated. The Relative Benthic Index characterized all three stations as transitional. However, the mid-gradient station, with very high TOC, also had very high numbers of amphipods of the genus *Corophium* (Appendix F), indicating that factors other than sediment contamination may have affected benthic communities.

The sea urchin test was probably responding to trace metals along the gradient, with high ammonia causing additional toxicity at the mid-gradient station, while amphipods and resident fauna may have been more strongly influenced by other factors such as high clay content, TOC, and/or hydrogen sulfide.

Weight-Of-Evidence Categorization Of Stations

Data Available for Station Characterization

The stations investigated in this study have been categorized using available chemical, toxicological and benthic community data to indicate the relative degree of pollution observed. This characterization relies primarily on data from the BPTCP screening and confirmation surveys, with some additional data from earlier BPTCP-funded studies, especially the Pilot Regional Monitoring Program (PRMP). A substantial set of additional data on sediment and water quality in San Francisco Bay has been collected by the Regional Monitoring Program (RMP). RMP data was used only peripherally in the following station characterization, however, because of the different objectives and sampling strategy of that program. Rather than attempting to specifically identify toxic hot spots, as is an objective of the BPTCP, the RMP has focused on repeated monitoring of a consistent set of stations selected to characterize general Bay-wide conditions. Interested readers are encouraged to compare data presented here with that generated by the RMP (e.g., RMP, 1997) to get a broader perspective on the overall status of environmental quality in San Francisco Bay.

The following characterization was based on a weight-of-evidence approach described in the Methods section of this report. That section also discusses the use and limitation of threshold values used to characterize significant toxicity, elevated chemistry, and degraded benthos.

Station Characterization

Stations at three sites could be categorized as significantly polluted based on all three triad indicators: toxicity, elevated chemistry, and degraded benthic communities. These sites were Stege Marsh, Mission Creek and Islais Creek (Table 28). Two stations at Stege Marsh (# 1 and # 2) were highly toxic to both test species, had highly elevated concentrations of numerous chemicals and had no living benthic organisms. The third Stege Marsh station had similarly elevated chemistry and high toxicity, but was not sampled to characterize the benthos. The site is unusual in that some sediment porewater had extremely low pH (pH < 4), and much of the area is high intertidal marsh subject to elevated salinity.

Mission Creek and Islais Creek had similar pollution profiles: elevated chemistry, often, but not always associated with elevated ammonia and/or hydrogen sulfide; high toxicity to both species, and degraded benthos (Table 28). These sites are described in more detail in the Gradient Studies section above.

Three stations were placed in the third category for highly elevated concentrations of mercury and/or PCBs, two chemicals identified in the fish consumption advisory (Table 28). Of these, Point Portrero is notable for having the highest concentrations of both mercury and PCBs sampled in the Bay during this study (Table 17, see data for both Pt. Portrero stations, 1 and 2). The PCB concentrations at this site were 110 times the ERM value.

A number of stations had significant toxicity and elevated chemistry (Category IV, Table 28). These included Pacific Drydock, Castro Cove, Peyton Slough, San Leandro Bay Site 1, Central Basin along the San Francisco waterfront, and the Fruitvale station in Oakland Harbor. Many of the stations have been discussed in more detail in the preceding sections. Pacific Drydock sediments were likely affected by industrial and storm water inputs; Castro Cove had highly elevated concentrations of various PAHs with a unique chemical signature; Peyton Slough had highly elevated trace metals, especially copper, that were potentially responsible for toxicity in a TIE, and were investigated in a gradient study; San Leandro Bay has been sampled at 7 stations, a number of which showed some pollution impacts warranting further investigation; toxicity at Central Basin may have been related to ammonia or sulfide, though 8 chemicals there exceeded ERM values; and Oakland Fruitvale, which is also influenced by a storm drain, and had toxicity coincident with extremely high ammonia in one survey, but also had toxicity without elevated ammonia in a second survey.

Many of the San Leandro Bay stations were placed in the fifth category; they had elevated chemistry and significant toxicity, but benthic communities appeared to be relatively undegraded (Tables 20 and 28). Samples contained numerous amphipods, mollusks, and polychaetes. Many of the amphipods identified from these samples were of the genus *Grandidierella*, which apparently has some ability to adapt to pollution stress (Swartz et al., 1994).

The remaining stations are listed in rough order of decreasing pollution, according to the categorization criteria (Table 28; see also the Methods section). A number of stations had all available chemistry, toxicity and benthic community measures below thresholds, indicating low probability of pollution impacts. Reference site stations generally had low chemistry, low toxicity, and transitional benthos (Category VIII, Table 28). As mentioned earlier, the San Pablo Bay Island # 1 reference site did have a toxic sample and a low RBI value in one survey, exemplifying the fact that sites used in determining reference envelope toxicity tolerance limits were not pristine (Hunt et al., 1998).

CONCLUSIONS

Study Limitations

One of the primary objectives of this study was to screen a large number of sites in San Francisco Bay for indications of degraded sediment quality, and then to confirm initial findings by subsequent use of the sediment quality triad suite of toxicity, chemistry, and benthic community analyses. While this was an effective way to focus attention on the most highly polluted sites sampled, the large scope of the surveys limited opportunities to intensively investigate each site. While data from some sites clearly indicated severe pollution, additional studies are required to understand relationships between chemistry and biological effects at many stations. The large number of stations were categorized based on a number of generalized assumptions inherent in the threshold values used to differentiate sites. Data reduction for purposes of site comparison limited the level of detail to which interpretations were made. Readers interested in specific sites are encouraged to examine the data presented in the Appendices for additional detailed information that might be brought to bear on site assessments.

Funding constraints precluded conducting all analyses at all sites. Many samples that were not acutely toxic during screening were not further investigated. Many chemicals are known to be chronically toxic at concentrations that might not elicit acute toxicity in the screening tests used in this program. Also, food web biomagnification of many chemicals leads to effects on higher organisms that cannot be predicted with toxicity tests. The fact that a site was not acutely toxic should not imply that pollution problems did not exist. Logistical constraints also limited the list of chemicals for which analyses were conducted. A great number of anthropogenic chemicals are known to be present in the environment, of which the list of approximately 140 chemicals measured in the present study is just a fraction. Literature comparisons and sediment quality guideline values were generally used to screen for chemical potential to induce biological effects, even though bioavailability is sample-specific. This limitation is discussed in detail in the Methods section, and is mentioned below. The use and interpretation of benthic community analyses was impeded by the uncertainties regarding characterizations of "normal" and "degraded" assemblages in San Francisco Bay. As mentioned before, extreme seasonal salinity changes and ecological instability from successive waves of invading species make Bay benthos difficult to characterize. Finally, bioaccumulation data should be considered in a qualitative rather than quantitative sense, due to the lack of replication, as described above.

No attempts were made to determine the spatial extent of pollution, either vertically or horizontally. This information will be necessary in many cases to support management decisions.

Completion of Study Objectives

After screening 127 stations from throughout the Bay area, and returning to 12 of those for more intensive analysis during the confirmation stage, this study was successful in identifying several locations that could be described as highly polluted. The study also indicated that 21% of the samples tested were toxic to amphipods, 31% had porewater toxic

to sea urchin embryos, and 33% were toxic to sea urchin embryos exposed at the sediment-water interface. Preliminary statistical analyses indicated a number of chemicals that were correlated with biological effects, suggesting hypotheses for further investigations of the causes of sediment toxicity in San Francisco Bay.

Sites Demonstrating the Highest Levels of Pollution and Biological Effects

A number of sites had numerous chemicals with concentrations above guideline values, high concentrations of chemical mixtures, and significant biological effects. Benthic assessments were not conducted at all of these sites (and were difficult to interpret at many), so categorization and prioritization depended on the magnitude of concentrations and effects. The sites exhibiting highest chemical concentrations and most severe biological effects included: Stege Marsh, Mission Creek, Islais Creek, Point Portrero (notable for extremely high PCB and mercury concentrations), Pacific Drydock, Castro Cove, Peyton Slough, and San Leandro Bay. Many of these sites were influenced by multiple pollutant sources, including local industrial activities, urban runoff through creeks and storm drains, sewage overflows, and distant sources from which chemicals were transported through complex hydrologic and atmospheric processes.

Chemicals Of Concern

Chemicals Identified in the Fish Advisory

Mercury and total PCBs were identified in the California Office of Environmental Health Hazard Assessment health advisory on consuming fish caught in San Francisco Bay and the Delta. These chemicals were found at elevated concentrations in a number of sediment samples analyzed in this study (Table 17). PCBs, but not mercury, were accumulated to high levels in clams exposed to 6 of 10 sediment samples tested (Table 19). Mercury, but not PCBs, was found to be correlated with toxicity to sea urchins in sediment-water interface exposures (Table 21). The relationship between sediment concentrations of these chemicals and their presence in fish tissues depends on complex geochemical and ecological mechanisms that were not evaluated in this study. However, the historical nature of PCB and mercury use, and their presence at elevated concentrations in sediment, indicate that Bay sediments are a likely current source of these chemicals of concern for human health.

Chemicals Correlated with Biological Effects

All biological indicators in this study showed negative covariance (increasing concentration and decreasing biological function) with sediment quality guideline quotient means, number of chemicals exceeding guideline values, or both, in Principal Components Analyses (PCA). Chemicals identified by PCA that also exceeded guideline values and were significantly correlated with decreases in biological indicators included: total chlordanes and 2-methylnaphthalene (with amphipod toxicity); cadmium, copper, silver, and zinc (with sea urchin porewater toxicity); and cadmium, copper, and zinc (with sea urchin SWI toxicity; Table 21).

Chemicals Elevated Above Sediment Quality Guidelines

Sediment quality guidelines, as described in the Methods section, are chemical concentrations derived empirically from a large number of studies nationwide, and allow simple comparisons to concentrations shown to be associated with biological effects. This comparison is useful for perspective, but does not necessarily indicate that chemicals with concentrations above guideline values are responsible for any observed impacts. Only site-specific intensive investigations, using TIEs and other methods, can be used to determine causal relationships.

In the present study, numerous chemicals were found at concentrations exceeding guideline (ERM) values (Table 16). Of these, chlordanes, PCBs, DDTs, PAHs, dieldrin, copper, mercury, lead and zinc were commonly found above ERM values. In addition, hexachlorobenzene and chlorpyrifos, for which no ERM values are available, were often found at concentrations above the 90th percentile of the statewide BPTCP database. Overall concentrations of chemical mixtures were high at many sites, with 9 sites having mean ERM quotients above the 95th percentile of the statewide distribution.

Chemicals Elevated in Animal Tissues

Nine chemicals or chemical classes were found to bioaccumulate to elevated levels in clams exposed to 10 samples from the Bay: copper, lead, total chlordanes, total DDTs, dieldrin, total PCBs, low MW PAHs, high MW PAHs, and total PAHs. The identification of these chemicals was dependent on the particular samples tested, the physiology of the clam *Macoma nasuta*, and the 28-day exposure period of the laboratory tests. These results can be used qualitatively to indicate that many sediment-associated chemicals evaluated in this study were bioavailable, and that Bay sediments may be a source for many chemicals to which biological resources are exposed.




Figure 4a. Results of Amphipod Toxicity Screening for Stations in Suisun Bay.




Figure 4b. Results of Amphipod Toxicity Screening for Stations in San Pablo Bay.




Figure 4c. Results of Amphipod Toxicity Screening for Stations in Central San Francisco Bay.




Figure 4d. Results of Amphipod Toxicity Screening for Stations in South San Francisco Bay.




Figure 4e. Results of Amphipod Toxicity Screening for Stations in Oakland.




Figure 4f. Results of Amphipod Toxicity Screening for Stations in San Francisco.




Figure 4g. Results of Amphipod Toxicity Screening for Stations in Tomales Bay and Bolinas Lagoon.




Figure 5a. Results of Porewater Toxicity Screening for Stations in Suisun Bay.




Figure 5b. Results of Porewater Toxicity Screening for Stations in San Pablo Bay.




Figure 5d. Results of Porewater Toxicity Screening for Stations in South San Francisco Bay.




Figure 5e. Results of Porewater Toxicity Screening for Stations in Oakland.




Figure 5f. Results of Porewater Toxicity Screening for Stations in San Francisco.




Figure 5g. Results of Porewater Toxicity Screening for Stations in Tomales Bay and Bolinas Lagoon.




Figure 6a. Results of Sediment-Water Interface Toxicity Screening for Stations in Suisun Bay.




Figure 6b. Results of Sediment-Water Interface Toxicity Screening for Stations in San Pablo Bay.




Figure 6c. Results of Sediment-Water Interface Toxicity Screening for Stations in Central San Francisco Bay.




Figure 6d. Results of Sediment-Water Interface Toxicity Screening for Stations in South San Francisco Bay.




Figure 6e. Results of Sediment-Water Interface Toxicity Screening for Stations in Oakland.




Figure 6f. Results of Sediment-Water Interface Toxicity Screening for Stations in San Francisco.




Figure 6g. Results of Sediment-Water Interface Toxicity Screening for Stations in Tomales Bay and Bolinas Lagoon.




Figure 7a. Results of Amphipod Toxicity Confirmation for Stations in Suisun Bay.




Figure 7b. Results of Amphipod Toxicity Confirmation for Stations in San Pablo Bay.




Figure 7c. Results of Amphipod Toxicity Confirmation for Stations in Central San Francisco Bay.




Figure 7d. Results of Amphipod Toxicity Confirmation for Stations in South San Francisco Bay.




Figure 7e. Results of Amphipod Toxicity Confirmation for Stations in Oakland.




Figure 7f. Results of Amphipod Toxicity Confirmation for Stations in San Francisco.




Figure 7g. Results of Amphipod Toxicity Confirmation for Stations in Tomales Bay and Bolinas Lagoon.




Figure 8a. Results of Sediment Water Interface Toxicity Confirmation for Stations in Suisun Bay.




Figure 8b. Results of Sediment Water Interface Toxicity Confirmation for Stations in San Pablo Bay.




Figure 8c. Results of Sediment Water Interface Toxicity Confirmation for Stations in Central San Francisco Bay.




Figure 8d. Results of Sediment Water Interface Toxicity Confirmation for Stations in South San Francisco Bay.




Figure 8e. Results of Sediment Water Interface Toxicity Confirmation for Stations in Oakland.




Figure 8f. Results of Sediment Water Interface Toxicity Confirmation for Stations in San Francisco.




Figure 8g. Results of Sediment-Water Interface Toxicity Confirmation for Stations in Tomales Bay and Bolinas Lagoon.




Figure 9a. Mean ERM Quotient Values for Stations in Suisun Bay.




Figure 9b. Mean ERM Quotient Values for Stations in San Pablo Bay.




Figure 9c. Mean ERM Quotient Values for Stations in Central San Francisco Bay.




Figure 9d. Mean ERM Quotient Values for Stations in South San Francisco Bay.




Figure 9e. Mean ERM Quotient Values for Stations in Oakland.




Figure 9f. Mean ERM Quotient Values for Stations in San Francisco.




Figure 9g. Mean ERM Quotient Values for Stations in Tomales Bay and Bolinas Lagoon.




Figure 10a. Total PCB Concentrations at Stations in Suisun Bay.




Figure 10b. Total PCB Concentrations at Stations in San Pablo Bay.




Figure 10d. Total PCB Concentrations at Stations in South San Francisco Bay.




Figure 10e. Total PCB Concentrations at Stations in Oakland.




Figure 10f. Total PCB Concentrations at Stations in San Francisco.




Figure 10g. Total PCB Concentrations at Stations in Tomales Bay and Bolinas Lagoon.




Figure 11a. Mercury Concentrations at Stations in Suisun Bay.




Figure 11b. Mercury Concentrations at Stations in San Pablo Bay.




Figure 11c. Mercury Concentrations at Stations in Central San Francisco Bay.




Figure 11d. Mercury Concentrations at Stations in South San Francisco Bay.




Figure 11e. Mercury Concentrations at Stations in Oakland.




Figure 11f. Mercury Concentrations at Stations in San Francisco.




Figure 11g. Mercury Concentrations at Stations in Tomales Bay and Bolinas Lagoon.





Figure 12a. Total Chlordane Concentrations at Stations in Suisun Bay.

Figure 12b. Total Chlordane Concentrations at Stations in San Pablo Bay.






Figure 12c. Total Chlordane Concentrations at Stations in Central San Francisco Bay.




Figure 12e. Total Chlordane Concentrations at Stations in Oakland.




Figure 12f. Total Chlordane Concentrations at Stations in San Francisco.




Figure 12g. Total Chlordane Concentrations at Stations in Tomales Bay and Bolinas Lagoon.

Table 13. Toxicity Screening, Solid-Phase Amphipod Tests. *Eohaustorius* amphipods were tested at all sites except San Bruno Channel #2 and PG&E Levinson, which used *Hyalella*. Un-ionized ammonia and hydrogen sulfide values are in mg/L. Arrows ^ indicate NH3, H2S or both above threshold concentrations. T and NT indicate significant toxicity (T) based on t-tests and 90th percentile MSD criteria. Values in parentheses near reference envelope tolerance limit are survival as a percent of lab controls. Controls for all tests ranged from 90% to 100% survival.

Station	Station Number	Sample Number	Amphipod Survival %	T/ NT	NH3	H2S	^
Stege Marsh #1	21401.0	1795	0	T	0.001	nd	
Stege Marsh #2	21402.0	1796	0	T	0.001	0.0544	
Stege Marsh #3	21403.0	1797	0	T	0.107	nd	
Peyton Slough-Upper-Site 2	21006.0	1483	1	T	0.010	0.0450	
Mission Creek- Site 1	21030.0	1507	5	T	0.232	0.1123	
Pacific Drydock Yard 1	21023.0	1500	14	T	0.131	0.1347	^
Peyton Slough- End Gradient	21306.0	1740	14	T	0.049	0.1420	^
Oakland-Fruitvale	21026.0	1503	16	T	4.353	0.3030	^^
San Leandro Bay-Site 1	21027.0	1504	26	T	0.010	0.0220	
Tomales Bay-Marconi Cove-Rep 1	20009.0	1231	32	T	0.010	0.0046	
Castro Cove	20010.0	1410	33	T	0.009	0.0150	
San Leandro Bay-Site 3	21310.0	1755	40	T	0.032	0.0199	
Islais Creek- End Gradient	21304.0	1737	49	T	0.261	0.0606	
Tomales Bay-Marconi Cove-Rep 2	20009.0	1232	53	T	0.006	0.0085	
Tomales Bay-Marconi Cove-Rep 2	20009.0	1408	54	T	0.016	0.0260	
Carlson Creek	21404.0	1798	54	T	0.052	nd	
Islais Creek	20011.0	1411	57	T	0.330	0.9700	^
Mission Creek- Mid Gradient	21301.0	1733	58	T	0.086	0.0959	
Peyton Slough- Mid Gradient	21305.0	1739	59	T	0.990	0.0459	^
Waldo Point	21307.0	1746	59	T	0.031	0.0524	
Oakland Inner Hbr.-Schnitzer	21022.0	1499	60	T	0.016	0.0190	
Mayfield Slough-Near Sand Pt.	21043.0	1520	60	T	0.007	0.0114	
San Leandro Bay-Site 4	21311.0	1756	65 (66)	T	0.047	0.0569	
Reference Envelope Tolerance Limit For <i>Eohaustorius</i> = 69.5% of Control Survival (P = 10, α = 0.05)							
Tomales Bay-Marconi Cove-Rep 3	20009.0	1233	65 (70)	NT	0.044	0.0080	
Tomales Bay-Marconi Cove-Rep 2	20009.0	1470	67 (73)	NT	0.005	nd	
San Bruno Channel #2	21309.0	1752	67 (75)	NT	0.584	0.0052	
Alviso Slough	21088.0	1570	70	T	0.014	0.0008	
Alviso Slough	21088.0	1620	na	na	na	na	
San Leandro Bay-Site 6	21313.0	1758	70	T	0.021	0.0477	
Vallejo-Mare Is-Ship Anchorage	21008.0	1485	71	T	0.007	0.0079	
Santa Fe Channel- End	21015.0	1492	71	T	0.006	0.0749	
North Government Island	21025.0	1502	71	T	0.007	0.0093	
Oakland Inner Hbr.-Todd Shipyd	21021.0	1498	72	T	0.013	0.0111	
Steinberger Slough-Nr Freeway	21040.0	1517	72	T	0.018	0.0542	
Richmond Rod And Gun	21067.0	1547	72	NT	0.007	nd	
Redwood Creek - BA40	21085.0	1567	72	T	0.010	nd	
Redwood Creek BA40	21085.0	1621	na	na	na	na	
North Reserve Fleet-Suisun	21001.0	1478	73	T	0.014	0.0009	
San Leandro Bay -Site 2	21028.0	1505	73	NT	0.007	0.0081	

Table 13 (Continued). Toxicity Screening, Amphipods.

Station	Station Number	Sample Number	Amphipod Survival %	T/ NT	NH3	H2S	^
Bolinas Lagoon	20008.0	1576	74	NT	0.004	nd	
Vallejo-Mare Island-North Side	21007.0	1484	74	NT	0.004	0.0041	
Steinberger Slough- Nr Mouth	21039.0	1516	74	NT	0.007	0.0060	
Bolinas-Audubon Cyn.-Rep 3	20008.0	1230	75	NT	0.040	0.0199	
San Leandro Bay-Site 5	21312.0	1757	76	NT	0.030	0.0338	
Sierra Point	21035.0	1512	77	NT	0.007	0.0093	
Lake Merrit - MW #307.5	21057.0	1537	77	NT	0.033	nd	
Tomales Bay-Marconi Cove-Rep 1	20009.0	1407	78	NT	0.009	0.0110	
Mayfield Slough-Nr Cooley Ldng	21042.0	1519	78	NT	0.023	0.0034	
Gashouse Cove - Laguna St. CSO	21079.0	1561	78	NT	0.009	0.0034	
Point Portrero- Site 2	21014.0	1491	79	NT	0.006	0.0244	
Corte Madera Marsh - MC51	21072.0	1554	79	NT	0.014	nd	
Pacific Drydock - Ppd #3	21081.0	1563	79	NT	0.007	nd	
Coyote Creek - CX	21087.0	1569	79	NT	nd	nd	
South Bay Basin - BA20	21090.0	1572	79	NT	0.005	nd	
Treasure Island-Clipper Cove	20012.0	1471	80	NT	0.009	nd	
South India Basin-Site 2	21034.0	1511	80	NT	0.012	0.0180	
Gallinas Creek- MD20	21062.0	1542	80	NT	0.005	nd	
Gallinas Creek-MD20	21062.0	1613	na	na	na	na	
Sansome Street CSO - Pier 31	21073.0	1555	80	NT	0.015	0.0047	
Brannan Street CSO - Pier 32	21075.0	1557	80	NT	0.015	0.0036	
Mission Creek- End Gradient	21302.0	1734	80	NT	0.021	0.1018	
Cerrito Creek Mouth	21018.0	1495	81	NT	0.059	0.0242	
Islais Creek- Mid Gradient	21303.0	1736	81	NT	0.027	0.0608	
Warm Water Cove #2	21308.0	1747	81	NT	nd	0.1148	
Treasure Island - Clipper Cove	21071.0	1553	82	NT	0.011	0.0050	
Howard Street CSO	21074.0	1556	82	NT	nd	nd	
S.F. Airport - South	21084.0	1566	82	NT	0.007	nd	
Bolinas-Audubon Cyn.-Rep 1	20008.0	1228	83	NT	0.009	0.0090	
Richmond Inner Hbr.-Hoffman Mr	21017.0	1494	83	NT	0.044	0.0116	
San Francisco- Pier 7	21029.0	1506	83	NT	0.011	0.0074	
Mission Creek- Site 2	21031.0	1508	83	NT	0.008	0.0562	
Mowry Slough	21046.0	1523	83	NT	0.006	0.0071	
Tolay Creek Mouth- MD31	21064.0	1544	83	NT	0.006	nd	
Oyster Point (East)-Site 2	21037.0	1514	84	NT	0.006	0.0130	
San Bruno Channel	21038.0	1515	84	NT	0.010	0.0126	
Dumbarton Bridge - BA30	21091.0	1573	84	NT	0.003	nd	
Tomales Bay-Marconi Cove-Rep 3	20009.0	1409	85	NT	0.009	0.0240	
Oyster Point (West)-Site 1	21036.0	1513	85	NT	0.005	0.0249	
Guadalupe Slough	21041.0	1518	85	NT	0.052	0.0842	
Grizzly Bay- Rmp BF20	21050.0	1530	85	NT	0.003	nd	
South Basin - Yosemite Crk CSO	21092.0	1577	85	NT	0.002	nd	
Pg&E/Levinson	21315.0	1760	85	NT	0.074	0.0095	
Point Portrero- Site 1	21013.0	1490	86	NT	0.029	0.0058	

Table 13 (Continued). Toxicity Screening, Amphipods.

Station	Station Number	Sample Number	Amphipod Survival %	T/ NH3 NT	H2S	^
Pacific Drydock Yard 2	21024.0	1501	86	NT 0.013	0.0070	
North India Basin-Site 1	21033.0	1510	86	NT 0.023	0.0019	
Dow Chemical- Kirker Creek	21049.0	1529	86	NT 0.002	nd	
Hill Slough- MF21	21052.0	1532	86	NT 0.003	nd	
Yerba Buena Island - Naval Stn	21070.0	1550	86	NT 0.022	nd	
Redwood Creek - West	21086.0	1568	86	NT 0.005	nd	
Peyton Slough-Mouth-Site 1	21005.0	1482	87	NT 0.005	0.5190	^
Cordornices Creek Mouth	21019.0	1496	87	NT 0.082	0.0138	
Coyote Slough-@Fixed R/R Bridg	21047.0	1524	87	NT 0.004	0.0030	
Semple Point-M.W. Va-7	21055.0	1535	87	NT 0.004	nd	
Central Basin - Outer	21077.0	1559	87	NT 0.014	0.0011	
S.F. Airport - Seaplane Harbor	21082.0	1564	87	NT nd	nd	
Pacheco Cr-Above Bridge-Site 2	21004.0	1481	88	NT 0.009	0.0084	
San Pablo Bay- Hamilton	21010.0	1487	88	NT 0.004	0.0110	
Richmond Harbor	21016.0	1493	88	NT 0.016	0.0279	
Sonoma Creek- MD33	21065.0	1545	88	NT 0.010	nd	
Sonoma Creek-MD33	21065.0	1614	na	na na	na	
Emeryville Marsh	21020.0	1497	89	NT 0.012	0.0040	
Boynton Slough- MF10	21051.0	1531	89	NT 0.003	nd	
Suisun Slough	21053.0	1533	89	NT 0.004	nd	
Selby - S2	21056.0	1536	89	NT 0.004	nd	
Napa Slough- MD32	21066.0	1546	89	NT 0.008	nd	
Central Basin - Inner	21076.0	1558	89	NT 0.009	0.0030	
Bolinas-Audubon Cyn.-Rep 2	20008.0	1229	90	NT 0.006	0.0119	
South Reserve Fleet-Suisun	21002.0	1479	90	NT 0.007	0.0055	
Chadborne Slough- MF13	21054.0	1534	91	NT 0.019	0.0030	
Chadborne Slough-MF13	21054.0	1615	na	na na	na	
Pg&E-Vallejo-Coal Gas Plant	21058.0	1538	91	NT 0.004	nd	
Pacific Drydock - I-T4	21080.0	1562	91	NT 0.003	nd	
S.F. Airport - Central	21083.0	1565	91	NT 0.029	0.0030	
Novato Creek- MD21	21063.0	1543	92	NT 0.006	nd	
Novato Creek-MD21	21063.0	1618	na	na na	na	
Silva Island Marsh- MC61	21068.0	1548	92	NT 0.068	nd	
Silva Island Marsh-MC61	21068.0	1616	na	na na	na	
Pacheco Cr-Near Mouth-Site 1	21003.0	1480	93	NT 0.008	0.0078	
Petaluma River Mouth- BD20	21059.0	1539	93	NT 0.004	nd	
Miller Creek- MD10	21060.0	1540	93	NT 0.004	nd	
Miller Creek- MD11	21061.0	1541	93	NT 0.007	nd	
Miller Creek-MD11	21061.0	1617	na	na na	na	
Potrero Point-Warm Water Cove	21032.0	1509	95	NT 0.017	0.0190	
Sausalito Harbor-Anderson B.Y.	21069.0	1549	96	NT 0.012	nd	
Sausalito Harbor-Anderson B.Y.	21069.0	1619	na	na na	na	
Ravenswood Slough - West	21089.0	1571	96	NT 0.007	nd	
San Leandro Bay-Site 7	21314.0	1759	96	NT 0.028	0.0787	

Table 14. Toxicity Screening, Sea Urchin Larvae. Results of sediment-water interface (SWI) and porewater (PW) sea urchin embryo/larval toxicity tests. San Bruno Channel #2 and PG&E Levinson samples were tested with *Ceriodaphnia* (96-h survival). Sea urchin data are percent normal development. Un-ionized ammonia and hydrogen sulfide values are in mg/L. Arrows ^ indicate NH3, H2S, or both above possible effective concentrations. T and NT indicate significant toxicity (T) based on t-tests and 90th percentile MSD criteria. na = not applicable, nd = non-detect. For consistency, stations are ordered according to amphipod toxicity (Table 13.)

Station	Station Number	Sample Number	SWI % Dev	T/NT	^ NH3	H2S	100% PW % Dev	T/NT	^ NH3	H2S	50% PW % Dev	T/NT	25% PW % Dev	T/NT
Stege Marsh #1	21401.0	1795	0	T	0.000	nd	na	na	na	na	na	na	na	na
Stege Marsh #2	21402.0	1796	0	T	0.001	nd	na	na	na	na	na	na	na	na
Stege Marsh #3	21403.0	1797	19	T	0.012	nd	na	na	na	na	na	na	na	na
Peyton Slough-Upper-Site 2	21006.0	1483	na	na	na	na	0	T	^ 0.011	0.024	0	T	1	T
Mission Creek- Site 1	21030.0	1507	na	na	na	na	0	T	^^ 1.201	0.920	0	T	0	T
Pacific Drydock Yard 1	21023.0	1500	na	na	na	na	97	NT	^ 0.028	0.021	96	NT	94	NT
Peyton Slough- End Gradient	21306.0	1710	81	NT	0.017	0.0020	na	na	na	na	na	na	na	na
Oakland-Fruitvale	21026.0	1503	na	na	na	na	94	NT	0.010	nd	96	NT	82	NT
San Leandro Bay-Site 1	21027.0	1504	na	na	na	na	93	NT	0.010	nd	93	NT	94	NT
Tomales Bay-Marconi -Rep 1	20009.0	1231	84	NT	0.008	0.0043	97	NT	^ 0.015	0.012	na	na	na	na
Castro Cove	20010.0	1410	97	NT	0.038	nd	96	NT	0.037	nd	na	na	na	na
San Leandro Bay-Site 3	21310.0	1755	94	NT	^ 0.039	0.0147	na	na	na	na	na	na	na	na
Islais Creek- End Gradient	21304.0	1737	76	NT	^ 0.312	0.0028	na	na	na	na	na	na	na	na
Tomales Bay-Marconi -Rep 2	20009.0	1232	na	na	na	na	92	NT	^ 0.012	0.023	na	na	na	na
Tomales Bay-Marconi -Rep 2	20009.0	1408	na	na	na	na	64	T	0.027	nd	na	na	na	na
Carlson Creek	21404.0	1798	24	T	0.021	nd	na	na	na	na	na	na	na	na
Islais Creek	20011.0	1411	0	T	^^ 0.083	0.0080	0	T	^^ 0.478	0.062	na	na	na	na
Mission Creek- Mid Gradient	21301.0	1733	98	NT	0.023	0.0039	na	na	na	na	na	na	na	na
Peyton Slough- Mid Gradient	21305.0	1739	0	T	^ 0.366	0.0044	na	na	na	na	na	na	na	na
Waldo Point	21307.0	1746	92	NT	0.060	0.0016	na	na	na	na	na	na	na	na
Oakland Inner Hbr.-Schnitzer	21022.0	1499	na	na	na	na	46	NT	0.064	nd	94	NT	93	NT
Mayfield Slough- Sand Pt.	21043.0	1520	na	na	na	na	94	NT	0.011	nd	91	NT	92	NT
Tomales Bay-Marconi -Rep 3	20009.0	1233	na	na	na	na	72	NT	0.007	0.004	na	na	na	na
San Leandro Bay-Site 4	21311.0	1756	19	T	0.047	0.0064	na	na	na	na	na	na	na	na
Tomales Bay-Marconi -Rep 2	20009.0	1470	96	NT	0.011	nd	91	NT	0.018	nd	na	na	na	na

Table 14 (Continued). Toxicity Screening, Sea Urchin Larvae.

Station	Station Number	Sample Number	SWI % Dev	T/NT ^	NH3	H2S	100% PW % Dev	T/NT ^	NH3	H2S	50% PW % Dev	T/NT	25% PW % Dev	T/NT
San Bruno Channel #2	21309.0	1752	na	na	na	na	na	na	na	na	na	na	na	na
Alviso Slough	21088.0	1570	na	na	na	na	76	NT	^	0.083	nd	na	na	na
Alviso Slough	21088.0	1620	98	NT	0.004	nd	na	na	na	na	na	na	na	na
San Leandro Bay-Site 6	21313.0	1758	96	NT	^	0.033	0.0171	na	na	na	na	na	na	na
Vallejo-Mare Is-Ship Anch	21008.0	1485	na	na	na	na	97	NT	^	0.030	0.008	98	NT	98
Santa Fe Channel- End	21015.0	1492	na	na	na	na	81	NT	^	0.068	0.038	92	NT	96
North Government Island	21025.0	1502	na	na	na	na	97	NT	0.021	nd	95	NT	90	NT
Oakland In. Hbr.-Todd Shipyd	21021.0	1498	na	na	na	na	48	T	0.065	nd	94	NT	92	NT
Steinberger Slough-Nr Frwy	21040.0	1517	na	na	na	na	85	NT	0.041	0.005	95	NT	93	NT
Richmond Rod And Gun	21067.0	1547	na	na	na	na	92	NT	0.028	nd	na	na	na	na
Redwood Creek - BA40	21085.0	1567	na	na	na	na	3	T	^	0.216	nd	na	na	na
Redwood Creek BA40	21085.0	1621	98	NT	0.002	nd	na	na	na	na	na	na	na	na
North Reserve Fleet-Suisun	21001.0	1478	na	na	na	na	89	NT	^	0.031	0.012	98	NT	98
San Leandro Bay -Site 2	21028.0	1505	na	na	na	na	5	T	^	0.090	nd	95	NT	94
Bolinas Lagoon	20008.0	1576	na	na	na	na	88	NT	0.024	nd	na	na	na	na
Vallejo-Mare Is.-North Side	21007.0	1484	na	na	na	na	98	NT	0.008	0.004	97	NT	97	NT
Steinberger Slough- Nr Mouth	21039.0	1516	na	na	na	na	91	NT	0.015	nd	90	NT	94	NT
Bolinas-Audubon Cyn.-Rep 3	20008.0	1230	na	na	na	na	95	NT	^	0.003	0.008	na	na	na
San Leandro Bay-Site 5	21312.0	1757	77	NT	0.060	0.0061	na	na	na	na	na	na	na	na
Sierra Point	21035.0	1512	na	na	na	na	89	NT	0.009	nd	89	NT	93	NT
Lake Merrit - Mw #307.5	21057.0	1537	na	na	na	na	93	NT	0.052	nd	na	na	na	na
Tomales Bay-Marconi -Rep 1	20009.0	1407	77	NT	0.004	nd	82	NT	0.049	nd	na	na	na	na
Mayfield Slough-Cooley Ldng	21042.0	1519	na	na	na	na	97	NT	0.031	nd	95	NT	87	NT
Gashouse Cove-Laguna St. CSO	21079.0	1561	na	na	na	na	12	T	^	0.279	nd	na	na	na
Point Portrero- Site 2	21014.0	1491	na	na	na	na	88	NT	^	0.045	0.021	92	NT	94
Corte Madera Marsh - MC51	21072.0	1554	na	na	na	na	89	NT	0.025	nd	na	na	na	na
Pacific Drydock - Ppd #3	21081.0	1563	na	na	na	na	89	NT	0.021	nd	na	na	na	na
Coyote Creek - CX	21087.0	1569	na	na	na	na	87	NT	0.031	nd	na	na	na	na
South Bay Basin - BA20	21090.0	1572	na	na	na	na	49	T	0.004	nd	na	na	na	na

Table 14 (Continued). Toxicity Screening, Sea Urchin Larvae.

Station	Station Number	Sample Number	SWI % Dev	T/NT ^	NH3	H2S	100% PW % Dev	T/NT ^	NH3	H2S	50% PW % Dev	T/NT	25% PW % Dev	T/NT
Treasure Island-Clipper Cove	20012.0	1471	95	NT	0.012	nd	94	NT	0.014	nd	na	na	na	na
South India Basin-Site 2	21034.0	1511	na	na	na	na	22	T	0.054	nd	94	NT	78	NT
Gallinas Creek- MD20	21062.0	1542	na	na	na	na	0	T	0.014	nd	na	na	na	na
Gallinas Creek-MD20	21062.0	1613	81	NT	nd	nd	na	na	na	na	na	na	na	na
Sansome Street CSO - Pier 31	21073.0	1555	na	na	na	na	8	T ^	0.300	nd	na	na	na	na
Brannan Street CSO - Pier 32	21075.0	1557	na	na	na	na	59	T	0.054	nd	na	na	na	na
Mission Creek- End Gradient	21302.0	1734	94	NT	0.026	0.0005	na	na	na	na	na	na	na	na
Cerrito Creek Mouth	21018.0	1495	na	na	na	na	97	NT ^	0.022	0.010	98	NT	98	NT
Islais Creek- Mid Gradient	21303.0	1736	45	T ^	0.105	0.0021	na	na	na	na	na	na	na	na
Warm Water Cove #2	21308.0	1747	90	NT	0.047	0.0016	na	na	na	na	na	na	na	na
Treasure Island - Clipper Cove	21071.0	1553	na	na	na	na	26	T ^	0.088	nd	na	na	na	na
Howard Street CSO	21074.0	1556	na	na	na	na	33	T	0.016	nd	na	na	na	na
S.F. Airport - South	21084.0	1566	na	na	na	na	80	NT	0.056	nd	na	na	na	na
Bolinas-Audubon Cyn.-Rep 1	20008.0	1228	95	NT	0.004	0.0024	95	NT	0.002	0.007	na	na	na	na
Richmond In Hbr-Hoffman nr	21017.0	1494	na	na	na	na	0	T ^	0.062	0.014	0	T	6	T
San Francisco- Pier 7	21029.0	1506	na	na	na	na	33	T ^^	0.124	0.790	88	NT	97	NT
Mission Creek- Site 2	21031.0	1508	na	na	na	na	57	T ^^	0.088	0.015	94	NT	96	NT
Mowry Slough	21046.0	1523	na	na	na	na	97	NT	0.019	nd	96	NT	94	NT
Tolay Creek Mouth- MD31	21064.0	1544	na	na	na	na	94	NT	0.017	nd	na	na	na	na
Oyster Point (East)-Site 2	21037.0	1514	na	na	na	na	91	NT	0.024	0.004	89	NT	94	NT
San Bruno Channel	21038.0	1515	na	na	na	na	93	NT	0.013	nd	91	NT	89	NT
Dumbarton Bridge - BA30	21091.0	1573	na	na	na	na	86	NT	0.004	nd	na	na	na	na
Tomales Bay-Marconi -Rep 3	20009.0	1409	na	na	na	na	71	T	0.029	nd	na	na	na	na
Oyster Point (West)-Site 1	21036.0	1513	na	na	na	na	67	NT	0.028	nd	69	NT	87	NT
Guadalupe Slough	21041.0	1518	na	na	na	na	0	T ^	0.034	0.040	30	T	85	NT
Grizzly Bay- Rmp BF20	21050.0	1530	na	na	na	na	95	NT	0.009	nd	na	na	na	na
South Basin-Yosemite Cr. CSO	21092.0	1577	na	na	na	na	82	NT	0.007	nd	na	na	na	na
Pg&E/Levinson	21315.0	1760	na	na	na	0.0027	na	na	na	na	na	na	na	na
Point Portrero- Site 1	21013.0	1490	na	na	na	na	80	NT	0.062	0.007	96	NT	97	NT

Table 14 (Continued). Toxicity Screening, Sea Urchin Larvae.

Station	Station Number	Sample Number	T/NT	^	NH3	H2S	100% PW	T/NT	^	NH3	H2S	50% PW	T/NT	25% PW	T/NT
			SWI				% Dev					% Dev		% Dev	
Pacific Drydock Yard 2	21024.0	1501	na	na	na	na	94	NT		0.029	nd	90	NT	92	NT
North India Basin-Site 1	21033.0	1510	na	na	na	na	95	NT		0.013	nd	96	NT	94	NT
Dow Chemical- Kirker Creek	21049.0	1529	na	na	na	na	83	NT		0.007	nd	na	na	na	na
Hill Slough- MF21	21052.0	1532	na	na	na	na	96	NT		0.012	nd	na	na	na	na
Yerba Buena Is. - Naval Stn	21070.0	1550	na	na	na	na	92	NT		0.048	nd	na	na	na	na
Redwood Creek - West	21086.0	1568	na	na	na	na	87	NT		0.028	nd	na	na	na	na
Peyton Slough-Mouth-Site 1	21005.0	1482	na	na	na	na	63	T	^	0.005	0.012	84	NT	89	NT
Cordornices Creek Mouth	21019.0	1496	na	na	na	na	97	NT	^	0.031	0.028	98	NT	98	NT
Coyote Slough-@Fixed R/R Br.	21047.0	1524	na	na	na	na	96	NT		0.015	nd	95	NT	91	NT
Semple Point-M.W. Va-7	21055.0	1535	na	na	na	na	93	NT		0.018	nd	na	na	na	na
Central Basin - Outer	21077.0	1559	na	na	na	na	10	T	^	0.226	nd	na	na	na	na
S.F. Airport - Seaplane Harbor	21082.0	1564	na	na	na	na	87	NT		0.040	nd	na	na	na	na
Pacheco Cr-above bridge-Site 2	21004.0	1481	na	na	na	na	97	NT	^	0.020	0.015	98	NT	98	NT
San Pablo Bay- Hamilton	21010.0	1487	na	na	na	na	98	NT	^	0.007	0.008	96	NT	97	NT
Richmond Harbor	21016.0	1493	na	na	na	na	22	T	^	0.121	0.004	98	NT	96	NT
Sonoma Creek- MD33	21065.0	1545	na	na	na	na	0	T	^	0.146	nd	na	na	na	na
Sonoma Creek-MD33	21065.0	1614	98	NT	nd	nd	na	na		na	na	na	na	na	na
Emeryville Marsh	21020.0	1497	na	na	na	na	97	NT		0.016	nd	98	NT	97	NT
Boynton Slough- MF10	21051.0	1531	na	na	na	na	92	NT		0.011	nd	na	na	na	na
Suisun Slough	21053.0	1533	na	na	na	na	82	NT		0.021	nd	na	na	na	na
Selby - S2	21056.0	1536	na	na	na	na	2	T		0.022	nd	na	na	na	na
Napa Slough- MD32	21066.0	1546	na	na	na	na	90	NT		0.031	nd	na	na	na	na
Central Basin - Inner	21076.0	1558	na	na	na	na	58	T	^	0.095	nd	na	na	na	na
Bolinas-Audubon Cyn.-Rep 2	20008.0	1229	na	na	na	na	95	NT	^	0.004	0.011	na	na	na	na
South Reserve Fleet-Suisun	21002.0	1479	na	na	na	na	91	NT	^	0.008	0.011	95	NT	93	NT
Chadborne Slough- MF13	21054.0	1534	na	na	na	na	0	T	^^	0.206	0.008	na	na	na	na
Chadborne Slough-MD13	21054.0	1615	47	T	0.018	nd	na	na		na	na	na	na	na	na
Pg&E-Vallejo-Coal Gas Plant	21058.0	1538	na	na	na	na	85	NT		0.026	nd	na	na	na	na
Pacific Drydock - 1-T4	21080.0	1562	na	na	na	na	83	NT		0.050	nd	na	na	na	na

Table 14 (Continued). Toxicity Screening, Sea Urchin Larvae.

Station	Station Number	Sample Number	SWI % Dev	T/NT ^	NH3	H2S	100% PW % Dev	T/NT ^	NH3	H2S	50% PW % Dev	T/NT	25% PW % Dev	T/NT
S.F. Airport - Central	21083.0	1565	na	na	na	na	80	NT	0.057	nd	na	na	na	na
Novato Creek- MD21	21063.0	1543	na	na	na	na	1	T	0.032	nd	na	na	na	na
Novato Creek-MD21	21063.0	1618	98	NT	0.002	nd	na	na	na	na	na	na	na	na
Silva Island Marsh- MC61	21068.0	1548	na	na	na	na	0	T ^	0.165	nd	na	na	na	na
Silva Island Marsh-MC61	21068.0	1616	44	T	0.056	0.0011	na	na	na	na	na	na	na	na
Pacheco Cr-Near Mouth-Site 1	21003.0	1480	na	na	na	na	91	NT	0.017	0.005	94	NT	98	NT
Petaluma River Mouth- BD20	21059.0	1539	na	na	na	na	93	NT	0.012	nd	na	na	na	na
Miller Creek- MD10	21060.0	1540	na	na	na	na	79	NT	0.017	nd	na	na	na	na
Miller Creek- MD11	21061.0	1541	na	na	na	na	0	T ^	0.091	nd	na	na	na	na
Miller Creek-MD11	21061.0	1617	89	NT	0.044	nd	na	na	na	na	na	na	na	na
Potrero Pt.-Warm Water Cove	21032.0	1509	na	na	na	na	70	NT	0.052	0.004	81	NT	87	NT
Sausalito Hbr.-Anderson B.Y.	21069.0	1549	na	na	na	na	5	T ^	0.088	nd	na	na	na	na
Sausalito Hbr.-Anderson B.Y.	21069.0	1619	89	NT	0.046	nd	na	na	na	na	na	na	na	na
Ravenswood Slough - West	21089.0	1571	na	na	na	na	86	NT	0.052	nd	na	na	na	na
✓ San Leandro Bay-Site 7	21314.0	1759	14	T	0.023	0.0006	na	na	na	na	na	na	na	na

Table 15a. Toxicity Confirmation. Toxicity data from stations that were resampled for confirmation of either toxicity or elevated chemistry measured during screening. Stations are sorted by amphipod toxicity, except that stations in close proximity are grouped together and sorted according to the most toxic station in the group, and these are indicated by parentheses. Fines are combined silts and clays; TOC is total organic carbon; SWI indicates sediment-water interface exposure system; PW is porewater, at 100%, 50% and 25% dilutions. Single arrow ^ indicate either ammonia or hydrogen sulfide above threshold concentrations, double arrows ^^ indicate both compounds above thresholds. Asterisks* indicate significant toxicity as compared to tolerance limits for amphipod tests and t-test/MSD for sea urchin tests (see Methods section).

Station	Station Number	Sample Number	% Fines	% TOC	Amphipod		Sea Urchin % Normal Larval Development					
					% Survival	NH3 H2S	NH3 SWI	H2S	100% PW	NH3 H2S	50% PW	25% PW
Stege Marsh #1	21401.0	1795	92	2.10	0*		0*		na		na	na
Stege Marsh #1	21401.0	1799	na	na	1*	^	na		na		na	na
Stege Marsh #2	21402.0	1796	94	1.27	0*		0*		na		na	na
Stege Marsh #2	21402.0	1800	na	na	0*	^	na		na		na	na
(Carlson Creek)	21404.0	1798	93	1.53	54*		24*		na		na	na
(Carlson Creek)	21404.0	1801	na	na	85		na		na		na	na
Islais Creek	20011.0	1411	88	4.32	57*	^	0*	^^	0*	^	na	na
Islais Creek	20011.0	1735	39	3.99	0*	^	8*	^^	na		na	na
(Islais Creek- Mid Gradient)	21303.0	1736	100	2.68	81		45*	^	na		na	na
(Islais Creek- End Gradient)	21304.0	1737	100	2.99	49*		76	^	na		na	na
Castro Cove	20010.0	1410	98	1.43	33*		97		96		na	na
Castro Cove	20010.0	1489	99	2.90	0*		na		0*	^	0*	1*
Pacific Drydock Yard 1	21023.0	1500	68	5.42	14*	^	na		97	^	96	94
Pacific Drydock - Yard 1	21023.0	1753	71	6.27	0*		72	^	na		na	na
Peyton Slough-Upper-Site 2	21006.0	1483	90	4.01	1*		na		0*	^	0*	1*
Peyton Slough-Upper-Site 2	21006.0	1738	43	1.38	69*		1*		na		na	na
(Peyton Slough- Mid Gradient)	21305.0	1739	100	4.01	59*	^	0*	^	na		na	na
(Peyton Slough- End Gradient)	21306.0	1740	100	1.82	14*	^	81		na		na	na
(Peyton Slough-Mouth-Site 1)	21005.0	1482	64	1.50	87	^	na		63*	^	84	89
Mission Creek- Site 1	21030.0	1507	7	1.02	5*		na		0*	^^	0*	0*
Mission Creek- Site 1	21030.0	1732	26	2.78	19*	^	11*	^	na		na	na
(Mission Creek- Mid Gradient)	21301.0	1733	100	2.71	58*		98		na		na	na
(Mission Creek- End Gradient)	21302.0	1734	100	1.52	80		94		na		na	na
(Mission Creek- Site 2)	21031.0	1508	98	1.44	83		na		57*	^^	94	96
Oakland-Fruitvale	21026.0	1503	31	3.21	16*	^^	na		94		96	82
Oakland-Fruitvale	21026.0	1754	72	1.84	55*	^	96		na		na	na

Table 15a (Continued). Toxicity Confirmation. Toxicity data from stations that were resampled for confirmation of either toxicity or elevated chemistry measured during screening. Stations are sorted by amphipod toxicity, except that stations in close proximity are grouped together and sorted according to the most toxic station in the group, and these are indicated by parentheses. Fines are combined silts and clays; TOC is total organic carbon; SWI indicates sediment-water interface exposure system; PW is porewater, at 100%, 50% and 25% dilutions. Single arrow ^ indicate either ammonia or hydrogen sulfide above threshold concentrations, double arrows ^^ indicate both compounds above thresholds. Asterisks* indicate significant toxicity as compared to tolerance limits for amphipod tests and t-test/MSD for sea urchin tests (see Methods section).

Station	Station Number	Sample Number	% Fines	% TOC	Amphipod		Sea Urchin % Normal Larval Development					
					% Survival	NH3 H2S	NH3 H2S	100% PW	NH3 H2S	50% PW	25% PW	
Central Basin - Inner	21076.0	1558	88	1.76	89		na		58*	^	na	na
Central Basin - Inner	21076.0	1745	100	1.56	67*	^	63		na		na	na
Howard Street CSO	21074.0	1556	71	1.06	82		na		33*		na	na
Howard Street CSO	21074.0	1744	77	0.83	86		89		na		na	na
Selby - S2	21056.0	1536	58	1.03	89		na		2*		na	na
Selby - S2	21056.0	1761	64	0.95	100		96		na		na	na
Warm Water Cove -Potrero Pt	21032.0	1509	78	1.36	95		na		70*	^	81	87
Warm Water Cove #2	21308.0	1747	100	1.42	81	^	90		na		na	na

Table 15b. Toxicity Confirmation, Additional Stations. The following data are from stations that during screening exhibited only porewater toxicity, often in association with elevated ammonia or hydrogen sulfide. These stations were resampled and tested with sediment-water interface exposures. Column headings and abbreviations are as for Table 15a.

Station	Station Number	Sample Number	% Fines	% TOC	Amphipod		Sea Urchin % Normal Larval Development				
					% Survival	NH3 H2S	NH3 SWI	100% PW	NH3 H2S	50% PW	25% PW
Guadalupe Slough	21041.0	1518	76	2.24	85		na	0*		30*	85
Guadalupe Slough	21041.0	1751	100	1.47	64*		95	na		na	na
San Francisco- Pier 7	21029.0	1506	99	1.52	83		na	33*	^^	88	97
San Francisco- Pier 7	21029.0	1742	100	1.21	79		87	na		na	na
Alviso Slough	21088.0	1570	97	1.56	70		na	76*	^	na	na
Alviso Slough	21088.0	1620	na	na	na		98	na		na	na
Chadborne Slough- MF13	21054.0	1534	93	2.50	91		na	0*	^^	na	na
Chadborne Slough-MF13	21054.0	1615	na	2.50	na		47*	na		na	na
Gallinas Creek- MD20	21062.0	1542	100	2.13	80		na	0*	^	na	na
Gallinas Creek-MD20	21062.0	1613	na	na	na		81	na		na	na
Miller Creek- MD11	21061.0	1541	100	1.81	93		na	0*	^	na	na
Miller Creek-MD11	21061.0	1617	na	na	na		89	na		na	na
Novato Creek- MD21	21063.0	1543	100	1.52	92		na	1*		na	na
Novato Creek-MD21	21063.0	1618	na	na	na		98	na		na	na
Redwood Creek - BA40	21085.0	1567	95	1.52	72		na	3*	^	na	na
Redwood Creek - BA40	21085.0	1621	na	na	na		98	na		na	na
Sausalito Harbor-Anderson B.Y.	21069.0	1549	100	1.70	96		na	5*	^	na	na
Sausalito Harbor-Anderson B.Y.	21069.0	1619	na	na	na		89	na		na	na
Silva Island Marsh - MC61	21068.0	1548	53	2.68	92		na	0*	^	na	na
Silva Island Marsh - MC61	21068.0	1616	na	2.68	na		44*	na		na	na
Sonoma Creek - MD33	21065.0	1545	100	1.42	88		na	0*	^	na	na
Sonoma Creek - MD33	21065.0	1614	na	na	na		98	na		na	na

Table 16. Summary of Chemistry Data. Chemicals are listed when concentrations exceeded published sediment chemistry guideline values (ERMs) or, if no ERMs were available, ranked in the highest 10% of samples analyzed statewide in the BPTC Program. Single asterisks indicate chemicals with concentrations more than 5 times guideline values; double asterisks indicate concentrations more than 10 times guideline values. TOC is total organic carbon. Abbreviations of chemical names are explained in Appendix C.

Station Number	Sample Number	Station (Confirmation Stations)	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21401	1795	Stege Marsh #1	91.97	2.10	2.70	As**, Cu, Hg*, Zn*, chlordane, ppDDE, dieldrin, PCBs	alpha HCH**, beta HCH, lindane, delta HCH*, hexachlorobenzene, Se**
21402	1796	Stege Marsh #2	93.77	1.27	0.61	Cu, Hg, Zn, chlordane,	alpha HCH, lindane, delta HCH hexachlorobenzene, Se*
21403	1797	Stege Marsh #3	98.97	3.06	2.59	As, Cu, Hg, Ni, Zn, chlordane*, ppDDE, Dieldrin*, PCBs**	dacthal, endosulfan I endosulfan sulfate** dichlorobenzophenone, heptachlor epoxide*, hexachlorobenzene, mirex** oxadiazon, toxaphene*, Se
20011	1735	Islais Creek	38.70	3.99	1.18	chlordane*, dieldrin, PCBs*, lmw PAHs	endosulfan sulfate
21303	1736	Islais Creek- Mid Gradient	100.00	2.68	0.60	Hg, chlordane, ppDDE, PCBs	
21304	1737	Islais Creek- End Gradient	100.00	2.99	0.62	chlordane, PCBs, Hg, Ni, chlordane	
20010	1489	Castro Cove	98.97	2.90	2.25	dieldrin, benz(a)anthracene*, benz(a)pyrene**, dibenzo(a)anthracene**, chrysene, pyrene*, hmw PAHs**, PAHs*, Hg	Se

Table 16 (Continued): Summary of Chemistry Data.

Station Number	Sample Number	Station (Confirmation Stations, Continued)	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21023	1753	Pacific Drydock - Yard 1	71.07	6.27	3.94	Cu, Pb, Hg*, Zn, chlordane**, ppDDE, dieldrin, PCBs, acenaphthylene, anthracene, chrysene, benz(a)anthracene, benzo(a)pyrene, dibenzo(a)anthracene, fluoranthene, fluorene, 2-methyl naphthalene, phenanthrene, pyrene, lmw PAHs*, hmw PAHs, Total PAHs	chlorpyrifos, mirex, TBT**
21023	1500	Pacific Drydock Yard 1	67.69	5.42	1.27	Hg, Ni, chlordane*, ppDDE, dieldrin, PCBs, dibenzo(a)anthracene, pyrene, hmw PAHs	chlorpyrifos
21006	1483	Peyton Slough-Upper-Site 2	89.70	4.01	3.58	Cd, Cu**, Ni, Ag, Zn**, chlordane, ppDDE, PCBs, pyrene	hexachlorobenzene, Se
21006	1738	Peyton Slough-Upper-Site 2	43.36	1.38	2.35	Cd, Cu**, Pb*, Ag, Zn**	
21305	1739	Peyton Slough- Mid Gradient	100.00	4.01	0.40	Cu, Zn	Se
21306	1740	Peyton Slough- End Gradient	100.00	1.82	0.30	Zn	

Table 16 (Continued). Summary of Chemistry Data.

Station Number	Sample Number	Station (Confirmation Stations, Continued)	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21030	1507	Mission Creek- Site 1	7.22	1.02	0.51	Cr, Pb, Ni, chlordane	chlorpyrifos, mirex
21030	1732	Mission Creek- Site 1	26.44	2.78	3.93	Cr, Cu, Pb*, Hg**, Ag, Zn, chlordane** dieldrin PCBs, phenanthrene, lmw PAHs, hmw PAHs	
21301	1733	Mission Creek- Mid Gradient	100.00	2.71	1.00	chlordane*, PCBs, hmw PAHs	
21302	1734	Mission Creek- End Gradient	100.00	1.52	0.28	none	
21031	1508	Mission Creek- Site 2	97.72	1.44	0.22	Ni	
21026	1503	Oakland-Fruitvale	30.88	3.21	0.54	Ni, chlordane, PCBs	
21027	1504	San Leandro Bay-Site 1	90.31	6.02	1.52	Pb, Hg, Ni, Zn, chlordane**, ppDDE, dieldrin, PCBs, lmw PAH dibenzo(a)anthracene,	chlorpyrifos, heptachlor, Se
21028	1505	San Leandro Bay -Site 2	97.43	3.62	0.77	Ni, Zn, chlordane, PCBs,	hexachlorobenzene**
21310	1755	San Leandro Bay-Site 3	80.68	3.82	0.90	chlordane* dieldrin PCBs	hexachlorobenzene
21311	1756	San Leandro Bay-Site 4	87.99	6.04	2.01	Hg, Zn, chlordane**, dieldrin, PCBs, hmw PAH benzo(a)pyrene, bibenzo(a)anthracene	mirex
21312	1757	San Leandro Bay-Site 5	85.37	2.14	0.67	chlordane*	

Table 16 (Continued). Summary of Chemistry Data.

Station Number	Sample Number	Stations Sampled For Porewater/SWI Comparisons	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21054	1615	Chadborne Slough-MF13	-9.00	2.50	0.14	Ni	
21068	1616	Silva Island Marsh - MC61	-9.00	2.68	0.17	Ni	
Station Number	Sample Number	Station (Other Stations Sampled For Chemistry) (Not Incl. Hg/Pcb-Only Stations)	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21075	1557	Brannan Street CSO - Pier 32	89.16	1.44	0.23	Ni	
21077	1559	Central Basin - Outer	94.88	1.75	0.22	Ni	
21079	1561	Gashouse Cove - Laguna St. CSO	97.62	1.72	0.23	Ni	
21022	1499	Oakland Inner Hbr.-Schnitzer	90.55	1.77	0.36	Ni, benzo(a)pyrene, hmw PAHs	
21021	1498	Oakland Inner Hbr.-Todd Shipyd	99.20	1.98	0.39	nickel, benzo(a)pyrene, hmw PAHs	
21315	1760	Pg&E/Levinson	99.98	4.32	na	chlordan	
21016	1493	Richmond Harbor	99.46	1.61	0.23	Ni	
21017	1494	Richmond Inner Hbr.-Hoffman Mr	45.39	0.50	0.25	none	
21073	1555	Sansome Street Cso - Pier 31	84.13	1.59	0.19	Ni	
21034	1511	South India Basin-Site 2	98.34	1.84	0.45	Hg, Ni, PCBs	
21307	1746	Waldo Point	100.00	2.07	na	dieldrin, hmw PAHs	

Table 16 (Continued). Summary of Chemistry Data.

Station Number	Sample Number	Station (Confirmation Sites, Continued)	Grain Size % Fines	TOC	Mean ERM Quotient	Chemicals Exceeding ERM Values	Chemicals with Concentrations in the Highest 10% Statewide
21313	1758	San Leandro Bay-Site 6	93.42	1.59	0.44	Hg, chlordane	hexachlorobenzene
21314	1759	San Leandro Bay-Site 7	72.86	2.76	1.33	Zn, chlordane**, ppDDE dieldrin, PCBs	
21041	1518	Guadalupe Slough	76.14	2.24	0.32	Ni, chlordane	
21076	1558	Central Basin - Inner	87.66	1.76	0.50	Hg, Ni, benzo(a)pyrene, dibenzo(a,h)anthracene, fluoranthene, pyrene, lmw PAHs, hmw PAHs	
21029	1506	San Francisco- Pier 7	98.83	1.52	0.21	Hg, Ni	
21074	1556	Howard Street CSO	71.10	1.06	0.35	Ni, HMW PAHs	
21056	1536	Selby - S2	57.91	1.03	0.23	Ni	
21032	1509	Warm Water Cove -Potrero Pt.	78.05	1.36	0.68	Ni, acenaphthene, benz(a)anthracene, benzo(a)pyrene, dibenzo(a,h)anthracene, fluoranthene, fluorene, phenanthrene, pyrene, anthracene, lmw PAHs, hmw PAHs, Total PAHs	
21308	1747	Warm Water Cove #2	100.00	1.42	na	none	

Table 17. Sediment PCB and Mercury Concentrations and ERM Quotients. Stations are ranked by total PCB concentration.

Station Number	Sample Number	Station	Total PCBs		Mercury		All Chemicals Mean ERMQ
			ppb dry	ERM Q	ppb dry	ERM Q	
21013.0	1490	Point Portrero- Site 1	19901	110.6	4.63	6.5	na
21403.0	1797	Stege Marsh #3	2546	14.1	2.15	3.0	2.59
21092.0	1577	South Basin - Yosemite Crk CSO	1804	10.0	0.82	1.2	na
20011.0	1735	Islais Creek	971	5.4	0.53	0.7	1.18
21023.0	1753	Pacific Drydock - Yard 1	865	4.8	5.93	8.4	3.94
21401.0	1795	Stege Marsh #1	758	4.2	5.54	7.8	2.70
21311.0	1756	San Leandro Bay-Site 4	740	4.1	0.76	1.1	2.01
21030.0	1732	Mission Creek- Site 1	737	4.1	7.68	10.8	3.93
21024.0	1501	Pacific Drydock Yard 2	730	4.1	1.28	1.8	na
21023.0	1500	Pacific Drydock Yard 1	642	3.6	0.85	1.2	1.27
21027.0	1504	San Leandro Bay-Site 1	526	2.9	0.87	1.2	1.52
21314.0	1759	San Leandro Bay-Site 7	497	2.8	0.59	0.8	1.33
21080.0	1562	Pacific Drydock - 1-T4	406	2.3	1.75	2.5	na
21301.0	1733	Mission Creek- Mid Gradient	404	2.2	0.41	0.6	1.00
21081.0	1563	Pacific Drydock - Ppd #3	401	2.2	1.35	1.9	na
21034.0	1511	South India Basin-Site 2	327	1.8	0.89	1.3	0.45
21310.0	1755	San Leandro Bay-Site 3	290	1.6	0.56	0.8	0.90
21304.0	1737	Islais Creek- End Gradient	278	1.5	0.60	0.9	0.62
21082.0	1564	S.F. Airport - Seaplane Harbor	249	1.4	0.23	0.3	na
21028.0	1505	San Leandro Bay -Site 2	220	1.2	0.68	1.0	0.77
21006.0	1483	Peyton Slough-Upper-Site 2	217	1.2	0.57	0.8	3.58
21303.0	1736	Islais Creek- Mid Gradient	205	1.1	0.97	1.4	0.60
21057.0	1537	Lake Merrit - Mw #307.5	196	1.1	0.97	1.4	na
21026.0	1503	Oakland-Fruitvale	195	1.1	0.68	1.0	0.54
21019.0	1496	Cordornices Creek Mouth	177	1.0	1.02	1.4	na
21074.0	1556	Howard Street CSO	176	1.0	0.34	0.5	0.35
21312.0	1757	San Leandro Bay-Site 5	167	0.9	0.59	0.8	0.67
21037.0	1514	Oyster Point (East)-Site 2	154	0.9	0.33	0.5	na
21313.0	1758	San Leandro Bay-Site 6	144	0.8	1.18	1.7	0.44
21086.0	1568	Redwood Creek - West	141	0.8	0.90	1.3	na
21030.0	1507	Mission Creek- Site 1	140	0.8	0.45	0.6	0.51
21018.0	1495	Cerrito Creek Mouth	138	0.8	0.70	1.0	na
21025.0	1502	North Government Island	135	0.8	0.91	1.3	na
21089.0	1571	Ravenswood Slough - West	133	0.7	0.25	0.4	na
21017.0	1494	Richmond Inner Hbr.-Hoffman Mr	131	0.7	0.37	0.5	0.25
21402.0	1796	Stege Marsh #2	122	0.7	1.07	1.5	0.61
21083.0	1565	S.F. Airport - Central	120	0.7	0.19	0.3	na
21307.0	1746	Waldo Point	115	0.6	na	na	na
21084.0	1566	S.F. Airport - South	113	0.6	0.59	0.8	na
21038.0	1515	San Bruno Channel	109	0.6	0.40	0.6	na

GE

1 PD
24
119

1
24
119
143

Table 17 (Continued). Sediment PCB and Mercury Concentrations.

Station Number	Sample Number	Station	Total PCBs		Mercury		All Chemicals Mean ERMQ
			ppb dry	ERM Q	ppb dry	ERM Q	
21022.0	1499	Oakland Inner Hbr.-Schnitzer	104	0.6	0.45	0.6	0.36
21021.0	1498	Oakland Inner Hbr.-Todd Shipyd	100	0.6	0.52	0.7	0.39
21020.0	1497	Emeryville Marsh	97	0.5	0.34	0.5	na
21040.0	1517	Steinberger Slough-Nr Freeway	92	0.5	0.16	0.2	na
21032.0	1509	Potrero Point-Warm Water Cove	88	0.5	0.32	0.5	0.68
21058.0	1538	Pg&E-Vallejo-Coal Gas Plant	85	0.5	0.55	0.8	na
21315.0	1760	Pg&E/Levinson	85	0.5	na	na	na
21076.0	1558	Central Basin - Inner	84	0.5	0.74	1.0	0.50
21036.0	1513	Oyster Point (West)-Site 1	78	0.4	0.31	0.4	na
21014.0	1491	Point Portrero- Site 2	69	0.4	9.14	12.9	na
21015.0	1492	Santa Fe Channel- End	67	0.4	0.51	0.7	na
21016.0	1493	Richmond Harbor	65	0.4	0.49	0.7	0.23
21305.0	1739	Peyton Slough- Mid Gradient	60	0.3	0.31	0.4	0.40
21306.0	1740	Peyton Slough- End Gradient	54	0.3	0.26	0.4	0.30
21087.0	1569	Coyote Creek - Cx	51	0.3	0.67	0.9	na
21088.0	1570	Alviso Slough	47	0.3	0.46	0.6	na
21302.0	1734	Mission Creek- End Gradient	45	0.3	0.49	0.7	0.28
21047.0	1524	Coyote Slough-@Fixed R/R Bridg	44	0.2	0.86	1.2	na
21006.0	1738	Peyton Slough-Upper-Site 2	42	0.2	0.27	0.4	2.35
21039.0	1516	Steinberger Slough- Nr Mouth	41	0.2	0.36	0.5	na
21035.0	1512	Sierra Point	39	0.2	0.30	0.4	na
21088.0	1620	Alviso Slough	37	0.2	0.84	1.2	na
21043.0	1520	Mayfield Slough-Near Sand Pt.	34	0.2	0.44	0.6	na
21031.0	1508	Mission Creek- Site 2	33	0.2	0.24	0.3	0.22
20010.0	1489	Castro Cove	32	0.2	2.93	4.1	2.25
21069.0	1549	Sausalito Harbor-Anderson B.Y.	31	0.2	0.46	0.6	na
21069.0	1619	Sausalito Harbor-Anderson B.Y.	30	0.2	0.28	0.4	na
21049.0	1529	Dow Chemical- Kirker Creek	30	0.2	5.73	8.1	na
21033.0	1510	North India Basin-Site 1	29	0.2	0.64	0.9	na
21075.0	1557	Brannan Street Cso - Pier 32	28	0.2	0.31	0.4	0.23
21070.0	1550	Yerba Buena Island - Naval Stn	28	0.2	0.26	0.4	na
21041.0	1518	Guadalupe Slough	26	0.1	0.43	0.6	0.32
21068.0	1616	Silva Island Marsh-MC61	24	0.1	0.38	0.5	0.17
21008.0	1485	Vallejo-Mare Is-Ship Anchorage	23	0.1	0.43	0.6	na
21085.0	1621	Redwood Creek Ba40	23	0.1	0.34	0.5	na
20005.0	1219	Paradise Cove-Rep 1	22	0.1	0.35	0.5	0.18
20005.0	1552	Paradise Cove-Rep #1	22	0.1	0.33	0.5	0.17
21071.0	1553	Treasure Island - Clipper Cove	22	0.1	0.32	0.5	na
21090.0	1572	South Bay Basin - BA20	21	0.1	0.19	0.3	na
21042.0	1519	Mayfield Slough-Nr Cooley Ldng	21	0.1	0.38	0.5	na
21079.0	1561	Gashouse Cove - Laguna St. CSO	21	0.1	0.32	0.4	0.23
20005.0	1461	Paradise Cove-Rep 1	21	0.1	0.26	0.4	0.18
21085.0	1567	Redwood Creek - BA40	21	0.1	0.39	0.6	na

Table 17 (Continued). Sediment PCB and Mercury Concentrations.

Station Number	Sample Number	Station	Total PCBs		Mercury		All Chemicals Mean ERMQ
			ppb dry	ERM Q	ppb dry	ERM Q	
21077.0	1559	Central Basin - Outer	20	0.1	0.27	0.4	0.22
21091.0	1573	Dumbarton Bridge - BA30	20	0.1	0.34	0.5	na
21308.0	1747	Warm Water Cove #2	19	0.1	na	na	na
20005.0	1220	Paradise Cove-Rep 2	19	0.1	0.26	0.4	0.16
21067.0	1547	Richmond Rod And Gun	19	0.1	0.33	0.5	na
20013.0	1473	N. South Bay Ref.-Rep 2	19	0.1	0.22	0.3	0.14
21073.0	1555	Sansome Street CSO - Pier 31	19	0.1	0.27	0.4	0.19
21046.0	1523	Mowry Slough	18	0.1	0.59	0.8	na
21072.0	1554	Corte Madera Marsh - MC51	18	0.1	0.39	0.6	na
20005.0	1221	Paradise Cove-Rep 3	18	0.1	0.25	0.3	0.16
20013.0	1472	N. South Bay Ref.-Rep 1	18	0.1	0.26	0.4	0.14
20013.0	1474	N. South Bay Ref.-Rep 3	18	0.1	0.26	0.4	0.14
20014.0	1477	S. South Bay Ref.-Rep 3	18	0.1	0.19	0.3	0.14
20014.0	1475	S. South Bay Ref.-Rep 1	18	0.1	0.20	0.3	0.14
21055.0	1535	Semple Point-M.W. Va-7	18	0.1	0.29	0.4	na
20005.0	1741	Paradise Cove- Reference	18	0.1	0.31	0.4	0.16
20014.0	1476	S. South Bay Ref.-Rep 2	17	0.1	0.20	0.3	0.14
21062.0	1542	Gallinas Creek- MD20	17	0.1	0.34	0.5	na
20005.0	1488	Paradise Cove- Reference	17	0.1	0.32	0.5	na
20006.0	1467	San Pablo Bay-Tubbs Is.-Rep 1	17	0.1	0.39	0.5	0.17
21059.0	1539	Petaluma River Mouth- BD20	16	0.1	0.36	0.5	na
20014.0	1522	South-South Bay-Reference	16	0.1	0.24	0.3	na
20006.0	1224	San Pablo Bay-Tubbs Is.- Rep 3	16	0.1	0.29	0.4	0.15
21062.0	1613	Gallinas Creek-MD20	16	0.1	0.33	0.5	na
21056.0	1536	Selby - S2	15	0.1	0.32	0.4	0.23
20013.0	1574	North South Bay - Rep 1	15	0.1	0.16	0.2	0.11
20006.0	1222	San Pablo Bay-Tubbs Is.- Rep 1	15	0.1	0.32	0.4	0.17
20006.0	1622	San Pablo Bay-Tubbs Is. Rep 1	14	0.1	0.37	0.5	na
20006.0	1223	San Pablo Bay-Tubbs Is.- Rep 2	13	0.1	0.27	0.4	0.15
21010.0	1487	San Pablo Bay- Hamilton	13	0.1	0.38	0.5	na
20007.0	1227	San Pablo Bay-Island #1-Rep 3	13	0.1	0.26	0.4	0.15
21066.0	1546	Napa Slough- MD32	13	0.1	0.43	0.6	na
20007.0	1225	San Pablo Bay-Island #1-Rep 1	13	0.1	0.25	0.4	0.14
21065.0	1614	Sonoma Creek-MD33	13	0.1	0.32	0.5	na
20006.0	1551	San Pablo Bay-Tubbs Is.-Rep #1	13	0.1	0.35	0.5	na
20007.0	1226	San Pablo Bay-Island #1-Rep 2	13	0.1	0.27	0.4	0.15
21065.0	1545	Sonoma Creek- MD33	12	0.1	0.33	0.5	na
20007.0	1486	San Pablo Bay-Is. #1 Reference	12	0.1	0.29	0.4	na
21001.0	1478	North Reserve Fleet-Suisun	12	0.1	0.33	0.5	na
21063.0	1543	Novato Creek- MD21	12	0.1	0.42	0.6	na
20014.0	1575	South South Bay - Rep 1	12	0.1	0.24	0.3	na
20007.0	1464	San Pablo Bay-Island #1-Rep 1	11	0.1	0.28	0.4	0.15
21053.0	1533	Suisun Slough	11	0.1	0.24	0.3	na

102

Table 17 (Continued). Sediment PCB and Mercury Concentrations.

Station Number	Sample Number	Station	Total PCBs		Mercury		All Chemicals Mean ERMQ
			ppb dry	ERM Q	ppb dry	ERM Q	
21063.0	1618	Novato Creek-MD21	11	0.1	0.34	0.5	na
21029.0	1506	San Francisco- Pier 7	11	0.1	0.91	1.3	0.21
21007.0	1484	Vallejo-Mare Island-North Side	11	0.1	0.36	0.5	na
21061.0	1541	Miller Creek- MD11	11	0.1	0.34	0.5	na
21002.0	1479	South Reserve Fleet-Suisun	10	0.1	0.32	0.5	na
21050.0	1530	Grizzly Bay- Rmp BF20	10	0.1	0.26	0.4	na
21051.0	1531	Boynton Slough- MF10	10	0.1	0.11	0.2	na
21004.0	1481	Pacheco Cr-Above Bridge-Site 2	10	0.1	0.35	0.5	na
20013.0	1521	North-South Bay-Reference	10	0.1	0.20	0.3	na
21060.0	1540	Miller Creek- MD10	10	0.1	0.16	0.2	na
21003.0	1480	Pacheco Cr-Near Mouth-Site 1	10	0.1	0.20	0.3	na
21054.0	1615	Chadborne Slough-MF13	10	0.1	0.25	0.3	0.14
21052.0	1532	Hill Slough- MF21	9	0.1	0.16	0.2	na
21064.0	1544	Tolay Creek Mouth- MD31	9	0.1	0.32	0.5	na
20008.0	1576	Bolinas Lagoon	9	0.1	0.09	0.1	na
21061.0	1617	Miller Creek-MD11	9	0.1	0.12	0.2	na
21309.0	1752	San Bruno Channel #2	na	na	0.66	0.9	na

Table 18. Acid-Volatile Sulfides (AVS) and Simultaneously Extracted Metals (SEM) Measured at Selected Stations. Asterisks* indicate significant toxicity (reference tolerance limits for amphipods; t-test/MSD for sea urchin larval development).

Station Number	Sample Number	Station	Date	SEM Cd ($\mu\text{M/g}$)	SEM Cu ($\mu\text{M/g}$)	SEM Ni ($\mu\text{M/g}$)	SEM Pb ($\mu\text{M/g}$)	SEM Zn ($\mu\text{M/g}$)	SEM Sum ($\mu\text{M/g}$)	AVS ($\mu\text{M/g}$)	SEM-AVS Difference	Toxicity	
												Amph. Surv. %	Urchin Dev. %
Mission Creek													
21030	1732	Site 1	4/1/97	0.024	0.291	0.382	3.950	12.500	17.10	102.00	-84.90	19*	11*
21301	1733	Mid Gradient	4/1/97	0.014	0.671	0.251	1.070	4.700	6.70	93.10	-86.40	58*	98
21302	1734	End Gradient	4/1/97	0.002	0.508	0.236	0.161	1.350	2.26	4.38	-2.12	80	94
Islais Creek													
20011	1735	Islais Creek	4/1/97	0.006	0.162	0.180	0.992	4.360	5.70	75.00	-69.30	0*	8*
21303	1736	Mid Gradient	4/1/97	0.005	0.522	0.365	0.253	2.100	3.24	109.00	-105.76	81	45*
21304	1737	End Gradient	4/1/97	0.004	0.485	0.290	0.242	1.940	2.96	45.50	-42.54	49*	76
Peyton Slough													
21006	1738	Upper-Site 2	4/2/97	0.022	3.010	0.318	0.194	10.700	14.30	28.80	-14.50	69*	1*
21305	1739	Mid Gradient	4/2/97	0.021	7.330	0.291	0.301	12.900	20.90	3.56	17.34	59*	0*
21306	1740	End Gradient	4/2/97	0.025	2.430	0.365	0.205	28.300	31.30	15.40	15.90	14*	81
Reference Site													
20005	1741	Paradise Cove	4/3/97	0.002	0.434	0.288	0.087	0.725	1.53	0.18	1.35	79	96
Pacific Drydock													
21023	1753	Yard 1	4/15/97	0.022	2.810	0.512	1.840	17.000	22.20	176.00	-153.80	0*	72
San Leandro Bay													
21310	1755	Site 3	4/17/97	0.011	0.699	0.214	0.542	3.750	5.21	15.30	-10.09	40*	94
21311	1756	Site 4	4/17/97	0.045	0.764	0.149	1.210	6.320	8.48	5.73	2.75	65*	19*
21312	1757	Site 5	4/17/97	0.008	1.140	0.241	0.395	4.600	6.39	6.08	0.31	76	77
21313	1758	Site 6	4/17/97	0.005	0.518	0.137	0.352	2.510	3.52	3.16	0.36	70	96
21314	1759	Site 7	4/16/97	0.040	0.503	0.272	0.962	8.340	10.10	37.80	-27.70	96	14*

Table 19a. Results of Laboratory Bioaccumulation Exposures with *Macoma nasuta*, Trace Metals. Tissue concentrations are shown for all chemicals found at concentrations at least twice as high as those from clams exposed to laboratory control (reference) sediment. "x Ref" indicates the quotient from dividing the sample tissue concentration by that of the control. Asterisks indicate values that were at least 10 times greater than reference, or were above USEPA or NAS guidelines.

Station Number	Sample Number	Station	Leg (Batch)	COPPER		LEAD		MERCURY	
				mg/kg	x Ref	mg/kg	x Ref	mg/kg	x Ref
21030	1732.1	Mission Creek	50.0	10.80	1.0	9.54*	11.4*	0.31	2.2
20011	1735.1	Islais Creek	50.0	8.70	0.8	1.19	1.4	0.09	0.6
21006	1738.1	Peyton Slough- Upper Site 2	50.0	139.00*	12.8*	32.50*	38.7*	0.11	0.8
21011	1741.1	Paradise Cove- Reference	50.0	13.80	1.3	2.10	2.5	0.13	0.9
21308	1747.1	Warm Water Cove #2	50.0	na		na		na	
	1802.1	Initial - Prior To Exposure	50.0	12.00	1.1	1.16	1.4	0.12	0.8
	1803.1	Home Control - Reference Sediment	50.0	10.90	1.0	0.84	1.0	0.14	1.0
21023	1753.1	Pacific Drydock- Yard 1	51.0	37.90	3.5	17.40*	20.7*	0.18	1.3
21310	1755.1	San Leandro Bay- Site 3	51.0	16.60	1.5	10.70*	12.7*	0.16	1.1
	1804.1	Initial - Prior To Exposure	51.0	13.00	1.2	0.88	1.0	0.11	0.8
	1803.1	Home Control - Reference Sediment	50.0	10.90	1.0	0.84	1.0	0.14	1.0
21401	1795.1	Stege Marsh #1	55.0	9.40	1.4	3.84	4.0	0.14	1.6
21402	1796.1	Stege Marsh #2	55.0	11.00	1.6	1.00	1.0	0.03	0.4
21403	1797.1	Stege Marsh #3	55.0	6.50	0.9	3.15	3.3	0.12	1.4
	1811.1	Initial - Prior To Exposure	55.0	9.00	1.3	8.20	8.5	0.06	0.7
	1812.1	Home Control - Reference Sediment	55.0	6.90	1.0	0.96	1.0	0.08	1.0
NAS		Wildlife Guideline (Whole Fish)		na		na		na	
USEPA		Screening Value (Edible Portion)		na		na		0.6000	

Table 19b. Results of Laboratory Bioaccumulation Exposures with *Macoma nasuta*, Trace Chlorinated Organics. Tissue concentrations are shown for all chemicals found at concentrations at least twice as high as those from clams exposed to laboratory control (reference) sediment. "x Ref" indicates the quotient from dividing the sample tissue concentration by that of the control. Asterisks indicate values that were at least 10 times greater than reference, or were above USEPA or NAS guidelines.

Station Number	Sample Number	Station	Leg (Batch)	Total Chlordane		Total DDT		DIELDRIN		Total PCB	
				µg/kg	x Ref	µg/kg	x Ref	µg/kg	x Ref	µg/kg	x Ref
21030	1732.1	Mission Creek	50.0	3.37	6.7	3.64	0.6	1.04	0.8	11.43*	3.2
20011	1735.1	Islais Creek	50.0	0.56	1.1	2.21	0.3	0.32	0.3	6.17	1.7
21006	1738.1	Peyton Slough- Upper Site 2	50.0	0.62	1.2	3.53	0.5	0.69	0.5	4.46	1.2
21011	1741.1	Paradise Cove- Reference	50.0	0.60	1.2	3.84	0.6	0.73	0.6	5.39	1.5
21308	1747.1	Warm Water Cove #2	50.0	0.56	1.1	3.75	0.6	0.57	0.4	5.42	1.5
	1802.1	Initial - Prior To Exposure	50.0	0.50	1.0	2.21	0.3	1.01	0.8	3.60	1.0
	1803.1	Home Control - Reference Sediment	50.0	0.50	1.0	6.59	1.0	1.27	1.0	3.60	1.0
21023	1753.1	Pacific Drydock- Yard 1	51.0	4.84	9.7	10.92	1.7	1.31	1.0	12.93*	3.6
21310	1755.1	San Leandro Bay- Site 3 *	51.0	5.90*	11.8*	13.46	2.0	1.57	1.2	30.61*	8.5
	1804.1	Initial - Prior To Exposure	51.0	0.50	1.0	2.38	0.4	0.26	0.2	3.59	1.0
	1803.1	Home Control - Reference Sediment	50.0	0.50	1.0	6.59	1.0	1.27	1.0	3.60	1.0
21401	1795.1	Stege Marsh #1	55.0	1.36	1.4	15.99	8.0	1.15	9.8	38.65*	10.3*
21402	1796.1	Stege Marsh #2	55.0	2.25	2.4	45.56*	22.7*	0.48	4.1	45.95*	12.3*
21403	1797.1	Stege Marsh #3	55.0	7.41	7.8	63.45*	31.6*	2.01*	17.2*	31.69*	8.5
	1811.1	Initial - Prior To Exposure	55.0	0.87	0.9	1.97	1.0	nd		3.96	1.1
	1812.1	Home Control - Reference Sediment	55.0	0.95	1.0	2.01	1.0	0.12	1.0	3.74	1.0
NAS		Wildlife Guideline (Whole Fish)		na		50		na		500	
USEPA		Screening Value (Edible Portion)		80		300		7		10	

Table 19c. Results of Laboratory Bioaccumulation Exposures with *Macoma nasuta*, Polycyclic Aromatic Hydrocarbons. Tissue concentrations are shown for all chemicals found at concentrations at least twice as high as those from clams exposed to laboratory control (reference) sediment. "x Ref" indicates the quotient from dividing the sample tissue concentration by that of the control. Asterisks indicate values that were at least 10 times greater than reference, or were above USEPA or NAS guidelines.

Station Number	Sample Number	Station	Leg (Batch)	LMWPAH		HMWPAH		TTLPAH	
				µg/kg	x Ref	µg/kg	x Ref	µg/kg	x Ref
21030	1732.1	Mission Creek	50.0	38.72	9.8	57.15	9.0	95.87	9.3
20011	1735.1	Islais Creek	50.0	5.35	1.4	12.31	1.9	17.66	1.7
21006	1738.1	Peyton Slough- Upper Site 2	50.0	5.27	1.3	15.35	2.4	20.62	2.0
21011	1741.1	Paradise Cove- Reference	50.0	3.77	1.0	16.95	2.7	20.72	2.0
21308	1747.1	Warm Water Cove #2	50.0	7.23	1.8	26.81	4.2	34.04	3.3
	1802.1	Initial - Prior To Exposure	50.0	6.64	1.7	5.86	0.9	12.50	1.2
	1803.1	Home Control - Reference Sediment	50.0	3.94	1.0	6.34	1.0	10.28	1.0
21023	1753.1	Pacific Drydock- Yard 1,	51.0	173.77*	44.1*	520.87*	82.2*	694.64*	67.6*
21310	1755.1	San Leandro Bay- Site 3	51.0	3.40	0.9	45.75	7.2	49.15	4.8
	1804.1	Initial - Prior To Exposure	51.0	4.39	1.1	6.59	1.0	10.98	1.1
	1803.1	Home Control - Reference Sediment	50.0	3.94	1.0	6.34	1.0	10.28	1.0
21401	1795.1	Stege Marsh #1	55.0	10.01	3.0	73.65*	19.1*	83.66*	11.6*
21402	1796.1	Stege Marsh #2	55.0	33.84*	10.0*	217.26*	56.3*	251.10*	34.7*
21403	1797.1	Stege Marsh #3	55.0	8.42	2.5	99.58*	25.8*	108.00*	14.9*
	1811.1	Initial - Prior To Exposure	55.0	5.84	1.7	15.07	3.9	20.91	2.9
	1812.1	Home Control - Reference Sediment	55.0	3.38	1.0	3.86	1.0	7.24	1.0
NAS		Wildife Guideline (Whole Fish)		na		na		na	
USEPA		Screening Value (Edible Portion)		na		na		na	

Table 19d. Summary of Laboratory Bioaccumulation. Chemicals found at elevated concentrations in tissues of clams *Macoma nasuta* exposed to samples in the laboratory.

Station Number	Sample Number	Station	Chemical	Value Exceeded
21030	1732.1	Mission Creek	Total PCBs	USEPA Scening Value
20011	1735.1	Islais Creek	None	
21006	1738.1	Peyton Slough- Upper Site 2	Copper, Lead	> 10 times reference
21011	1741.1	Paradise Cove- Reference	None	
21308	1747.1	Warm Water Cove #2	None	
21023	1753.1	Pacific Drydock- Yard 1	Lead, Total PCBs, LMW, HMW and Total PAHs	> 10 times reference USEPA Scening Value >> 10 times reference (see Table 19c)
21310	1755.1	San Leandro Bay- Site 3	Lead, chlordane	> 10 times reference
21401	1795.1	Stege Marsh #1	Total PCBs	USEPA Scening Value and > 10 time reference
21402	1796.1	Stege Marsh #2	Total DDT Total PCBs LMW, HMW and Total PAHs	> 10 times reference USEPA Scening Value and > 10 time reference > 10 times reference
21403	1797.1	Stege Marsh #3	Total DDT Dieldrin Total PCBs HMW and Total PAHs	USEPA Scening Value and > 10 time reference > 10 times reference USEPA Scening Value > 10 times reference

Table 20. Abundances Of Infaunal Benthic Invertebrates And Relative Benthic Index Values.

Station Number	Sample Number	Station Name	Amphipods		All Crustaceans		Mollusks		Polychaetes		Total Number		Relative Benthic
			Ind.	Species	Ind.	Species	Ind.	Species	Ind.	Species	Ind.	Species	
21401.0	1799	Stege Marsh #1	0	0	0	0	0	0	0	0	0	0	0
21402.0	1800	Stege Marsh #2	0	0	0	0	0	0	0	0	0	0	0
21404.0	1801	Carlson Creek	21	2	66	5	17	2	402	10	557	18	0.51
20011.0	1735	Islais Creek	0	0	3	1	0	0	7	1	11	1	0.22
21303.0	1736	Islais Creek- Mid Gradient	0	0	1	1	0	0	7	1	7	2	0.25
21304.0	1737	Islais Creek- End Gradient	4	2	16	3	0	0	43	4	68	8	0.43
*	*	Castro Cove	*										*0.61 to 0.94
21006.0	1738	Peyton Slough-Upper-Site 2	192	2	193	2	0	0	2	1	250	4	0.36
21305.0	1739	Peyton Slough- Mid Gradient	962	2	969	3	1	1	23	3	1296	8	0.51
21306.0	1740	Peyton Slough- End Gradient	4	1	14	2	0	0	2	1	29	3	0.34
21030.0	1732	Mission Creek- Site 1	1	1	1	1	0	0	95	5	798	8	0.00
21301.0	1733	Mission Creek- Mid Gradient	0	0	1	1	0	0	20	2	21	3	0.34
21302.0	1734	Mission Creek- End Gradient	4	1	88	2	3	2	7	6	98	10	0.65
21310.0	1755	San Leandro Bay-Site 3	19	2	38	4	22	4	608	9	752	19	0.60
21311.0	1756	San Leandro Bay-Site 4	87	2	108	4	29	4	362	9	523	18	0.60
21312.0	1757	San Leandro Bay-Site 5	16	1	281	2	62	3	352	7	727	14	0.67
21313.0	1758	San Leandro Bay-Site 6	48	3	563	5	6	3	100	9	684	18	1.00
21314.0	1759	San Leandro Bay-Site 7	1	1	163	2	71	4	283	10	577	17	0.66
21308.0	1747	Warm Water Cove #2	7	1	103	2	5	1	2	2	110	6	0.58
20005.0	1741	Paradise Cove- Reference	2	1	24	2	0	0	1	0	25	3	0.50
20007.0	1750	SP Bay-Island #1 - Reference	0	0	21	1	18	1	30	3	69	5	0.39
20013.0	1749	N. South Bay - Reference	1	1	3	1	128	3	13	4	148	9	0.58

*Castro Cove benthic community samples were collected in May, 1992 (BPTCP PRMP Studies), and were compared with reference assemblages sampled in 1997. All other benthic community samples were collected in 1997.

Table 21. Correlations Between Chemistry and Biological Effects. All chemicals in this table were identified by Principle Components Analysis (PCA) as being associated with biological effects. They are displayed in three categories: chemicals significantly negatively correlated* with biological indicator(s) in univariate Spearman Rank correlations ($\alpha = 0.05$), chemicals that exceeded ERM guideline values in at least one sample, and chemicals identified by PCA but neither significantly correlated with Spearman's nor having any samples with concentrations above ERMs (Other Chemicals). Chemicals found in both of the first two categories were most likely to have been associated with the indicated biological effects.

Biological Indicator	PCA Factors Associated With Biological Indicators		
	Chemicals Negatively Correlated with Biological Indicators	Chemicals Exceeding ERM Guideline Values	Other Chemicals Identified By PCA
Amphipod survival in solid-phase sediment toxicity tests (organic chemicals only; no significant PCA relationships were apparent between amphipod toxicity and other factors when the entire data set, including metals, was analyzed with PCA)	Total Chlordanes, 2-Methylnaphthalene, mean ERM quotient, number of ERM exceedences, Hydrogen sulfide, Total organic carbon, cis-Chlordane, trans-Chlordane, alpha-Chlordene, Chlorpyrifos, Endosulfan II, cis-Nonachlor, trans-Nonachlor, 2,6-Dimethylnaphthalene, 1-Methylnaphthalene, 235 Trimethylnaphthalene	Total Chlordanes, 2-Methylnaphthalene, mean ERM quotient, number of ERM exceedences	None
Urchin development in 25/50% porewater (all chemicals)**	None	Cadmium, Copper, Silver, Zinc, metal quotient, mean ERM quotients	Antimony, Tin
Urchin development in SWI exposures (all chemicals)***	Cadmium, Copper, Zinc, metal quotient, number of ERM exceedences, Antimony	Cadmium, Copper, Zinc, metal quotient, number of ERM exceedences, Arsenic, Lead, Mercury, Silver, Total DDTs, PEL quotient, PEL exceedences	Selenium, Tin, trans-Chlordane, alpha-Chlordene, p,p'-Dichlorobenzophenone, alpha-HCH, beta-HCH, Lindane, delta-HCH, Hexachlorobenzene, 2,6-Dimethylnaphthalene, 1-Methylphenanthrene, 2,3,5-Trimethylnaphthalene, Hydrogen sulfide
Relative Benthic Index****	None	metal quotient, mean ERM quotient	None

* Based on pairwise Spearman rank correlations, $\alpha = 0.05$, one-tailed test
 ** Based on correlations with at least one of the two biological indicators. No correlations were apparent with 100% porewater tests.
 *** Based on a combination of two significant PCA factors
 **** Based on a short chemical list—Total Chlordanes, Total DDTs, Total PCBs, Total PAHs, ERM quotient, and Metal summation quotient. Short list necessitated by low number of benthic data available.

Table 22. Phase I Toxicity Identification Evaluation of Sample # 1751 from Guadalupe Slough. Data are percent normal development of sea urchin larvae in dilutions of sediment porewater treated with various TIE manipulations.

Initial Test	Brine	Porewater Concentrations					
	Control	0%	6%	13%	25%	50%	100%
% Normal	95%	94%	98%	97%	98%	69%	0%

Phase I TIE Treatments	Porewater Concentrations				Effective Treatment
	0%	25%	50%	100%	
Baseline	91%	98%	48%	0%	EDTA
EDTA	96%	98%	97%	95%	
STS	97%	61%	6%	0%	
Aeration	97%	98%	70%	0%	
Filtration	96%	91%	53%	1%	
Column	97%	98%	46%	25%	
Eluate	88%	81%	84%	89%	
pH 7.9	95%	73%	31%	1%	
pH 8.1	96%	89%	36%	5%	
pH 8.4	95%	97%	48%	0%	
PBO	93%	97%	55%	5%	

Table 23. Phase I Toxicity Identification Evaluation of Sample # 1738 from Upper Peyton Slough Site 2. Data are percent normal development of sea urchin larvae in dilutions of sediment porewater treated with various TIE manipulations.

Initial Test	Porewater Concentrations					
	0%	6%	13%	25%	50%	100%
% Normal	94%	92%	22%	0%	0%	0%

Phase I TIE Treatments	Porewater Concentrations				Effective Treatments
	0%	3%	5%	15%	
Baseline	87%	98%	69%	0%	
EDTA	96%	97%	97%	97%	EDTA
STS	76%	98%	96%	79%	STS
Aeration	98%	85%	79%	0%	
Filtration	95%	72%	96%	94%	Filtration
Column	95%	95%	100%	94%	Column
Eluate	99%	98%	96%	99%	
pH 7.9	97%	45%	52%	0%	
pH 8.1	97%	94%	84%	0%	
pH 8.4	95%	96%	51%	0%	
PBO	97%	95%	79%	0%	

Table 24. Effects of EDTA on Sediment-Water Interface Exposures with Samples from the Stege Marsh Area.

Station Number	Sample Number	Station	Percent Normal Urchin Development			
			SWI Exposure		SWI with EDTA	
			Mean	S.D.	Mean	S.D.
21401	1795	Stege Marsh # 1	0%	0%	0%	0%
21402	1796	Stege Marsh # 2	0%	0%	0%	0%
21403	1797	Stege Marsh # 3	19%	16%	50%	23%
21404	1798	Carlson Creek	24%	18%	na	na
Home	Home	Lab Control	86%	5%	82%	10%

Table 25a. Sea urchin larval development and chemical indicators along a gradient at Mission Creek. Asterisk* indicates that sea urchins were exposed to porewater from the 5/1/95 samples, and were exposed to the sediment-water interface from the 4/1/97 samples. H2S measurements were from the corresponding sea urchin exposures.

Station Number	Sample Number	Mission Creek Gradient Stations	Date	Sea Urchin * % Larval Development	ERM Quotients							H2S * (mg/L)
					Mean All Chem	Pb	Hg	Ag	Zn	Total Chlordanes	Total PCBs	
21030	1507	Upper End	5/1/95	0.00	0.5	1.2	0.6	0.7	0.8	1.7	0.8	0.9204
21031	1508	Creek Mouth	5/2/95	57.00	0.2	0.2	0.3	0.2	0.4	0.4	0.2	0.0151
21030	1732	Upper End	4/1/97	11.00	3.9	9.6	10.8	4.0	4.0	21.4	4.1	0.0244
21301	1733	Mid Gradient	4/1/97	98.00	1.0	0.6	0.6	0.4	0.5	8.0	2.2	0.0039
21302	1734	Near Mouth	4/1/97	94.00	0.3	0.2	0.7	0.1	0.6	0.5	0.3	0.0005

Table 25b. Relative Benthic Index, amphipod survival, and chemical indicators along a gradient at Mission Creek.

Station Number	Sample Number	Mission Creek Gradient Stations	Date	Relative Benthic Index	Amphipod (Eohaust.) Survival	ERM Quotients							H2S (mg/L)	Fines (%)	TOC (%)
						Mean All Chem	Pb	Hg	Ag	Zn	Total Chlordanes	Total PCBs			
21030	1507	Upper End	5/1/95	na	5.00	0.5	1.2	0.6	0.7	0.8	1.7	0.8	0.1123	7	1.02
21031	1508	Creek Mouth	5/2/95	na	83.00	0.2	0.2	0.3	0.2	0.4	0.4	0.2	0.0562	98	1.44
21030	1732	Upper End	4/1/97	0.00	19.00	3.9	9.6	10.8	4.0	4.0	21.4	4.1	0.4493	26	2.78
21301	1733	Mid Gradient	4/1/97	0.34	58.00	1.0	0.6	0.6	0.4	0.5	8.0	2.2	0.0959	100	2.71
21302	1734	Near Mouth	4/1/97	0.65	80.00	0.3	0.2	0.7	0.1	0.6	0.5	0.3	0.1018	100	1.52

Table 26a. Sea urchin larval development and chemical indicators along a gradient at Islais Creek.

Station Number	Sample Number	Islais Creek Gradient Station	Sea Urchin % Larval Development	ERM Quotients				NH3 (mg/L)
				Mean, All Chemicals	Total Chlordanes	Total PCBs	Low Mol. Wt. PAHs	
20011	1735	Upper End	8	1.2	7.2	5.4	1.0	0.406
21303	1736	Mid Gradient	45	0.6	2.9	1.1	0.3	0.105
21304	1737	Lower End	76	0.6	2.5	1.5	0.4	0.312

Table 26b. Relative Benthic Index, amphipod survival, and chemical indicators along a gradient at Islais Creek.

Sample Number	Islais Creek Gradient Station	Relative Benthic Index	Amphipod <i>Eohaustorius</i> % Survival	ERM Quotients				H2S (mg/L)	FINES (%)	TOC (%)
				Mean, All Chemicals	Total Chlordanes	Total PCBs	Low Mol. Wt. PAHs			
1735	Upper End	0.22	0	1.2	7.2	5.4	1.0	0.462	39	3.99
1736	Mid Gradient	0.25	81	0.6	2.9	1.1	0.3	0.061	100	2.68
1737	Lower End	0.43	49	0.6	2.5	1.5	0.4	0.061	100	2.99

Table 27a. Sea urchin larval development and chemical indicators along a gradient at Peyton Slough. The End Gradient station is near the mouth of the slough. Asterisk* indicates that sea urchins were exposed to porewater from the 5/1/95 sample, and were exposed to the sediment-water interface from the 4/2/97 samples.

Station Number	Sample Number	Date	Peyton Slough Gradient Stations	Sea Urchin % Larval Development*	Mean ERM Quotient	Mean ERM Quotient for 9 Metals	ERM Quotient Copper	ERM Quotient Zinc	NH3 (mg/L) *
21006.0	1483	5/1/95	Upper Slough Site 2	0	3.6	5.7	28.9	14.6	0.011
21006.0	1738	4/2/97	Upper Slough Site 2	1	2.3	4.0	14.0	11.4	0.038
21305.0	1739	4/2/97	Mid Gradient	0	0.4	0.6	1.4	1.8	0.366
21306.0	1740	4/2/97	End Gradient	81	0.3	0.4	0.5	1.8	0.017

Table 27b. Relative Benthic Index, amphipod survival, and chemical indicators along a gradient at Peyton Slough. The End Gradient station is near the mouth of the slough.

Station Number	Sample Number	Date	Peyton Slough Gradient Stations	Relative Benthic Index	Amphipod <i>Eohaustorius</i> Survival (%)	Porewater H2S (mg/L)	Mean ERM Quotient	ERM Quotient Total Chlordanes	% Fines	TOC (%)
21006	1483	5/1/95	Upper Slough Site 2	na	1	0.045	3.6	3.5	89.70	4.01
21006	1738	4/2/97	Upper Slough Site 2	0.36	69	0.028	2.3	1.0	43.36	1.38
21305	1739	4/2/97	Mid Gradient	0.51	59	0.046	0.4	0.2	100.00	4.01
21306	1740	4/2/97	End Gradient	0.34	14	0.142	0.3	0.3	100.00	1.82

Table 28. Categorization of Stations Based on Integrated Monitoring Data. Stations in close geographic proximity are often grouped together based on the results from the most impacted station of the group, with associated stations in parentheses. N indicates NH3 and S indicates H2S above threshold values; arrows ^ indicate > 5 times threshold values (see footnotes). Asterisks* indicate significant toxicity (tolerance limits for amphipods, t-tests/MSD for sea urchins).

Station Number	Sample Number	Station (Sampling Date)	Toxicity Test Results					Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either**		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	% Normal		NH3^ H2S^		ERM's or	Top 10%	
I. Stations with Elevated Chemistry, Recurrent Toxicity, and Degraded Benthos											
21401.0	1795	Stege Marsh #1 (10/97)	0*		0*	na		2.70	8	5	na
21401.0	1799	Stege Marsh #1 (12/97)	1*	S^	na	na		na	na	na	0.00
21402.0	1796	Stege Marsh #2 (10/97)	0*		0*	na		0.61	4	4	na
21402.0	1800	Stege Marsh #2 (12/97)	0*	S^	na	na		na	na	na	0.00
21403.0	1797	Stege Marsh #3 (10/97)	0*		19*	na		2.59	9	9	na
21030.0	1507	Mission Creek- Site 1 (5/95)	5*		na	0*	N^ S^	0.51	4	0	na
21030.0	1732	Mission Creek- Site 1 (4/97)	19*	S	11*	na		3.93	12	2	0.00
21301.0	1733	(Mission Creek- Mid Gradient) (4/97)	58*		98	na		1.00	3	0	0.34
21302.0	1734	(Mission Creek- End Gradient) (4/97)	80		94	na		0.28	0	0	0.65
21031.0	1508	(Mission Creek- Site 2) (5/95)	83		na	57*	N S	0.22	1	0	na
20011.0	1411	Islais Creek (9/94)	57*	S^	0*	0*	N^ S^	na	na	na	na
20011.0	1735	Islais Creek (4/97)	0*	S	8*	na	N^ S	1.18	4	1	0.22
21303.0	1736	(Islais Creek- Mid Gradient) (4/97)	81		45*	na	N	0.60	4	0	0.25
21304.0	1737	(Islais Creek- End Gradient) (4/97)	49*		76	na	N	0.62	2	0	0.43
II. Stations with Elevated Chemistry, Toxicity in One (of One) Sample and Degraded Benthics											
No stations matched this category.											
III. Stations with Highly Elevated Sediment Concentrations of Fish Advisory Chemicals (PCBs or Hg)											
21013.0	1490	Point Portrero - Site 1 (5/95)	Total PCBs 19,901 ppb (110 x ERM); Hg 4.63 ppb (6.5 x ERM)								
21092.0	1577	South Basin - Yosemite Creek (12/95)	Total PCBs 1804 ppb (10 x ERM)								
21014.0	1491	Point Portrero - Site 2 (5/95)	Hg 9.14 ppb (12.9 x ERM)								

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (Sampling Date)	Toxicity Test Results					Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either*		Relative Benthic Index
			Amphipod		Sea Urchin Larvae				ERM's or	Top 10%	
			Survival (%)	NH3 [^] H2S [^]	% Normal SWI	100% PW	NH3 [^] H2S [^]				
IV. Stations with Elevated Chemistry and Biological Impact Measured by Either Toxicity or Degraded Benthos											
21023.0	1753	Pacific Drydock - Yard 1 (4/97)	0*		72	na	N S	3.94	22	3	na
21023.0	1500	Pacific Drydock Yard 1 (4-95)	14*	S	na	97	S	1.27	9	1	na
21081.0	1563	(Pacific Drydock - PPD #3; 12-95)	79		na	89		na	na	na	na
21080.0	1562	(Pacific Drydock - 1-T4; 12-95)	91		na	83		na	na	na	na
20010.0	1489	Castro Cove (5/95)	0*		na	0*	S	2.25	11	0	na
20010.0	1410	Castro Cove (9/94)	33*		97	96		na	na	na	na
21006.0	1483	Peyton Slough-Upper-Site 2 (5/95)	1*		na	0*	S	3.58	9	1	na
21006.0	1738	Peyton Slough-Upper-Site 2 (4/97)	69*		1*	na		2.35	5	0	0.36
21305.0	1739	(Peyton Slough- Mid Gradient) (4/97)	59*	N	0*	na	N [^]	0.40	2	0	0.51
21306.0	1740	(Peyton Slough- End Gradient) (4/97)	14*	S	81	na		0.30	1	0	0.34
21005.0	1482	(Peyton Slough-Mouth-Site 1) (5/95)	87	S	na	63*	S	na	na	na	na
21027.0	1504	San Leandro Bay-Site 1 (4-95)	26*		na	93		1.52	10	2	na
21076.0	1558	Central Basin - Inner (12-95)	89		na	58*	N	0.50	8	0	na
21076.0	1745	Central Basin - Inner (4/97)	67*	S	63	na		na	na	na	na
21026.0	1503	Oakland-Fruitvale (4-95)	16*	N [^] S	na	94		0.54	3	0	na
21026.0	1754	Oakland-Fruitvale (4/97)	55*	S	96	na		na	na	na	na
V. Stations with Elevated Chemistry and Mixed Results from Biological Indicators											
21028.0	1505	San Leandro Bay -Site 2 (4-95)	73		na	5*	N	0.77	4	1	na
21310.0	1755	San Leandro Bay-Site 3 (4/97)	40*		94	na	S	0.90	3	1	0.60
21311.0	1756	San Leandro Bay-Site 4 (4/97)	65*		19*	na		2.01	8	1	0.60
21312.0	1757	San Leandro Bay-Site 5 (4/97)	76		77	na		0.67	1	0	0.67
21314.0	1759	San Leandro Bay-Site 7 (4/97)	96		14*	na		1.33	5	0	0.66
21032.0	1509	Warm Water Cove -Potrero Pt (4-95)	95		na	70*		0.68	13	0	na

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (Sampling Date)	Toxicity Test Results				Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either* ERM or Top 10%		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	Sea Urchin Larvae % Normal			NH3^ H2S^		
VI. Stations with Measured Biological Impacts but Chemistry Values Below Thresholds or Not Measured										
21404.0	1798	Carlson Creek (10/97)	54*		24*	na	na	na	na	
21404.0	1801	Carlson Creek (12/97)	85		na	na	na	na	0.51	
21307.0	1746	Waldo Point (4/97)	59*		92	na	2	0	na	
21022.0	1499	Oakland Inner Hbr.-Schnitzer (4-95)	60*		na	46*	0.36	3	0	
21043.0	1520	Mayfield Slough-Near Sand Pt. (4-95)	60*		na	94	na	na	na	
21041.0	1518	Guadalupe Slough (4-95)	85		na	0*	S^	0.32	2	
21041.0	1751	Guadalupe Slough (4/97)	64*		95	na	na	na	na	
21309.0	1752	San Bruno Channel #2 (4-97)	67*(Ha)		na	na	na	na	na	
21068.0	1548	Silva Island Marsh - MC61 (10/95)	92		na	0*	N	na	na	
21068.0	1616	Silva Island Marsh - MC61 (6/96)	na		44*	na	0.17	1	0	
21054.0	1534	Chadborne Slough- MF13 (10/95)	91		na	0*	N S	na	na	
21054.0	1615	Chadborne Slough-MF13 (6/96)	na		47*	na	0.14	1	0	
21034.0	1511	South India Basin-Site 2 (4-95)	80		na	22*	0.45	3	0	
21021.0	1498	Oakland In. Hbr.-Todd Shipyd (4-95)	72		na	48*	0.39	3	0	
21090.0	1572	South Bay Basin - BA20 (12-95)	79		na	49*	na	na	na	
21075.0	1557	Brannan Street CSO - Pier 32 (12/95)	80		na	59*	0.23	1	0	
21017.0	1494	Richmond Inner Hbr.-Hoffman (5/95)	83		na	0*	S	0.25	0	
21073.0	1555	Sansome Street CSO - Pier 31 (12/95)	80		na	8*	N	0.19	1	
21077.0	1559	Central Basin -Outer (12/95)	87		na	10*	N	0.22	1	
21079.0	1561	Gashouse Cove-Laguna CSO (12-95)	78		na	12*	N	0.23	1	
21016.0	1493	Richmond Harbor (5/95)	88		na	22*	N	0.23	1	
21071.0	1553	Treasure Island - Clipper Cove (12-95)	82		na	26*	N	na	na	
20012.0	1471	(Treasure Island-Clipper Cove; 3-95)	80		95	94	na	na	na	
21062.0	1542	Gallinas Creek - MD20 (10/95)	80		na	0*	na	na	na	
21062.0	1613	Gallinas Creek - MD20 (6/96)	na		81	na	na	na	na	
21063.0	1543	Novato Creek - MD21 (10/95)	92		na	1*	na	na	na	
21063.0	1618	Novato Creek - MD21 (6/96)	na		98	na	na	na	na	

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (Sampling Date)	Toxicity Test Results					Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either*		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	% Normal		NH3^ H2S^		ERMs or	Top 10%	
VI. (Continued) Stations with Measured Biological Impacts but Chemistry Values Below Thresholds or Not Measured											
21056.0	1536	Selby - S2 (10/95)	89		na	2*		0.23	1	0	na
21056.0	1761	Selby - S2 (4/97)	100		96	na		na	na	na	na
21074.0	1556	Howard Street CSO (12/95)	82		na	33*		0.35	2	0	na
21074.0	1744	Howard Street CSO (4/97)	86		89	na		na	na	na	na
21065.0	1545	Sonoma Creek - MD33 (10/95)	88		na	0*	N	na	na	na	na
21065.0	1614	Sonoma Creek - MD33 (6/96)	na		98	na		na	na	na	na
21061.0	1541	Miller Creek- MD11 (10/95)	93		na	0*	N	na	na	na	na
21061.0	1617	Miller Creek-MD11 (6/96)	na		89	na		na	na	na	na
21085.0	1567	Redwood Creek - BA40 (12/95)	72		na	3*	N	na	na	na	na
21085.0	1621	Redwood Creek - BA40 (6/96)	na		98	na		na	na	na	na
21069.0	1549	Sausalito Hrbr-Anderson B.Y. (10/95)	96		na	5*	N	na	na	na	na
21069.0	1619	Sausalito Hrbr -Anderson B.Y. (6/96)	na		89	na		na	na	na	na
21029.0	1506	San Francisco- Pier 7 (5/95)	83		na	33*	N S^	0.21	2	0	na
21029.0	1742	San Francisco- Pier 7 (4-97)	79		87	na		na	na	na	na
21088.0	1570	Alviso Slough (12/95)	70		na	76*	N	na	na	na	na
21088.0	1620	Alviso Slough (6/96)	na		98	na		na	1	0	na
VII. Stations with Chemistry, Toxicity, and Benthic Degradation Below Thresholds or Not Measured											
21313.0	1758	San Leandro Bay-Site 6	70		96	na	S	0.44	2	1	1.00
21308.0	1747	Warm Water Cove #2	81	S	90	na		na	0	0	0.58
21315.0	1760	PG&E/Levinson (Freshwater)	85 (Ha)		90 (Cd)	na		na	1	0	na
21008.0	1485	Vallejo-Mare Is-Ship Anchorage	71		na	97		na	na	na	na
21015.0	1492	Santa Fe Channel- End	71		na	81	S^	na	na	na	na
21025.0	1502	North Government Island	71		na	97		na	na	na	na
21040.0	1517	Steinberger Slough-Nr Freeway	72		na	85		na	na	na	na
21067.0	1547	Richmond Rod And Gun	72		na	92		na	na	na	na

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (See Appendix B for Sampling Dates)	Toxicity Test Results				Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either* ERM or Top 10%		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	Sea Urchin Larvae % Normal			NH3^ H2S^		
VII. (Continued) Stations with Chemistry, Toxicity, and Benthic Degradation Below Thresholds or Not Measured										
21001.0	1478	North Reserve Fleet-Suisun	73		na	89	S	na	na	na
20008.0	1576	Bolinas Lagoon	74		na	88		na	na	na
21007.0	1484	Vallejo-Mare Island-North Side	74		na	98		na	na	na
21039.0	1516	Steinberger Slough- Nr Mouth	74		na	91		na	na	na
21035.0	1512	Sierra Point	77		na	89		na	na	na
21057.0	1537	Lake Merrit - MW #307:5	77		na	93		na	na	na
21042.0	1519	Mayfield Slough-Nr Cooley Ldng	78		na	97		na	na	na
21072.0	1554	Corte Madera Marsh - MC51	79		na	89		na	na	na
21087.0	1569	Coyote Creek - CX	79		na	87		na	na	na
21018.0	1495	Cerrito Creek Mouth	81		na	97	S	na	na	na
21084.0	1566	S.F. Airport - South	82		na	80		na	na	na
21046.0	1523	Mowry Slough	83		na	97		na	na	na
21064.0	1544	Tolay Creek Mouth- MD31	83		na	94		na	na	na
21037.0	1514	Oyster Point (East)-Site 2	84		na	91		na	na	na
21038.0	1515	San Bruno Channel	84		na	93		na	na	na
21091.0	1573	Dumbarton Bridge - BA30	84		na	86		na	na	na
21036.0	1513	Oyster Point (West)-Site 1	85		na	67		na	na	na
21050.0	1530	Grizzly Bay- Rmp-BF20	85		na	95		na	na	na
21024.0	1501	Pacific Drydock Yard 2	86		na	94		na	na	na
21033.0	1510	North India Basin-Site 1	86		na	95		na	na	na
21049.0	1529	Dow Chemical- Kirker Creek	86		na	83		na	na	na
21052.0	1532	Hill Slough- MF21	86		na	96		na	na	na
21070.0	1550	Yerba Buena Island - Naval Stn	86		na	92		na	na	na
21086.0	1568	Redwood Creek - West	86		na	87		na	na	na

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (See Appendix B for Sampling Dates)	Toxicity Test Results				Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either* ERM or Top 10%		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	% Normal			NH3^ H2S^		
					SWI	100% PW				
VII. (Continued) Stations with Chemistry, Toxicity, and Benthic Degradation Below Thresholds or Not Measured										
21019.0	1496	Cordornices Creek Mouth	87		na	97	S	na	na	na
21047.0	1524	Coyote Slough-@Fixed R/R Bridg	87		na	96		na	na	na
21055.0	1535	Semple Point-M.W. VA-7	87		na	93		na	na	na
21082.0	1564	S.F. Airport - Seaplane Harbor	87		na	87		na	na	na
21004.0	1481	Pacheco Cr-Above Bridge-Site 2	88		na	97	S	na	na	na
21010.0	1487	San Pablo Bay- Hamilton	88		na	98	S	na	na	na
21020.0	1497	Emeryville Marsh	89		na	97		na	na	na
21051.0	1531	Boynton Slough- MF10	89		na	92		na	na	na
21053.0	1533	Suisun Slough	89		na	82		na	na	na
21066.0	1546	Napa Slough- MD32	89		na	90		na	na	na
21002.0	1479	South Reserve Fleet-Suisun	90		na	91	S	na	na	na
21058.0	1538	Pg&E-Vallejo-Coal Gas Plant	91		na	85		na	na	na
21083.0	1565	S.F. Airport - Central	91		na	80		na	na	na
21003.0	1480	Pacheco Cr-Near Mouth-Site 1	93		na	91		na	na	na
21059.0	1539	Petaluma River Mouth- BD20	93		na	93		na	na	na
21060.0	1540	Miller Creek- MD10	93		na	79		na	na	na
21089.0	1571	Ravenswood Slough - West	96		na	86		na	na	na

REFERENCES

- Abele, L.G. and K. Walters. 1979. Marine benthic diversity: a critique and alternate explanation. *Journal Biogeography* 6: 115-126.
- American Society for Testing and Materials. 1992. Standard guide for collection, storage, characterization, and manipulation of sediments for toxicological testing. Guide No. E 1392-90. Vol. 11.04, 1139-1153. Philadelphia, PA.
- American Society for Testing and Materials. 1993. Standard guide for conducting sediment toxicity tests with freshwater invertebrates. Guide No. E 1387-93. Vol. 11.04, 1173-1199. Philadelphia, PA.
- American Society for Testing and Materials. 1996. Standard guide for determination of bioaccumulation of sediment associated contaminants to benthic invertebrates. Guide No. E 1688-95. Vol. 11.05, 1110-1159. Philadelphia, PA.
- Anderson, B.S., J.W. Hunt, M.M. Hester and B.M. Phillips. 1996. Assessment of sediment toxicity at the sediment-water interface. In: G.K. Ostrander (ed.) *Techniques in Aquatic Toxicology*. Lewis Publishers, Ann Arbor, MI.
- Barnard, J. 1963. Relationship of benthic Amphipoda to invertebrate communities of inshore sublittoral sands of southern California. *Pacific Naturalist*. 3: 437-467.
- Bay, S., R. Burgess, and D. Nacci. 1993. Status and applications of echinoid (Phylum Echinodermata) toxicity test methods. In: W.G. Landis, J.S. Hughes, and M.A. Lewis. Eds., *Environmental Toxicology and Risk Assessment*, ASTM STP 1179. American Society for Testing and Materials, Philadelphia, PA. pp. 281-302.
- Becker, D.S. and T.C. Ginn. 1995. Effects of storage time on toxicity of sediments from Puget Sound, Washington. *Environ. Toxicol. Chem.* 14:829-835.
- Bender, M., W. Martin, J. Hess, F. Sayles, L. Ball, and C. Lambert. 1987. A whole core squeezer for interfacial pore water sampling. *Limnology and Oceanography*. 32(6): 1214-1255.
- Bousfield, E. 1996. The amphipod family Oedicerotida on the Pacific Coast of North America. Part 1. The *Monoculodes* and *Synchelidium* generic complexes: systematics and distributional ecology.
- Brinkhurst, R.O. and M.L. Simmons. 1968. The aquatic Oligochaeta of the San Francisco Bay system. *California Fish and Game* 54: 180-194.
- Brinkhurst, R.O. and D.G. Cook. 1980. *Aquatic oligochaete biology*. Plenum Press, New York, 529p.

Table 28 (Continued). Categorization of Stations Based on Integrated Monitoring Data.

Station Number	Sample Number	Station (Sampling Date)	Toxicity Test Results				Mean ERM Quotient	Number of Chemicals with Concentrations Exceeding Either* ERM or Top 10%		Relative Benthic Index
			Amphipod Survival (%)	NH3^ H2S^	% Normal			NH3^ H2S^		
			SWI	100% PW						
VIII. Reference Stations										
20005.0	1488	Paradise Cove - Reference (5/95)	84		na	96	na	na	na	na
20005.0	1552	Paradise Cove - Reference (10/95)	85		na	3*	0.17	1	0	na
20005.0	1741	Paradise Cove - Reference (4/97)	79		96	na	0.16	0	0	0.50
20006.0	1551	Sp Bay-Tubbs Is.-Reference (10/95)	87		na	96	na	na	na	na
20006.0	1622	Sp Bay-Tubbs Is.-Reference (6/96)	na		98	na	na	na	na	na
20007.0	1486	Sp Bay-Is. #1 Reference (5/95)	84		na	97	na	na	na	na
20007.0	1750	Sp Bay-Is. #1 Reference (4/97)	51*		88	na	na	na	na	0.39
20013.0	1521	North-South Bay-Reference (4-95)	89		na	87	na	na	na	na
20013.0	1574	North-South Bay-Reference (12/95)	86		na	0*	0.11	1	0	na
20013.0	1749	North-South Bay-Reference (4/97)	98		98	na	na	na	na	0.58
20014.0	1522	South-South Bay-Reference (4-95)	86		na	98	na	na	na	na
20014.0	1575	South-South Bay-Reference (12/95)	88		na	89	na	na	na	na

**Lists of chemicals with with concentrations above ERM and in the highest 10% of BPTCP measurements statewide are mutually exclusive. That is, only non-ERM chemicals were evaluated for distribution in the statewide data set. The two columns should be summed to give an estimate of the number of chemicals of possible concern.

^ In amphipod tests, N indicates overlying water un-ionized ammonia concentrations above 0.8 mg/L (EPA, 1995), and S indicates hydrogen sulfide concentrations above 0.114 mg/L (Knezovich et al., 1995). N^ and S^ indicate concentrations more than 5 times these threshold values.

^ In sea urchin larval development tests, N indicates overlying water un-ionized ammonia concentrations above 0.07 mg/L (Bay et al., 1993), and S indicates hydrogen sulfide concentrations above 0.0076 mg/L (Knezovich et al., 1995). N^ and S^ indicate concentrations more than 5 times these threshold values.

"Ha" indicates *Hyaella azteca*, the freshwater amphipod, and "Cd" indicates *Ceriodaphnia dubia*, the water flea.

Burgess, R.M., K.A. Schweitzer, R.A. McKinney, and D.K. Phelps. 1993. Contaminated marine sediments: water column and interstitial toxic effects. *Environ. Toxicol. Chem.* 12: 127-138.

California Department of Fish and Game. 1990. Water Pollution Control Laboratory standard operating procedure for determination of arsenic in biological tissue, sediment, and water. CDFG Water Pollution Control Laboratory, Rancho Cordova, CA

California Department of Fish and Game. 1990. Water Pollution Control Laboratory standard operating procedure for determination of selenium in biological tissue, sediment, and water. CDFG Water Pollution Control Laboratory, Rancho Cordova, CA

Carr, R.S., J. Williams and C.T. Fragata. 1989. Development and evaluation of a novel marine sediment pore water toxicity test with the polychaete *Dinophilus gyrociliatus*. *Environ. Toxicol. Chem.* 8: 533-543.

Carr, R.S., and D.C. Chapman. 1992. Comparison of solid-phase and pore-water approaches for assessing the quality of marine and estuarine sediments. *Chem. Ecol.* 7: 19-30.

Carr, R.S., and D.C. Chapman. 1995. Comparison of methods for conducting marine and estuarine sediment porewater toxicity tests - extraction, storage, and handling techniques. *Arch. Environ. Contam. Toxicol.* 28: 69-77.

Chapman, P.M., R.N. Dexter, and E.R. Long. 1987. Synoptic measurements of sediment contamination, toxicity, and infaunal community composition (the Sediment quality Triad) in San Francisco Bay. *Marine Ecology Progress Series.* 37: 75-96.

Connell, J.H. 1978. Diversity in tropical rain forests and coral reefs. *Science* 199: 1302-1310.

Davis, P.H. and R.B. Spies. 1980. Infaunal benthos of a natural petroleum seep: study of community structure. *Marine Biology* 59: 31-41.

Dillon, T.M., D.W. Moore, and A.B. Gibson. 1993. Development of a chronic sublethal bioassay for evaluating contaminated sediment with the marine polychaete worm *Nereis (Neanthes) arenaceodentata*. *Environ. Toxicol. Chem.* 12: 589-605.

Dinnel, P.A., J.M. Link, and Q.J. Stober. 1987. Improved methodology for a sea urchin sperm cell bioassay for marine waters. *Arch. Environ. Contam. Toxicol.* 16: 23-32.

DiToro, D.M., J.D. Mahoney, D.J. Hansen, K.J. Scott, M.B. Hicks, S.M. Mays, and M.S. Redmond. 1990. Toxicity of cadmium in sediments: the role of acid-volatile sulfides. *Environ. Toxicol. Chem.* 9:1487- 1502.

DiToro, D.M., J.D. Mahoney, D.J. Hansen, K.J. Scott, A.R. Carlson, and G.T. Ankley. 1992. Acid-volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ. Sci. Technol.* 26: 96-101.

Evans, D. and P. Hanson. 1993. Analytical methods for trace elements in sediments by atomic absorption spectrophotometry. In Sampling and Analytical Methods of the National Status and Trends Program National Benthic Surveillance and Mussel Watch Project 1984-1992, vol. 3. Lauenstein, G. and A. Cantillo (eds.). NOAA Tech. Mem. NOS ORCA 71. 53-81.

Fairey, R. 1992. Sampling and analysis of trace metals in sediment interstitial waters. American Geophysical Union. Fall Meeting, 042A-06.

Fairey, R., C. Bretz, S. Lamerdin, J. Hunt, B. Anderson, S. Tudor, C. Wilson, F. LeCaro, M. Stephenson, H. Puckett, E. Long. 1996. Chemistry, toxicity and benthic community conditions in sediment of the San Diego Bay region. Final Report, California State Water Resources Control Board.

Flegal, A. R., R. W. Risebrough, B. Anderson, J. Hunt, S. Anderson, J. Oliver, M. Stephenson and R. Packard. 1994. San Francisco Estuary Pilot Regional Monitoring Program: sediment studies, Final Report, July, 1994.

Folk, R. 1974. Petrology of Sedimentary Rocks. Hemphill Publ. Co., Austin, TX. 182pp.

Franson, M. A. (Ed). 1981. 505 Organic carbon (total). In Standard Methods For the Examination of Water and Wastewater. 15th ed. Am. Public Health Ass. p. 471-475.

Froelich, P.M. 1980. Analysis of Organic Carbon in Marine Sediments. Limnology and Oceanography. 25: 564-572.

Gandesbery, T. and F. Hetzel. 1998. Ambient concentrations of toxic chemicals in San Francisco Bay sediments. Staff report, Regional Water Quality Control Board, San Francisco Bay Region, Oakland, CA.

Giesy, J.P. and R.A. Hoke. 1990. Freshwater sediment quality criteria: toxicity bioassessment. Pp. 265-348 in Sediments: Chemistry and Toxicity of In-Place Pollutants. R. Baudo, J. Giesy, and H. Muntau. eds. Lewis Publishers. Michigan.

Grassle, J.F. and J.P. Grassle. 1974. Opportunistic life histories and genetic systems in marine benthic polychaetes. Journal of Marine Research. 32(2): 253-283.

Grassle, J.P. and J.F. Grassle. 1976. Sibling species in the marine pollution indicator *Capitella* (Polychaeta). Science 192: 567-569.

Hedges, J.I. and Stern J.H. 1983. Carbon and nitrogen determination of carbonate containing solids. Limnology and Oceanography. 29: 658-663.

Hansen, S.R., G. Wortham, J. Cotsifas, and M.H. Garcia. 1993. Diazinon rain: storm water toxicity identification evaluations. Abstract, Society of Environmental Toxicology and Chemistry, 14th Annual Meeting, Houston, Texas.

Hockett, J.R. and D.R. Mount. 1996. Use of metal chelating agents to differentiate among sources of acute toxicity. *Environ. Toxicol. and Chem.* 15: 1687-1693.

Hoke, R.A., G.T. Ankley, A.M. Cotter, T. Goldenstein, P.A. Kosian, G.L. Phipps, F.M. VanderMeiden. 1994. Evaluation of equilibrium partitioning theory for predicting acute toxicity of field-collected sediments contaminated with DDE, DDE and DDD to the amphipod *Hyaella azteca*. *Environ. Toxicol. Chem.* 13: 157-166.

Hunt, J.W., B.S. Anderson, B.M. Phillips, J. Newman, R. Tjeerdema, M. Stephenson, M. Puckett, R. Fairey, R.W. Smith, and K.M. Taberski. Evaluation and use of sediment reference sites and toxicity tests in San Francisco Bay. California State Water Resources Control Board, Sacramento, CA.

Hurlbert, S.N. 1971. The non-concept of species diversity: a critique and alternate parameters. *Ecology*. 52: 577-586.

IRIS (Integrated Risk Information System). 1992. U.S. Environmental Protection Agency, Duluth, MN.

Jumars, P.A. 1975. Environmental grain and polychaete species diversity in a bathyal benthic community. *Marine Biology* 30: 253-266.

Jumars, P.A. 1976. Deep-sea species diversity: does it have a characteristic scale? *Journal of Marine Research*. 34: 217-246.

Kennish, M.J. 1991. *Ecology of Estuaries: Anthropogenic Effects*. CRC Press, Boca Raton, FL 494 pp.

Kennish, M.J. 1998. *Pollution Impacts on Marine Biotic Communities*. CRC Press, Boca Raton, FL 310 pp.

Khoo, K.H., C.H. Culberson, and R.G. Bates. 1977. Thermodynamics of dissociation of ammonium ion in seawater from 5° to 40°C. *J. Solution Chem.* 6: 281-290.

Klaus, A.D., J.S. Oliver and R.G. Kvitek. 1990. The effects of gray whale, walrus, and ice gouging disturbance on benthic communities in the Bering Sea and Chukchi Sea, Alaska. *National Geographic research* 6(4): 470-484.

Knezovich, J.P., D.J. Steichen, J.A. Jelinski, and S.L. Anderson. 1996. Sulfide tolerance of four marine species used to evaluate sediment and pore water toxicity. *Bull. Environ. Contam. Toxicol.* 57: 450-457.

Lange, G.J., R.E. Cranston, D.H. Hydes, and D. Boust. 1992. Extraction of pore water from marine sediments: a review of possible artifacts with pertinent examples from the north atlantic. *Mar. Geol.* 109: 53-76.

Lenihan, H. S. and J.S. Oliver. 1995. Anthropogenic and natural disturbances to marine benthic communities in Antarctica. *Ecological Applications* 5(2): 311-326.

Lenihan, H.L., K.A. Kiest, K.E. Conlan, P.N. Slattery, B.H. Konar and J.S. Oliver. 1995. Patterns of survival and behavior in Antarctic benthic invertebrates exposed to contaminated sediments: field and laboratory bioassay experiments. *Journal of Experimental Marine Biology and Ecology.* 192: 233-255.

Levin, L.A. 1983. Drift tube studies of bay-ocean water exchange and implications for larval dispersal. *Estuaries* 6(4): 364-371.

Lewis, D.W. 1984 *Practical Sedimentology.* Hutchinson Ross Publishing Co., 230pp.

Long, E.R., M.F. Buchman, S.M. Bay, R.J. Breteler, R.S. Carr, P.M. Chapman, J.E. Hose, A.L. Lissner, J. Scott, and D.A. Wolfe. 1990. Comparative evaluation of five toxicity tests with sediments from San Francisco Bay and Tomales Bay, California. *Environ. Contam. and Toxicol.* 9: 1193-1214.

Long, E.R. M.F. Buchman. 1989. The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program. NOAA Technical Memorandum NOS OMA 45.

Long, E.R. and L.G. Morgan. 1990. The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program. NOAA Technical Memorandum NOS OMA 62. National Oceanic and Atmospheric Administration, Seattle, WA. 86 pp.

Long, E.R., D.A. Wolfe, R.S. Carr, K.J. Scott, G.B. Thursby, H.L. Windom, R. Lee, F.D. Calder, G.M. Sloane, and T. Seal. 1994. Magnitude and extent of sediment toxicity in Tampa Bay, Florida. National Oceanic and Atmospheric Administration. NOAA Technical Memorandum NOS ORCA 78.

Long, E.R., D.L. MacDonald, S.L. Smith and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentration in marine and estuarine sediments. *Environmental Management.* 19 (1): 81-97.

MARPCPN I. 1992. The analysis of carbon and nitrogen form sediments and the particulate fraction of water from estuarine/coastal systems using elemental analysis. Method MARPCPN I. University of Maryland system for environmental and estuarine studies. Chesapeake Biological Laboratory. Revision 1.1. Environmental Monitoring Systems Laboratory, Office of Research and Development. U.S. Environmental Protection Agency.

- MacDonald, D.D. 1992. Development of an integrated approach to the assessment of sediment quality in Florida. Prepared for the Florida Department of Environmental Regulation. MacDonald Environmental Services, Ltd. Ladysmith, British Columbia. 114 pp.
- MacDonald, D.D. 1994. Approach to the assessment of sediment quality in Florida coastal waters. Volume 1 - Development and evaluation of sediment quality assessment guidelines. Prepared for the Florida Department of Environmental Regulation. MacDonald Environmental Services, Ltd. Ladysmith, British Columbia. 126 pp.
- MacDonald, D.D. 1994. Approach to the Assessment of Sediment Quality in Florida Coastal Waters. Volume 2 - Application of the sediment quality assessment guidelines. Prepared for the Florida Department of Environmental Regulation. MacDonald Environmental Services, Ltd. Ladysmith, British Columbia. 52 pp.
- MacDonald, D.D., R.S. Carr, F.D. Calder and E.R. Long. *In Press*. Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicology*
- McCall, P.L. 1977. Community patterns and adaptive strategies of the infaunal benthos of Long Island Sound. *Journal of Marine Research* 35: 221-226.
- Mills, E. 1967. Biology of an ampeliscid amphipod crustacean sibling species pair. *J. Fish. Res. Bd. Canada*. 24: 305-355.
- Newman, J. 1998. Expanded characterization of polycyclic aromatic hydrocarbons in Castro Cove surficial sediments. Report to the San Francisco Bay Regional Water Quality Control Board. 30 pp.
- Newman, J.W., J.S. Becker, G. Blondina, and R.S. Tjeerdema. *In Press*. Quantitation of aroclors using congener-specific results. *Environ. Tox. Chem.*
- Oakden, J.M., J.S. Oliver and A.R. Flegal. 1984a. Behavioral responses of phoxocephalid amphipods to organic enrichment and trace metals in sediment. *Marine Ecology Progress Series*. 14: 253-257.
- Oakden, J.M., J.S. Oliver and A.R. Flegal. 1984b. EDTA chelation and zinc antagonism with cadmium in sediments: effects on behavior and mortality of two infaunal amphipods. *Marine Biology*. 84: 125-130.
- Office of Environmental Health Hazard Assessment (OEHHA). 1994. Health advisory on catching and eating fish - Interim sport fish advisory for San Francisco Bay. Sacramento, CA
- Okey, T.A. 1997. Sediment flushing observations, earthquake slumping, and benthic community changes in Monterey Canyon head. *Continental Shelf Research*. 17: 877-897.

- Oliver, J.S., P.N. Slattery, L.W. Hulberg and J.W. Nybakken 1977. Patterns of succession in benthic infaunal communities following dredging and dredged material disposal in Monterey Bay. Dredged Material Research Program, U.S. Army Engineers Waterways Experiment Station, Technical Report 0-77-27, Vicksburg, Mississippi.
- Oliver, J.S., P.N. Slattery, L.W. Hulberg and J.W. Nybakken. 1980. Relationships between wave disturbance and zonation of benthic invertebrate communities along a subtidal high energy beach in Monterey Bay, California. *Fishery Bulletin*. 78: 437-454.
- Oliver, J.S., J.M. Oakden and P.N. Slattery. 1982. Phoxocephalid amphipod crustaceans as predators on larvae and juveniles in marine soft bottom communities. *Marine Ecology Progress Series*. 7: 179-184.
- Oliver, J.S., P.N. Slattery, M.A. Silberstein and E.F. O'Connor. 1983. A comparison of gray whale, *Eschrichtius robustus*, feeding in the Bering Sea and Baja California. *Fishery Bulletin*. 81: 513-522.
- Oliver, J.S., P.N. Slattery, M.A. Silberstein and E.F. O'Connor. 1984. Gray whale feeding on dense amphilepid amphipod communities near Bamfield, British Columbia. *Canadian Journal of Zoology*. 62: 41-49.
- Oliver, J.S. and P.N. Slattery. 1985a. Effects of crustacean predators on species composition and population structure of soft-bodied infauna from McMurdo Sound, Antarctica. *Ophelia*. 24: 155-175.
- Oliver, J.S. and P.N. Slattery. 1985b. Destruction and opportunity on the sea floor: effects of gray whale feeding. *Ecology*. 66(6): 1966-1975.
- Pearson, T.H. and R. Rosenberg. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanogr. Mar. Biol. Annu. Rev.* 16: 229-311.
- Peeling, T.J. 1974. A proximate biological survey of San Diego Bay, California. Naval Undersea Center. Report number: NUC TP 389.
- Phillips B.M., B.S. Anderson and J.W. Hunt. 1997. Measurement and distribution of interstitial and overlying water ammonia and hydrogen sulfide in sediment toxicity tests. *Mar. Environ. Res.* 44: 117-126.
- PSEP. 1991. Interim final recommended guidelines for conducting laboratory bioassays on Puget Sound sediments. U.S. Environmental Protection Agency, Region 10, Office of Puget Sound, Seattle, WA.
- Reid, G. and A. Reid. 1969. Feeding processes of members of the genus *Macoma* (Mollusca: Bivalvia). *Can. J. Zool.* 47: 649-657.

Reish, D.J., D.F. Soule and J.D. Soule. 1980. The benthic biological conditions of Los Angeles-Long Beach Harbours: results of 28 years of investigations and monitoring. *Helgolander Meeresunters.* 34: 193-205.

Rhoads, D.C., P.L. McCall, and Y.Y. Yingst. 1978. Disturbance and production on the estuarine seafloor. *American Scientist.* 66: 577-586.

Rhoads, D.C. and L.F. Boyer. 1982. The effects of marine benthos on the physical properties of sediment: a successional perspective. In *Animal-Sediment Relations: The Biogenic Alteration of Sediments*, ed. P.L. McCall and M.J.S. Tevesz, pp. 3-43. Plenum Press, New York.

San Francisco Bay Regional Water Quality Control Board (SFBRWQCB), SWRCB, CDFG. 1995. Contaminant levels in fish tissue from San Francisco Bay. Final report. San Francisco Bay Regional Water Quality Control Board, Oakland, CA. 155 pp.

San Francisco Estuary Institute (SFEI). 1994. 1993 Annual Report, San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA.

SFEI. 1995. 1994 Annual Report, San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA.

SFEI. 1996. 1995 Annual Report, San Francisco Estuary Regional Monitoring Program for Trace Substances. San Francisco Estuary Institute, Richmond, CA.

Sanders, H.L., J.F. Grassle, G.R. Hampson, L.S. Morse, S. Garner-Price and C.C. Jones. 1980. Anatomy of an oil spill: long-term effects from the grounding of the barge *Florida* off West Falmouth, Massachusetts. *Journal of Marine Research.* 38: 265-380.

Santos, S.L. and J.L. Simon. 1980. Response of soft-bottom benthos to annual catastrophic disturbance in a south Florida estuary. *Marine Ecology Progress Series.* 3: 347-355.

Savenko, V.S. 1977. Marine chemistry: the dissociation of hydrogen sulfide in seawater. *Oceanology.* 16:347-350.

Slattery, P.N. 1985. Life histories of infaunal amphipods from subtidal sands of Monterey Bay, California. *Journal of Crustacean Biology.* 5: 635-649.

Schimmel, S.C., B.D. Melzian, D.E. Campbell, C.J. Strobel, S.J. Benyi, J.S. Rosen, H.W. Bullum, and N.I. Rubinstein. 1994. Statistical Summary EMAP-Estuaries Virginian Province - 1991. EPA /620/R-94/005.

Slattery, P.N. 1985. Life histories of infaunal amphipods from subtidal sands of Monterey Bay, California. *Journal of Crustacean Biology.* 5: 635-649.

Sloan, C.A., N.G. Adams, R.W. Pearce, D.W. Brown, and S.L. Chan. 1993. Northwest Fisheries Science Center Organic Analytical Procedures. In Sampling and Analytical Methods of The National Status and Trends Program National Benthic Surveillance and Mussel Watch Projects 1984-1992 - Volume VI Comprehensive descriptions of the trace organic analytical methods. G.G. Lauenstein and A.Y. Cantillo (Eds). NOAA Technical Memorandum NOS ORCA 71. p 53-97.

Spies, R.B., A.J. Gunther, J. Stegeman, B. Woodin, R. Smolowitz, B. Saunders and L.Hain. 1993. Induction of biochemical, genetic and morphological markers of contamination in speckled sanddabs *Citharichthys stigmaeus* experimentally exposed to sediments from San Francisco Bay. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.

SPSS, Inc. 1997. SYSTAT Statistical Program, Version 7.0. Chicago, IL USA.

State Water Resources Control Board. 1990. Evaluation of the AET approach for assessing contamination of marine sediments in California. Division of Water Quality. Report No. 90-3 WQ. Sacramento, CA.

State Water Resources Control Board. 1993. Staff Report: Status of the Bay Protection and Toxic Cleanup Program. Division of Water Quality. Sacramento, CA.

State Water Resources Control Board. 1998. Water quality control policy for guidance on the development of regional toxic hot spot cleanup plans. Division of Water Quality. Sacramento, CA.

Stephenson, M., M. Puckett, N. Morgan, and M. Reid. 1994. Bay Protection and Toxic Cleanup Program: Quality Assurance Project Plan. Bay Protection and Toxic Cleanup Program, State Water Resources Control Board, Sacramento, CA.

Stull, J.K., Haydock, C.I., Smith, R.W. and D.E. Montagne. 1986. Long-term changes in the benthic community on the coastal shelf off Palos Verdes, southern California. *Marine Biology*. 91: 539-551.

Swartz, R.C., W.A. DeBen and F.A. Cole. 1979. A bioassay for the toxicity of sediment to marine macrobenthos. *Water Pollution Control Federation*. 51: 944-950.

Swartz, R.C., D.W. Shults, G.R. Ditworth and W.A. DeBen. 1984. Toxicity of sewage sludge to *Rhepoxnius abronius*, a marine amphipod. *Archives of Environ. Contam. and Toxicol.* 13: 207-216.

Swartz, R.C., W.A. DeBen, J.K.P. Jones, J.O. Lamberson and F.A. Cole. 1985. Phoxocephalid amphipod bioassay for marine sediment toxicity. In: *Aquatic toxicity and hazard assessment, Seventh Symposium: ASTM STP 854*. eds. R.D. Cradwell, R. Purdy and R.C. Bahner. American Society for Testing and Materials, Philadelphia, pp. 284-307.

- Swartz, R.C., Cole, F.A., Shults, D.W. and W.A. Deben. 1986. Ecological changes in the Southern California Bight near a large sewage outfall; benthic conditions 1980-1983. *Marine Ecology Progress Series*. 31: 1-13.
- Swartz, R.C., F.A. Cole, J.O. Lamberson, S.P. Ferraro, D.W. Schults, D.W. Schults, W.A. Deben, H. Lee II, R.J. Ozretich. 1994 Sediment toxicity, contamination and amphipod abundance at a DDT- and Dieldrin-contaminated site in San Francisco Bay. *Environ. Toxicol. Chem.* 13: 949-962.
- Tabachnick, B.G. and L.S. Fidell. 1996. *Using Multivariate Statistics*. Harper Collins College Publishers. New York, NY USA. 880 pp.
- Tang, A., J.G. Kalocai, S. Santos, B. Jamil, J. Stewart. 1997. Sensitivity of blue mussel and purple sea urchin larvae to ammonia. Abstract, Society of Environmental Toxicology and Chemistry, 18th Annual Meeting, San Francisco.
- Thistle, D. 1981. Natural physical disturbances and communities of marine soft bottoms. *Marine Ecology Progress Series*. 6: 223-228.
- Thursby, G.B. and C.E. Schlekat. 1993. Statistical analysis of 10-day solid phase toxicity data for amphipods. Abstract, 14th Annual Meeting, Society of Environmental Toxicology and Chemistry.
- Thursby, G.B., J. Heltshe, K.J. Scott. 1997. Revised approach to toxicity test acceptability criteria using a statistical performance assessment. *Environ. Toxicol. Chem.* 16: 1322-1329.
- U.S. Environmental Protection Agency. 1988. Briefing report to the EPA Science Advisory Board: The apparent effects threshold approach. Puget Sound Estuary Program. U.S. Environmental Protection Agency, Region 10. Seattle, Washington.
- U.S. Environmental Protection Agency. 1989. Report of the Sediment Criteria Subcommittee: Evaluation of the apparent effects threshold (AET) approach for assessing sediment quality. Office of the Administrator. Science Advisory Board. Washington, D.C.
- U.S. Environmental Protection Agency. 1990. Exposure Factors Handbook. Office of Health and Environmental Assessment, Washington, DC. EPA-600/8-89-043.
- U.S. Environmental Protection Agency. 1993a. Workshop report on developmental neurotoxic effects associated with exposure to PCBs. September 14-15, 1992. Research Triangle Park, NC. Risk Assessment Forum. Washington D.C.
- U.S. Environmental Protection Agency. 1993b. Methods for measuring the acute toxicity of effluents and receiving waters to freshwater and marine organisms. Office of Research and Development. EPA/600/4-90/027F. August 1993.

U.S. Environmental Protection Agency. 1994. Methods for Assessing the Toxicity of Sediment-associated Contaminants with Estuarine and Marine Amphipods. Office of Research and Development. EPA 600-R-94-025. June 1994.

U.S. Environmental Protection Agency. 1995a. Guidance for Assessing Chemical Contaminant Data For Use In Fish Advisories- Volume 1 Fish Sampling and Analysis 2nd Edition. Office of Water. EPA 823-R-95-007. September 1995.

U.S. Environmental Protection Agency. 1995b. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to west coast marine and estuarine organisms. Office of Research and Development. EPA/600/R-95/136. August 1995.

U.S. Environmental Protection Agency. 1996. Marine toxicity identification evaluation (TIE); Phase I guidance document. EPA/600/R-96/054. National Health and Environmental Effects Research Laboratory, Narragansett, RI 02828. 54 pp.

VanBlaricom, G.R. 1982. Experimental analysis of structural regulation in a marine sand community exposed to oceanic swell. *Ecological Monographs*. 52: 283-305.

Vetter, E.W. 1995. Detritus-based patches of high secondary production in the nearshore benthos. *Marine Ecology Progress Series*. 120: 251-262.

Weston, D.P. 1990. Quantitative examination of macro-benthic community changes along an organic enrichment gradient. *Marine Ecology Progress Series*. 61: 233-244.

Whitfield, M. 1974. The hydrolysis of ammonium ions in sea water - a theoretical approach. *J. Mar. Biol. Ass. U.K.* 54: 565-580.

Whitfield, M. 1978. The hydrolysis of ammonium ions in sea water - experimental confirmation of predicted constants at one atmosphere pressure. *J. Mar. Biol. Ass. U.K.* 58: 781-787.

Wilcock, R.J., T.J. Smith, R.D. Primore, S.F. Thrush, V. Cumming, J.E. Hewitt. 1993. Bioaccumulation and elimination of chlordane by selected intertidal benthic fauna. *Environ. Toxicol. Chem.* 12: 733-742.

Appendix A
Data Base Description

DATABASE DESCRIPTION

for the

Bay Protection and Toxic Cleanup Program

Prepared for:

**California State Water Resources Control Board
Bays and Estuaries Unit**

and

**California Department of Fish and Game
Marine Pollution Studies Laboratories**

by

Moss Landing Marine Laboratories

I. OVERVIEW OF THE BAY PROTECTION PROGRAM

The California State Water Resources Control Board (SWRCB) has contracted the California Department of Fish and Game (CDFG) to coordinate the scientific aspects of the Bay Protection and Toxic Cleanup Program (BPTCP), a SWRCB program mandated by the California Legislature. The BPTCP is a comprehensive, long-term effort to regulate toxic pollutants in California's enclosed bays and estuaries. The program consists of both short-term and long-term activities. The short-term activities include the identification and priority ranking of toxic hot spots, development and implementation of regional monitoring programs designed to identify toxic hot spots, development of narrative sediment quality objectives, development and implementation of cleanup plans, revision of waste discharge requirements as needed to alleviate impacts of toxic pollutants, and development of a comprehensive database containing information pertinent to describing and managing toxic hot spots. The long-term activities include development of numeric sediment quality objectives; development and implementation of strategies to prevent the formation of new toxic hot spots and to reduce the severity of effects from existing toxic hot spots; revision of water quality control plans, cleanup plans, and monitoring programs; and maintenance of the comprehensive database.

Actual field and laboratory work is performed under contract by the California Department of Fish and Game (CDFG). The CDFG subcontracts the toxicity testing to Dr. Ron Tjeerdema at the University of California at Santa Cruz (UCSC) and the laboratory testing is performed at the CDFG toxicity testing laboratory at Granite Canyon, south of Carmel. The CDFG contracts the majority of the sample collection activities to Dr. John Oliver of San Jose State University at the Moss Landing Marine Laboratories (MLML) in Moss Landing. Dr. Oliver also is subcontracted to perform the TOC and grain size analyses, as well as to perform the benthic community analyses. CDFG personnel perform the trace metals analyses at the trace metals facility at Moss Landing Marine Laboratories in Moss Landing. The synthetic organic pesticides, PAHs and PCBs are contracted by CDFG to Dr. Ron Tjeerdema at the UCSC trace organics facility at Long Marine Laboratory in Santa Cruz. MLML currently maintains the Bay Protection and Toxic Cleanup Database for the SWRCB. Described below is a description of that database system.

II. DESCRIPTION OF COMPUTER FILES

The sample collection/field information, chemical, and toxicity data are stored on hard copy, computer disks and on a 486DX PC at Moss Landing Marine Laboratories. Access is limited to Russell Fairey. Contact Russell Fairey at (408) 633-6035 for copies of data. The data are stored in a dBase 4 program and can be exported to a variety of formats. There are three backups of this database stored in two different laboratories. The data are entered into 1 of 5 files. CHEM1_56.DBF file contains a collection of chemical analyses data in sediments. TOX1_56.DBF file contains toxicity test data and associated water quality data. TISS1_56.DBF file contains a collection of chemical analyses in tissue matrix. WATR1_56.DBF file contains a collection of chemical analyses in water. BEN1_56.XLS file contains a summary of benthic community analyses. This file is

stored in Excel 5.0. A hardcopy printout of the dBase database structure is attached, showing precise characteristics of each field.

The CHEM1_56.DBF file contains the following fields (the number at the start of each field is the field number):

1. STANUM. This numeric field is 7 characters wide with 1 decimal place and contains the CDFG station numbers that are used statewide. The format is YXXXX.Z where Y is the Regional Water Quality Control Board Region number and XXXX is the number that corresponds to a given location or site and Z is the number of the station within that site. An example is San Pablo Bay- Island #1, in San Francisco Bay, where the STANUM is 20007.0. The 2 indicates Region 2. The 0007 indicates it is Site 7 and the .0 is the replicate (if any) at the station within Site 7.
2. STATION. This character field is 30 characters wide and contains the exact name of the station.
3. IDORG. This numeric field is 8 characters wide and contains the unique i.d. organizational number for the sample. For each station collected on a unique date, an idorg sample number is assigned. This should be the field that links the collection, toxicity, chemical, and other databases.
4. DATE. This date field is 8 characters wide and is the date that each sample was collected in the field. It is listed as MM/DD/YY.
5. LEG. This numeric field is 6 characters wide with 1 decimal place, and is the leg number of the project in which the sample was collected.
6. LATITUDE. This character field is 12 characters wide and contains the latitude of the center of the station sampled. The format is a character field as follows: XX,YY,ZZ, where XX is in degrees, YY is in minutes, and ZZ is in seconds or hundreds.
7. LONGITUDE. This character field is 14 characters wide and contains the longitude of the center of the station sampled. The format is a character field as follows: XXX,YY,ZZ, where XXX is in degrees, YY is in minutes, and ZZ is in seconds or hundreds.
8. HUND_SECS. This character field is 3 characters wide and contains the designation "h" if the latitude and longitude are given in degrees, minutes, hundredths of a minute. If differential accuracy was achieved with the GPS at the station the designation is given as "h/d". The designation "s" is given when latitude and longitude are given in degrees, minutes, seconds.
9. GISLAT. This numeric field is 12 characters wide with 8 decimal places and contains the latitude of the station sampled in Geographical Information System format. The format is a numeric field as follows: XX.YYYYYYYY, where XX is in degrees and YYYYYYYY is a decimal fraction of the preceding degree.
10. GISLONG. This numeric field is 14 characters wide with 8 decimal places and contains the longitude of the station sampled. The format is a character field as follows: XXXX.YYYYYYYY where XXXX is in degrees and YYYYYYYY is a decimal fraction of the preceding degree.

11. DEPTH. This character field is 4 characters wide and contains the depth at which the sediment sample was collected, in meters to the nearest one half meter.
12. METADATA. This is a text index directing the user to tables or files of ancillary data pertinent to the associated data file. Character field, width 12.

TRACE METALS IN SEDIMENT are presented in fields 13 through 32. All sediment trace metal results are reported on a dry weight basis in parts per million (ppm).

- A. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed.
- B. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected.

Sediment trace metals are numeric fields of varying character width, and including the following elements, listed by field number, then field name as it appears in the database, then numeric character width and number of decimal places:

13. TMMOIST. 6.2
14. ALUMINUM. 9.2
15. ANTIMONY. 7.3
16. ARSENIC. 6.3
17. CADMIUM. 7.4
18. CHROMIUM. 8.3
19. COPPER. 7.2
20. IRON. 7.1
21. LEAD. 7.3
22. MANGANESE. 7.2
23. MERCURY. 7.4
24. NICKEL. 7.3
25. SILVER. 7.4
26. SELENIUM. 6.3
27. TIN. 8.4
28. ZINC. 9.4
29. ASBATCH. 5.1
30. SEBATCH. 5.1
31. TMBATCH. The Batch number that the sample was digested in, numeric field width of 5 with 2 decimal place.
32. TMDATAQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 3. Data qualifier codes are as follows:
 - A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are

made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.

- C. When the QA samples has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
- D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

AVS/SEM concentrations are presented in fields 44 through 53. All AVS/SEM results are reported on a dry weight basis in parts per million (ppm or ug/g). Acid volatile sulfides (AVS) and simultaneous extracted metals (SEM) are numeric fields of varying character width, and including the following elements, listed by field number, then field name as it appears in the database, then numeric character width and number of decimal places.

- 33. AVS. 7.2
- 34. SEM_CD. 7.4
- 35. SEM_CU. 7.2
- 36. SEM_NI. 7.3
- 37. SEM_PB. 7.3
- 38. SEM_ZN. 9.4
- 39. SEM_SUM. 9.4
- 40. SEM_AVS. 9.3
- 41. AVS_BATCH. The batch number the sample was extracted in, numeric field width 5.
- 42. AVSDATAQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 3. Data qualifier codes are as follows:
 - A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA samples has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

SYNTHETIC ORGANICS are presented in fields 54 through 173. All synthetic organic results are reported on a dry weight basis in parts per billion (ppb or ng/g).

- A. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed.

- B. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected.

Synthetic organics are reported on a dry weight basis in parts per billion (ppb or ng/g) and are numeric fields of varying width, and include the following compounds, listed by field number, then field name as it appears in database (and followed by the compound name if not obvious), and then finally, the numeric character width and number of decimal places is given:

- 43. SOWEIGHT. This numeric field is 6 characters wide with 2 decimal places and contains the weight of the sample extracted for analysis.
- 44. SOMOIST. This numeric field is 6 characters wide with 2 decimal places and contains the percent moisture of the sample extracted.
- 45. ALDRIN. 9.3
- 46. CCHLOR. cis-Chlordane. 9.3
- 47. TCHLOR. trans-Chlordane. 9.3
- 48. ACDEN. alpha-Chlordene. 9.3
- 49. GCDEN. gamma-Chlordene. 9.3
- 50. CLPYR. Chlorpyrifos (Dursban). 8.2
- 51. DACTH. Dacthal. 9.3
- 52. OPDDD. o,p'-DDD. 8.2
- 53. PPDDD. p,p'-DDD. 9.3
- 54. OPDDE. o,p'-DDE. 8.2
- 55. PPDDE. p,p'-DDE. 8.2
- 56. PPDDMS. p,p'-DDMS. 8.2
- 57. PPDDMU. p,p'-DDMU. 8.2
- 58. OPDDT. o,p'-DDT. 8.2
- 59. PPDDT. p,p'-DDT. 8.2
- 60. DICLB. p,p'-Dichlorobenzophenone. 8.2
- 61. DIELDRIN. 9.3
- 62. ENDO_I. Endosulfan I. 9.3
- 63. ENDO_II. Endosulfan II. 8.2
- 64. ESO4. Endosulfan sulfate. 8.2
- 65. ENDRIN. 8.2
- 66. ETHION. 8.2
- 67. HCHA. alpha HCH 9.3
- 68. HCHB. beta HCH 8.2
- 69. HCHG. gamma HCH (Lindane) 9.3
- 70. HCHD. delta HCH 9.3
- 71. HEPTACHLOR. 9.3
- 72. HE. Heptachlor Epoxide. 9.3
- 73. HCB. Hexachlorobenzene. 9.3
- 74. METHOXY. Methoxychlor. 8.2
- 75. MIREX. 9.3
- 76. CNONA. cis-Nonachlor. 9.3
- 77. TNONA. trans-Nonachlor. 9.3

78. OXAD. Oxadiazon. 8.2
79. OCDAN. Oxychlorane. 9.3
80. TOXAPH. Toxaphene. 7.2
81. PESBATCH. The batch number that the sample was extracted in, character field width 11.
82. TBT. Tributyltin. 8.4
83. TBTBATCH. The batch number that the sample was extracted in, numeric field width 5 and 1 decimal places.
84. PCB5. 9.3
85. PCB8. 9.3
86. PCB15. 9.3
87. PCB18. 9.3
88. PCB27. 9.3
89. PCB28. 9.3
90. PCB29. 9.3
91. PCB31. 9.3
92. PCB44. 9.3
93. PCB49. 9.3
94. PCB52. 9.3
95. PCB66. 9.3
96. PCB70. 9.3
97. PCB74. 9.3
98. PCB87. 9.3
99. PCB95. 9.3
100. PCB97. 9.3
101. PCB99. 9.3
102. PCB101. 9.3
103. PCB105. 9.3
104. PCB110. 9.3
105. PCB118. 9.3
106. PCB128. 9.3
107. PCB132. 9.3
108. PCB137. 9.3
109. PCB138. 9.3
110. PCB149. 9.3
111. PCB151. 9.3
112. PCB153. 9.3
113. PCB156. 9.3
114. PCB157. 9.3
115. PCB158. 9.3
116. PCB170. 9.3
117. PCB174. 9.3
118. PCB177. 9.3
119. PCB180. 9.3
120. PCB183. 9.3
121. PCB187. 9.3

- 122. PCB189. 9.3
- 123. PCB194. 9.3
- 124. PCB195. 9.3
- 125. PCB201. 9.3
- 126. PCB203. 9.3
- 127. PCB206. 9.3
- 128. PCB209. 9.3
- 129. ARO1248. 9.3
- 130. ARO1254. 9.3
- 131. ARO1260. 9.3
- 132. ARO5460. 9.3
- 133. PCBATCH. The batch number that the sample was extracted in, character field width 11.
- 134. ACY. Acenaphthylene. 8.2
- 135. ACE. Acenaphthene. 8.2
- 136. ANT. Anthracene. 8.2
- 137. BAA. Benz[a]anthracene. 8.2
- 138. BAP. Benzo[a]pyrene. 8.2
- 139. BBF. Benzo[b]fluoranthene. 8.2
- 140. BKF. Benzo[k]fluoranthene. 8.2
- 141. BGP. Benzo[ghi]perylene. 8.2
- 142. BEP. Benzo[e]pyrene. 8.2
- 143. BPH. Biphenyl. 8.2
- 144. CHR. Chrysene. 8.2
- 145. COR. Coronene. 8.2
- 146. DBA. Dibenz[a,h]anthracene. 8.2
- 147. DBT. Dibenzothiophene. 8.2
- 148. DMN. 2,6-Dimethylnaphthalene. 8.2
- 149. FLA. Fluoranthene. 8.2
- 150. FLU. Fluorene. 8.2
- 151. IND. Indeno[1,2,3-cd]pyrene. 8.2
- 152. MNP1. 1-Methylnaphthalene. 8.2
- 153. MNP2. 2-Methylnaphthalene. 8.2
- 154. MPH1. 1-Methylphenanthrene. 8.2
- 155. NPH. Naphthalene. 8.2
- 156. PHN. Phenanthrene. 8.2
- 157. PER. Perylene. 8.2
- 158. PYR. Pyrene. 8.2
- 159. TMN. 2,3,5-Trimethylnaphthalene. 8.2
- 160. TRY. Triphenylene. 8.2
- 161. PAHBATCH. The batch number that the sample was extracted in, character field width 11.
- 162. SODATAQA. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 3. Data qualifier codes are as follows:

- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
- B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
- C. When QA samples have major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
- D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

SEDIMENT PARTICULATE SIZE ANALYSES DATA are presented in fields 174-182. The grain size results are reported as follows:

- A. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed.
 - B. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected.
163. FINES. Sediment grain size for each station, reported as percent fines. Numeric field, width 5 with 2 decimal places.
164. FINEBATCH. The batch number that the sample was analyzed in, character field, width 6.
165. FINEDATAQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field, width 3. Data qualifier codes are as follows:
- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, QA evaluations should be consulted before using the data.
 - C. When QA samples have major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".
166. COARSE SAND. Sediment grain size greater than 0.500 mm ($\phi = 1.0$) for each station, reported as a fractional percentage of the total sample wet weight. Numeric field, width 5 with 2 decimal places.
167. FINESAND. Sediment grain size less than 0.500 mm and greater than 0.063 mm ($\phi > 1.0$ and $\phi \leq 4.0$) for each station, reported as a fractional percentage of the total sample wet weight. Numeric field, width 5 with 2 decimal places.

168. **COARSE SILT.** Sediment grain size less than 0.063 and greater than 0.031 mm ($\phi > 4.0$ and $\phi \leq 5.0$) for each station, reported as a fractional percentage of the total sample wet weight. Numeric field, width 5 with 2 decimal places.
169. **FINE SILT.** Sediment grain size less than 0.031 and greater than 0.004 mm ($\phi > 5.0$ and $\phi \leq 8.0$) for each station, reported as a fractional percentage of the total sample wet weight. Numeric field, width 5 with 2 decimal places.
170. **CLAY.** Sediment grain size less than 0.004 mm ($\phi > 8.0$) for each station, reported as a fractional percentage of the total sample wet weight. Numeric field, width 5 with 2 decimal places.
171. **EXPANDED QC.** Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field, width 3. Data qualifier codes are as follows:
- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, QA evaluations should be consulted before using the data.
 - C. When QA samples have major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

SEDIMENT TOTAL ORGANIC CARBON (TOC) ANALYSES DATA. Field 183-186 presents the levels of total organic carbon detected in the sediment samples at each station. All TOC results are reported as percent of dry weight.

172. **TOC.** Total Organic Carbon (TOC) levels (percent of dry weight) in sediment, for each station. Numeric field, width 6 and 2 decimal places.
- A. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed.
 - B. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected.
173. **TOCBATCH.** The batch number that the sample was analyzed in, numeric field width 4.
174. **TOCDATAQC.** Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 3. Data qualifier codes are as follows:
- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are

made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.

- C. When QA samples have major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
- D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

DISSOLVED ORGANIC CARBON (DOC) ANALYSES DATA. Field 186 presents the levels of dissolved organic carbon (μM) detected in water or porewater for each station.

- 175. DOC. Dissolved Organic Carbon (DOC) levels (μM) in water or porewater, for each station. Numeric field, width 6.
 - A. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed.
 - B. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected.
 - C.

The TISS1_56.DBF file contains the same fields as CHEM1_56.DBF file with the exception of the following fields:

- 1. TISS_TYPE. This character field is 25 characters wide and describes what type of tissue was analyzed.
- 2. NO_IN_COMP. The number of clams in each composite making up each sample. Numeric field, width 5.

The following purgeable aromatic hydrocarbons (BTEX) and extractable petroleum hydrocarbons (TPH) are reported on a dry weight basis in parts per billion (ppb or ng/g) and are numeric fields of varying width, and include the following compounds, listed by field number, then field name as it appears in database (and followed by the compound name if not obvious), and then by the numeric character width and number of decimal places is given:

- 1. BENZENE. 8.2
- 2. TOLUENE. 8.2
- 3. ETHBENZENE. Ethylbenzene. 8.2
- 4. XYLENES. (Total). 8.2
- 5. TPH_DIESEL. Total Petroleum Hydrocarbons (Diesel). 8.2

The TOX1_56.DBF file is the toxicity data file which contains the following fields (the number at the start of each field is the field number):

- 1. STANUM. This numeric field is 7 characters wide with 1 decimal place and contains the CDFG station numbers that are used statewide. The format is YXXXX.Z where Y is the Regional Water Quality Control

Board Region number and XXXX is the number that corresponds to a given location or site and Z is the number of the station within that site. An example is Southwest Slip in Los Angeles Harbor where the STANUM is 40001.1. The 4 indicates Region 4. The 0001 indicates that it is Site #1 and the .1 is the replicate station within Site #1. A site with a .0 designation indicates this is the only station at the site.

2. STATION. This character field is 30 characters wide and contains the exact name of the station.
3. IDORG. This numeric field is 8 characters wide and contains the unique i.d. organizational number for the sample. For each station collected on a unique date, an idorg sample number is assigned. This should be the field that links the collection, toxicity, chemical, and other databases.
4. DATE. This date field is 8 characters wide and is the date that each sample was collected in the field. It is listed as MM/DD/YY.
5. LEG. This numeric field is 6 characters wide and is the leg number of the project in which the sample was collected.
6. TYPE. This character field is 7 characters wide and describes whether the sample was a field sample, replicate or control.
7. METADATA. This is an index directing the user to tables or files of ancillary data pertinent to associated test. Character field, width 12.
8. CTRL. This character field is 5 characters wide and indicates the type of control sample used for the test.
9. LATITUDE. This character field is 12 characters wide and contains the latitude of the center of the station sampled. The format is a character field as follows: XX,YY,ZZ, where XX is in degrees, YY is in minutes, and ZZ is in seconds or hundreds.
10. LONGITUDE. This character field is 14 characters wide and contains the longitude of the center of the station sampled. The format is a character field as follows: XXX,YY,ZZ, where XXX is in degrees, YY is in minutes, and ZZ is in seconds or hundreds.
11. HUND_SECS. This character is 3 character wide and contains the designation "h" if the latitude and longitude are given in degrees, minutes, hundredths of a minute. The designation "h/d" is given if differential accuracy is achieved with the GPS unit. The designation "s" is given when latitude and longitude are given in degrees, minutes, seconds.
12. GISLAT. This numeric field is 12 characters wide with 8 decimal places and contains the latitude of the station sampled in Geographical Information System format. The format is a numeric field as follows: XX.YYYYYYYY, where XX is in degrees and YYYYYYYY is a decimal fraction of the preceding degree.
13. GISLONG. This numeric field is 14 characters wide with 8 decimal places and contains the longitude of the station sampled. The format is a character field as follows: XXXX.YYYYYYYY where XXXX is in degrees and YYYYYYYY is a decimal fraction of the preceding degree.

AMPHIPOD SURVIVAL TOXICITY TEST DATA. The following are descriptions of the field headings for the amphipod *Eohaustorius estuarius* (EE) toxicity test using homogenized sediment samples; presented in fields 14 through 25.

14. EE_MN. Station mean percent survival. Numeric field, width 6 and 2 decimal places.
15. EE_SD. Station standard deviation of percent survival. Numeric field, width 6 and 2 decimal places.
16. EE_SG. Station statistical significance, representing the significance of the statistical test between the home sediment and the sample. A single * represents significance at the .05 level, and double ** represents significance at the .01 level. ns = not statistically significant. Character field, width 5.
17. EE_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 75% of the control (MSD as a percent of the control). "NT" signifies non-toxic. Character field, width 3.
18. EE_BATCH. The batch number that the sample were run in, character width 10.
19. EEQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric width 4. Data qualifier codes are as follows:
 - A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA sample has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".
20. EE_OTNH3. Total ammonia concentration (ppm in water) in overlying water (water above bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
21. EE_OUNH3. Unionized ammonia concentration (ppm in water) in overlying water (water above bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than

- the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
22. EE_OH2S. Hydrogen sulfide concentration (ppm in water) in overlying water (water above bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 4 decimal places.
 23. EE_ITNH3. Total ammonia concentration (ppm in water) in interstitial water (water within bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
 24. EE_IUNH3. Unionized ammonia concentration (ppm in water) interstitial water (water within bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
 25. EE_IH2S. Hydrogen sulfide concentration (ppm in water) in interstitial water (water within bedded sediment) for each station analyzed using amphipod toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 4 decimal places.

The following are descriptions of the field headings for the sea urchin (*Strongylocentrotus purpuratus*) development toxicity tests (SPPD) using sediment pore (interstitial) water samples; presented in fields 26 through 42. Results are given for undiluted interstitial water (100% porewater) and diluted (50% and 25% porewater).

26. SPPD100_MN. Station mean percent normal development in 100% porewater. Numeric field, width 6 and 2 decimal places.
27. SPPD100_SD. Station standard deviation of percent normal development in 100% porewater. Numeric field, width 6 and 2 decimal places.
28. SPPD100_SG. Station statistical significance, representing the significance of the statistical test between the home sediment and the sample. A single * represents significance at the .05 level, and double ** represents significance at the .01 level. ns = not statistically significant. Character field, width 5.
29. SPPD100_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 68% of the control (MSD as a percent of the control). "NT" signifies non-toxic. Character field, width 3.

30. SPPD50_MN. Station mean percent normal development in 50% porewater. Numeric field, width 6 and 2 decimal places.
31. SPPD50_SD. Station standard deviation of percent normal development in 50% porewater. Numeric field, width 6 and 2 decimal places.
32. SPPD50_SG. Station statistical significance, representing the significance of the statistical test between the home sediment and the sample. A single * represents significance at the .05 level, and double ** represents significance at the .01 level. ns = not statistically significant. A "-9" indicates that no statistics were run. Character field, width 5.
33. SPPD50_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 68% of the control (MSD as a percent of the control). "NT" signifies non-toxic. Character field, width 3.
34. SPPD25_MN. Station mean percent normal development in 25% porewater. Numeric field, width 6 and 2 decimal places.
35. SPPD25_SD. Station standard deviation of percent normal development in 25% porewater. Numeric field, width 6 and 2 decimal places.
36. SPPD25_SG. Station statistical significance, representing the significance of the statistical test between the home sediment and the sample. A single * represents significance at the .05 level, and double ** represents significance at the .01 level. ns = not statistically significant. A "-9" indicates that no statistics were run. Character field, width 5.
37. SPPD25_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 68% of the control (MSD as a percent of the control). "NT" signifies non-toxic. Character field, width 3.
38. SPPD_BATCH. The batch number that the samples were analyzed in, character width 10.
39. SPPDQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data. numeric field width 4. Data qualifier codes are as follows:
 - A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA sample has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".

40. SPPD_ITNH3. Total ammonia concentration (ppm) in porewater for each station analyzed using urchin toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
41. SPPD_IUNH3. Unionized ammonia concentration (ppm) in porewater for each station analyzed using urchin toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
42. SPPD_IH2S. Hydrogen sulfide concentration (ppm) in porewater for each station analyzed using urchin toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 4 decimal places.

The following are descriptions of the field headings for the sea urchin (*Strongylocentrotus purpuratus*) development toxicity tests (SPDI), using the sediment/water interface exposure to intact sediment cores; presented in fields 43 through 51.

43. SPDI_MN. Station mean percent normal development in the sediment/water interface exposure. Numeric field, width 6 and 2 decimal places.
44. SPDI_SD. Station standard deviation of percent normal development in the sediment/water interface exposure. Numeric field, width 6 and 2 decimal places.
45. SPDI_SG. Station statistical significance, representing the significance of the statistical test between the home sediment and the sample. A single * represents significance at the .05 level, and double ** represents significance at the .01 level. ns = not statistically significant. Character field, width 5.
46. SPDI_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 59% of the control (MSD as a percent of the control). "NT" signifies non-toxic. Character field, width 3.
47. SPDI_BATCH. The batch number that the samples were analyzed in, character field width 10.
48. SPDI_QC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 4. Data qualifier codes are as follows:

- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA sample has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedences of control criteria and is unlikely to affect assessments, the value is reported as "-3".
- 49. SPDI_OTNH3. Total ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment used for urchin toxicity tests). When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
 - 50. SPDI_OUNH3. Unionized ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment) for each station analyzed using urchin toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 3 decimal places.
 - 51. SPDI_OH2S. Hydrogen sulfide concentration (ppm in water) in overlying water (water above bedded sediment) for each station analyzed using urchin toxicity tests. When the value is missing or not analyzed, the value is reported as "-9.0" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8.0" = not detected. Numeric field, width 7 and 4 decimal places.

The following are descriptions of the field headings for the water flea (*Ceriodaphnia dubia*) survival tests for sediment/water interface exposure (CDSI); presented in fields 52 through 63.

- 52. CDSI_MN. Station mean percent *Ceriodaphnia* survival in sediment/water interface exposure. Numeric field, width 6.
- 53. CDSI_SD. Station standard deviation of percent survival in sediment/water interface exposure. Numeric field, width 6.
- 54. CDSI_SG. Sample is considered toxic if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 80% of the control. Character field, width 5.
- 55. CDSI_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control

- mean is less than 80% of the control. "NT" signifies non-toxic. Character field; width 3.
56. CDSI_BATCH. The batch number that the samples were analyzed in, character width 10.
 57. CDSIQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 4. Data qualifier codes are as follows:
 - A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedences of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA sample has major exceedences of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedances of control criteria and is unlikely to affect assessments, the value is reported as "-3".
 58. CDSI_OTNH3. Total ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
 59. CDSI_OUNH3. Unionized ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
 60. CDSI_OH2S. Hydrogen sulfide concentration (ppm in water) in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 4 decimal places.
 61. CDSI_OHDLO. The lower measurement of Hardness in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.
 62. CDSI_OHDHI. The upper measurement of Hardness in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is

reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.

63. CDSI_OCYHI. The upper measurement of Conductivity in overlying water samples (water above bedded sediment) from sediment/water interface exposures. When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.

The following are descriptions of the field headings for the amphipod (*Hyaella azteca*) survival tests with sediment (HA); presented in fields 64 through 79.

64. HA_MN. Station mean percent *Hyaella* survival in sediment. Numeric field, width 6.
65. HA_SD. Station standard deviation of percent survival in sediment. Numeric field, width 6.
66. HA_SG. Sample is considered toxic if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 80% of the control. Character field, width 5.
67. HA_TOX. Sample is considered toxic and denoted with a "T" if: 1) Sample mean is significantly different from control mean when compared using a t-test ($p = 0.05$). 2) If sample mean as a percent of the control mean is less than 80% of the control. "NT" signifies non-toxic. Character field, width 3.
68. HA_BATCH. The batch number that the samples were analyzed in, character width 10.
69. HAQC. Data qualifier codes are notations used by data reviewers to briefly describe, or qualify data and the systems producing data, numeric field width 4. Data qualifier codes are as follows:
- A. When the sample meets or exceeds the control criteria requirements, the value is reported as "-4".
 - B. When the sample has minor exceedances of control criteria but is generally usable for most assessments and reporting purposes, the value is reported as "-5". For samples coded "-5" it is recommended that if assessments are made that are especially sensitive or critical, the QA evaluations should be consulted before using the data.
 - C. When the QA sample has major exceedances of control criteria requirements and the data are not usable for most assessments and reporting purposes, the value is reported as "-6".
 - D. When the sample has minor exceedances of control criteria and is unlikely to affect assessments, the value is reported as "-3".
70. HA_OTNH3. Total ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the

- value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
71. HA_OUNH3. Unionized ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
72. HA_ITNH3. Total ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
73. HA_IUNH3. Unionized ammonia concentration (ppm in water) in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 3 decimal places.
74. HA_IH2S. Hydrogen sulfide concentration (ppm in water) in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7 and 4 decimal places.
75. HA_OHDLO. The lower measurement of Hardness in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.
76. HA_OHDHI. The upper measurement of Hardness in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.
77. HA_OCYHI. The upper measurement of Conductivity in overlying water samples (water above bedded sediment). When the value is missing or not analyzed, the value is reported as "-9" = not analyzed. When the value is less than the detection limit of the analytical test, the value is reported as "-8" = not detected. Numeric field, width 7.
78. MB_META. Notation of the presence or absence of the clam (*Macoma balthica*) bioaccumulation tests with sediment (MB) and whether tissue chemistry data are available for this sample. "Y" signifies that

bioaccumulation exposures were performed and tissue chemistry values are available for this sample, "-9" means there were no bioaccumulation exposures conducted. Character field, width 4.

79. **TIE_META.** Notation of the presence or absence of Toxicity Identification Evaluation (TIE) data in the toxicity metafile. "Y" signifies that a TIE was conducted, "-9" means there were no TIE's conducted. Character field, width 4.

The BEN1_56.XLS file contains the following fields (the number at the start of each field is the field number):

1. **STANUM.** This field contains the CDFG station numbers that are used statewide. The format is YXXXX.Z where Y is the Regional Water Quality Control Board Region number and XXXX is the number that corresponds to a given location or site and Z is the number of the station within that site. An example is San Pablo Bay- Island #1, in San Francisco Bay, where the STANUM is 20007.0. The 2 indicates Region 2. The 0007 indicates it is Site 7 and the .0 is the replicate (if any) at the station within Site 7.
2. **STATION.** This field contains the exact name of the station.
3. **IDORG.** This field contains the unique i.d. organizational number for the sample. For each station collected on a unique date, an idorg sample number is assigned. This should be the field that links the collection, toxicity, chemical, and other databases.
4. **DATE.** This field is the date that each sample was collected in the field. It is listed as MM/DD/YY.
5. **LEG.** This field is the leg number of the project in which the sample was collected.
6. **SPECIES.** This field contains the different organisms found at a station, genus is given, and species if available.
7. **TOTAL INDIVIDUALS.** This field contains the total number of individuals found at a station.
8. **TOTAL SPECIES.** This field contains the total number of species found at a station.
9. **TOTAL CRUST. INDIV.** This field contains the total number of individuals in the Subphylum Crustacea found at a station.
10. **TOTAL CRUST. SP.** This field contains the total number of species in the Subphylum Crustacea found at a station.
 - A. **GAMMARID INDIV.** This field contains the number of individuals in the Suborder Gammaridea found at a station.
 - B. **GAMMARID SP.** This field contains the number of species in the Suborder Gammaridea found at a station.
 - C. **OTHER CRUSTACEAN INDIV.** This field contains the number of individuals, other than in the Suborder Gammaridea, in the Subphylum Crustacea, found at a station.

- D. OTHER CRUSTACEAN SP. This field contains the number of species, other than in the Suborder Gammaridea, in the Subphylum Crustacea, found at a station.
- 11. TOTAL ECHINODERM INDIV. This field contains the number of individuals in the Phylum Echinodermata found at a station.
- 12. TOTAL ECHINODERM SP. This field contains the number of species in the Phylum Echinodermata found at a station.
- 13. TOTAL MOLLUSC INDIV. This field contains the number of individuals in the Phylum Mollusca found at a station.
- 14. TOTAL MOLLUSC SP. This field contains the number of species in the Phylum Mollusca found at a station.
- 15. TOTAL POLYCHAETE INDIV. This field contains the number of individuals in the Class Polychaeta found at a station.
- 16. TOTAL POLYCHAETE SP. This field contains the number of species in the Class Polychaeta found at a station.
- 17. TAXA. This field contains the different taxa found at a station.
- 18. NUMBER PER CORE. Number of individuals/species found in a numbered replicate core.
- 19. SUMMARY STATISTICS. This field contains a summary of statistical analyses. This field refers to fields 6-23.
 - A. MEAN. Mean value of individuals/species in all cores analyzed.
 - B. MEDIAN. Median of individuals/species in all cores analyzed.
 - C. MIN. Minimum number of individuals/species found in any core.
 - D. MAX. Maximum number of individuals/species found in any core.
 - E. ST. DEV. Standard deviation of the above mean value.
 - F. S.E. Standard error of the above mean value.
 - G. 95%CL. 95% Confidence limit.
 - H. SUM. This field contains the sum of individuals/species found in all cores analyzed.

Appendix B

Sampling Data

Sampling Data

STANUM	STATION	IDORG	DATE	LEG	LATITUDE	LONGITUDE	HUND_SECS	GISLAT	GISLONG	DEPTH
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	37,53,94N	122,27,82W	h	37.89900000	122.46366667	2
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	37,53,97N	122,27,87W	h	37.89950000	122.46450000	2.5
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	37,54,00N	122,27,92W	h	37.90000000	122.46533333	2.5
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	38,06,82N	122,25,16W	h	38.11366667	122.41933333	2
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	38,06,87N	122,25,16W	h	38.11450000	122.41933333	2
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	38,06,82N	122,25,19W	h	38.11366667	122.41983333	2
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	38,06,66N	122,19,71W	h	38.11100000	122.32850000	2
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	38,06,69N	122,19,71W	h	38.11150000	122.32850000	2
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	38,06,71N	122,19,75W	h	38.11183333	122.32916667	2
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	38,08,37N	122,52,42W	h	38.13950000	122.87366667	5
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	38,08,36N	122,52,46W	h	38.13933333	122.87433333	5.5
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	38,08,35N	122,52,40W	h	38.13916667	122.87333333	4
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	37,57,26N	122,24,09W	h	37.95433333	122.40150000	1.5
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	37,44,891N	122,23,515W	h	37.74819200	122.39191500	8
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	37,47,26N	122,17,22W	s	37.79062200	122.28945000	6
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	37,47,42N	122,17,21W	s	37.79500000	122.28916667	4
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	37,47,12N	122,14,86W	h	37.78535000	122.24758333	4
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	37,47,20N	122,15,32W	s	37.78899000	122.25897900	2
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	37,47,12N	122,15,29W	h	37.78531667	122.25476667	1
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	37,46,18N	122,13,95W	h	37.76966667	122.23255000	2
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	37,44,58N	122,12,51W	h	37.74305000	122.20851667	2
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	37,44,95N	122,12,78W	h	37.74911667	122.21305000	1
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	37,45,28N	122,22,99W	h	37.75468333	122.38308333	1
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	37,44,31N	122,22,45W	h	37.73848333	122.37415000	2
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	37,44,03N	122,22,46W	h	37.73385000	122.37429200	1
21035.0	SIERRA POINT	1512	4/17/95	38.0	37,40,30N	122,22,85W	h	37.67165000	122.38083333	1.5
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	37,40,05N	122,23,54W	h	37.66743100	122.39229900	1
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	37,40,02N	122,23,28W	h	37.66705000	122.38803333	1
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	37,38,84N	122,23,03W	h	37.64731667	122.38390000	1
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	37,32,22N	122,13,76W	h	37.53705000	122.22936667	1
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	37,30,48N	122,14,54W	h	37.50798333	122.24225000	2
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	37,26,51N	122,01,89W	h	37.44188400	122.03147200	0.5
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	37,28,70N	122,07,06W	h	37.47840000	122.11763333	1
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	37,27,46N	122,06,10W	h	37.45773333	122.10168333	2
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	37,34,24N	122,08,95W	h	37.57071667	122.14915000	2
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	37,32,18N	122,07,15W	h	37.53640000	122.11908333	2
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	37,29,52N	122,02,47W	h	37.49201667	122.04123333	0.5
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	37,27,60N	121,58,47W	h	37.45995100	121.97447800	0.6

Sampling Data

STANUM	STATION	IDORG	DATE	LEG	LATITUDE	LONGITUDE	HUND_SECS	GISLAT	GISLONG	DEPTH
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	38,05,429N	122,05,057W	h/d	38.09048333	122.08428333	2
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	38,03,674N	122,07,106W	h/d	38.06123333	122.11843333	0.5
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	38,02,726N	122,05,659W	h/d	38.04543333	122.09431667	1.5
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	38,01,81N	122,04,82W	h	38.03021667	122.08035000	0.5
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	38,02,25N	122,06,84W	h	38.03741900	122.11399300	0.5
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	38,01,97N	122,06,75W	h	38.03288700	122.11257200	1
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	38,07,66N	122,16,63W	h	38.12773333	122.27723333	1
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	38,06,779N	122,16,654W	h/d	38.11298333	122.27756667	5
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	38,06,792N	122,19,585W	h/d	38.11320000	122.32641667	1
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	38,02,893N	122,29,464W	h/d	38.04821667	122.49106667	0.5
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	37,53,913N	122,27,836W	h/d	37.89855000	122.46393333	3
21012.0	CASTRO COVE	1489	5/1/95	39.0	37,57,262N	122,24,075W	h/d	37.95436667	122.40125000	0.5
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	37,54,44N	122,22,42W	h	37.90719800	122.37335700	1
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	37,54,398N	122,22,312W	h/d	37.90586000	122.37095800	5
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	37,55,354N	122,22,492W	h/d	37.92256667	122.37486667	11
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	37,54,633N	122,20,867W	h/d	37.91055000	122.34778333	6
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	37,54,54N	122,19,97W	h	37.90893333	122.33276667	0.5
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	37,53,81N	122,18,71W	h	37.89688333	122.31195000	0.25
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	37,53,34N	122,18,61W	h	37.88898333	122.31020000	0.25
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	37,49,84N	122,17,89W	h	37.83068333	122.29820000	0.25
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	37,47,993N	122,23,775W	h/d	37.79988333	122.39625000	3
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	37,46,334N	122,23,757W	h/d	37.77222500	122.39594800	2
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	37,46,67N	122,23,19W	h	37.77783333	122.38656667	2
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	38,01,22N	121,50,47W	s	38.02277778	121.84638889	1
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	38,05,41N	122,01,56W	s	38.09472222	122.03222222	3
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	38,12,18N	122,03,40W	s	38.20501500	122.06097500	5
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	38,13,33N	122,01,20W	s	38.22583333	122.02222222	5
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	38,07,26N	122,04,40W	s	38.12388889	122.07777778	1
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	38,10,45N	122,04,28W	s	38.17927800	122.07444400	1.3
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	38,04,09N	122,14,19W	s	38.06916667	122.23722220	5
21056.0	SELBY - S2	1536	10/27/95	40.0	38,03,25N	122,15,01W	s	38.05694440	122.25027778	3
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	38,05,43N	122,15,26W	s	38.09527778	122.25722222	1
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	38,06,43N	122,29,08W	s	38.11194444	122.48555556	3
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	38,01,52N	122,30,99W	h	38.02533330	122.51650000	1
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	38,01,69N	122,31,09W	h	38.02818333	122.51823333	0.25
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	38,01,07N	122,31,39W	h	38.01781000	122.52309400	1
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	38,05,14N	122,30,54W	s	38.08722222	122.51500000	3
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	38,07,02N	122,27,07W	s	38.11722222	122.45194444	1

Sampling Data

STANUM	STATION	IDORG	DATE	LEG	LATITUDE	LONGITUDE	HUND_SECS	GISLAT	GISLONG	DEPTH
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	38,09,43N	122,25,17W	s	38.16194444	122.42138889	8
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	38,09,36N	122,22,47W	s	38.16001600	122.37980300	3
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	37,58,89N	122,22,23W	h	37.98146667	122.37051667	2
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	37,53,31N	122,30,90W	h	37.88851667	122.51506667	0.25
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	37,52,24N	122,29,86W	h	37.87068200	122.49765100	4
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	38,06,89N	122,25,13W	h	38.11476667	122.41875000	3
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	37,53,96N	122,27,87W	h	37.89933333	122.46441667	5
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	37,47,95N	122,15,53W	h	37.79920900	122.25881200	1.5
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	37,48,84N	122,21,51W	h	37.81400000	122.35847700	2
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	37,49,22N	122,21,78W	h	37.82033333	122.36300000	7
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	37,56,616N	122,30,815W	h/d	37.94359700	122.51358600	0.5
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	37,48,38N	122,24,17W	h	37.80633333	122.40283333	3
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	37,47,58N	122,23,44W	h	37.79300000	122.39066667	2.5
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	37,47,12N	122,23,25W	h	37.78533333	122.38750000	2
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	37,45,82N	122,23,15W	h	37.76366667	122.38583333	2
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	37,45,79N	122,23,08W	h	37.76316667	122.38466667	7
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	37,48,39N	122,25,95W	h	37.80645400	122.43251600	3
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	37,47,18N	122,14,85W	h	37.78626000	122.24755200	2
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	37,47,19N	122,14,86W	h	37.78649100	122.24773900	2
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	37,37,84N	122,23,31W	h	37.63071300	122.38856400	5
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	37,37,79N	122,22,58W	h	37.62983333	122.37633333	1.5
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	37,36,37N	122,22,61W	h	37.60617200	122.37675400	0.5
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	37,31,76N	122,11,80W	h	37.52930000	122.19670700	6
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	37,29,83N	122,13,18W	h	37.49716667	122.21966667	2
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	37,27,82N	121,57,66W	h	37.46366667	121.96100000	1
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	37,27,40N	122,01,16W	h	37.45666667	122.01933333	2.5
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	37,28,97N	122,09,07W	h	37.48282100	122.15118500	0.25
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	37,28,95N	122,05,40W	h	37.48250000	122.09000000	3
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	37,30,37N	122,08,01W	h	37.50616667	122.13350000	3
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	37,34,27N	122,08,98W	h	37.57116667	122.14966667	1.5
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	37,32,20N	122,07,20W	h	37.53666667	122.12000000	2
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	37,55,816N	122,41,769W	h/d	37.93026667	122.69615000	0.5
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	37,43,43N	122,23,09W	h	37.72378600	122.38485300	0.25
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	38,01,090N	122,31,378W	h	38.01816600	122.52296660	0.5
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	38,09,741N	122,25,290W	h	38.16235100	122.42149800	0.5
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	38,10,751N	122,04,504W	h	38.17918700	122.07506800	0.5
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	37,53,293N	122,30,888W	h	37.88821600	122.51480000	0.2
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	38,01,701N	122,31,066W	h	38.02835000	122.51776660	0.5

Sampling Data

STANUM	STATION	IDORG	DATE	LEG	LATITUDE	LONGITUDE	HUND_SECS	GISLAT	GISLONG	DEPTH
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	38,05,218N	122,30,881W	h	38.08696660	122.51468330	1
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	37,52,235N	122,29,869W	h	37.87057500	122.49781700	3
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	37,27,400N	122,01,140W	h	37.45666660	122.01900000	1
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	37,31,715N	122,11,800W	h	37.52858330	122.19666600	1
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	38,06,788N	122,25,125W	h	38.11314100	122.41874500	1.5
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	37,46,298N	122,23,806W	h	37.77163300	122.39677000	2
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	37,46,492N	122,23,564W	h	37.77486667	122.39273333	2
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	37,46,656N	122,23,303W	h	37.77760000	122.38838333	3
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	37,44,869N	122,23,538W	h	37.74781700	122.39229400	3
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	37,44,853N	122,23,281W	h	37.74755200	122.38801800	2
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	37,44,869N	122,23,137W	h	37.74781667	122.38561667	2
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	38,01,981N	122,06,753W	h	38.03301000	122.11255600	2
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	38,02,028N	122,06,744W	h	38.03380200	122.11239200	2
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	38,02,203N	122,06,790W	h	38.03671900	122.11317100	2
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	37,53,967N	122,27,884W	h	37.89945000	122.46473333	3
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	37,47,996N	122,23,805W	h	37.79993333	122.39675000	3
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	37,47,583N	122,23,386W	h	37.79305000	122.38976667	4
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	37,45,807N	122,23,171W	h	37.76345000	122.38618333	2.5
21307.0	WALDO POINT	1746	4/2/97	50.0	37,52,413N	122,30,206W	h	37.87355000	122.50343333	0.1
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	37,45,16N	122,22,46W	s	37.75444444	122.37944444	3
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	37,34,267N	122,08,983W	h/d	37.57111667	122.14971667	2
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	38,06,299N	122,19,740W	h/d	38.10498333	122.32900000	0.5
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	37,26,512N	122,01,871W	h/d	37.44186667	122.03118333	4
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	37,38,979N	122,22,872W	h/d	37.64965000	122.38120000	0.5
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	37,47,164N	122,14,855W	h/d	37.78606667	122.24758333	4
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	37,46,141N	122,13,869W	h/d	37.76902400	122.23115700	2
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	37,44,495N	122,12,429W	h/d	37.74158333	122.20715000	2
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	37,44,618N	122,12,390W	h/d	37.74363333	122.20650000	3
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	37,45,114N	122,12,574W	h/d	37.75190000	122.20956667	2
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	37,45,111N	122,13,071W	h/d	37.75185000	122.21785000	2
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	37,45,563N	122,13,094W	h/d	37.75938333	122.21823333	0.1
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	37,42,130N	122,24,655W	h	37.70216667	122.41091667	0.1
21056.0	SELBY - S2	1761	4/15/97	51.0	38,03,355N	122,15,033W	h/d	38.05591667	122.25055000	3
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	37,54,656N	122,20,087W	h/d	37.91093300	122.33478300	.1
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	37,54,615N	122,19,985W	h/d	37.91025000	122.33308330	.1
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	37,54,608N	122,19,838W	h/d	37.91013330	122.33063300	.75
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	37,54,518N	122,19,826W	h/d	37.90863300	122.33043300	.5
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	37,54,656N	122,20,087W	h/d	37.91093300	122.33478330	0.5

Sampling Data

STANUM	STATION	IDORG	DATE	LEG	LATITUDE	LONGITUDE	HUND_SECS	GISLAT	GISLONG	DEPTH
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	37,54,615N	122,19,985W	h/d	37.91025000	122.33308000	0.5
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	37,54,540N	122,19,825W	h	37.90900000	122.33041660	0.5

Appendix C

Analytical Chemistry Data

Section 1
Trace Metal Concentrations

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	METADATA	TMMOIST	ALUMINUM	ANTIMONY	ARSENIC	CADMIUM
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	BPTC3137.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	CHM38_41.TXT	67.70	95400.00	0.755	13.900	0.2330
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	CHM38_41.TXT	60.80	50300.00	1.360	16.500	0.4320
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	CHM38_41.TXT	58.50	35100.00	2.940	15.100	0.9830
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	CHEM3846.TXT	72.40	65800.00	-9.000	-9.000	-9.0000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	CHEM3846.TXT	58.60	39800.00	-9.000	-9.000	-9.0000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	CHM38_41.TXT	69.30	72500.00	2.550	11.500	0.6820
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	CHM38_41.TXT	63.20	50600.00	2.690	17.700	2.8600
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	CHM38_41.TXT	62.60	60200.00	2.400	14.500	1.3400
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	CHM38_41.TXT	47.90	38600.00	1.290	12.100	0.3600
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	CHEM3846.TXT	47.52	-9.00	-9.000	-9.000	-9.0000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	CHM38_41.TXT	67.70	65300.00	1.490	17.300	0.2080
21035.0	SIERRA POINT	1512	4/17/95	38.0	CHEM3846.TXT	66.30	41200.00	-9.000	-9.000	-9.0000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	CHEM3846.TXT	60.00	-9.00	-9.000	-9.000	-9.0000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	CHEM3846.TXT	52.00	-9.00	-9.000	-9.000	-9.0000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	CHEM3846.TXT	42.40	78800.00	-9.000	-9.000	-9.0000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	CHEM3846.TXT	58.42	-9.00	-9.000	-9.000	-9.0000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	CHEM3846.TXT	33.66	-9.00	-9.000	-9.000	-9.0000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	CHM38_41.TXT	54.30	61900.00	0.990	8.100	0.3120
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	CHEM3846.TXT	56.44	-9.00	-9.000	-9.000	-9.0000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	CHEM3846.TXT	52.48	-9.00	-9.000	-9.000	-9.0000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	CHEM3846.TXT	43.00	-9.00	-9.000	-9.000	-9.0000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	CHEM3846.TXT	39.39	-9.00	-9.000	-9.000	-9.0000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	CHEM3846.TXT	59.41	-9.00	-9.000	-9.000	-9.0000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	CHEM3846.TXT	57.58	-9.00	-9.000	-9.000	-9.0000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	CHEM3846.TXT	50.00	-9.00	-9.000	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	METADATA	TMMOIST	ALUMINUM	ANTIMONY	ARSENIC	CADMIUM
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	CHEM3846.TXT	53.00	-9.00	-9.000	-9.000	-9.0000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	CHEM3846.TXT	40.40	-9.00	-9.000	-9.000	-9.0000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	CHEM3846.TXT	47.52	-9.00	-9.000	-9.000	-9.0000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	CHEM3846.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	CHM38_41.TXT	66.70	84300.00	5.880	53.500	27.9000
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	CHEM3846.TXT	54.55	-9.00	-9.000	-9.000	-9.0000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	CHEM3846.TXT	57.58	-9.00	-9.000	-9.000	-9.0000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	CHEM3846.TXT	43.56	-9.00	-9.000	-9.000	-9.0000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	CHEM3846.TXT	56.00	-9.00	-9.000	-9.000	-9.0000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	CHEM3846.TXT	53.54	-9.00	-9.000	-9.000	-9.0000
21012.0	CASTRO COVE	1489	5/1/95	39.0	CHM38_41.TXT	63.30	104000.00	5.140	19.000	1.0400
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	CHEM3846.TXT	56.44	-9.00	-9.000	-9.000	-9.0000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	CHEM3846.TXT	70.87	-9.00	-9.000	-9.000	-9.0000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	CHEM3846.TXT	78.64	-9.00	-9.000	-9.000	-9.0000
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	CHM38_41.TXT	67.30	68200.00	1.740	14.200	0.1880
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	CHM38_41.TXT	31.70	63700.00	1.120	9.600	0.2540
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	CHEM3846.TXT	61.76	-9.00	-9.000	-9.000	-9.0000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	CHEM3846.TXT	62.38	-9.00	-9.000	-9.000	-9.0000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	CHEM3846.TXT	44.00	-9.00	-9.000	-9.000	-9.0000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	CHM38_41.TXT	59.60	56000.00	1.330	14.700	0.3200
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	CHM38_41.TXT	27.30	43500.00	1.450	3.700	0.8260
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	CHM38_41.TXT	56.30	60600.00	1.070	13.300	0.5130
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	CHEM3846.TXT	59.80	-9.00	-9.000	-9.000	-9.0000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	CHEM3846.TXT	66.97	-9.00	-9.000	-9.000	-9.0000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	CHEM3846.TXT	57.00	-9.00	-9.000	-9.000	-9.0000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	CHEM3846.TXT	50.71	-9.00	-9.000	-9.000	-9.0000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	CHEM3846.TXT	66.00	-9.00	-9.000	-9.000	-9.0000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	CHEM3846.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	CHEM3846.TXT	45.19	-9.00	-9.000	-9.000	-9.0000
21056.0	SELBY - S2	1536	10/27/95	40.0	CHEM3846.TXT	39.00	63500.00	12.400	17.270	0.6440
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	CHEM3846.TXT	53.54	-9.00	-9.000	-9.000	-9.0000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	CHEM3846.TXT	58.25	-9.00	-9.000	-9.000	-9.0000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	CHEM3846.TXT	46.53	-9.00	-9.000	-9.000	-9.0000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	CHEM3846.TXT	73.27	-9.00	-9.000	-9.000	-9.0000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	CHEM3846.TXT	60.40	-9.00	-9.000	-9.000	-9.0000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	CHEM3846.TXT	79.61	-9.00	-9.000	-9.000	-9.0000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	CHEM3846.TXT	69.61	-9.00	-9.000	-9.000	-9.0000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	CHEM3846.TXT	60.00	-9.00	-9.000	-9.000	-9.0000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	CHEM3846.TXT	60.40	-9.00	-9.000	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	METADATA	TMMOIST	ALUMINUM	ANTIMONY	ARSENIC	CADMIUM
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	CHEM3846.TXT	47.00	-9.00	-9.000	-9.000	-9.0000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	CHEM3846.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	CHEM3846.TXT	67.00	-9.00	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	CHEM3846.TXT	54.46	-9.00	-9.000	-9.000	-9.0000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	CHEM3846.TXT	53.50	71700.00	0.758	12.760	0.3230
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	CHEM3846.TXT	64.65	-9.00	-9.000	-9.000	-9.0000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	CHEM3846.TXT	42.86	-9.00	-9.000	-9.000	-9.0000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	CHEM3846.TXT	63.00	-9.00	-9.000	-9.000	-9.0000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	CHEM3846.TXT	59.41	-9.00	-9.000	-9.000	-9.0000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	CHEM3846.TXT	56.30	68000.00	0.731	12.530	0.2920
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	CHEM3846.TXT	42.40	58700.00	1.570	10.390	0.4670
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	CHEM3846.TXT	61.80	62400.00	1.210	12.940	0.2970
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	CHEM3846.TXT	63.80	58200.00	0.956	17.630	0.3280
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	CHEM3846.TXT	60.00	66400.00	1.350	17.280	0.2450
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	CHEM3846.TXT	62.60	71000.00	0.566	16.450	0.3000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	CHEM3846.TXT	75.00	-9.00	-9.000	-9.000	-9.0000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	CHEM3846.TXT	51.52	-9.00	-9.000	-9.000	-9.0000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	CHEM3846.TXT	47.06	-9.00	-9.000	-9.000	-9.0000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	CHEM3846.TXT	38.78	-9.00	-9.000	-9.000	-9.0000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	CHEM3846.TXT	61.17	-9.00	-9.000	-9.000	-9.0000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	CHEM3846.TXT	66.00	-9.00	-9.000	-9.000	-9.0000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	CHEM3846.TXT	62.63	-9.00	-9.000	-9.000	-9.0000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	CHEM3846.TXT	57.43	-9.00	-9.000	-9.000	-9.0000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	CHEM3846.TXT	63.11	-9.00	-9.000	-9.000	-9.0000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	CHEM3846.TXT	44.12	-9.00	-9.000	-9.000	-9.0000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	CHEM3846.TXT	55.45	-9.00	-9.000	-9.000	-9.0000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	CHEM3846.TXT	49.50	-9.00	-9.000	-9.000	-9.0000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	CHEM3846.TXT	35.10	59400.00	0.657	6.310	0.1290
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	CHEM3846.TXT	36.36	-9.00	-9.000	-9.000	-9.0000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	CHEM3846.TXT	62.00	-9.00	-9.000	-9.000	-9.0000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	CHEM3846.TXT	55.56	-9.00	-9.000	-9.000	-9.0000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	CHEM3846.TXT	63.00	-9.00	-9.000	-9.000	-9.0000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	CHEM3846.TXT	64.42	-9.00	-9.000	-9.000	-9.0000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	CHEM3846.TXT	51.50	112000.00	1.550	28.100	0.3340
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	CHEM3846.TXT	47.00	165000.00	1.940	8.300	0.6680
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	CHEM3846.TXT	39.60	-9.00	-9.000	-9.000	-9.0000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	CHEM3846.TXT	73.53	-9.00	-9.000	-9.000	-9.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	CHEM3846.TXT	68.00	-9.00	-9.000	-9.000	-9.0000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	CHEM3846.TXT	61.00	-9.00	-9.000	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	METADATA	TMMOIST	ALUMINUM	ANTIMONY	ARSENIC	CADMIUM
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	CHEM3846.TXT	57.00	-9.00	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	CHEM3846.TXT	54.08	-9.00	-9.000	-9.000	-9.0000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	CHM47_56.TXT	77.50	72500.00	19.500	4.740	4.5300
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	CHM47_56.TXT	46.60	30400.00	1.140	15.200	0.5900
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	CHM47_56.TXT	81.20	80100.00	2.480	15.300	0.4100
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	CHM47_56.TXT	73.30	37900.00	4.350	6.030	0.9100
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	CHM47_56.TXT	81.20	58600.00	2.120	9.520	0.9500
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	CHM47_56.TXT	78.80	73400.00	5.450	12.700	0.9600
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	CHM47_56.TXT	61.40	46900.00	18.600	32.100	19.6000
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	CHM47_56.TXT	75.70	44800.00	3.430	36.300	2.1400
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	CHM47_56.TXT	61.40	29400.00	1.630	20.500	0.8200
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	CHM47_56.TXT	70.70	75300.00	0.910	12.500	0.2200
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	CHM47_56.TXT	62.70	-9.00	-9.000	-9.000	-9.0000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	CHM47_56.TXT	43.40	-9.00	-9.000	-9.000	-9.0000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	CHM47_56.TXT	67.70	-9.00	-9.000	-9.000	-9.0000
21307.0	WALDO POINT	1746	4/2/97	50.0	CHM47_56.TXT	59.40	-9.00	-9.000	-9.000	-9.0000
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	CHM47_56.TXT	67.30	-9.00	-9.000	-9.000	-9.0000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	CHM47_56.TXT	66.70	-9.00	-9.000	-9.000	-9.0000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	CHM47_56.TXT	67.30	46200.00	2.160	-9.000	1.0600
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	CHM47_56.TXT	85.10	55000.00	11.300	12.800	4.4000
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	CHM47_56.TXT	50.50	-9.00	-9.000	-9.000	-9.0000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	CHM47_56.TXT	52.50	48100.00	2.050	6.920	1.0100
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	CHM47_56.TXT	53.80	44800.00	4.010	11.100	2.7800
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	CHM47_56.TXT	47.40	28000.00	2.350	11.900	0.8400
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	CHM47_56.TXT	53.90	30150.00	0.686	9.070	0.2580
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	CHM47_56.TXT	46.50	34900.00	4.450	9.620	3.9100
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	CHM47_56.TXT	61.50	-9.00	-9.000	-9.000	-9.0000
21056.0	SELBY - S2	1761	4/15/97	51.0	CHM47_56.TXT	40.20	-9.00	-9.000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	CHM47_56.TXT	68.30	11200.00	4.540	1140.000	7.6600
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	CHM47_56.TXT	56.60	16000.00	1.940	61.800	0.7960
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	CHM47_56.TXT	84.70	41300.00	5.100	343.000	1.9100
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	CHM47_56.TXT	-9.00	-9.00	-9.000	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	CHROMIUM	COPPER	IRON	LEAD	MANGANESE	MERCURY	NICKEL	SILVER
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	213.000	106.00	50700.0	50.800	533.00	0.5190	99.500	0.3910
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	212.000	79.00	45000.0	41.500	474.00	0.4460	115.000	0.4230
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	136.000	144.00	31000.0	195.000	233.00	0.8470	74.800	0.3990
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.000	-9.00	48700.0	-9.000	432.00	1.2800	-9.000	-9.0000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.000	-9.00	34200.0	-9.000	335.00	0.9090	-9.000	-9.0000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	282.000	106.00	48400.0	74.800	520.00	0.6750	117.000	0.4040
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	220.000	129.00	44700.0	298.000	386.00	0.8710	96.900	0.8060
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	236.000	144.00	44100.0	109.000	384.00	0.6830	132.000	0.5040
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	285.000	65.70	40400.0	59.600	521.00	0.3230	126.000	0.3690
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.6400	-9.000	-9.0000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	226.000	145.00	58600.0	90.600	505.00	0.8900	152.000	0.6170
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.000	-9.00	39800.0	-9.000	345.00	0.2960	-9.000	-9.0000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3080	-9.000	-9.0000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3330	-9.000	-9.0000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.000	-9.00	28900.0	-9.000	307.00	0.4030	-9.000	-9.0000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3550	-9.000	-9.0000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1590	-9.000	-9.0000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	166.000	49.60	41300.0	24.600	365.00	0.4270	105.000	0.3010
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3760	-9.000	-9.0000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4400	-9.000	-9.0000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1950	-9.000	-9.0000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2400	-9.000	-9.0000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.5930	-9.000	-9.0000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.8570	-9.000	-9.0000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3280	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	CHROMIUM	COPPER	IRON	LEAD	MANGANESE	MERCURY	NICKEL	SILVER
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3220	-9.000	-9.0000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2030	-9.000	-9.0000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3520	-9.000	-9.0000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	277.000	7800.00	64900.0	214.000	938.00	0.5680	145.000	3.8100
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3560	-9.000	-9.0000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4290	-9.000	-9.0000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2900	-9.000	-9.0000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3780	-9.000	-9.0000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3200	-9.000	-9.0000
21012.0	CASTRO COVE	1489	5/1/95	39.0	231.000	217.00	51100.0	31.700	454.00	2.9300	145.000	0.4960
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	4.6300	-9.000	-9.0000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	9.1400	-9.000	-9.0000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.5100	-9.000	-9.0000
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	185.000	82.60	51900.0	42.000	446.00	0.4910	109.000	0.3840
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	304.000	47.60	25100.0	35.500	305.00	0.3730	50.400	0.2030
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.7010	-9.000	-9.0000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	1.0200	-9.000	-9.0000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3380	-9.000	-9.0000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	159.000	56.60	47600.0	19.900	639.00	0.9090	106.000	0.2350
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	476.000	59.50	24100.0	254.000	423.00	0.4460	55.600	2.4700
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	218.000	57.90	46200.0	33.000	543.00	0.2420	109.000	0.8640
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	5.7300	-9.000	-9.0000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2590	-9.000	-9.0000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1140	-9.000	-9.0000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1550	-9.000	-9.0000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2440	-9.000	-9.0000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2880	-9.000	-9.0000
21056.0	SELBY - S2	1536	10/27/95	40.0	229.000	42.60	36700.0	144.000	542.00	0.3170	86.800	0.2730
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.5500	-9.000	-9.0000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3570	-9.000	-9.0000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1590	-9.000	-9.0000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3350	-9.000	-9.0000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3410	-9.000	-9.0000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4150	-9.000	-9.0000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3200	-9.000	-9.0000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3300	-9.000	-9.0000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4270	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	CHROMIUM	COPPER	IRON	LEAD	MANGANESE	MERCURY	NICKEL	SILVER
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3270	-9.000	-9.0000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21069.0	SAUSALITO HARBOR-ANDERSON B. Y.	1549	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4550	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3510	-9.000	-9.0000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	249.000	48.30	43300.0	19.700	303.00	0.3270	104.000	0.2980
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.9710	-9.000	-9.0000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2570	-9.000	-9.0000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3240	-9.000	-9.0000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3940	-9.000	-9.0000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	218.000	48.70	45000.0	15.100	313.00	0.2710	96.600	0.3030
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	257.000	48.60	36500.0	41.300	220.00	0.3380	77.400	1.6900
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	247.000	57.90	49000.0	15.800	364.00	0.3120	115.000	0.4360
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	202.000	98.70	46000.0	55.300	319.00	0.7440	97.300	0.3420
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	188.000	73.10	44300.0	32.900	473.00	0.2650	82.200	0.3160
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	233.000	67.90	50800.0	26.000	302.00	0.3150	120.000	0.3230
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	1.7500	-9.000	-9.0000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	1.3500	-9.000	-9.0000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2320	-9.000	-9.0000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1870	-9.000	-9.0000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.5870	-9.000	-9.0000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3910	-9.000	-9.0000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.9020	-9.000	-9.0000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.6690	-9.000	-9.0000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.4560	-9.000	-9.0000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2540	-9.000	-9.0000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1850	-9.000	-9.0000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3430	-9.000	-9.0000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	196.000	20.80	33700.0	11.400	277.00	0.1640	98.600	0.1590
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2370	-9.000	-9.0000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.0900	-9.000	-9.0000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.8170	-9.000	-9.0000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3330	-9.000	-9.0000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3220	-9.000	-9.0000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	128.000	62.10	50100.0	14.500	1190.00	0.2480	116.000	0.1790
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	109.000	36.50	41000.0	41.700	738.00	0.3790	64.500	0.0948
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.1170	-9.000	-9.0000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3360	-9.000	-9.0000
21069.0	SAUSALITO HARBOR-ANDERSON B. Y.	1619	6/10/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.2810	-9.000	-9.0000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.8400	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	CHROMIUM	COPPER	IRON	LEAD	MANGANESE	MERCURY	NICKEL	SILVER
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3410	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.000	-9.00	-9.0	-9.000	-9.00	0.3700	-9.000	-9.0000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	559.000	313.00	80500.0	2100.000	1050.00	7.6800	-9.000	14.8000
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	70.800	56.80	26500.0	127.000	216.00	0.4140	-9.000	1.5300
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	229.000	102.00	86700.0	46.500	823.00	0.4900	-9.000	0.4800
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	141.000	86.10	33800.0	190.000	264.00	0.5260	-9.000	0.8700
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	138.000	96.90	58300.0	87.500	448.00	0.9670	-9.000	2.0000
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	215.000	116.00	81100.0	84.100	531.00	0.6040	-9.000	1.9700
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	127.000	3780.00	158000.0	1140.000	650.00	0.2680	-9.000	5.8500
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	141.000	386.00	61200.0	63.100	1050.00	0.3100	-9.000	2.0200
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	76.800	132.00	35100.0	23.800	492.00	0.2580	-9.000	0.2300
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	180.000	68.10	65400.0	22.300	730.00	0.3070	-9.000	0.2100
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21307.0	WALDO POINT	1746	4/2/97	50.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	169.000	54.00	52100.0	143.000	379.00	0.6610	-9.000	0.3300
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	198.000	783.00	65000.0	426.000	452.00	5.9300	-9.000	0.8700
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	170.000	67.50	41900.0	120.000	293.00	0.5570	-9.000	0.2800
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	111.000	110.00	34500.0	185.000	400.00	0.7560	-9.000	1.8500
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	122.000	131.00	49200.0	84.000	344.00	0.5850	-9.000	0.8100
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	177.000	68.70	44300.0	68.800	377.00	1.1800	-9.000	0.3750
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	274.000	85.60	37300.0	191.000	321.00	0.5890	-9.000	0.6200
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	30.200	373.00	313000.0	180.000	66.60	5.5400	25.300	1.3600
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	44.400	624.00	336000.0	72.200	49.60	1.0700	44.400	0.3440
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	141.000	450.00	112000.0	102.000	352.00	2.1500	123.000	0.6150
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.00	-9.0	-9.000	-9.00	-9.0000	-9.000	-9.0000

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	SELENIUM	TIN	ZINC	ASBATCH	SEBATCH	TMBATCH	TMDATAQC
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	0.540	4.6600	247.0000	16.00	16.00	16.00	-4
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	0.410	3.7600	210.0000	16.00	16.00	16.00	-4
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	0.690	4.4900	374.0000	16.00	16.00	16.00	-4
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.000	-9.0000	341.0000	20.00	20.00	8.00	-4
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.000	-9.0000	147.0000	20.00	20.00	8.00	-4
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	0.630	4.6400	268.0000	16.00	16.00	16.00	-4
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	2.830	28.0000	646.0000	16.00	16.00	16.00	-4
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	0.850	3.9400	417.0000	16.00	16.00	16.00	-4
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	0.330	3.8700	143.0000	16.00	16.00	16.00	-4
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	0.490	4.0100	265.0000	16.00	16.00	16.00	-4
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.000	-9.0000	103.0000	20.00	20.00	8.00	-4
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.000	-9.0000	92.4000	20.00	20.00	8.00	-4
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	0.520	2.8100	141.0000	16.00	16.00	16.00	-4
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	SELENIUM	TIN	ZINC	ASBATCH	SEBATCH	TMBATCH	TMDATAQC
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	2.270	45.2000	6000.0000	16.00	16.00	16.00	-4
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21012.0	CASTRO COVE	1489	5/1/95	39.0	2.030	3.4000	206.0000	16.00	16.00	16.00	-4
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	0.580	3.3300	207.0000	16.00	16.00	16.00	-4
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	0.270	2.2000	145.0000	16.00	16.00	16.00	-4
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	0.400	1.3900	129.0000	16.00	16.00	16.00	-4
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-8.000	15.3000	317.0000	16.00	16.00	16.00	-4
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	0.410	1.9300	145.0000	16.00	16.00	16.00	-4
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21056.0	SELBY - S2	1536	10/27/95	40.0	0.315	2.9200	177.0000	17.00	17.00	17.30	-4
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.17	-4

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	SELENIUM	TIN	ZINC	ASBATCH	SEBATCH	TMBATCH	TMDATAQC
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.17	-4
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	0.324	2.5200	150.0000	17.00	17.00	17.30	-4
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	0.396	1.9800	155.0000	17.00	17.00	17.30	-4
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	0.260	4.1700	133.0000	17.00	17.00	17.30	-4
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	0.432	2.9700	150.0000	17.00	17.00	17.30	-4
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	0.450	2.7300	202.0000	17.00	17.00	17.30	-4
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	0.430	2.2600	143.0000	17.00	17.00	17.30	-4
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	0.464	2.7200	168.0000	17.00	17.00	17.30	-4
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.17	-4
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	0.163	1.3100	103.0000	17.00	17.00	17.30	-4
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	0.360	2.0300	100.0000	20.00	20.00	8.00	-4
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	0.230	1.1400	157.0000	20.00	20.00	8.00	-4
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4

Trace Metal Concentrations in Sediment (ppm)

STANUM	STATION	IDORG	DATE	LEG	SELENIUM	TIN	ZINC	ASBATCH	SEBATCH	TMBATCH	TMDATAQC
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.17	-4
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	97.16	-4
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	0.183	92.9000	1630.0000	98.20	98.10	97.17	-4
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	0.484	5.2400	202.0000	98.20	98.10	97.17	-4
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	0.301	3.7200	255.0000	98.20	98.10	97.17	-4
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	0.450	6.8900	350.0000	98.20	98.10	97.17	-4
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	0.841	5.6300	322.0000	98.20	98.10	97.17	-4
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	0.701	5.6800	343.0000	98.20	98.10	97.17	-4
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	0.623	72.7000	4680.0000	98.20	98.10	97.17	-4
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	1.160	3.8400	741.0000	98.20	98.10	97.17	-4
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	0.536	2.9500	718.0000	98.20	98.10	97.17	-4
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	0.437	3.1400	191.0000	98.20	98.10	97.17	-4
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21307.0	WALDO POINT	1746	4/2/97	50.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	4.6900	268.0000	-9.00	-9.00	97.17	-4
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	0.819	20.5000	1730.0000	98.20	98.10	97.17	-4
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	0.717	6.9500	289.0000	98.20	98.10	97.17	-4
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	2.040	43.6000	604.0000	98.20	98.10	97.17	-4
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	0.642	3.6000	364.0000	98.20	98.10	97.17	-4
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	0.563	1.2100	262.0000	98.20	98.10	97.20	-4
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	0.528	17.0000	836.0000	98.20	98.10	97.17	-4
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	35.727	3.8000	2500.0000	98.20	98.10	98.20	-4
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	7.855	2.8400	434.0000	98.20	98.10	98.20	-4
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	3.787	18.4000	1020.0000	98.20	98.10	98.20	-4
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.0000	-9.0000	-9.00	-9.00	-9.00	-9

Section 2

Acid Volatile Sulfides and Simultaneous Extracted Metals Concentrations

Acid Volatile Sulfides and Simultaneous Extracted Metals Concentrations (ppm)

STANUM	STATION	IDORG	DATE	LEG	AVS	SEM_CD	SEM_CU	SEM_NI	SEM_PB	SEM_ZN	SEM_SUM	SEM_AVS
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	102.0000	0.02420	0.2910	0.3820	3.9500	12.5000	17.1000	0.1680
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	93.1000	0.01380	0.6710	0.2510	1.0700	4.7000	6.7000	0.0720
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	4.3800	0.00195	0.5080	0.2360	0.1610	1.3500	2.2600	0.5160
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	75.0000	0.00603	0.1620	0.1800	0.9920	4.3600	5.7000	0.0760
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	109.0000	0.00476	0.5220	0.3650	0.2530	2.1000	3.2400	0.0296
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	45.5000	0.00383	0.4850	0.2900	0.2420	1.9400	2.9600	0.0651
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	28.8000	0.02190	3.0100	0.3180	0.1940	10.7000	14.3000	0.4950
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	3.5600	0.02140	7.3300	0.2910	0.3010	12.9000	20.9000	5.8600
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	15.4000	0.02510	2.4300	0.3650	0.2050	28.3000	31.3000	2.0300
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	0.1840	0.00150	0.4340	0.2880	0.0866	0.7250	1.5300	8.3400
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	176.0000	0.02160	2.8100	0.5120	1.8400	17.0000	22.2000	0.1260
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	15.3000	0.01060	0.6990	0.2140	0.5420	3.7500	5.2100	0.3410
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	5.7300	0.04510	0.7640	0.1490	1.2100	6.3200	8.4800	1.4800
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	6.0800	0.00756	1.1400	0.2410	0.3950	4.6000	6.3900	1.0500
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	3.1600	0.00471	0.5180	0.1370	0.3520	2.5100	3.5200	1.1200
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	37.8000	0.03950	0.5030	0.2720	0.9620	8.3400	10.1000	0.2680

Acid Volatile Sulfides and Simultaneous Extracted Metals Concentrations (ppm)

STANUM	STATION	IDORG	DATE	LEG	AVS_BATCH	AVSDATAQC
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	24.10	-4
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	24.10	-4
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	24.20	-4
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	24.30	-4
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	24.30	-4
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	24.30	-4
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	24.30	-4
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	24.30	-4
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	24.40	-4
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	24.10	-4
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	24.10	-4
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	24.60	-4
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	24.60	-4
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	24.60	-4
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	24.90	-4
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	24.90	-4

Section 3

Pesticide Concentrations

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	SOWEIGHT	SOMOIST	ALDRIN	CCHLOR	TCHLOR	ACDEN	GC DEN	CLPYR
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	10.51	61.30	-8.000	0.520	1.010	-8.000	-8.000	2.00
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	10.27	61.75	-8.000	0.480	1.060	-8.000	-8.000	2.49
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	10.50	66.17	-8.000	8.130	23.000	4.790	4.580	67.60
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	10.59	64.77	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	10.06	58.68	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	10.32	65.29	-8.000	4.500	5.750	0.640	0.460	3.82
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	10.47	63.43	-8.000	22.400	28.900	5.130	4.000	48.20
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	10.76	61.72	-8.000	8.260	12.700	2.100	1.220	10.90
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	10.12	48.12	-8.000	0.360	0.490	-8.000	-8.000	3.50
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	10.05	45.07	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	10.10	63.16	-8.000	0.650	1.240	-8.000	-8.000	1.57
21035.0	SIERRA POINT	1512	4/17/95	38.0	10.03	51.49	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	10.01	62.63	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	10.41	54.77	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	10.42	43.37	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	10.47	55.17	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	10.06	35.66	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	10.43	56.60	-8.000	4.820	4.080	0.890	0.580	3.45
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	10.02	52.46	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	10.31	52.95	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	10.21	40.48	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	10.51	37.43	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	10.88	63.49	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	10.23	52.20	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	10.03	50.45	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	10.23	50.05	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	10.03	38.73	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	10.10	45.59	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	11.03	64.87	-8.000	8.650	7.620	1.900	0.310	2.78
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	11.03	53.19	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	10.15	56.60	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	10.10	44.14	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	10.18	57.60	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	10.07	56.36	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	10.33	59.00	-8.000	3.690	7.350	0.550	0.450	9.40
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	9.74	52.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	8.47	59.40	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	SOWEIGHT	SOMOIST	ALDRIN	CCHLOR	TCHLOR	ACDEN	GC DEN	CLPYR
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	10.08	67.13	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	10.32	64.27	-8.000	-8.000	0.410	-8.000	-8.000	0.51
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	10.54	31.45	-8.000	0.630	1.470	0.160	0.120	0.46
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	10.15	56.89	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	10.18	59.48	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	10.85	37.80	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	10.48	62.94	-8.000	-8.000	0.200	-8.000	-8.000	2.59
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	13.11	27.19	-8.000	2.410	3.690	0.740	0.570	19.20
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	10.03	55.74	-8.000	-8.000	1.210	-8.000	-8.000	1.63
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	10.72	56.62	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	10.00	57.50	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	10.07	65.69	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	10.43	44.43	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	10.32	58.16	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	10.02	44.06	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	12.45	38.00	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	10.03	51.10	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	10.44	54.40	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	10.06	43.71	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	10.08	67.03	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	10.03	57.96	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	10.02	69.30	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	10.32	71.29	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	9.99	54.38	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	10.10	53.54	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	10.96	44.92	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	10.52	65.22	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	9.99	54.20	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	9.60	53.50	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	10.35	63.36	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	10.16	42.84	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	10.25	54.96	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	10.33	56.51	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	8.99	57.00	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	12.28	40.30	-8.000	-8.000	1.040	-8.000	-8.000	-8.00
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	10.44	58.88	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	SOWEIGHT	SOMOIST	ALDRIN	CCHLOR	TCHLOR	ACDEN	GC DEN	CLPYR
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	10.61	60.04	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	9.36	63.70	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	8.16	61.70	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21080.0	PACIFIC DRYDOCK - 1-T4	1562	12/7/95	41.0	10.08	65.10	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	10.05	53.94	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	10.67	50.84	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	11.25	39.08	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	10.13	57.71	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	9.95	57.41	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	10.42	62.25	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	10.13	54.16	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	10.38	59.45	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	10.06	43.81	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	10.00	53.49	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	9.99	48.61	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	13.17	36.30	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	13.16	37.30	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	10.00	57.16	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	10.06	54.56	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	10.06	59.70	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	10.43	57.98	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	10.75	55.61	-8.000	-8.000	-8.000	-8.000	-8.000	-8.00
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	10.14	41.29	-8.000	0.780	0.932	-8.000	-8.000	-8.00
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	9.99	23.86	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	11.15	57.55	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	9.99	64.44	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	10.12	55.99	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	10.09	56.09	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	10.13	49.75	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	30.41	39.47	-8.000	36.400	54.300	11.500	-9.000	30.70
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	30.23	62.59	-8.000	13.000	20.100	2.470	-9.000	11.30
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	30.64	57.11	-8.000	0.881	1.190	-8.000	-9.000	0.81
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	30.00	48.24	-8.000	11.600	16.900	2.290	-9.000	20.50
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	30.53	64.20	-8.000	5.280	5.490	1.060	-9.000	11.70
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	30.33	61.62	-8.000	3.780	6.890	0.396	-9.000	7.54
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	30.30	47.42	-8.000	2.160	1.540	0.279	-9.000	-8.00
21305.0	PEYTON SLOUGH - MID GRADIENT	1739	4/2/97	50.0	30.48	64.47	-8.000	-8.000	-8.000	1.330	-9.000	1.76
21306.0	PEYTON SLOUGH - END GRADIENT	1740	4/2/97	50.0	30.79	55.70	-8.000	0.836	-8.000	-8.000	-9.000	1.54

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	SOWEIGHT	SOMOIST	ALDRIN	CCHLOR	TCHLOR	ACDEN	GC DEN	CLPYR
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	30.38	55.30	-8.000	0.243	-8.000	-8.000	-9.000	0.41
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21307.0	WALDO POINT	1746	4/2/97	50.0	30.17	57.48	-8.000	-8.000	-8.000	-8.000	-9.000	-8.00
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	30.21	57.40	-8.000	0.290	-8.000	-8.000	-9.000	0.84
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	15.08	64.20	-8.000	51.200	50.500	10.600	-9.000	44.40
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	30.65	55.50	-8.000	14.100	15.300	1.890	-9.000	10.90
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	10.15	54.00	-8.000	28.100	43.800	6.540	-9.000	16.60
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	14.95	48.70	-8.000	9.870	10.500	2.250	-9.000	1.72
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	19.32	52.68	-8.000	2.920	4.420	0.307	-9.000	0.45
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	19.40	46.54	0.367	16.500	22.800	4.120	-9.000	1.53
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	15.00	48.46	0.572	6.013	6.426	1.220	-9.000	3.26
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	5.10	65.77	-8.000	2.240	10.000	-8.000	-9.000	-8.00
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	7.20	58.71	-8.000	2.360	3.050	0.365	-9.000	-8.00
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	3.82	76.60	3.060	15.400	14.800	-8.000	-9.000	14.00
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9.00	-9.000	-9.000	-9.000	-9.000	-9.000	-9.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DACTH	OPDDD	PPDDD	OPDDE	PPDDE	PFDDMS	PFDDMU	OPDDT	PPDDT	DICLB
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	-8.000	1.13	5.760	-8.00	2.72	-8.00	-8.00	0.19	-8.00	-8.00
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	-8.000	1.91	6.600	0.19	3.45	-8.00	-8.00	0.41	0.88	-8.00
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	-8.000	15.50	63.400	1.98	51.20	-8.00	-8.00	8.68	28.90	-8.00
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	-8.000	3.40	10.600	0.23	7.70	-8.00	-8.00	1.38	5.68	-8.00
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	-8.000	16.10	57.100	0.97	32.50	-8.00	-8.00	3.11	15.10	-8.00
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	-8.000	5.76	19.100	0.41	12.90	-8.00	-8.00	2.35	-8.00	-8.00
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-8.000	0.74	5.280	-8.00	1.59	-8.00	-8.00	0.16	-8.00	-8.00
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	-8.000	1.44	5.060	0.21	3.75	-8.00	-8.00	0.50	-8.00	-8.00
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	3.89	11.000	0.45	16.00	-8.00	-8.00	1.51	5.50	-8.00
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	-8.000	0.68	46.800	2.06	40.20	-8.00	-8.00	0.99	4.93	-8.00
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.000	15.40	50.400	0.72	8.04	-8.00	-8.00	-8.00	0.66	-8.00
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DACTH	OPDDD	PPDDD	OPDDE	PPDDE	PPDDMS	PPDDMU	OPDDT	PPDDT	DICLB
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	-8.000	2.57	9.560	-8.00	2.44	-8.00	-8.00	0.19	-8.00	-8.00
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	-8.000	1.44	4.900	0.22	2.70	-8.00	-8.00	0.22	1.31	-8.00
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	0.81	5.060	0.21	3.88	-8.00	-8.00	-8.00	0.62	-8.00
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-8.000	3.83	59.300	0.21	3.10	-8.00	-8.00	0.50	1.51	-8.00
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.000	0.91	4.090	-8.00	2.70	-8.00	-8.00	-8.00	-8.00	-8.00
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	-8.000	-8.00	0.970	-8.00	1.70	-9.00	-8.00	-8.00	-8.00	-8.00
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-8.000	-8.00	2.280	-8.00	1.68	-9.00	-8.00	-8.00	-8.00	-8.00
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.000	-8.00	1.540	-8.00	1.63	-9.00	-8.00	-8.00	1.67	-8.00
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-8.000	1.70	5.000	-8.00	2.94	-9.00	-8.00	-8.00	1.62	-8.00
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	1.63	2.380	-8.00	2.36	-8.00	-8.00	-8.00	-8.00	-8.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DACTH	OPDDD	PPDDD	OPDDE	PPDDE	PPDDMS	PPDDMU	OPDDT	PPDDT	DICLB
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	1.93	2.740	-8.00	1.73	-8.00	-8.00	-8.00	1.49	-8.00
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-8.000	0.00	1.690	-8.00	1.43	-9.00	-8.00	-8.00	-8.00	-8.00
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-8.000	-8.00	2.040	-8.00	1.91	-9.00	-8.00	-8.00	-8.00	-8.00
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-8.000	-8.00	-8.000	-8.00	-8.00	-9.00	-8.00	-8.00	-8.00	-8.00
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.00	310.000	-8.00	6.33	-8.00	-8.00	-8.00	-8.00	-8.00
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.00	1.600	-8.00	1.70	-8.00	-8.00	-8.00	-8.00	-8.00
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	-8.000	26.00	60.200	-8.00	15.50	-9.00	-8.00	11.90	15.60	7.09
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	-8.000	-8.00	22.900	-8.00	11.60	-9.00	1.04	-8.00	9.10	-8.00
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	-8.000	1.98	3.860	-8.00	5.41	-9.00	-8.00	-8.00	1.64	0.82
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	0.449	23.00	21.400	-8.00	10.90	-9.00	-8.00	-8.00	7.85	4.08
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	-8.000	1.34	10.500	1.03	27.40	-9.00	2.28	-8.00	4.35	1.47
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	-8.000	-8.00	7.320	-8.00	10.40	-9.00	-8.00	-8.00	3.86	1.73
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	3.88	12.400	-8.00	5.58	-9.00	1.63	-8.00	-8.00	-8.00
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	3.05	3.960	-8.00	-8.00	-9.00	-8.00	5.90	2.44	1.48
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	3.60	5.250	-8.00	8.10	-9.00	3.35	-8.00	1.55	2.07

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DACTH	OPDDD	PPDDD	OPDDE	PPDDE	PPDDMS	PPDDMU	OPDDT	PPDDT	DICLB
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	1.08	3.370	-8.00	3.31	-9.00	-8.00	-8.00	1.68	1.29
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	-8.00	4.390	-8.00	1.15	-9.00	-8.00	-8.00	-8.00	-8.00
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	0.85	3.190	-8.00	-8.00	-9.00	0.65	0.43	2.09	1.03
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	-8.000	16.70	63.000	4.48	45.30	-9.00	6.47	7.89	25.90	14.70
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	14.90	41.000	-8.00	19.80	-9.00	5.62	-8.00	35.80	-8.00
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	1.060	20.20	57.700	-8.00	23.50	-9.00	4.83	-8.00	11.80	8.65
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	-8.000	3.58	11.400	-8.00	10.70	-9.00	2.20	1.16	3.92	1.66
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	-8.000	1.73	6.580	-8.00	4.97	-9.00	1.86	0.27	1.63	1.35
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	-8.000	33.80	131.000	2.53	29.20	-9.00	30.00	1.30	13.40	24.50
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.000	2.81	9.778	-8.00	4.92	-9.00	0.80	0.24	2.73	1.56
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-8.000	76.40	269.000	14.10	44.00	-9.00	-8.00	18.40	50.00	27.40
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-8.000	25.60	88.200	-8.00	13.70	-9.00	1.61	12.80	163.00	24.40
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	11.100	30.50	169.000	-8.00	50.20	-9.00	22.50	270.00	22.10	35.20
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.00	-9.000	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DIELDRIN	ENDO_I	ENDO_II	ESO4	ENDRIN	ETHION	HCHA	HCHB	HCHG	HCHD
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	10.800	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21026.0	OAKLAND FRUITVALE	1503	4/18/95	38.0	2.840	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	11.700	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	5.720	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	0.490	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	1.770	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	2.760	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	16.600	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DIELDRIN	ENDO_I	ENDO_II	ESO4	ENDRIN	ETHION	HCHA	HCHB	HCHG	HCHD
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	0.540	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	0.900	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	1.520	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	0.380	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21056.0	SELBY - S2	1536	10/27/95	40.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	DIELDRIN	ENDO_I	ENDO_II	ESO4	ENDRIN	ETHION	HCHA	HCHB	HCHG	HCHD
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	3.900	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.000	-8.00	-8.00	-8.00	-9.00	-8.000	-8.00	-8.000	-8.000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REPT	1622	6/11/96	44.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	15.400	-8.000	7.94	12.50	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	5.450	-8.000	5.61	10.20	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	1.810	-8.000	0.70	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	8.340	-8.000	7.77	21.00	-8.00	-8.00	-8.000	-8.00	-8.000	0.574
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	3.800	-8.000	2.71	3.96	3.04	-8.00	-8.000	-8.00	-8.000	-8.000
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	4.640	-8.000	2.79	6.70	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	-8.000	1.84	-8.00	-8.00	-8.00	-8.000	-8.00	0.501	-8.000
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-8.000	-8.00	-8.00	-8.00	-8.00	-8.000	-8.00	2.370	-8.000
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	-8.000	2.79	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000

Pesticide Concentrations (pph)

STANUM	STATION	IDORG	DATE	LEG	DIELDRIN	ENDO_I	ENDO_II	ESO4	ENDRIN	ETHION	HCHA	HCHB	HCHG	HCHD
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	0.24	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	27.000	-8.000	2.44	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	2.060	-8.000	-8.00	0.57	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	13.800	-8.000	7.50	3.83	-8.00	3.87	-8.000	0.43	-8.000	-8.000
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	8.540	-8.000	1.87	4.66	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	11.800	-8.000	9.22	12.50	1.68	-8.00	-8.000	-8.00	-8.000	-8.000
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	4.630	-8.000	1.09	-8.00	-8.00	-8.00	-8.000	0.02	-8.000	-8.000
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	2.040	-8.000	0.87	2.04	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	11.600	-8.000	2.36	10.40	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	4.412	-8.000	1.90	1.17	-8.00	-8.00	-8.000	-8.00	0.649	-8.000
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	10.600	-8.000	5.00	6.98	-8.00	-8.00	292.000	56.80	8.420	99.400
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	5.930	-8.000	2.25	0.90	-8.00	-8.00	26.100	9.79	6.300	14.400
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	62.600	19.600	-8.00	163.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.00	-9.00	-9.00	-9.00	-9.000	-9.00	-9.000	-9.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	HEPTACHLOR	HE	HCB	METHOXY	MIREX	CNONA	TNONA	OXAD	OCDAN
21021.0	OAKLAND INNER HBR.-TODD SHIPYD.	1498	4/18/95	38.0	-8.000	-8.000	0.870	-8.00	-8.000	0.320	0.640	-8.00	-8.000
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	1.100	-8.000	0.290	-8.00	0.180	0.310	0.450	-8.00	-8.000
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	4.340	-8.000	0.810	-8.00	0.330	0.530	16.900	-8.00	-8.000
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	1.760	-8.000	0.230	-8.00	-8.000	1.520	4.350	-8.00	-8.000
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	7.260	-8.000	1.410	-8.00	0.370	0.860	17.100	-8.00	-8.000
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	1.550	-8.000	59.700	-8.00	-8.000	3.310	9.250	-8.00	-8.000
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	0.220	-8.000	0.140	-8.00	-8.000	0.790	0.300	-8.00	-8.000
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	1.450	-8.000	-8.000	-8.00	-8.000	-8.000	0.250	-8.00	-8.000
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	-8.000	0.180	-8.00	-8.000	1.420	4.640	-8.00	-8.000
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	0.900	-8.000	7.630	-8.00	-8.000	0.270	4.120	-8.00	-8.000
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.000	-8.000	0.970	-8.00	-8.000	-8.000	4.510	-8.00	-8.000
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.000	0.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	HEPTACHLOR	HE	HCB	METHOXY	MIREX	CNONA	TNONA	OXAD	OC DAN
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	0.200	-8.000	0.240	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	3.020	-8.000	0.140	-8.00	-8.000	0.420	0.830	-8.00	-8.000
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	0.170	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	0.730	-8.000	0.170	-8.00	0.200	1.010	3.120	-8.00	-8.000
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	0.170	-8.000	0.470	-8.00	1.040	0.270	-8.000	-8.00	-8.000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21056.0	SELBY - S2	1536	10/27/95	40.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-8.000	-8.000	-8.000	1.31	-8.000	-8.000	-8.000	-8.00	-8.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.000	-8.000	-8.000	2.39	-8.000	-8.000	-8.000	-8.00	-8.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-8.000	-8.000	-8.000	8.16	-9.000	1.080	-8.000	-8.00	-8.000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	HEPTACHLOR	HE	HCB	METHOXY	MIREX	CNONA	TNONA	OXAD	OCDAN
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-8.000	-8.000	-8.000	3.12	-8.000	-8.000	-8.000	-8.00	-8.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-8.000	-8.000	-8.000	2.79	-8.000	-8.000	-8.000	-8.00	-8.000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	0.85	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	0.640	0.91	-8.000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	-8.000	-8.000	1.210	1.40	3.740	11.300	26.100	-8.00	-8.000
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	-8.000	-8.000	1.020	-8.00	2.440	5.260	9.610	1.25	-8.000
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	-8.000	-8.000	0.668	-8.00	-8.000	-8.000	0.630	-8.00	-8.000
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-8.000	0.222	0.651	-8.00	1.560	6.710	7.710	-8.00	-8.000
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	-8.000	-8.000	0.969	-8.00	0.670	2.360	4.300	-8.00	-8.000
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	-8.000	-8.000	0.683	-8.00	0.656	1.390	2.740	-8.00	-8.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	-8.000	0.926	-8.00	0.347	0.460	1.340	-8.00	-8.000
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-8.000	0.831	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	-8.000	1.780	-8.00	-8.000	-8.000	0.248	-8.00	-8.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	HEPTACHLOR	HE	HCB	METHOXY	MIREX	CNONA	TNONA	OXAD	OCDAN
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	0.276	-8.00	-8.000	-8.000	0.140	-8.00	-8.000
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	-8.000	-8.000	-8.00	-8.000	-8.000	-8.000	-8.00	-8.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-8.000	0.378	-8.00	-8.000	-8.000	0.291	-8.00	-8.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	0.903	1.900	3.760	14.70	2.660	18.700	37.800	-8.00	2.570
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	-8.000	3.630	-8.00	-8.000	5.840	11.700	-8.00	-8.000
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	0.757	0.849	1.850	-8.00	3.220	12.300	22.200	-8.00	1.220
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	0.031	0.382	0.760	1.89	0.299	4.030	7.610	-8.00	0.512
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	-8.000	-8.000	7.070	-8.00	-8.000	1.810	2.490	-8.00	-8.000
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	0.071	0.325	0.953	-8.00	0.971	6.380	14.200	-8.00	0.753
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.000	0.203	3.295	-8.00	1.903	1.772	4.464	-8.00	0.301
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-8.000	-8.000	19.900	-8.00	-8.000	-8.000	1.830	-8.00	-8.000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-8.000	-8.000	7.470	-8.00	-8.000	-8.000	1.200	-8.00	-8.000
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-8.000	17.800	5.950	-8.00	103.000	-8.000	1.620	114.00	-8.000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.00	-9.000	-9.000	-9.000	-9.00	-9.000

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	TOXAPH	PESBATCH	TBT	TBTBATCH
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	-8.00	75.02	0.1600	24.0
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	-8.00	75.01	0.0700	24.0
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	-8.00	75.01	0.1200	24.0
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	-8.00	75.01	-8.0000	24.0
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	-8.00	75.01	-9.0000	-9.0
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	-8.00	75.02	-9.0000	-9.0
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-8.00	75.02	-9.0000	-9.0
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	-8.00	75.01	-9.0000	-9.0
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.00	-9.00	-9.0000	-9.0
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.00	75.01	-9.0000	-9.0
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.00	-9.00	-9.0000	-9.0
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.00	-9.00	-9.0000	-9.0
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.00	-9.00	-9.0000	-9.0
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	-8.00	75.01	-9.0000	-9.0
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.00	-9.00	-9.0000	-9.0
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.00	-9.00	-9.0000	-9.0
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.00	-9.00	-9.0000	-9.0
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.00	-9.00	-9.0000	-9.0
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.00	75.01	-9.0000	-9.0
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	TOXAPH	PESBATCH	TBT	TBTBATCH
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	-8.00	75.02	0.0700	24.0
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	-8.00	75.01	-9.0000	-9.0
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21019.0	CORIDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.00	-9.00	-9.0000	-9.0
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.00	75.01	-9.0000	-9.0
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-8.00	75.01	-9.0000	-9.0
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.00	75.02	-9.0000	-9.0
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.00	-9.00	-9.0000	-9.0
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.00	-9.00	-9.0000	-9.0
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21056.0	SELBY - S2	1536	10/27/95	40.0	-8.00	L-107-96	-9.0000	-9.0
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.00	-9.00	-9.0000	-9.0
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.00	-9.00	-9.0000	-9.0
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.00	-9.00	-9.0000	-9.0
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-8.00	L-107-96	-9.0000	-9.0
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.00	-9.00	-9.0000	-9.0
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.00	-9.00	-9.0000	-9.0
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.00	-9.00	-9.0000	-9.0
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.00	L-107-96	-9.0000	-9.0
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-8.00	L-107-96	-9.0000	-9.0
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.00	75.S.05	-9.0000	-9.0

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	TOXAPH	PESBATCH	TBT	TBTBATCH
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.00	75.S.05	-9.0000	-9.0
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-8.00	L-107-96	-9.0000	-9.0
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-8.00	L-107-96	0.0400	17.3
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-9.00	-9.00	-9.0000	-9.0
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.00	-9.00	-9.0000	-9.0
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-8.00	L-107-96	-9.0000	-9.0
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.00	-9.00	-9.0000	-9.0
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.00	-9.00	-9.0000	-9.0
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9.00	-9.0000	-9.0
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9.00	-9.0000	-9.0
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.00	75.12	-8.0000	29.0
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.00	75.12	-8.0000	29.0
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9.00	-9.0000	-9.0
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9.00	-9.0000	-9.0
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9.00	-9.0000	-9.0
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.00	-9.00	-9.0000	-9.0
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9.00	-9.0000	-9.0
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9.00	-9.0000	-9.0
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	-8.00	97-359	0.1800	32.0
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	-8.00	97-359	0.1500	32.0
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	-8.00	97-359	0.0500	32.0
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-8.00	97-359	0.0900	32.0
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	-8.00	97-359	0.2200	32.0
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	-8.00	97-359	0.1700	32.0
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.00	97-359	0.0500	32.0
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.00	97-359	0.0300	32.0
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.00	97-359	0.0500	32.0

Pesticide Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	TOXAPH	PESBATCH	TBT	TBTBATCH
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.00	97-359	0.0300	32.0
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.00	-9	0.0500	32.0
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.00	-9	0.0400	32.0
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.00	-9	0.1400	32.0
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.00	97-359	0.1100	32.0
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.00	97-359	0.1100	32.0
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.00	-9	-9.0000	-9.0
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.00	-9	-9.0000	-9.0
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.00	-9	0.0800	32.0
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9	0.0500	33.0
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	-8.00	97-329	5.0800	33.0
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.00	-9	0.1200	33.0
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.00	97-359	0.0500	33.0
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	-8.00	97-359	0.1780	34.0
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	-8.00	97-329	0.0800	33.0
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	-8.00	97-319	0.0300	33.0
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	-8.00	97-319	0.1100	33.0
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.00	97-319	0.0400	33.0
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.00	-9	-8.0000	33.0
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-8.00	98-007	-9.0000	-9.0
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-8.00	98-007	-9.0000	-9.0
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	15700.00	98-007	-9.0000	-9.0
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.00	-9	-9.0000	-9.0
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9	-9.0000	-9.0
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9	-9.0000	-9.0
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9	-9.0000	-9.0



Section 4

PCB and Arochlor Concentrations

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB5	PCB8	PCB15	PCB18	PCB27	PCB28	PCB29	PCB31	PCB44	PCB49
21021.0	OAKLAND INNER HBR -TODD SHIPYD	1498	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	1.140	-8.000	1.240	1.430	1.160
21022.0	OAKLAND INNER HBR -SCHNITZER	1499	4/18/95	38.0	-8.000	-8.000	-8.000	1.120	-8.000	1.640	-8.000	2.040	1.840	1.480
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	-8.000	-8.000	-8.000	2.660	-8.000	4.210	-8.000	4.100	10.000	6.120
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-8.000	0.800	-9.000	2.000	-8.000	4.390	-8.000	3.590	8.200	8.560
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	0.950	-8.000	0.650	1.000	1.140
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	2.670	1.600
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	-8.000	1.910	-8.000	3.850	-8.000	7.870	-8.000	6.970	11.500	6.300
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	-8.000	-8.000	-8.000	1.760	-8.000	2.070	-8.000	2.150	2.380	2.150
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	-8.000	-8.000	-8.000	1.640	-8.000	2.850	-8.000	3.430	4.870	4.900
21035.0	SIERRA POINT	1512	4/17/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.220	0.586
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	2.620	1.190
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-8.000	-8.000	-9.000	0.570	-8.000	0.930	-8.000	0.920	1.290	0.960
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-8.000	1.400	-9.000	3.530	-8.000	3.690	-8.000	4.710	2.760	1.670
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	1.020	-8.000	-8.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	-8.000	-8.000	-8.000	1.200	-8.000	2.150	-8.000	2.780	4.030	2.330
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-8.000	-9.000	198.000	-9.000	211.000	-9.000	-9.000	383.000	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-8.000	-9.000	-8.000	-9.000	0.800	-9.000	-9.000	1.200	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB5	PCB8	PCB15	PCB18	PCB27	PCB28	PCB29	PCB31	PCB44	PCB49
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-8.000	-8.000	-9.000	0.596	-8.000	1.140	-8.000	1.370	1.480	1.170
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.070	1.020
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	-8.000	1.030	-8.000	4.390	-8.000	6.670	-8.000	7.450	8.520	6.900
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-8.000	-8.000	-9.000	0.714	-8.000	1.050	-8.000	1.240	2.970	1.950
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-8.000	-8.000	-9.000	1.320	-8.000	2.120	-8.000	2.470	1.720	1.910
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-8.000	-8.000	-9.000	-8.000	-8.000	0.698	-8.000	1.110	1.180	0.775
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.140	1.450	1.190
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.170	0.867
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	0.737	-8.000	-8.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.736	0.581
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-8.000	-8.000	-9.000	0.833	-8.000	1.880	-8.000	2.420	2.020	2.670
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.000	-8.000	-9.000	1.340	-9.000	2.240	-9.000	-9.000	2.810	-9.000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB5	PCB8	PCB15	PCB18	PCB27	PCB28	PCB29	PCB31	PCB44	PCB49
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	-8.000	-9.000	0.920	-8.000	0.810	-8.000	1.330	2.650	1.430
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-8.000	2.260	-9.000	4.960	-8.000	3.710	-8.000	5.540	6.370	4.430
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-8.000	1.630	-9.000	3.230	-8.000	3.720	-8.000	3.440	6.820	4.870
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-8.000	-8.000	-9.000	0.875	-8.000	1.140	-8.000	1.260	4.020	2.180
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-8.000	1.900	-9.000	3.730	-8.000	6.110	-8.000	4.390	3.960	3.230
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-8.000	-8.000	-9.000	1.000	-8.000	1.410	-8.000	1.910	1.400	1.060
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-8.000	-8.000	-9.000	1.030	-8.000	1.390	-8.000	3.820	1.560	1.110
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	0.899	-8.000	0.801	0.711	0.602
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	0.644	-8.000	0.797	0.592	0.503
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-8.000	1.210	-9.000	2.870	-8.000	6.200	-8.000	4.710	5.920	3.570
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.000	-8.000	-9.000	-8.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-8.000	1.260	-9.000	1.820	-8.000	3.290	-8.000	3.550	9.170	8.210
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.661	0.557
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	0.716	-8.000	-8.000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	-8.000	6.790	15.400	10.200	1.360	10.400	-8.000	8.860	13.100	11.600
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	-8.000	1.210	-8.000	2.430	0.408	3.540	-8.000	2.000	4.120	3.800
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.328	1.190
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-8.000	1.300	6.290	3.410	1.060	5.450	-8.000	2.670	4.860	22.100
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	-8.000	-8.000	-8.000	1.920	-8.000	2.330	-8.000	2.580	1.720	2.090
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	2.340	-8.000	1.400	1.400	1.410
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.527	0.341
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.930	0.526	5.030
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	7.860	-8.000	-8.000	-8.000	1.890	-8.000	-8.000	-8.000	-8.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB5	PCB8	PCB15	PCB18	PCB27	PCB28	PCB29	PCB31	PCB44	PCB49
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.809
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.420	-8.000	0.644
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-8.000	-8.000	1.150	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	0.681	2.770	15.700	7.950	3.060	10.600	-8.000	5.690	28.800	16.900
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	-8.000	-8.000	-8.000	-8.000	4.720	-8.000	2.590	5.090	4.370
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	-8.000	4.050	11.100	7.300	2.180	11.700	-8.000	6.380	12.400	9.990
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	-8.000	0.265	1.430	1.590	0.774	2.260	-8.000	0.989	2.090	2.490
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	2.630	0.490	-8.000	1.620	-8.000	0.913	-8.000	1.190	1.180	1.750
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	-8.000	1.190	4.680	2.460	0.588	4.020	-8.000	2.660	3.810	3.940
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.000	1.094	2.753	0.546	0.279	2.222	-8.000	0.596	2.181	0.447
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	18.200	-8.000	7.710	4.190	-8.000	4.510	-8.000	3.670	10.700	8.990
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	47.500	-8.000	-8.000	3.430	-8.000	3.940	-8.000	3.350	6.670	4.290
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-8.000	-8.000	-8.000	6.710	-8.000	10.100	-8.000	1.300	35.500	5.950
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB52	PCB66	PCB70	PCB74	PCB87	PCB95	PCB97	PCB99	PCBI01	PCB105
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	2.410	1.840	1.900	-8.000	1.730	3.790	1.090	2.080	5.290	1.280
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	3.000	1.810	2.250	-8.000	1.950	4.420	1.340	2.250	5.290	1.730
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	15.200	9.490	11.200	3.720	8.660	21.400	6.340	10.700	27.000	8.840
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	15.200	17.900	13.500	5.700	12.500	29.400	11.900	20.700	43.200	16.200
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	2.120	2.040	1.810	0.800	1.730	4.440	1.600	3.230	7.140	2.200
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	7.920	2.250	4.180	1.050	4.700	9.810	2.700	4.530	12.700	4.220
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	16.300	11.000	13.700	4.670	7.790	27.100	8.300	10.200	34.000	10.500
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	4.330	3.240	3.260	1.260	3.510	7.680	2.610	4.560	11.900	2.790
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	1.830	-8.000	1.320	-8.000	1.650	4.000	1.000	1.620	4.920	1.280
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.970	-8.000	-8.000	1.170	-8.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	8.750	6.230	6.860	2.600	3.340	9.700	2.510	5.930	13.400	2.700
21035.0	SIERRA POINT	1512	4/17/95	38.0	0.900	0.720	0.930	-8.000	0.770	1.810	0.560	1.150	1.820	0.800
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	2.950	1.010	2.020	0.506	2.440	4.730	1.630	2.230	5.260	1.980
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	7.740	1.460	3.930	0.869	5.840	12.800	3.610	4.300	14.500	3.800
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	2.390	1.790	2.390	0.810	1.980	4.540	1.360	2.370	6.310	1.920
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	0.725	0.730	0.752	-8.000	0.540	1.280	0.500	1.040	1.870	0.640
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	2.690	2.690	2.620	1.130	0.776	2.820	-8.000	1.020	2.600	0.751
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	1.600	-8.000	-8.000	1.510	-8.000
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.572	-8.000	-8.000	0.854	-8.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	0.665	0.760	0.863	-8.000	-8.000	1.110	-8.000	0.914	1.600	0.589
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.542	-8.000	-8.000	0.750	-8.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-8.000	-8.000	1.010	-8.000	-8.000	1.580	-8.000	-8.000	1.440	-8.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	8.530	3.390	6.190	1.860	7.060	15.900	4.030	5.820	18.000	5.620
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.882	-8.000	-8.000	-8.000	-8.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.589	-8.000	-8.000	0.733	-8.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	1.180	-8.000	-8.000	-8.000	-8.000	1.610	-8.000	-8.000	2.220	-8.000
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	733.000	297.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	1300.000	304.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	2.090	1.260	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	4.050	1.480

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB52	PCB66	PCB70	PCB74	PCB87	PCB95	PCB97	PCB99	PCB101	PCB105
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	2.510	2.360	2.530	1.070	1.400	2.750	1.200	1.890	3.830	1.450
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	2.070	2.050	1.880	-8.000	1.550	3.010	1.110	2.030	4.310	1.490
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	11.000	12.800	11.800	6.210	2.360	4.430	2.150	3.170	5.220	2.940
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	5.260	3.570	4.640	1.520	3.800	7.680	2.830	4.440	9.700	3.960
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	5.390	3.610	4.980	1.780	4.330	7.970	3.400	4.180	10.200	4.470
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	2.400	1.250	2.140	0.638	1.920	3.480	1.360	1.970	5.260	1.500
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	3.120	1.270	2.260	-8.000	2.250	6.520	1.210	3.120	7.730	1.720
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	1.510	-8.000	-8.000	2.030	-8.000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	0.811	-8.000	-8.000	-8.000	-8.000	0.892	-8.000	-8.000	1.640	-8.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.761	-8.000	0.518	0.879	-8.000
21056.0	SELBY - S2	1536	10/27/95	40.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-8.000	-8.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	2.700	0.920	1.930	-8.000	2.410	5.460	1.880	2.590	6.110	1.790
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.680	-8.000	-8.000	0.822	-8.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.652	-8.000	-8.000	0.664	-8.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.770	-8.000	0.517	1.000	-8.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	1.160	0.990	1.120	-8.000	0.523	1.450	-8.000	0.831	1.720	0.566
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	0.950	-8.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	4.900	4.220	4.820	2.290	2.910	6.790	3.170	6.300	14.400	1.200
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	0.660	-8.000	0.577	-8.000	-8.000	1.170	-8.000	0.894	1.590	-8.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.597	-8.000	-8.000	0.837	-8.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.593	-8.000	-8.000	0.791	-8.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	0.640	-8.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	4.070	5.850	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	12.900	6.500
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	0.550	-8.000	-8.000	-8.000	-8.000	1.550	-8.000	0.630	1.560	-8.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB52	PCB66	PCB70	PCB74	PCB87	PCB95	PCB97	PCB99	PCB101	PCB105
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	5.600	2.610	3.260	0.910	1.840	4.920	1.470	1.840	4.740	1.380
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	0.640	-8.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	0.830	-8.000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	11.500	7.500	8.090	3.320	8.140	19.400	6.900	9.150	23.000	7.020
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	11.800	7.490	9.010	3.470	7.310	18.100	5.770	10.300	25.400	4.020
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	8.660	3.640	6.550	1.930	7.340	13.700	4.260	6.330	16.800	5.530
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	5.430	6.700	5.230	2.760	1.940	4.350	1.690	2.490	4.850	2.060
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	2.240	2.470	3.090	1.330	2.040	3.220	1.390	2.280	4.640	1.970
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.646	-8.000	-8.000	0.871	-8.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	3.040	2.260	2.910	1.020	2.600	5.850	1.790	2.620	6.910	2.490
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	1.180	1.150	1.250	0.513	0.644	1.880	0.543	1.150	2.670	0.652
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	0.979	1.140	1.180	-8.000	0.676	1.530	0.621	1.060	2.240	0.792
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	5.590	10.000	6.890	3.360	2.700	5.160	2.180	2.400	5.370	2.720
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-8.000	-8.000	0.505	-8.000	-8.000	0.510	-8.000	0.514	1.010	-8.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.761	-8.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-8.000	-8.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-8.000	-8.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	23.000	11.800	24.200	6.190	29.900	52.500	20.900	32.100	95.800	23.100
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.563	-8.000	-8.000	0.722	-8.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	0.570	-8.000	0.570	-8.000	-8.000	1.120	-8.000	0.570	1.480	-8.000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21069.0	SAUSALITO HARBOR-ANDERSON B. Y.	1619	6/10/96	44.0	1.150	1.000	1.060	-8.000	0.551	1.360	-8.000	0.824	1.370	0.574
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	0.788	0.790	0.916	-8.000	0.511	1.280	-8.000	0.795	1.760	0.584
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-8.000	-8.000	0.526	-8.000	-8.000	0.874	-8.000	0.644	1.020	-8.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.513	-8.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	25.900	8.560	16.900	6.260	-9.000	36.300	8.920	20.600	47.500	13.900
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	8.730	4.050	5.240	1.990	-9.000	11.500	3.130	6.940	21.300	6.980
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	0.724	0.483	0.622	-8.000	-9.000	0.758	0.467	1.020	2.430	0.981
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	17.000	6.050	10.600	3.340	-9.000	40.300	4.160	38.600	60.600	6.360
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	2.750	1.350	2.230	0.772	-9.000	4.270	1.210	3.800	9.440	2.950
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	2.880	1.580	2.050	0.747	-9.000	5.450	1.110	3.110	11.300	2.740
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	1.020	-8.000	0.678	-8.000	-9.000	0.836	0.482	1.310	2.680	1.040
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	3.070	-8.000	-8.000	-9.000	1.990	-8.000	-8.000	-8.000	1.960
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-9.000	0.440	0.328	1.060	2.170	0.548

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB52	PCB66	PCB70	PCB74	PCB87	PCB95	PCB97	PCB99	PCB101	PCB105
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	0.117	-8.000	-9.000	0.230	0.088	0.471	0.529	-8.000
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	0.935	23.300	0.704	0.442	-9.000	15.800	-8.000	2.350	2.300	1.390
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-8.000	-8.000	-8.000	-9.000	-8.000	-8.000	0.430	0.481	0.264
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	50.400	18.700	27.600	9.080	-9.000	53.800	16.800	25.700	76.600	20.100
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	10.600	6.770	6.300	2.880	-9.000	10.800	3.770	6.210	19.000	6.840
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	21.400	9.290	15.300	5.450	-9.000	32.400	8.590	15.500	42.900	13.400
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	3.630	2.290	2.180	1.130	-9.000	4.240	2.180	3.460	8.750	2.390
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	3.280	1.930	2.080	0.864	-9.000	4.320	2.130	4.550	9.810	2.630
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	8.160	4.340	6.210	2.840	-9.000	13.100	4.170	8.640	25.500	5.230
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	1.617	0.641	0.886	0.889	-9.000	1.757	0.798	1.467	3.192	1.026
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	22.400	-8.000	19.800	6.330	-9.000	31.000	14.600	15.300	47.900	29.400
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	12.100	7.420	7.420	3.430	-9.000	3.730	2.110	3.880	7.380	3.780
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	14.000	13.500	-8.000	24.200	-9.000	17.800	13.600	41.900	67.000	20.200
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB110	PCB118	PCB128	PCB132	PCB137	PCB138	PCB149	PCB151	PCB153
21021.0	OAKLAND INNER HBR- TODD SHIPYD	1498	4/18/95	38.0	5.260	4.060	1.090	2.010	-8.000	8.650	6.580	1.710	8.160
21022.0	OAKLAND INNER HBR- SCHNITZER	1499	4/18/95	38.0	6.810	4.740	1.570	2.180	-8.000	8.980	6.060	1.550	7.810
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	31.800	23.600	6.120	10.300	1.230	49.300	24.100	6.480	46.300
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	46.500	46.100	11.300	12.600	2.400	68.200	36.400	12.200	56.600
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	6.790	6.990	1.760	2.470	-8.000	12.800	7.790	2.360	12.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	14.100	11.400	3.190	4.300	-8.000	18.000	10.800	2.740	15.100
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	34.700	29.600	7.620	11.400	1.120	31.500	29.200	7.770	36.000
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	10.900	9.170	2.400	4.390	-8.000	19.800	13.600	3.440	19.000
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	5.060	3.600	1.110	2.140	-8.000	8.690	6.820	1.920	8.170
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	1.130	0.610	-8.000	0.583	-8.000	2.350	1.940	0.725	2.540
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	12.800	8.500	2.310	5.490	-8.000	23.900	21.600	7.030	30.400
21035.0	SIERRA POINT	1512	4/17/95	38.0	2.650	2.140	0.670	0.810	-8.000	3.790	2.200	0.680	3.190
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	6.890	5.280	1.770	2.440	-8.000	7.780	3.890	1.690	5.400
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	14.100	10.700	2.860	4.950	0.732	15.600	8.170	2.070	10.200
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	6.310	5.500	1.680	2.590	-8.000	10.100	6.930	2.070	9.150
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	2.040	1.750	0.752	0.845	-8.000	3.770	2.110	0.714	3.600
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	2.640	1.680	-8.000	1.150	-8.000	4.750	3.880	1.410	5.090
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	2.120	-8.000	-8.000	-8.000	-8.000	2.450	1.960	0.740	2.280
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	1.090	0.789	-8.000	-8.000	-8.000	2.120	0.959	-8.000	1.860
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	1.810	1.570	0.527	0.610	-8.000	3.080	1.630	0.502	2.660
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.860	-8.000	-8.000	-8.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	0.914	0.642	-8.000	-8.000	-8.000	1.550	0.660	-8.000	1.190
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	0.994	-8.000	-8.000	-8.000	-8.000	2.780	-8.000	-8.000	1.330
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	1.410	1.720	-8.000	-8.000	-8.000	5.030	2.840	0.766	4.560
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	0.573	-8.000	-8.000	-8.000	-8.000	1.060	-8.000	-8.000	0.825
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.983	-8.000	-8.000	-8.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.625	-8.000	-8.000	-8.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.869	-8.000	-8.000	-8.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	20.700	14.100	3.690	5.640	-8.000	19.400	12.100	2.840	14.300
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	1.190	-8.000	-8.000	-8.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	1.850	0.571	-8.000	-8.000	-8.000	3.140	1.020	-8.000	2.150
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	0.523	-8.000	-8.000	-8.000	-8.000	0.961	-8.000	-8.000	0.763
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	0.670	-8.000	-8.000	-8.000	-8.000	1.260	0.613	-8.000	1.040
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	0.930	0.591	-8.000	-8.000	-8.000	1.570	0.836	-8.000	1.300
21012.0	CASTRO COVE	1489	5/1/95	39.0	2.300	2.000	-8.000	-8.000	-8.000	2.870	1.830	-8.000	2.390
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	1030.000	315.000	-9.000	-9.000	1660.000	-9.000	-9.000	1450.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	4.400	1.450	-9.000	-9.000	8.440	-9.000	-9.000	6.350

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB110	PCB118	PCB128	PCB132	PCB137	PCB138	PCB149	PCB151	PCB153
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	4.640	3.770	1.130	1.470	-8.000	5.390	2.890	0.952	4.100
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	4.970	4.160	1.080	1.420	-8.000	5.850	3.240	0.900	4.530
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	6.290	5.100	-8.000	-8.000	-8.000	2.200	1.460	-8.000	1.890
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	11.700	9.190	2.530	3.080	-8.000	12.000	6.080	2.660	8.490
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	13.600	10.100	3.280	4.820	0.669	16.900	7.560	2.610	11.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	5.500	4.310	1.240	2.350	-8.000	8.390	5.300	1.520	7.190
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.860
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	7.590	5.130	1.470	3.310	-8.000	12.600	10.800	3.440	13.700
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	2.260	1.690	-8.000	-8.000	-8.000	3.310	2.190	0.670	2.810
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	2.430	0.940	0.622	0.505	-8.000	3.390	0.827	2.640	1.820
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.713	-8.000	-8.000	0.506
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.638	-8.000	-8.000	0.562
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	0.523	-8.000	-8.000	-8.000	-8.000	0.990	-8.000	-8.000	0.693
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21055.0	SEMPL POINT-M.W. VA-7	1535	10/27/95	40.0	1.070	0.583	-8.000	-8.000	-8.000	1.470	0.955	-8.000	1.400
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.000	-8.000	-8.000	-9.000	-9.000	0.600	-9.000	-9.000	-8.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	7.270	4.960	1.580	2.440	-8.000	7.660	4.280	1.250	5.510
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	1.090	0.719	-8.000	-8.000	-8.000	1.510	0.796	-8.000	1.150
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.647	-8.000	-8.000	-8.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.831	-8.000	-8.000	0.607
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	0.859	0.557	-8.000	-8.000	-8.000	1.580	0.852	-8.000	1.340
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	0.583	-8.000	-8.000	-8.000	-8.000	1.010	-8.000	-8.000	0.827
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	0.563	-8.000	-8.000	-8.000	-8.000	1.060	0.504	-8.000	0.835
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	0.588	-8.000	-8.000	-8.000	-8.000	1.190	-8.000	-8.000	0.904
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	1.270	0.895	-8.000	-8.000	-8.000	1.820	1.010	-8.000	1.490
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	1.990	1.400	-8.000	0.621	-8.000	2.600	1.470	0.538	2.100
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	0.570	-8.000	-8.000	-8.000	-8.000	1.070	-8.000	-8.000	0.871
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.000	0.940	-8.000	-9.000	-9.000	1.640	-9.000	-9.000	1.440
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	7.680	13.500	-8.000	1.010	-8.000	17.900	9.950	2.500	16.800
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	1.220	1.270	-8.000	-8.000	-8.000	2.770	1.670	0.618	2.400
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	0.848	0.775	-8.000	-8.000	-8.000	1.760	1.060	-8.000	1.860
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	0.768	0.683	-8.000	-8.000	-8.000	1.590	0.927	-8.000	1.540
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.000	0.640	-8.000	-9.000	-9.000	1.220	-9.000	-9.000	1.110
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.000	17.200	2.860	-9.000	-9.000	14.600	-9.000	-9.000	10.900
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	1.570	0.840	-8.000	0.640	-8.000	2.620	1.560	0.820	2.690

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB110	PCB118	PCB128	PCB132	PCB137	PCB138	PCB149	PCB151	PCB153
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	5.790	4.220	0.850	1.690	-8.000	5.860	3.050	1.000	4.500
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.000	0.660	-8.000	-9.000	-9.000	1.350	-9.000	-9.000	1.300
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.000	0.920	-8.000	-9.000	-9.000	1.510	-9.000	-9.000	1.360
21080.0	PACIFIC DRYDOCK - 1-T4	1562	12/7/95	41.0	25.200	19.700	6.030	9.380	1.370	36.300	20.900	5.770	30.600
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	22.000	23.000	2.170	4.770	1.170	38.300	22.300	6.640	32.500
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	19.800	14.900	4.030	6.310	0.934	21.100	12.300	3.530	16.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	5.540	4.890	1.190	1.650	-8.000	6.300	3.690	1.160	5.270
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	5.650	5.340	1.440	2.190	-8.000	8.730	4.710	1.300	7.880
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	1.050	0.838	-8.000	-8.000	-8.000	2.070	1.020	-8.000	1.790
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	7.450	5.770	1.820	3.240	-8.000	13.000	7.050	3.030	11.100
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	2.430	2.290	-8.000	0.790	-8.000	4.470	2.870	0.951	4.140
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	2.450	2.210	0.715	0.996	-8.000	4.080	2.410	0.792	3.710
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	7.170	4.960	1.310	2.010	-8.000	6.700	4.000	1.250	5.030
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	0.662	1.030	-8.000	-8.000	-8.000	1.710	1.130	-8.000	2.020
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	0.928	0.821	-8.000	-8.000	-8.000	1.870	0.856	-8.000	1.580
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.000	-8.000	-8.000	-9.000	-9.000	0.560	-9.000	-9.000	0.530
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.992	-8.000	-8.000	0.778
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	87.200	68.600	19.900	43.800	3.670	222.000	124.000	32.100	175.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	0.953	-8.000	-8.000	-8.000	-8.000	1.750	0.660	-8.000	1.130
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	0.640	-8.000	-8.000	-8.000	-8.000	1.080	0.538	-8.000	0.900
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.540	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	1.600	1.440	-8.000	-8.000	-8.000	2.170	1.230	-8.000	1.740
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	0.636	-8.000	-8.000	-8.000	-8.000	1.230	-8.000	-8.000	-8.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	2.050	1.370	-8.000	0.588	-8.000	2.720	1.380	0.577	1.970
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	1.920	1.600	0.632	0.823	-8.000	3.300	2.000	0.620	2.970
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	1.410	0.997	-8.000	0.501	-8.000	2.390	1.240	-8.000	2.060
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	0.699	-8.000	-8.000	-8.000	-8.000	1.260	0.695	-8.000	1.180
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	52.200	35.500	8.650	15.400	2.880	50.700	40.400	9.710	59.900
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	18.400	16.900	4.450	6.820	1.620	34.600	23.100	5.840	39.000
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	2.110	2.100	0.316	0.925	-8.000	4.130	1.990	0.370	3.950
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	33.300	20.700	6.330	9.490	1.670	79.500	88.100	27.400	125.000
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	8.150	8.270	1.740	3.630	-8.000	18.700	9.770	2.770	14.000
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	8.300	6.880	1.950	8.530	-8.000	25.000	17.500	4.890	22.600
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	2.540	2.440	-8.000	0.516	0.367	3.380	1.710	0.535	3.140
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	3.750	4.160	-8.000	-8.000	-8.000	5.780	-8.000	-8.000	5.460
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	2.040	1.970	0.511	0.841	-8.000	2.330	1.530	-8.000	3.420

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB110	PCB118	PCB128	PCB132	PCB137	PCB138	PCB149	PCB151	PCB153
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	0.683	0.562	-8.000	-8.000	-8.000	1.480	0.630	0.096	1.430
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	2.590	3.810	-8.000	1.430	-8.000	4.930	1.950	0.681	3.560
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	0.424	0.484	-8.000	-8.000	-8.000	1.660	0.528	-8.000	1.200
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	72.100	53.600	10.400	12.300	5.850	66.000	39.600	9.020	40.700
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	19.300	17.400	2.910	6.190	-8.000	25.600	12.500	2.670	15.100
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	49.800	35.900	11.300	10.700	-8.000	55.500	37.600	8.040	58.100
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	9.030	8.430	2.280	3.190	0.561	16.500	7.390	2.090	11.400
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	8.890	8.770	2.110	7.590	0.363	14.200	8.560	2.190	6.050
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	21.300	17.600	4.470	37.100	0.877	42.200	35.300	9.600	36.800
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	3.740	3.750	0.520	2.784	0.664	4.973	2.988	0.716	5.106
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	61.500	69.000	13.500	22.500	3.220	68.500	23.600	4.330	77.100
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	6.410	5.910	1.090	1.200	1.860	3.240	1.820	0.416	1.730
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	12.500	40.400	493.000	94.600	260.000	320.000	112.000	-8.000	208.000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB156	PCB157	PCB158	PCB170	PCB174	PCB177	PCB180	PCB183	PCB187
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	0.660	-8.000	0.850	2.480	2.350	1.730	6.410	1.670	3.400
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	0.770	-8.000	0.940	2.140	1.970	1.350	5.460	1.340	2.910
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	4.720	2.610	4.420	17.600	23.700	13.000	61.700	12.800	30.000
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	5.660	3.700	6.800	11.900	10.300	8.090	30.900	8.100	17.100
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	0.930	1.260	1.440	2.980	2.660	2.170	8.020	2.070	4.380
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	1.690	1.200	1.560	3.500	3.050	2.350	8.670	2.010	4.910
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	4.560	2.510	4.140	9.630	9.430	5.980	27.200	5.890	13.000
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	1.370	1.110	1.690	5.400	5.120	3.700	14.600	3.440	7.510
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	0.590	-8.000	0.840	2.420	2.460	1.580	6.470	1.540	3.320
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-8.000	-8.000	-8.000	0.677	0.685	-8.000	1.990	0.530	1.100
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	1.560	-8.000	2.010	9.260	10.000	6.100	28.400	6.670	15.900
21035.0	SIERRA POINT	1512	4/17/95	38.0	-8.000	-8.000	-8.000	0.780	0.690	0.650	1.930	-8.000	1.190
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	1.100	-8.000	0.977	1.180	0.912	0.728	2.530	0.669	1.300
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	1.730	-8.000	1.760	1.430	1.080	0.971	3.110	0.657	1.360
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	0.940	-8.000	1.050	2.180	2.320	1.660	6.020	1.470	3.350
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-8.000	-8.000	-8.000	0.959	0.656	0.839	2.280	0.600	1.560
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-8.000	-8.000	-8.000	1.550	2.280	1.310	5.840	1.490	3.890
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	-8.000	-8.000	0.680	0.710	0.530	1.720	-8.000	1.150
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.090	-8.000	0.791
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-8.000	-8.000	-8.000	0.682	0.542	0.576	1.700	-8.000	1.200
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.734	-8.000	-8.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.578	1.380	-8.000	-8.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-8.000	-8.000	0.529	1.110	1.120	0.914	3.800	0.697	1.790
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	2.240	0.920	2.060	2.520	2.410	1.440	6.340	1.470	2.930
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-8.000	-8.000	-8.000	0.578	-8.000	0.611	1.660	-8.000	0.565
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.539	-8.000	-8.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.599	-8.000	-8.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.965	-8.000	-8.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.000	-8.000	-8.000	0.560	-8.000	-8.000	1.310	-8.000	0.720
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.000	-9.000	435.000	-9.000	-9.000	1120.000	-9.000	317.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.000	-9.000	3.330	-9.000	-9.000	5.300	-9.000	1.820

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB156	PCB157	PCB158	PCB170	PCB174	PCB177	PCB180	PCB183	PCB187
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	0.609	-8.000	0.615	1.040	0.867	0.694	2.480	0.657	1.320
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	0.650	-8.000	0.660	1.030	0.720	0.770	2.230	0.750	1.350
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	-8.000	-8.000	-8.000	0.550	-8.000	-8.000	1.370	-8.000	0.780
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	1.360	0.575	1.250	1.540	1.250	1.020	3.570	1.000	2.270
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	1.890	0.731	1.790	2.790	2.630	1.840	7.320	1.860	4.480
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	0.830	0.989	0.942	1.850	1.490	1.200	4.640	1.190	2.240
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.590	-8.000	-8.000
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	0.930	-8.000	1.150	3.600	4.130	2.400	10.500	2.480	5.240
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.000	-8.000	-8.000	0.800	0.780	0.550	2.030	0.540	1.230
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.290	-8.000	0.567
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.731	-8.000	-8.000	-8.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.917	-8.000	0.527
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-8.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	1.010	0.775	0.926	1.070	1.090	0.679	2.920	0.765	1.670
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.759	-8.000	-8.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.866	-8.000	0.504
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.577	-8.000	-8.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.590	-8.000	-8.000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.770	-8.000	0.512
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.330	-8.000	0.745
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.574	-8.000	-8.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	0.840	-9.000	-8.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	1.470	0.906	1.760	2.390	2.320	1.920	8.960	1.980	5.320
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-8.000	-8.000	-8.000	-8.000	0.604	-8.000	1.630	-8.000	0.950
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-8.000	-8.000	-8.000	0.537	-8.000	-8.000	1.460	-8.000	0.777
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.938	-8.000	0.655
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	0.740	-9.000	-8.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.000	-9.000	-9.000	3.530	-9.000	-9.000	5.540	-9.000	2.220
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	-8.000	-8.000	0.660	0.690	-8.000	1.710	-8.000	1.080

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB156	PCB157	PCB158	PCB170	PCB174	PCB177	PCB180	PCB183	PCB187
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	-8.000	0.600	1.620	1.220	0.840	3.690	0.820	1.470
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	1.000	-9.000	-8.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	0.850	-9.000	-8.000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	3.370	3.640	3.590	7.070	6.480	4.650	19.000	4.570	10.200
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	3.320	3.290	3.970	6.660	6.790	4.610	19.500	4.350	9.500
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	2.270	0.783	-2.250	3.290	4.030	2.210	11.200	2.710	6.570
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	0.688	-8.000	-0.757	1.210	1.020	0.929	3.400	0.765	1.960
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	0.946	-8.000	0.861	1.960	2.060	1.620	6.460	1.750	4.650
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.949	-8.000	0.765
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	1.290	-8.000	1.480	3.430	3.800	3.050	8.970	2.230	5.180
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-8.000	-8.000	0.545	1.060	1.080	0.931	2.810	0.855	1.760
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-8.000	-8.000	-8.000	0.927	0.708	0.824	2.190	0.636	1.520
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	0.799	-8.000	0.746	1.360	1.370	0.810	3.710	0.897	1.950
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.110	-8.000	0.847
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.990	-8.000	0.730
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.000	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-8.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	12.100	1.160	15.100	46.300	44.200	29.400	121.000	28.600	62.800
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.789	-8.000	-8.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.564	-8.000	-8.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.090	-8.000	0.540
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-8.000	-8.000	-8.000	0.501	-8.000	-8.000	1.290	-8.000	0.695
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-8.000	-8.000	-8.000	0.786	0.734	-0.641	2.040	0.520	1.280
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	1.090	-8.000	0.893
20006.0	SAN PABLO BAY-TUBBS IS. REP.1	1622	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	0.681	-8.000	-8.000
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	-8.000	-8.000	-5.200	16.100	12.000	6.500	40.700	7.990	16.800
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	-8.000	-8.000	-3.440	-13.100	9.210	5.520	25.100	5.670	14.200
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	-8.000	-8.000	-8.000	2.260	0.687	-8.000	2.590	0.426	0.923
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	4.200	-8.000	6.270	26.300	30.100	17.100	67.000	16.300	44.900
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	-8.000	-8.000	1.320	9.140	4.040	2.320	18.100	2.510	6.660
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	-8.000	-8.000	1.930	14.100	9.070	4.910	26.500	5.210	13.700
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	-8.000	0.325	1.180	0.323	0.074	2.670	0.354	0.852
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	5.690	0.849	0.747
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	-8.000	-8.000	1.770	0.391	-8.000	2.070	0.480	0.690

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB156	PCB157	PCB158	PCB170	PCB174	PCB177	PCB180	PCB183	PCB187
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	-8.000	0.881	0.279	0.131	0.902	-8.000	0.224
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	-8.000	-8.000	7.330	1.570	-8.000	2.980	-8.000	1.330
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-8.000	-8.000	0.458	-8.000	-8.000	1.260	0.202	0.409
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	4.770	1.350	5.800	11.000	7.810	1.650	20.300	2.860	7.440
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	-8.000	1.980	10.000	3.410	1.860	11.200	2.130	5.420
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	4.070	-8.000	4.830	21.400	12.000	6.990	32.400	6.820	17.900
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	0.817	0.480	0.893	5.290	2.480	1.630	9.100	1.850	5.060
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	0.963	0.488	0.958	4.060	2.390	1.750	6.960	1.610	4.760
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	-8.000	1.050	2.960	23.000	11.900	8.000	31.800	8.360	21.300
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.000	0.581	0.462	1.602	1.063	0.465	7.721	0.827	1.694
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	6.340	2.020	5.550	13.400	4.030	1.630	12.000	2.560	3.330
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	0.675	-8.000	-8.000	-8.000	0.920	-8.000	1.510	0.831	0.323
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-8.000	13.200	-8.000	22.900	3.940	88.500	15.300	212.000	-8.000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB189	PCB194	PCB195	PCB201	PCB203	PCB206	PCB209	ARO1248	ARO1254
21021.0	OAKLAND INNER HBR -TODD SHIPYD	1498	4/18/95	38.0	-8.000	1.400	-8.000	1.250	1.520	0.710	0.750	37.000	56.000
21022.0	OAKLAND INNER HBR -SCHNITZER	1499	4/18/95	38.0	-8.000	1.230	-8.000	1.170	1.330	0.730	0.520	54.000	71.000
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	0.580	10.100	4.500	13.900	14.200	2.830	1.250	100.000	230.000
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	0.640	7.890	2.420	7.560	7.900	5.340	7.160	93.000	500.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-8.000	2.160	0.720	1.760	1.980	1.040	0.860	20.000	90.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	-8.000	1.860	0.640	1.580	1.880	0.790	0.900	24.000	160.000
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	-8.000	5.870	1.810	5.640	5.950	3.190	6.560	220.000	270.000
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	-8.000	3.140	1.000	2.880	3.230	1.510	1.110	65.000	120.000
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-8.000	1.330	-8.000	1.080	1.330	-8.000	-8.000	13.000	58.000
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-8.000	-8.000	-8.000	0.583	0.599	0.772	1.220	-8.000	12.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	-8.000	6.570	2.270	5.640	6.680	1.770	-8.000	80.000	99.000
21035.0	SIERRA POINT	1512	4/17/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.800	32.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-8.000	0.565	-8.000	0.567	0.653	-8.000	-8.000	10.000	48.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	150.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-8.000	1.450	-8.000	1.470	1.600	0.760	-8.000	26.000	66.000
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-8.000	0.584	-8.000	0.564	0.634	-8.000	-8.000	9.800	26.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-8.000	2.150	0.615	2.750	3.030	1.790	-8.000	110.000	-8.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	0.540	-8.000	-8.000	17.000	17.000
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	7.100	-8.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	0.517	-8.000	-8.000	11.000	23.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	13.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	16.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-8.000	0.640	-8.000	0.741	-8.000	-8.000	-8.000	-8.000	30.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.300
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	-8.000	1.260	-8.000	1.500	1.580	1.020	0.740	66.000	190.000
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	5.600
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	23.000
20007.0	SAN PABLO BAY-IS-#1 REFERENCE	1486	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	7.400
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	10.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	12.000
21012.0	CASTRO COVE	1489	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	33.000
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.000	97.300	-9.000	-9.000	109.000	-9.000	-9.000	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.000	-8.000	-9.000	-9.000	0.790	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB189	PCB194	PCB195	PCB201	PCB203	PCB206	PCB209	ARO1248	ARO1254
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-8.000	0.560	-8.000	0.596	0.660	-8.000	-8.000	32.000	46.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	0.610	-8.000	-8.000	19.000	63.000
21017.0	RICHMOND INNER HBR -HOFFMAN MR	1494	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	160.000	24.000
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-8.000	0.995	-8.000	1.150	1.250	0.965	0.663	31.000	110.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-8.000	2.290	0.661	2.590	2.680	1.830	0.844	57.000	120.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-8.000	1.100	-8.000	1.080	1.230	2.080	3.490	22.000	55.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	9.800
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-8.000	1.980	0.710	1.890	2.160	0.650	-8.000	31.000	73.000
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-8.000	0.540	-8.000	-8.000	0.540	-8.000	-8.000	13.000	28.000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-8.000	-8.000	0.576	-8.000	-8.000	1.150	-8.000	-8.000	7.300
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	6.100
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	5.400
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.800
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21055.0	SEMPLÉ POINT-M.W. VA-7	1535	10/27/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	13.000
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-8.000	1.140	-8.000	1.610	1.600	2.250	1.160	6.100	63.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	13.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	6.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	12.000	10.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.800
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	7.900
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.700
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	5.500	15.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	12.000	23.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	7.900
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-8.000	2.880	0.636	2.260	2.670	1.560	0.772	53.000	150.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	6.700	21.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	6.100	12.000
21072.0	CORTE MADERA MARSH- MC51	1554	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	14.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.000	-9.000	-8.000	-9.000	-9.000	0.760	-9.000	-9.000	-9.000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	6.500	22.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB189	PCB194	PCB195	PCB201	PCB203	PCB206	PCB209	ARO1248	ARO1254
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-8.000	0.840	-8.000	-8.000	0.610	0.540	-8.000	35.000	56.000
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
21080.0	PACIFIC DRYDOCK - 1-T4	1562	12/7/95	41.0	-8.000	5.050	1.380	5.530	5.580	4.080	2.110	130.000	220.000
21081.0	PACIFIC DRYDOCK - PPI #3	1563	12/7/95	41.0	-8.000	4.320	1.310	4.020	4.360	2.100	1.180	97.000	260.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-8.000	4.360	1.170	4.970	5.430	3.750	1.520	30.000	140.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-8.000	0.936	-8.000	1.090	1.340	0.760	-8.000	130.000	31.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-8.000	3.140	0.783	3.680	4.020	3.110	0.556	48.000	36.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	17.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-8.000	2.370	0.765	2.550	3.090	1.450	-8.000	56.000	64.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-8.000	0.672	-8.000	0.683	0.729	-8.000	-8.000	22.000	30.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-8.000	0.520	-8.000	0.520	0.626	-8.000	0.663	18.000	18.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-8.000	1.090	-8.000	1.320	1.370	0.909	-8.000	130.000	32.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	18.000
21091.0	DUMBAR TON BRIDGE - BA30	1573	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	5.600	14.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.000	-9.000	-8.000	-9.000	-9.000	-8.000	-9.000	-9.000	-9.000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	2.020	25.200	9.290	20.200	24.900	6.110	1.780	66.000	490.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	9.100	12.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	8.900
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	9.900
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	11.000	24.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-8.000	0.691	-8.000	0.670	0.757	-8.000	-8.000	15.000	18.000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	7.700	19.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	10.000
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	3.440	14.500	2.200	13.500	8.600	1.350	-8.000	-8.000	701.000
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	1.610	10.300	1.200	8.080	5.620	0.849	-8.000	-8.000	365.000
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	-8.000	0.600	-8.000	0.628	0.391	-8.000	-8.000	-8.000	44.000
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	2.980	23.800	5.970	15.300	16.300	3.720	0.917	-8.000	888.000
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	-8.000	1.720	1.260	3.160	2.830	1.080	0.912	-8.000	177.000
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	1.070	6.990	2.220	5.140	4.970	1.580	1.490	-8.000	231.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	0.174	0.779	-8.000	0.893	0.697	-8.000	-8.000	-8.000	-8.000
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	0.875	-8.000	1.050	0.519	-8.000	-8.000	-8.000	-8.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	PCB189	PCB194	PCB195	PCB201	PCB203	PCB206	PCB209	ARO1248	ARO1254
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	0.482	-8.000	0.296	0.167	-8.000	-8.000	-8.000	-8.000
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	5.320	-8.000	1.080	0.635	-8.000	4.030	-8.000	-8.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	0.610	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	4.370	3.620	1.400	9.380	3.600	2.190	3.680	-8.000	1400.000
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	5.910	-8.000	4.130	5.590	0.658	3.150	-8.000	295.000
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	2.490	21.900	2.760	8.900	7.310	1.910	10.200	-8.000	695.000
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	1.520	2.030	0.676	1.480	1.520	1.040	0.480	-8.000	224.000
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	0.327	2.100	1.280	1.380	1.500	1.210	0.986	-8.000	155.000
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	1.340	6.510	2.680	6.020	5.800	1.620	12.400	-8.000	434.000
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	0.743	3.122	0.609	3.303	1.583	0.977	2.994	-8.000	61.324
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-8.000	5.110	0.910	2.160	1.740	0.741	1.000	-8.000	722.000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-8.000	2.400	-8.000	0.480	-8.000	0.082	1.520	-8.000	89.900
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-8.000	9.960	-8.000	-8.000	-8.000	5.260	-8.000	-8.000	2110.000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000	-9.000

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ARO1260	ARO5460	PCBBATCH
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	51.000	23.500	75.02
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	46.000	36.700	75.01
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	450.000	79.000	75.01
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	290.000	-8.000	75.S.13
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	74.000	-8.000	75.S.13
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	69.000	36.500	75.01
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	210.000	68.500	75.01 1250.730
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	110.000	32.900	75.02 523.060
21032.0	PORTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	45.000	18.300	75.02
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	21.000	-9.000	76.06
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	230.000	35.100	75.01
21035.0	SIERRA POINT	1512	4/17/95	38.0	17.000	-8.000	75.S.13
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	23.000	-9.000	76.07
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	16.000	-9.000	76.03
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	55.000	-8.000	75.S.13
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	23.000	-9.000	76.06
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	92.000	-9.000	76.08
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	18.000	8.600	75.01
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	13.000	-9.000	76.07
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	18.000	-9.000	76.09
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	6.100	-9.000	76.02
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	8.200	-9.000	76.02
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	17.000	-9.000	76.02
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	30.000	-9.000	76.02
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	7.400	-9.000	76.02
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	6.900	-9.000	76.02
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-8.000	-9.000	76.02
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	7.100	-9.000	76.02
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.000	-9.000	-9.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	55.000	83.700	75.01
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	8.300	-9.000	76.02
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	16.000	-9.000	76.02
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	6.200	-9.000	76.02
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	7.600	-9.000	76.06
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	9.100	-9.000	76.08
21012.0	CASTRO COVE	1489	5/1/95	39.0	12.000	20.000	75.01
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.000	-9.000	L-107-96
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.000	-9.000	L-107-96

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ARO1260	ARO5460	PCBBATCH
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	24.000	-9.000	76.06
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	23.000	11.000	75.02
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	14.000	6.300	75.01
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	42.000	-9.000	76.09
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	91.000	-9.000	76.09
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	41.000	-9.000	76.06
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	6.700	-8.000	75.01
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	72.000	50.600	75.01
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	21.000	15.100	75.02
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	150.000	-9.000	76.07
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-8.000	-9.000	76.08
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	6.100	-9.000	76.03
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-8.000	-9.000	76.07
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-8.000	-9.000	76.03
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.000	-9.000	-9.00
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	9.100	-9.000	76.06
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.000	-8.000	L-107-96
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	47.000	-9.000	76.09
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	8.600	-9.000	76.08
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-8.000	-9.000	76.07
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	5.100	-9.000	76.03
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	8.300	-9.000	76.06
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	5.200	-9.000	76.08
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-8.000	-9.000	76.09
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	5.700	-9.000	76.09
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	8.100	-9.000	76.03
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	8.300	-9.000	76.06
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.000	-9.000	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	11.000	-9.000	76.08
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	6.800	-9.000	76.09
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.000	-8.000	L-107-96
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	91.000	-9.000	76.01
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	15.000	-9.000	76.01
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	13.000	-9.000	76.01
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	9.600	-9.000	76.01
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.000	-8.000	L-107-96
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.000	-8.000	L-107-96
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	14.000	11.000	75.S.05

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ARO1260	ARO5460	PCBBATCH
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	31.000	48.400	75.S.05
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.000	-8.000	L-107-96
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.000	-8.000	L-107-96
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	190.000	-9.000	76.09
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	150.000	-9.000	76.01
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	170.000	-9.000	76.09
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	45.000	-9.000	76.03
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	120.000	-9.000	76.06
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	9.700	-9.000	76.08
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	100.000	-9.000	76.03
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	27.000	-9.000	76.01
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	21.000	-9.000	76.07
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	45.000	-9.000	76.09
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	11.000	-9.000	76.01
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	9.500	-9.000	76.08
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.000	-8.000	L-107-96
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	5.000	-9.000	76.03
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-8.000	-9.000	76.07
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	860.000	-9.000	76.08
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	9.900	-9.000	76.03
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	5.700	-9.000	76.08
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.000	-8.000	75.S.12
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	14.000	54.500	75.S.12
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-8.000	-9.000	76.03
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	7.200	-9.000	76.03
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	13.000	-9.000	76.08
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	27.000	-9.000	76.06
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	12.000	-9.000	76.09
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	7.100	-9.000	76.06
21030.0	MISSION CREEK- SITE-1	1732	4/1/97	50.0	-8.000	-9.000	97-359
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	-8.000	-9.000	97-359
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	-8.000	-9.000	97-359
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-8.000	-9.000	97-359
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	-8.000	-9.000	97-359
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	-8.000	-9.000	97-359
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.000	-9.000	97-359
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	-8.000	-9.000	97-359
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	-8.000	-9.000	97-359

PCB and Arochlor Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ARO1260	ARO5460	PCBBATCH
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	-8.000	-9.000	97-359
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.000	-9.000	-9
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.000	-9.000	-9
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.000	-9.000	-9
21307.0	WALDO POINT	1746	4/2/97	50.0	-8.000	-9.000	97-359
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-9.000	97-359
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.000	-9.000	-9
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.000	-9.000	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.000	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	-8.000	-9.000	97-329
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.000	-9.000	-9
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	-8.000	-9.000	97-359
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	-8.000	-9.000	97-359
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	-8.000	-9.000	97-329
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	-8.000	-9.000	97-319
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	-8.000	-9.000	97-319
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-8.000	-9.000	97-319
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.000	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-8.000	-9.000	98-007
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-8.000	-9.000	98-007
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-8.000	-9.000	98-007
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.000	-9.000	-9
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.000	-9
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.000	-9
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.000	-9

Section 5

PAH Concentrations

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ACY	ACE	ANT	BAA	BAP	BBF	BKF	BGP	BEP	BPH
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	39.30	88.50	647.00	1220.00	1680.00	2500.00	794.00	883.00	1080.00	26.50
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	38.50	61.30	632.00	1140.00	1660.00	2130.00	686.00	960.00	1010.00	26.60
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	42.20	141.00	387.00	1310.00	1550.00	2540.00	781.00	1200.00	1230.00	39.60
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	14.80	196.00	75.00	253.00	411.00	589.00	185.00	432.00	327.00	30.60
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	42.80	55.40	162.00	685.00	1400.00	2340.00	670.00	1550.00	1200.00	123.00
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	10.60	10.40	36.20	159.00	315.00	572.00	156.00	437.00	300.00	17.80
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	339.00	773.00	1460.00	2690.00	5270.00	4850.00	1560.00	4110.00	3140.00	163.00
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	28.50	34.30	143.00	339.00	681.00	820.00	234.00	568.00	431.00	25.90
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	3.27	13.00	8.25	51.60	114.00	187.00	48.60	131.00	93.60	14.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	20.70	19.70	41.80	854.00	534.00	525.00	99.60	278.00	534.00	12.40
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-IS.#1 REFERENCE	1486	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	35.50	-8.00	882.00	10900.00	47300.00	23200.00	5090.00	32800.00	40600.00	28.80
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	11.60	8.54	24.30	103.00	283.00	342.00	105.00	299.00	191.00	12.70
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	4.39	4.26	11.40	50.00	92.20	116.00	33.80	807.00	63.00	3.84
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	6.21	71.10	62.00	104.00	140.00	164.00	62.90	138.00	103.00	22.20
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	7.57	46.20	49.10	144.00	159.00	278.00	77.30	160.00	139.00	20.90
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	18.10	46.50	141.00	262.00	415.00	515.00	171.00	351.00	266.00	18.90
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ACY	ACE	ANT	BAA	BAP	BBF	BKF	BGP	BEP	BPH
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	9.65	17.10	34.80	68.00	84.20	78.60	10.20	82.00	59.90	9.83
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	16.00	12.40	30.10	139.00	186.00	110.00	175.00	169.00	134.00	14.90
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	31.30	70.10	170.00	323.00	368.00	346.00	24.60	343.00	230.00	27.40
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	53.20	49.40	250.00	1040.00	923.00	1100.00	11.00	1070.00	601.00	27.60
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	39.40	44.00	427.00	433.00	651.00	675.00	256.00	408.00	399.00	19.90
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	52.30	368.00	620.00	1280.00	2940.00	3000.00	793.00	2400.00	1890.00	57.80
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	17.80	39.10	428.00	641.00	689.00	845.00	55.70	599.00	432.00	16.30
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	23.70	39.80	135.00	253.00	317.00	350.00	26.20	321.00	188.00	18.10
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	5.20	7.36	10.00	31.80	81.40	90.30	8.16	91.80	56.60	6.64
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.00	-8.00	5.19	6.36	28.20	37.60	10.80	35.50	23.60	-8.00
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-8.00	-8.00	6.96	28.10	53.10	97.40	26.90	96.70	69.00	13.80
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21088.0	AL VISO SLOUGH	1620	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	28.14	234.06	347.04	899.24	737.93	1097.98	345.43	529.03	601.61	54.34
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	35.25	58.33	625.76	1040.25	1487.96	2294.78	797.65	859.22	1221.05	28.94
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	7.42	21.16	84.23	122.76	129.26	202.80	68.86	133.52	127.15	12.43
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	10.79	182.96	183.07	319.32	221.58	372.50	109.54	167.80	260.34	23.23
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	14.34	25.33	279.17	397.56	433.42	622.94	207.47	296.08	367.15	14.44
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	26.09	47.29	322.59	528.60	678.24	932.80	287.17	460.63	538.48	20.28
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	-8.00	1.25	8.67	67.99	34.59	69.55	10.59	44.16	90.71	2.74

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	ACY	ACE	ANT	BAA	BAP	BBF	BKF	BGP	BEP	BPH
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	2.06	2.99	5.79	24.38	25.24	54.06	16.06	51.84	44.05	2.69
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	25.88	47.76	123.36	75.86	69.88	75.67	17.70	69.16	81.43	3.73
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	4.34	3.93	13.53	43.26	71.80	91.33	28.22	100.17	67.21	5.51
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21307.0	WALDO POINT	1746	4/2/97	50.0	38.35	14.00	352.67	548.29	954.02	1573.23	530.62	665.77	833.64	14.05
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	5.02	8.26	23.13	47.05	65.10	83.68	26.64	78.24	59.82	5.85
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	205.00	1350.00	3910.00	3460.00	2820.00	3170.00	2490.00	1490.00	2170.00	1360.00
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	6.78	12.60	41.63	266.35	294.54	553.10	154.63	298.53	303.09	8.96
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	49.40	66.40	298.00	1220.00	2430.00	2300.00	2030.00	2360.00	2080.00	114.00
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	8.84	3.88	22.50	114.00	169.00	214.00	160.00	211.00	131.00	3.89
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	9.48	4.63	26.40	99.40	159.00	270.00	84.00	179.00	166.00	10.70
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	19.50	41.10	147.00	597.00	446.00	914.00	189.00	395.00	496.00	20.10
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	55.10	28.90	59.70	429.00	481.00	741.00	112.00	568.00	479.00	13.90
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	7.84	67.00	63.50	311.00	433.00	525.00	539.00	466.00	498.00	16.30
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	7.71	13.90	16.40	90.90	37.50	188.00	158.00	89.00	144.00	19.50
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	4.97	7.17	33.50	108.00	132.00	177.00	161.00	137.00	159.00	287.00
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	CHR	COR	DBA	DBT	DMN	FLA	FLU	IND	MNPI	MNP2
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	1420.00	256.00	232.00	55.60	10.70	3130.00	131.00	768.00	23.20	46.70
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	1560.00	351.00	189.00	44.70	4.95	2010.00	108.00	828.00	21.50	31.20
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	1410.00	418.00	285.00	92.30	37.00	3360.00	195.00	968.00	45.70	89.00
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	264.00	190.00	64.00	40.80	17.20	962.00	164.00	315.00	32.20	49.10
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	801.00	641.00	343.00	45.40	95.30	1490.00	103.00	1170.00	193.00	351.00
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	231.00	221.00	73.40	12.60	9.87	454.00	21.00	285.00	23.80	44.80
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	2440.00	1550.00	629.00	376.00	104.00	5930.00	590.00	3540.00	295.00	294.00
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	384.00	234.00	90.50	38.10	16.60	769.00	63.20	435.00	32.00	62.80
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	70.40	59.30	22.80	7.16	7.03	172.00	16.50	97.30	17.70	37.70
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	640.00	89.70	101.00	524.00	50.10	768.00	43.00	125.00	105.00	178.00
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	9990.00	9470.00	15500.00	54.10	150.00	1130.00	28.60	7810.00	181.00	95.40
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	141.00	139.00	34.50	7.80	5.90	270.00	13.70	221.00	12.00	18.70
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	52.20	34.60	16.60	3.97	1.34	128.00	5.98	57.00	3.24	5.41
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	144.00	78.60	17.70	22.50	8.77	374.00	76.40	92.60	29.70	43.10
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	160.00	67.70	35.50	18.20	32.00	438.00	51.10	114.00	56.70	96.70
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	313.00	138.00	54.70	27.40	9.05	724.00	64.20	264.00	16.80	31.60
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	CHR	COR	DBA	DBT	DMN	FLA	FLU	IND	MNP1	MNP2
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21055.0	SEMPLÉ POINT-M.W. VA-7	1535	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	70.90	-9.00	-8.00	-9.00	10.90	162.00	31.90	63.50	9.53	15.80
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	131.00	-9.00	60.70	-9.00	15.10	278.00	20.20	136.00	14.70	22.30
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	313.00	-9.00	-8.00	-9.00	26.40	928.00	90.10	255.00	22.40	38.60
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	706.00	-9.00	72.10	-9.00	31.10	1350.00	98.30	932.00	31.50	61.30
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	733.00	262.00	88.80	39.60	9.45	1290.00	98.70	410.00	33.50	31.40
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	1440.00	1060.00	287.00	122.00	35.30	5310.00	269.00	2370.00	59.20	85.20
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	844.00	-9.00	87.10	-9.00	19.60	1060.00	86.40	564.00	15.60	27.70
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	357.00	-9.00	52.30	-9.00	26.20	515.00	40.10	255.00	40.20	40.50
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	40.20	-9.00	-8.00	-9.00	7.36	73.10	8.43	87.70	6.37	9.56
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	16.40	17.20	-8.00	-8.00	-8.00	45.30	7.38	28.60	5.51	9.84
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	45.00	56.90	13.90	5.73	13.40	83.60	11.10	61.50	21.50	39.50
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	1086.02	143.15	116.27	142.58	797.67	2502.22	286.02	516.64	581.57	591.78
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	1863.49	252.29	206.64	56.34	84.55	1759.36	126.12	852.19	53.10	115.21
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	194.45	46.84	16.40	21.98	15.66	411.86	40.54	123.12	14.54	25.82
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	378.39	50.00	35.06	98.24	387.38	914.76	235.53	146.35	298.58	363.47
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	673.32	119.77	55.00	35.88	29.73	1243.79	59.84	258.31	19.63	46.54
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	841.77	183.27	68.63	43.34	44.95	1202.02	74.77	457.29	27.96	57.93
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	140.00	5.46	10.42	7.80	17.86	73.41	5.62	26.66	11.09	19.37

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	CHR	COR	DBA	DBT	DMN	FLA	FLU	IND	MNP1	MNP2
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	50.91	21.48	7.19	4.63	6.01	101.50	5.29	39.69	6.92	10.97
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	152.43	21.47	9.38	74.85	93.35	133.61	174.12	45.60	24.89	84.94
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	60.20	35.72	9.02	4.72	4.83	134.94	6.20	86.48	7.00	10.50
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21307.0	WALDO POINT	1746	4/2/97	50.0	1617.24	114.70	171.27	18.57	15.50	897.77	52.24	724.01	14.91	29.31
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	69.33	25.70	7.28	8.14	5.78	157.93	13.62	69.33	9.48	15.63
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	4420.00	226.00	458.00	521.00	495.00	9300.00	1740.00	1860.00	648.00	1010.00
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	407.13	113.09	61.25	17.23	25.75	762.44	24.04	303.63	19.17	39.02
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	1810.00	534.00	510.00	69.00	222.00	2160.00	120.00	2320.00	211.00	354.00
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	191.00	54.90	40.30	8.56	8.50	281.00	11.70	217.00	10.10	21.80
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	149.00	47.10	23.70	6.88	9.63	238.00	10.20	169.00	8.47	19.80
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	650.00	82.20	77.40	34.40	29.20	1400.00	68.70	382.00	34.80	94.40
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	411.00	120.00	86.30	43.80	39.60	1010.00	58.00	503.00	30.90	49.70
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	705.00	34.20	82.20	74.60	28.10	1310.00	87.60	446.00	34.20	40.30
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	333.00	20.40	14.00	22.20	25.40	813.00	26.50	78.30	33.80	47.60
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	214.00	15.90	18.70	16.20	12.60	444.00	15.50	114.00	20.00	28.00
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	MPH1	NPH	PHN	PER	PYR	TMN	TRY	PAHBATCH	SODATAQA
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	76.00	70.60	726.00	418.00	2130.00	8.30	219.00	75.02	-5
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	71.30	104.00	778.00	413.00	1840.00	7.48	265.00	75.01	-5
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	123.00	208.00	1350.00	393.00	3150.00	30.90	558.00	75.01	-5
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	34.30	59.50	726.00	116.00	852.00	7.29	93.20	75.01	-5
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	92.70	408.00	565.00	326.00	1750.00	82.80	270.00	75.01	-5
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/18/95	38.0	19.60	60.00	143.00	90.10	481.00	9.89	123.00	75.02	-5
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	579.00	806.00	4090.00	1140.00	8210.00	49.30	673.00	75.02	-5
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	61.40	80.10	390.00	196.00	1040.00	9.93	525.00	75.01	-5
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	0.00	-9.00	-9.00	-5
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	18.60	29.10	113.00	43.10	184.00	4.70	25.60	75.01	-5
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	204.00	68.90	363.00	236.00	3420.00	30.20	388.00	75.01	-5
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21012.0	CASTRO COVE	1489	5/1/95	39.0	212.00	57.60	279.00	9120.00	22300.00	109.00	2760.00	75.03	-5
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	13.90	37.90	109.00	95.60	337.00	2.83	49.30	75.02	-5
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	8.34	7.86	61.80	23.10	144.00	1.28	17.00	75.01	-5
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	31.80	53.90	338.00	67.50	357.00	5.91	29.40	75.01	-5
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	33.50	81.10	264.00	50.20	409.00	16.60	52.90	75.01	-5
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	38.20	52.60	321.00	132.00	730.00	7.47	88.10	75.02	-5
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	MPHI	NPH	PHN	PER	PYR	TMN	TRY	PAHBATCH	SODATAQA
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21056.0	SELBY - S2	1536	10/27/95	40.0	18.20	21.10	104.00	37.40	177.00	12.20	-9.00	L-107-96	-5
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	13.70	30.60	106.00	82.90	348.00	10.30	-9.00	L-107-96	-5
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-8.00	57.10	498.00	86.60	1030.00	16.10	-9.00	L-107-96	-5
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	110.00	122.00	394.00	237.00	1880.00	26.90	-9.00	L-107-96	-5
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	109.00	72.20	528.00	201.00	1200.00	10.40	-8.00	75.S.05	-5
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	117.00	528.00	1220.00	778.00	5940.00	36.20	364.00	75.S.05	-5
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	35.40	46.00	387.00	139.00	853.00	11.40	-9.00	L-107-96	-5
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-8.00	61.40	303.00	72.80	648.00	17.90	-9.00	L-107-96	-5
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	7.00	13.30	42.90	24.00	101.00	-8.00	-9.00	L-107-96	-5
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-8.00	11.20	30.60	54.40	52.50	-8.00	-8.00	75.S.12	-5
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	10.50	27.20	50.90	20.80	109.00	-8.00	-8.00	75.S.12	-5
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-5
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	282.36	313.16	1727.24	233.48	2289.23	495.74	-9.00	97-307	-5
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	127.37	108.43	759.85	402.61	2278.56	52.51	-9.00	97-307	-5
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	29.42	39.23	218.27	63.59	409.09	10.38	-9.00	97-307	-5
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	111.48	224.02	989.00	83.52	853.63	225.95	-9.00	97-307	-5
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	63.22	50.19	267.35	131.91	1057.02	23.73	-9.00	97-307	-5
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	69.27	73.32	370.62	211.16	1468.03	34.14	-9.00	97-307	-5
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	16.21	10.06	31.55	148.71	170.53	12.60	-9.00	97-307	-5

PAH Concentrations (ppb)

STANUM	STATION	IDORG	DATE	LEG	MPHI	NPH	PHN	PER	PYR	TMN	TRY	PAHBATCH	SODATAQA
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	7.56	12.61	46.65	44.85	118.67	3.25	-9.00	97-307	-5
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	179.03	26.70	197.36	76.12	384.66	571.05	-9.00	97-307	-5
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	7.88	19.70	60.37	37.61	179.52	3.81	-9.00	97-307	-5
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21307.0	WALDO POINT	1746	4/2/97	50.0	60.88	39.17	343.09	263.53	896.76	6.72	-9.00	97-307	-5
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	11.82	23.73	98.40	34.83	194.30	3.53	-9.00	97-307	-5
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	646.00	796.00	7110.00	800.00	7850.00	87.80	-9.00	97-329	-5
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	30.35	49.66	272.11	84.00	727.84	20.54	-9.00	97-307	-5
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	152.00	418.00	796.00	728.00	2500.00	356.00	-9.00	97-359	-5
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	15.50	32.30	89.50	57.60	336.00	3.09	-9.00	97-329	-5
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	12.10	37.60	83.70	58.80	300.00	6.80	-9.00	97-319	-5
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	64.90	124.00	522.00	152.00	1490.00	22.70	-9.00	97-319	-5
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	80.50	78.80	422.00	162.00	1300.00	44.90	-9.00	97-319	-5
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	103.00	82.20	925.00	79.10	1340.00	13.30	-9.00	98-007	-5
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	32.30	83.90	284.00	11.50	551.00	7.14	-9.00	98-007	-5
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	17.50	38.10	116.00	49.30	409.00	-8.00	-9.00	98-007	-5
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9.00	-9	-9

Section 6

Chemistry Summations and Quotients

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG.	TTL_DDT	TTL_CHLR	TTL_PCB	LMW_PAH	HMW_PAH	TTL_PAH	ANTIMOQE
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	10.80	2.740	99.700	1893.80	16255.00	18148.80	0.030
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	13.44	2.550	103.580	1884.83	14426.00	16310.83	0.054
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	169.66	48.810	641.700	2688.40	18177.00	20865.40	0.118
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00	-9.000	729.820	-9.00	-9.00	-9.00	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00	-9.000	135.000	-9.00	-9.00	-9.00	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	28.99	16.370	195.220	1405.99	4770.00	6175.99	0.102
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	X124.88	69.510	526.080	X2274.00	X13725.00	15999.00	0.108
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	X41.02	33.770	220.440	X406.96	X3553.50	3960.46	0.096
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	8.77	2.190	87.620	9542.30	43509.00	53051.30	0.052
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00	-9.000	29.358	-9.00	-9.00	-9.00	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	11.46	2.640	327.300	947.73	5987.50	6935.23	0.060
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00	-9.000	39.360	-9.00	-9.00	-9.00	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00	-9.000	78.320	-9.00	-9.00	-9.00	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00	-9.000	153.760	-9.00	-9.00	-9.00	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00	-9.000	109.380	-9.00	-9.00	-9.00	-9.000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00	-9.000	40.772	-9.00	-9.00	-9.00	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00	-9.000	91.632	-9.00	-9.00	-9.00	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	38.35	15.210	25.580	282.85	1215.40	1498.25	0.040
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00	-9.000	21.008	-9.00	-9.00	-9.00	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.00	-9.000	33.566	-9.00	-9.00	-9.00	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00	-9.000	10.220	-9.00	-9.00	-9.00	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00	-9.000	16.232	-9.00	-9.00	-9.00	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00	-9.000	18.480	-9.00	-9.00	-9.00	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00	-9.000	44.400	-9.00	-9.00	-9.00	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00	-9.000	11.770	-9.00	-9.00	-9.00	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTL_DDT	TTL_CHLR	TTL_PCB	LMW_PAH	HMW_PAH	TTL_PAH	ANTIMOQE
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00	-9.000	10.466	-9.00	-9.00	-9.00	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00	-9.000	9.750	-9.00	-9.00	-9.00	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00	-9.000	10.238	-9.00	-9.00	-9.00	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	95.66	20.910	216.920	1136.80	8114.60	9251.40	0.235
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.00	-9.000	10.880	-9.00	-9.00	-9.00	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00	-9.000	23.328	-9.00	-9.00	-9.00	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00	-9.000	12.026	-9.00	-9.00	-9.00	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00	-9.000	13.298	-9.00	-9.00	-9.00	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00	-9.000	16.818	-9.00	-9.00	-9.00	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39	75.72	16.050	31.500	2061.40	225740.00	227801.40	0.206
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00	-9.000	19901.100	-9.00	-9.00	-9.00	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00	-9.000	69.020	-9.00	-9.00	-9.00	-9.000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00	-9.000	67.192	-9.00	-9.00	-9.00	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	15.76	1.410	65.440	271.07	2422.10	2693.17	0.070
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	10.79	3.600	130.920	119.14	1582.90	1702.04	0.045
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00	-9.000	137.884	-9.00	-9.00	-9.00	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00	-9.000	176.570	-9.00	-9.00	-9.00	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00	-9.000	96.936	-9.00	-9.00	-9.00	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	11.08	1.200	10.900	749.09	1764.70	2513.79	0.053
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	68.45	10.480	139.780	755.47	2164.00	2919.47	0.058
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	9.20	2.230	33.300	765.42	4197.70	4963.12	0.043
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00	-9.000	29.612	-9.00	-9.00	-9.00	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00	-9.000	10.438	-9.00	-9.00	-9.00	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00	-9.000	10.400	-9.00	-9.00	-9.00	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00	-9.000	9.000	-9.00	-9.00	-9.00	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00	-9.000	11.366	-9.00	-9.00	-9.00	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40	-9.00	-9.000	17.552	-9.00	-9.00	-9.00	-9.000
21056.0	SELBY - S2	1536	10/27/95	40	4.67	1.250	15.200	295.01	821.70	1116.71	0.496
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00	-9.000	84.940	-9.00	-9.00	-9.00	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00	-9.000	16.420	-9.00	-9.00	-9.00	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00	-9.000	9.794	-9.00	-9.00	-9.00	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00	-9.000	10.876	-9.00	-9.00	-9.00	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00	-9.000	17.022	-9.00	-9.00	-9.00	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00	-9.000	11.674	-9.00	-9.00	-9.00	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.00	-9.000	9.000	-9.00	-9.00	-9.00	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00	-9.000	12.444	-9.00	-9.00	-9.00	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00	-9.000	12.868	-9.00	-9.00	-9.00	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTL DDT	TTL CHLR	TTL PCB	LMW PAH	HMW PAH	TTL PAH	ANTIMOQE
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00	-9.000	18.974	-9.00	-9.00	-9.00	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00	-9.000	30.694	-9.00	-9.00	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.00	-9.000	12.530	-9.00	-9.00	-9.00	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	5.96	1.250	21.620	306.30	1949.60	2255.90	0.030
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00	-9.000	195.582	-9.00	-9.00	-9.00	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00	-9.000	28.040	-9.00	-9.00	-9.00	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00	-9.000	21.512	-9.00	-9.00	-9.00	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.00	-9.000	18.394	-9.00	-9.00	-9.00	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	6.34	1.250	18.700	1050.00	3914.20	4964.20	0.029
21074.0	HOWARD STREET CSO	1556	12/6/95	41	12.26	2.870	176.020	1255.30	9922.10	11177.40	0.063
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	7.87	1.250	28.428	1422.95	6744.80	8167.75	0.048
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	8.89	1.250	84.420	3448.00	28428.00	31876.00	0.038
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	4.62	1.250	19.900	1130.30	6808.80	7939.10	0.054
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	5.95	1.250	20.940	748.40	3355.30	4103.70	0.023
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00	-9.000	405.580	-9.00	-9.00	-9.00	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00	-9.000	400.660	-9.00	-9.00	-9.00	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00	-9.000	248.890	-9.00	-9.00	-9.00	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00	-9.000	120.440	-9.00	-9.00	-9.00	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00	-9.000	112.578	-9.00	-9.00	-9.00	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00	-9.000	20.566	-9.00	-9.00	-9.00	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00	-9.000	141.330	-9.00	-9.00	-9.00	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00	-9.000	50.584	-9.00	-9.00	-9.00	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00	-9.000	46.804	-9.00	-9.00	-9.00	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00	-9.000	132.618	-9.00	-9.00	-9.00	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00	-9.000	21.454	-9.00	-9.00	-9.00	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00	-9.000	19.504	-9.00	-9.00	-9.00	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	2.70	1.250	15.180	126.62	604.26	730.88	0.026
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.00	-9.000	11.540	-9.00	-9.00	-9.00	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00	-9.000	9.000	-9.00	-9.00	-9.00	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00	-9.000	1804.040	-9.00	-9.00	-9.00	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00	-9.000	15.782	-9.00	-9.00	-9.00	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00	-9.000	12.588	-9.00	-9.00	-9.00	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	318.33	1.250	9.580	84.72	313.76	398.48	0.062
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	5.30	2.852	23.560	202.36	705.00	907.36	0.078
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00	-9.000	9.000	-9.00	-9.00	-9.00	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00	-9.000	10.960	-9.00	-9.00	-9.00	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00	-9.000	30.102	-9.00	-9.00	-9.00	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00	-9.000	36.560	-9.00	-9.00	-9.00	-9.000

BV
WQO
SPATIAL
Temporal
Data Used
QA

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTL_DDT	TTL_CHLR	TTL_PCB	LMW_PAH	HMW_PAH	TTL_PAH	ANTIMOQE
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00	-9.000	22.900	-9.00	-9.00	-9.00	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00	-9.000	14.268	-9.00	-9.00	-9.00	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	129.70	128.350	737.000	5739.12	10955.08	16694.20	0.780
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	45.10	48.220	404.018	2175.42	15063.76	17239.18	0.046
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	13.89	3.201	45.430	519.10	2002.86	2521.96	0.099
20011.0	ISLAIS CREEK	1735	4/1/97	50	64.15	43.170	970.734	3235.46	3862.79	7098.25	0.174
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	45.12	17.680	205.144	893.51	5743.97	6637.48	0.085
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	23.08	15.050	277.520	1169.21	7674.82	8844.03	0.218
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	23.36	5.750	41.858	139.52	887.32	1026.84	0.744
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	16.35	1.250	59.786	112.79	578.44	691.23	0.137
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	19.50	1.834	53.958	1552.17	1191.50	2743.67	0.065
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	10.44	1.133	17.516	147.60	909.76	1057.36	0.036
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21307.0	WALDO POINT	1746	4/2/97	50	7.54	1.250	115.290	980.89	9676.15	10657.04	-9.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50	7.56	1.331	19.232	224.25	893.53	1117.78	-9.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	0.086
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	163.27	160.770	865.260	19357.80	40288.00	59645.80	0.452
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	112.50	47.190	290.416	550.61	4216.53	4767.14	0.082
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	114.20	107.620	739.620	3156.80	22448.00	25604.80	0.160
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	31.26	32.522	167.042	231.60	2121.90	2353.50	0.094
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	15.68	11.890	144.478	239.51	1895.90	2135.41	0.027
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	211.23	60.633	497.160	1188.40	7188.40	8376.80	0.178
21315.0	PG&E LEVINSON	1760	4/16/97	51	20.98	18.976	84.930	962.00	6282.30	7244.30	-9.000
21056.0	SELBY - S2	1761	4/15/97	51	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	471.90	14.570	758.162	1468.34	6734.30	8202.64	0.182
21402.0	ZENECA MARSH #2	1796	10/6/97	55	303.80	7.110	121.750	598.15	2508.20	3106.35	0.078
21403.0	ZENECA MARSH #3	1797	10/6/97	55	542.30	32.320	2545.740	582.84	2123.00	2705.84	0.204
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00	-9.000	-9.000	-9.00	-9.00	-9.00	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ARSENIQE	ARSENIQP	CADMIUQE	CADMIUQP	CHROMIQE	CHROMIQP
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.199	0.334	0.0243	0.0553	0.576	1.328
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.236	0.397	0.0450	0.1026	0.573	1.322
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	0.216	0.363	0.1024	0.2335	0.368	0.848
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.164	0.276	0.0710	0.1620	0.762	1.758
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	0.253	0.425	0.2979	0.6793	0.595	1.372
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.207	0.349	0.1396	0.3183	0.638	1.471
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	0.173	0.291	0.0375	0.0855	0.770	1.777
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.247	0.416	0.0217	0.0494	0.611	1.409
21035.0	SIERRA POINT	1512	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.116	0.195	0.0325	0.0741	0.449	1.035
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21046.0	MOYRY SLOUGH	1523	4/19/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ARSENIQE	ARSENIQP	CADMIUQE	CADMIUQP	CHROMIQE	CHROMIQP
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.764	1.286	2.9063	6.6271	0.749	1.727
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39	0.271	0.457	0.1083	0.2470	0.624	1.440
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.203	0.341	0.0196	0.0447	0.500	1.153
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.137	0.231	0.0265	0.0603	0.822	1.895
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.210	0.353	0.0333	0.0760	0.430	0.991
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.053	0.089	0.0860	0.1962	1.286	2.968
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.190	0.320	0.0534	0.1219	0.589	1.359
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21056.0	SELBY - S2	1536	10/27/95	40	0.247	0.415	0.0671	0.1530	0.619	1.428
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ARSENIQE	ARSENIQP	CADMIUQE	CADMIUQP	CHROMIQE	CHROMIQP
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.182	0.307	0.0336	0.0767	0.673	1.552
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.179	0.301	0.0304	0.0694	0.589	1.359
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.148	0.250	0.0486	0.1109	0.695	1.602
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.185	0.311	0.0309	0.0705	0.668	1.540
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.252	0.424	0.0342	0.0779	0.546	1.259
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.247	0.415	0.0255	0.0582	0.508	1.172
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.235	0.395	0.0313	0.0713	0.630	1.453
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21085.0	REDWOOD CREEK : BA40	1567	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.090	0.152	0.0134	0.0306	0.530	1.222
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.401	0.675	0.0348	0.0793	0.346	0.798
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.119	0.200	0.0696	0.1587	0.295	0.680
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ARSENIQE	ARSENIQP	CADMIUQE	CADMIUQP	CHROMIQE	CHROMIQP
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	0.068	0.114	0.4719	1.0760	1.511	3.485
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.217	0.365	0.0615	0.1401	0.191	0.441
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.219	0.368	0.0427	0.0974	0.619	1.428
20011.0	ISLAIS CREEK	1735	4/1/97	50	0.086	0.145	0.0948	0.2162	0.381	0.879
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.136	0.229	0.0990	0.2257	0.373	0.860
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.181	0.305	0.1000	0.2280	0.581	1.340
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.459	0.772	2.0417	4.6556	0.343	0.792
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.519	0.873	0.2229	0.5083	0.381	0.879
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.293	0.493	0.0854	0.1948	0.208	0.479
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.179	0.300	0.0229	0.0523	0.486	1.122
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.000	-9.000	0.1104	0.2518	0.457	1.054
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	0.183	0.308	0.4583	1.0451	0.535	1.234
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.099	0.166	0.1052	0.2399	0.459	1.060
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	0.159	0.267	0.2896	0.6603	0.300	0.692
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.170	0.286	0.0875	0.1995	0.330	0.761
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.130	0.218	0.0269	0.0613	0.478	1.103
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.137	0.231	0.4073	0.9287	0.741	1.708
21315.0	PG&E/LEVINSON	1760	4/16/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21056.0	SELBY - S2	1761	4/15/97	51	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	16.286	27.404	0.7979	1.8195	0.082	0.188
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.883	1.486	0.0829	0.1891	0.120	0.277
21403.0	ZENECA MARSH #3	1797	10/6/97	55	4.900	8.245	0.1990	0.4537	0.381	0.879
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21402.0	ZENECÁ MARSH #2	1800	12/3/97	56	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.000	-9.000	-9.0000	-9.0000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	COPPERQE	COPPERQP	LEADQE	LEADQP	MERCURQE	MERCURQP	NICKELQE
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.39	0.98	0.233	0.453	0.7310	0.7457	1.928
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.29	0.73	0.190	0.370	0.6282	0.6408	2.229
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	0.53	1.33	0.894	1.738	1.1930	1.2170	1.450
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00	-9.00	-9.000	-9.000	1.8028	1.8391	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00	-9.00	-9.000	-9.000	1.2803	1.3060	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.39	0.98	0.344	0.668	0.9507	0.9698	2.267
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	0.48	1.19	1.367	2.656	1.2268	1.2514	1.878
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.53	1.33	0.500	0.972	0.9620	0.9813	2.558
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	0.24	0.61	0.273	0.531	0.4549	0.4641	2.442
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00	-9.00	-9.000	-9.000	0.9014	0.9195	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.54	1.34	0.416	0.808	1.2535	1.2787	2.946
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00	-9.00	-9.000	-9.000	0.4169	0.4253	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00	-9.00	-9.000	-9.000	0.4338	0.4425	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00	-9.00	-9.000	-9.000	0.4690	0.4784	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00	-9.00	-9.000	-9.000	0.5676	0.5790	-9.000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.5000	0.5101	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.2239	0.2284	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.18	0.46	0.113	0.219	0.6014	0.6135	2.035
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.5296	0.5402	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.6197	0.6322	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.2746	0.2802	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00	-9.00	-9.000	-9.000	0.3380	0.3448	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00	-9.00	-9.000	-9.000	0.8352	0.8520	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00	-9.00	-9.000	-9.000	1.2070	1.2313	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.4620	0.4713	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	COPPERQE	COPPERQP	LEADQE	LEADQP	MERCURQE	MERCURQP	NICKEQE
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.4535	0.4626	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.2859	0.2917	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.4958	0.5057	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	28.89	72.09	0.982	1.908	0.8000	0.8161	2.810
21007.0	VALLEJO-MARE ISLANI-NORTH SIDE	1484	5/2/95	39	-9.00	-9.00	-9.000	-9.000	0.5014	0.5115	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00	-9.00	-9.000	-9.000	0.6042	0.6164	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00	-9.00	-9.000	-9.000	0.4085	0.4167	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00	-9.00	-9.000	-9.000	0.5324	0.5431	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.4507	0.4598	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39	0.80	2.01	0.145	0.283	4.1268	4.2098	2.810
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00	-9.00	-9.000	-9.000	6.5211	6.6523	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00	-9.00	-9.000	-9.000	12.8732	13.1322	-9.000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.7183	0.7328	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.31	0.76	0.193	0.374	0.6915	0.7055	2.112
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.18	0.44	0.163	0.316	0.5254	0.5359	0.977
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.9873	1.0072	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00	-9.00	-9.000	-9.000	1.4366	1.4655	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00	-9.00	-9.000	-9.000	0.4761	0.4856	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.21	0.52	0.091	0.177	1.2803	1.3060	2.054
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.22	0.55	1.165	2.264	0.6282	0.6408	1.078
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.21	0.54	0.151	0.294	0.3408	0.3477	2.112
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00	-9.00	-9.000	-9.000	8.0704	8.2328	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00	-9.00	-9.000	-9.000	0.3648	0.3721	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00	-9.00	-9.000	-9.000	0.1606	0.1638	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00	-9.00	-9.000	-9.000	0.2183	0.2227	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00	-9.00	-9.000	-9.000	0.3437	0.3506	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.00	-9.00	-9.000	-9.000	0.4056	0.4138	-9.000
21056.0	SELBY - S2	1536	10/27/95	40	0.16	0.39	0.661	1.284	0.4465	0.4555	1.682
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00	-9.00	-9.000	-9.000	0.7746	0.7902	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.5028	0.5129	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.2239	0.2284	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4718	0.4813	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4803	0.4899	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.5845	0.5963	-9.000
21064.0	TOLAY CREEK MOUTH MD31	1544	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4507	0.4598	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4648	0.4741	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.6014	0.6135	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	COPPERQE	COPPERQP	LEADQE	LEADQP	MERCURQE	MERCURQP	NICKELQE
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4606	0.4698	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.6408	0.6537	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.00	-9.00	-9.000	-9.000	0.4944	0.5043	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.18	0.45	0.090	0.176	0.4606	0.4698	2.016
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00	-9.00	-9.000	-9.000	1.3676	1.3951	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00	-9.00	-9.000	-9.000	0.3620	0.3693	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00	-9.00	-9.000	-9.000	0.4563	0.4655	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.5549	0.5661	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.18	0.45	0.069	0.135	0.3817	0.3894	1.872
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.18	0.45	0.189	0.368	0.4761	0.4856	1.500
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.21	0.54	0.072	0.141	0.4394	0.4483	2.229
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.37	0.91	0.254	0.493	1.0479	1.0690	1.886
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.27	0.68	0.151	0.293	0.3732	0.3807	1.593
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.25	0.63	0.119	0.232	0.4437	0.4526	2.326
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00	-9.00	-9.000	-9.000	2.4648	2.5144	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00	-9.00	-9.000	-9.000	1.9014	1.9397	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00	-9.00	-9.000	-9.000	0.3268	0.3333	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00	-9.00	-9.000	-9.000	0.2634	0.2687	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00	-9.00	-9.000	-9.000	0.8268	0.8434	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.5507	0.5618	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00	-9.00	-9.000	-9.000	1.2704	1.2960	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.9423	0.9612	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.6423	0.6552	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.3577	0.3649	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.2606	0.2658	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.4831	0.4928	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.08	0.19	0.052	0.102	0.2310	0.2356	1.911
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.00	-9.00	-9.000	-9.000	0.3338	0.3405	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00	-9.00	-9.000	-9.000	0.1268	0.1293	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00	-9.00	-9.000	-9.000	1.1507	1.1739	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00	-9.00	-9.000	-9.000	0.4690	0.4784	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00	-9.00	-9.000	-9.000	0.4535	0.4626	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.23	0.57	0.067	0.129	0.3493	0.3563	2.248
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.14	0.34	0.191	0.372	0.5338	0.5445	1.250
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00	-9.00	-9.000	-9.000	0.1648	0.1681	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00	-9.00	-9.000	-9.000	0.4732	0.4828	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00	-9.00	-9.000	-9.000	0.3958	0.4037	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00	-9.00	-9.000	-9.000	1.1831	1.2069	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	COPPERQE	COPPERQP	LEADQE	LEADQP	MERCURQE	MERCURQP	NICKELQE
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00	-9.00	-9.000	-9.000	0.4803	0.4899	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00	-9.00	-9.000	-9.000	0.5211	0.5316	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	1.16	2.89	9.633	18.720	10.8169	11.0345	-9.000
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.21	0.52	0.583	1.132	0.5831	0.5948	-9.000
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.38	0.94	0.213	0.415	0.6901	0.7040	-9.000
20011.0	ISLAIS CREEK	1735	4/1/97	50	0.32	0.80	0.872	1.694	0.7408	0.7557	-9.000
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.36	0.90	0.401	0.780	1.3620	1.3894	-9.000
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.43	1.07	0.386	0.750	0.8507	0.8678	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	14.00	34.94	5.229	10.162	0.3775	0.3851	-9.000
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	1.43	3.57	0.289	0.562	0.4366	0.4454	-9.000
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.49	1.22	0.109	0.212	0.3634	0.3707	-9.000
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.25	0.63	0.102	0.199	0.4324	0.4411	-9.000
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	0.20	0.50	0.656	1.275	0.9310	0.9497	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	2.90	7.24	1.954	3.797	8.3521	8.5201	-9.000
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.25	0.62	0.550	1.070	0.7845	0.8003	-9.000
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	0.41	1.02	0.849	1.649	1.0648	1.0862	-9.000
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.49	1.21	0.385	0.749	0.8239	0.8405	-9.000
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.25	0.63	0.316	0.613	1.6620	1.6954	-9.000
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.32	0.79	0.876	1.703	0.8296	0.8463	-9.000
21315.0	PG&E/LEVINSON	1760	4/16/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21056.0	SELBY - S2	1761	4/15/97	51	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	1.38	3.45	0.826	1.605	7.8028	7.9598	0.490
21402.0	ZENECA MARSH #2	1796	10/6/97	55	2.31	5.77	0.331	0.644	1.5070	1.5374	0.860
21403.0	ZENECA MARSH #3	1797	10/6/97	55	1.67	4.16	0.468	0.909	3.0282	3.0891	2.384
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00	-9.00	-9.000	-9.000	-9.0000	-9.0000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	NICKELQP	SILVERQE	SILVERQP	ZINCQE	ZINCQP	METSUMQE	METSUMQP
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	2.325	0.1057	0.2209	0.6024	0.9114	2.8914	5.0283
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	2.687	0.1143	0.2390	0.5122	0.7749	2.6427	4.5763
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	1.748	0.1078	0.2254	0.9122	1.3801	4.4414	7.3350
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.000	-9.0000	-9.0000	0.8317	1.2583	-9.0000	-9.0000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.000	-9.0000	-9.0000	0.3585	0.5424	-9.0000	-9.0000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	2.734	0.1092	0.2282	0.6537	0.9889	3.5466	6.0309
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	2.264	0.2178	0.4554	1.5756	2.3838	6.1211	10.4129
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	3.084	0.1362	0.2847	1.0171	1.5387	4.2259	7.2450
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	2.944	0.0997	0.2085	0.3488	0.5277	2.4489	4.4948
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	3.551	0.1668	0.3486	0.6463	0.9779	3.9623	6.6276
21035.0	SIERRA POINT	1512	4/17/95	38	-9.000	-9.0000	-9.0000	0.2512	0.3801	-9.0000	-9.0000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.000	-9.0000	-9.0000	0.2254	0.3410	-9.0000	-9.0000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	2.453	0.0814	0.1701	0.3439	0.5203	1.9572	3.2870
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21046.0	MOYRY SLOUGH	1523	4/19/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	NICKELQP	SILVERQE	SILVERQP	ZINCQE	ZINCQP	METSUMQE	METSUMQP
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	3.388	1.0297	2.1525	14.6341	22.1402	50.9901	108.7469
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21012.0	CASTRO COVE	1489	5/1/95	39	3.388	0.1341	0.2802	0.5024	0.7601	6.9176	9.6871
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	2.547	0.1038	0.2169	0.5049	0.7638	2.5958	4.3589
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	1.178	0.0549	0.1147	0.3537	0.5351	2.3075	4.1280
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	2.477	0.0635	0.1328	0.3146	0.4760	2.6857	4.0318
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	1.299	0.6676	1.3955	0.7732	1.1697	4.9370	9.2732
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	2.547	0.2335	0.4881	0.3537	0.5351	2.1644	4.0058
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21056.0	SELBY - S2	1536	10/27/95	40	2.028	0.0738	0.1542	0.4317	0.6531	3.2021	4.9328
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	NICKELQP	SILVERQE	SILVERQP	ZINCQE	ZINCQP	METSUMQE	METSUMQP
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21069.0	SAUSALITO HARBOR- ANDERSON B.Y.	1549	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	2.430	0.0805	0.1684	0.3659	0.5535	2.0956	3.7534
21057.0	LAKE MERRIT -MW #307.5	1537	12/7/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	2.257	0.0819	0.1712	0.3780	0.5720	1.9180	3.4470
21074.0	HOWARD STREET CSO	1556	12/6/95	41	1.808	0.4568	0.9548	0.3244	0.4908	2.5809	4.7121
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	2.687	0.1178	0.2463	0.3659	0.5535	2.1370	3.8506
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	2.273	0.0924	0.1932	0.4927	0.7454	3.1272	5.1715
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	1.921	0.0854	0.1785	0.3488	0.5277	2.0629	3.7051
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	2.804	0.0873	0.1825	0.4098	0.6199	2.2291	4.0363
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21090.0	SOUTH BAY BASIN -BA20	1572	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21091.0	DUMBARTON BRIDGE -BA30	1573	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	2.304	0.0430	0.0898	0.2512	0.3801	1.3166	2.4021
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21062.0	GALLINAS CREEK -MD20	1613	6/10/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21065.0	SONOMA CREEK -MD33	1614	6/11/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21054.0	CHADBORNE SLOUGH -MF13	1615	6/11/96	44	2.710	0.0484	0.1011	0.2439	0.3690	1.7824	3.0777
21068.0	SILVA ISLAND MARSH -MC61	1616	6/10/96	44	1.507	0.0256	0.0536	0.3829	0.5793	1.8349	2.9281
21061.0	MILLER CREEK -MD11	1617	6/10/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21063.0	NOVATO CREEK -MD21	1618	6/11/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21069.0	SAUSALITO HARBOR - ANDERSON B.Y.	1619	6/10/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	NICKELQP	SILVERQE	SILVERQP	ZINCQE	ZINCQP	METSUMQE	METSUMQP
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	-9.000	4.0000	8.3616	3.9756	6.0148	32.4164	51.6959
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	-9.000	0.4135	0.8644	0.4927	0.7454	2.7978	4.8027
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	-9.000	0.1297	0.2712	0.6220	0.9410	3.0145	5.1646
20011.0	ISLAIS CREEK	1735	4/1/97	50	-9.000	0.2351	0.4915	0.8537	1.2915	3.7574	6.2729
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	-9.000	0.5405	1.1299	0.7854	1.1882	4.1419	6.7022
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	-9.000	0.5324	1.1130	0.8366	1.2657	4.1157	6.9395
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	-9.000	1.5811	3.3051	11.4146	17.2694	36.1899	72.2812
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	-9.000	0.5459	1.1412	1.8073	2.7343	5.7687	10.7132
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	-9.000	0.0622	0.1299	1.7512	2.6494	3.4272	5.7488
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	-9.000	0.0568	0.1186	0.4659	0.7048	2.0310	3.5678
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21307.0	WALDO POINT	1746	4/2/97	50	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21308.0	WARM WATER COVE #2	1747	4/1/97	50	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.000	0.0892	0.1864	0.6537	0.9889	-9.0000	5.2058
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	-9.000	0.2351	0.4915	4.2195	6.3838	19.2890	29.0195
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	-9.000	0.0757	0.1582	0.7049	1.0664	3.1103	5.1808
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	-9.000	0.5000	1.0452	1.4732	2.2288	5.2056	8.6485
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	-9.000	0.2189	0.4576	0.8878	1.3432	3.4871	5.8468
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	-9.000	0.1014	0.2119	0.6390	0.9668	3.6303	5.4994
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	-9.000	0.1676	0.3503	2.0390	3.0849	5.6955	9.6422
21315.0	PG&E/LEVINSON	1760	4/16/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21056.0	SELBY - S2	1761	4/15/97	51	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	0.591	0.3676	0.7684	6.0976	9.2251	33.8219	52.4198
21402.0	ZENECA MARSH #2	1796	10/6/97	55	1.037	0.0930	0.1944	1.0585	1.6015	6.4634	11.6994
21403.0	ZENECA MARSH #3	1797	10/6/97	55	2.874	0.1662	0.3475	2.4878	3.7638	13.5042	21.8471
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000	-9.0000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTLCHLQE	TTLCHLQP	PPDDEQE	PPDDEQP	PPDDTOP	TLLDDTQE	TLLDDTOP
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.457	0.572	0.10074	0.00727	0.10482	0.005	0.005
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.425	0.532	0.12778	0.00922	0.18449	0.008	0.008
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	8.135	10.190	1.89630	0.13683	6.05870	0.031	0.031
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	2.728	3.418	0.28519	0.02058	1.19078	0.009	0.009
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	11.585	14.511	1.20370	0.08685	3.16562	0.021	0.021
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	5.628	7.050	0.47778	0.03447	0.10482	0.011	0.011
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	0.365	0.457	0.05889	0.00425	0.10482	0.006	0.006
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.440	0.551	0.13889	0.01002	0.10482	0.006	0.006
21035.0	SIERRA POINT	1512	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	2.535	3.175	0.59259	0.04276	1.15304	0.017	0.017
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTLCHLQE	TTLCHLQP	PPDDEQE	PPDDEQP	PPDDTQP	TTLDDTQE	TTLDDTQP
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	3.485	4.365	1.48889	0.10743	1.03354	0.024	0.024
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39	2.675	3.351	0.29778	0.02149	0.13836	0.026	0.026
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.235	0.294	0.09037	0.00652	0.10482	0.010	0.010
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.600	0.752	0.10000	0.00722	0.27463	0.022	0.022
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.200	0.251	0.14370	0.01037	0.12998	0.007	0.007
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	1.747	2.188	0.11481	0.00828	0.31656	0.067	0.067
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.372	0.466	0.10000	0.00722	0.10482	0.006	0.006
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21056.0	SELBY - S2	1536	10/27/95	40	0.208	0.261	0.06296	0.00454	0.10482	0.005	0.005
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTLCHLQE	TTLCHLQP	PPDDEQE	PPDDEQP	PPDDTQP	TLLDDTQE	TLLDDTQP
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21068.0	SILVA ISLAND MARSH - MC61	1548	10/25/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21069.0	SAUSALITO HARBOR - ANDERSON B.Y.	1549	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY - TUBBS IS. - REP #1	1551	10/26/95	40	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE - REP #1	1552	10/26/95	40	0.208	0.261	0.06222	0.00449	0.10482	0.006	0.006
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.208	0.261	0.06037	0.00436	0.35010	0.004	0.004
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.478	0.599	0.10889	0.00786	0.33962	0.012	0.012
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.208	0.261	0.08741	0.00631	0.10482	0.005	0.005
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.208	0.261	0.06407	0.00462	0.31237	0.005	0.005
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.208	0.261	0.05296	0.00382	0.10482	0.003	0.003
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.208	0.261	0.07074	0.00510	0.10482	0.003	0.003
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.208	0.261	0.01852	0.00134	0.10482	0.003	0.003
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21062.0	GALLINAS CREEK - MD20	1613	6/10/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21065.0	SONOMA CREEK - MD33	1614	6/11/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21054.0	CHADBORNE SLOUGH - MF13	1615	6/11/96	44	0.208	0.261	0.23444	0.01692	0.10482	0.127	0.127
21068.0	SILVA ISLAND MARSH - MC61	1616	6/10/96	44	0.475	0.595	0.06296	0.00454	0.10482	0.002	0.002
21061.0	MILLER CREEK - MD11	1617	6/10/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21063.0	NOVATO CREEK - MD21	1618	6/11/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21069.0	SAUSALITO HARBOR - ANDERSON B.Y.	1619	6/10/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	TTLCHLQE	TTLCHLQP	FPDDEQE	FPDDEQP	PPDDTQP	TTLDDTQE	TTLDDTQP
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	21.392	26.795	0.57407	0.04142	3.27044	0.047	0.047
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	8.037	10.067	0.42963	0.03100	1.90776	0.017	0.017
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.534	0.668	0.20037	0.01446	0.34382	0.009	0.009
20011.0	ISLAIS CREEK	1735	4/1/97	50	7.195	9.013	0.40370	0.02913	1.64570	0.016	0.016
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	2.947	3.691	1.01481	0.07322	0.91195	0.017	0.017
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	2.508	3.142	0.38519	0.02779	0.80922	0.008	0.008
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.958	1.200	0.20667	0.01491	0.10482	0.017	0.017
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.208	0.261	0.01852	0.00134	0.51153	0.004	0.004
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.306	0.383	0.30000	0.02165	0.32495	0.011	0.011
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.189	0.237	0.12259	0.00885	0.35220	0.009	0.009
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50	0.208	0.261	0.04259	0.00307	0.10482	0.004	0.004
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.222	0.278	0.01852	0.00134	0.43816	0.005	0.005
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	26.795	33.564	1.67778	0.12106	5.42977	0.026	0.026
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	7.865	9.852	0.73333	0.05291	7.50524	0.029	0.029
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	17.937	22.468	0.87037	0.06280	2.47379	0.019	0.019
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	5.420	6.790	0.39630	0.02859	0.82180	0.015	0.015
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	1.982	2.482	0.18407	0.01328	0.34172	0.010	0.010
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	10.106	12.658	1.08148	0.07803	2.80922	0.077	0.077
21315.0	PG&E/LEVINSON	1760	4/16/97	51	3.163	3.962	0.18222	0.01315	0.57233	0.005	0.005
21056.0	SELBY - S2	1761	4/15/97	51	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	2.428	3.042	1.62963	0.11758	10.48218	0.225	0.225
21402.0	ZENECA MARSH #2	1796	10/6/97	55	1.185	1.484	0.50741	0.03661	34.17191	0.239	0.239
21403.0	ZENECA MARSH #3	1797	10/6/97	55	5.387	6.747	1.85926	0.13415	4.63312	0.177	0.177
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.000	-9.000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.000	-9.000	-9.00000	-9.00000	-9.00000	0.001	0.001

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	DIELDRQE	DIELDRQP	ENDRINQE	LINDANEQP	TTLPCBQE	TTLPCBQP	ACYQE
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.031	0.058	0.02222	0.101	0.554	0.528	0.06141
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.031	0.058	0.02222	0.101	0.575	0.549	0.06016
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	1.350	2.512	0.02222	0.101	3.565	3.399	0.06594
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	4.055	3.866	-9.00000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.750	0.715	-9.00000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.355	0.660	0.02222	0.101	1.085	1.034	0.02313
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	1.463	2.721	0.02222	0.101	2.923	2.787	0.06688
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	-0.715	-1.330	0.02222	0.101	1.225	1.168	0.01656
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	0.031	0.058	0.02222	0.101	0.487	0.464	0.52969
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.163	0.156	-9.00000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.061	0.114	0.02222	0.101	1.818	1.734	0.04453
21035.0	SIERRA POINT	1512	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.219	0.208	-9.00000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.435	0.415	-9.00000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.854	0.814	-9.00000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.000	-9.000	-9.00000	-9.000	0.608	0.579	-9.00000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.227	0.216	-9.00000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.509	0.485	-9.00000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.221	0.412	0.02222	0.101	0.142	0.135	0.00511
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.117	0.111	-9.00000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.186	0.178	-9.00000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.057	0.054	-9.00000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.000	-9.000	-9.00000	-9.000	0.090	0.086	-9.00000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.000	-9.000	-9.00000	-9.000	0.103	0.098	-9.00000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.000	-9.000	-9.00000	-9.000	0.247	0.235	-9.00000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.065	0.062	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	DIELDRQE	DIELDRQP	ENDRINQE	LINDANEQP	TTLPCBQE	TTLPCBQP	ACYQE
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.058	0.055	-9.00000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.054	0.052	-9.00000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.057	0.054	-9.00000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.345	0.642	0.02222	0.101	1.205	1.149	0.03234
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.000	-9.000	-9.00000	-9.000	0.060	0.058	-9.00000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.000	-9.000	-9.00000	-9.000	0.130	0.124	-9.00000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.000	-9.000	-9.00000	-9.000	0.067	0.064	-9.00000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.000	-9.000	-9.00000	-9.000	0.074	0.070	-9.00000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.093	0.089	-9.00000
21012.0	CASTRO COVE	1489	5/1/95	39	2.075	3.860	0.02222	0.101	0.175	0.167	0.05547
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	110.562	105.414	-9.00000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.383	0.366	-9.00000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.373	0.356	-9.00000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.068	0.126	0.02222	0.101	0.364	0.347	0.01813
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.113	0.209	0.02222	0.101	0.727	0.693	0.00686
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.766	0.730	-9.00000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.981	0.935	-9.00000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.000	-9.000	-9.00000	-9.000	0.539	0.513	-9.00000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.031	0.058	0.02222	0.101	0.061	0.058	0.00970
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.190	0.353	0.02222	0.101	0.777	0.740	0.01183
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.048	0.088	0.02222	0.101	0.185	0.176	0.02828
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	0.165	0.157	-9.00000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	0.058	0.055	-9.00000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.000	-9.000	-9.00000	-9.000	0.058	0.055	-9.00000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.000	-9.000	-9.00000	-9.000	0.050	0.048	-9.00000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	0.063	0.060	-9.00000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	0.098	0.093	-9.00000
21056.0	SELBY - S2	1536	10/27/95	40	0.031	0.058	0.02222	0.101	0.084	0.081	0.01508
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.000	-9.000	-9.00000	-9.000	0.472	0.450	-9.00000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.091	0.087	-9.00000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.054	0.052	-9.00000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.060	0.058	-9.00000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.095	0.090	-9.00000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.065	0.062	-9.00000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.050	0.048	-9.00000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.069	0.066	-9.00000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.071	0.068	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	DIELDRQE	DIELDRQP	ENDRINQE	LINDANEQP	TTLPCBQE	TTLPCBQP	ACYQE
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.105	0.101	-9.00000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.171	0.163	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.000	-9.000	-9.00000	-9.000	0.070	0.066	-9.00000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.031	0.058	0.02222	0.101	0.120	0.115	0.02500
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.000	-9.000	-9.00000	-9.000	1.087	1.036	-9.00000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.000	-9.000	-9.00000	-9.000	0.156	0.149	-9.00000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.000	-9.000	-9.00000	-9.000	0.120	0.114	-9.00000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.102	0.097	-9.00000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.031	0.058	0.02222	0.101	0.104	0.099	0.04891
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.031	0.058	0.02222	0.101	0.978	0.932	0.08313
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.031	0.058	0.02222	0.101	0.158	0.151	0.06156
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.031	0.058	0.02222	0.101	0.469	0.447	0.08172
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.031	0.058	0.02222	0.101	0.111	0.105	0.02781
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.488	0.907	0.02222	0.101	0.116	0.111	0.03703
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.000	-9.000	-9.00000	-9.000	2.253	2.148	-9.00000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.000	-9.000	-9.00000	-9.000	2.226	2.122	-9.00000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	1.383	1.318	-9.00000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	0.669	0.638	-9.00000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	0.625	0.596	-9.00000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.114	0.109	-9.00000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	0.785	0.749	-9.00000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.281	0.268	-9.00000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.260	0.248	-9.00000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.737	0.702	-9.00000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.119	0.114	-9.00000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.108	0.103	-9.00000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.031	0.058	0.02222	0.101	0.084	0.080	0.00813
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	0.064	0.061	-9.00000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.000	-9.000	-9.00000	-9.000	0.050	0.048	-9.00000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.000	-9.000	-9.00000	-9.000	10.022	9.556	-9.00000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.000	-9.000	-9.00000	-9.000	0.088	0.084	-9.00000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.000	-9.000	-9.00000	-9.000	0.070	0.067	-9.00000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.031	0.058	0.02222	0.101	0.053	0.051	0.00391
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.031	0.058	0.02222	0.101	0.131	0.125	0.00391
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.000	-9.000	-9.00000	-9.000	0.050	0.048	-9.00000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.000	-9.000	-9.00000	-9.000	0.061	0.058	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.000	-9.000	-9.00000	-9.000	0.167	0.159	-9.00000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.000	-9.000	-9.00000	-9.000	0.203	0.194	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	DIELDRQE	DIELDRQP	ENDRINQE	LINDANEQP	TTLPCBQE	TTLPCBQP	ACYQE
21085.0	REIDWOOD CREEK BA40	1621	6/10/96	44	-9.000	-9.000	-9.00000	-9.000	0.127	0.121	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.000	-9.000	-9.00000	-9.000	0.079	0.076	-9.00000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	1.925	3.581	0.02222	0.101	4.094	3.904	0.04397
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.681	1.267	0.02222	0.101	2.245	2.140	0.05508
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.226	0.421	0.02222	0.101	0.252	0.241	0.01159
20011.0	ISLAIS CREEK	1735	4/1/97	50	1.043	1.940	0.02222	0.101	5.393	5.142	0.01686
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.475	0.884	0.06756	0.101	1.140	1.087	0.02241
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.580	1.079	0.02222	0.101	1.542	1.470	0.04077
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.031	0.058	0.02222	0.506	0.233	0.222	0.00391
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.031	0.058	0.02222	2.394	0.332	0.317	0.00322
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.031	0.058	0.02222	0.101	0.300	0.286	0.04044
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.031	0.058	0.02222	0.101	0.097	0.093	0.00678
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21307.0	WALDO POINT	1746	4/2/97	50	3.375	6.279	0.02222	0.101	0.641	0.611	0.05992
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.258	0.479	0.02222	0.101	0.107	0.102	0.00784
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	1.725	3.209	0.02222	0.101	4.807	4.583	0.32031
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	1.068	1.986	0.02222	0.101	1.613	1.538	0.01059
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	1.475	2.744	0.03733	0.101	4.109	3.918	0.07719
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.579	1.077	0.02222	0.101	0.928	0.885	0.01381
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.255	0.474	0.02222	0.101	0.803	0.765	0.01481
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	1.450	2.698	0.02222	0.101	2.762	2.633	0.03047
21315.0	PG&E/LEVINSON	1760	4/16/97	51	0.552	1.026	0.02222	0.656	0.472	0.450	0.08609
21056.0	SELBY - S2	1761	4/15/97	51	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	1.325	2.465	0.02222	8.505	4.212	4.016	0.01225
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.741	1.379	0.02222	6.364	0.676	0.645	0.01205
21403.0	ZENECA MARSH #3	1797	10/6/97	55	7.825	14.558	0.02222	0.101	14.143	13.485	0.00777
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.000	-9.000	-9.00000	-9.000	-9.000	-0.048	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ACYQP	ACEQE	ACEQP	ANTQE	ANTQP	BAAQE	BAAQP	BAPEE	BAQPQ
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.30730	0.17700	0.99550	0.58818	2.64082	0.76250	1.76166	1.05000	2.20120
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.30104	0.12260	0.68954	0.57455	2.57959	0.71250	1.64614	1.03750	2.17500
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	0.32997	0.28200	1.58605	0.35182	1.57959	0.81875	1.89161	0.96875	2.03087
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.11572	0.39200	2.20472	0.06818	0.30612	0.15813	0.36533	0.25688	0.53851
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	0.33466	0.11080	0.62317	0.14727	0.66122	0.42813	0.98913	0.87500	1.83433
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.08288	0.02080	0.11699	0.03291	0.14776	0.09938	0.22959	0.19688	0.41273
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	2.65072	1.54600	8.69516	1.32727	5.95918	1.68125	3.88431	3.29375	6.90496
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.22285	0.06860	0.38583	0.13000	0.58367	0.21188	0.48951	0.42563	0.89227
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.02557	0.02600	0.14623	0.00750	0.03367	0.03225	0.07451	0.07125	0.14937
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ACYQP	ACEQE	ACEQP	ANTQE	ANTQP	BAAQE	BAAQP	BAPEQ	BAQPQ
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.16186	0.03940	0.22160	0.03800	0.17061	0.53375	1.23316	0.33375	0.69967
21007.0	VALLEJO-MARE ISLANI)-NORTH SIDE	1484	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21012.0	CASTRO COVE	1489	5/1/95	39	0.27758	0.00500	0.02812	0.80182	3.60000	6.81250	15.73939	29.56250	61.97427
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.09070	0.01708	0.09606	0.02209	0.09918	0.06438	0.14873	0.17688	0.37080
21017.0	RICHMOND INNER HBR -HOFFMAN MR	1494	5/1/95	39	0.03433	0.00852	0.04792	0.01036	0.04653	0.03125	0.07220	0.05763	0.12080
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.04856	0.14220	0.79978	0.05636	0.25306	0.06500	0.15017	0.08750	0.18343
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.05919	0.09240	0.51969	0.04464	0.20041	0.09000	0.20793	0.09938	0.20833
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.14153	0.09300	0.52306	0.12818	0.57551	0.16375	0.37832	0.25938	0.54375
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21056.0	SELBY - S2	1536	10/27/95	40	0.07546	0.03420	0.19235	0.03164	0.14204	0.04250	0.09819	0.05263	0.11032
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ACYQP	ACEQE	ACEQP	ANTQE	ANTQP	BAAQE	BAAQP	BAPQE	BAPQP
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.12511	0.02480	0.13948	0.02736	0.12286	0.08688	0.20071	0.11625	0.24370
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.24474	0.14020	0.78853	0.15455	0.69388	0.20188	0.46641	0.23000	0.48217
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.41598	0.09880	0.55568	0.22727	1.02041	0.65000	1.50174	0.57688	1.20935
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.30808	0.08800	0.49494	0.38818	1.74286	0.27063	0.62524	0.40688	0.85297
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.40895	0.73600	4.13948	0.56364	2.53061	0.80000	1.84830	1.83750	3.85210
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.13918	0.07820	0.43982	0.38909	1.74694	0.40063	0.92559	0.43063	0.90275
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.18532	0.07960	0.44769	0.12273	0.55102	0.15813	0.36533	0.19813	0.41535
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH SOUTH BAY - REP I	1574	12/6/95	41	0.04066	0.01472	0.08279	0.00909	0.04082	0.01988	0.04592	0.05088	0.10665
20014.0	SOUTH SOUTH BAY - REP I	1575	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.01955	0.00500	0.02812	0.00472	0.02118	0.00398	0.00918	0.01763	0.03695
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.01955	0.00500	0.02812	0.00633	0.02841	0.01756	0.04058	0.03319	0.06957
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ACYQP	ACEQE	ACEQP	ANTQE	ANTQP	BAAQE	BAAQP	BAPEE	BAQPQ
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	0.22003	0.46812	2.63285	0.31549	1.41649	0.56203	1.29849	0.46121	0.96686
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.27563	0.11666	0.65613	0.56887	2.55412	0.65016	1.50210	0.92998	1.94958
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.05802	0.04232	0.23802	0.07657	0.34380	0.07673	0.17726	0.08079	0.16936
20011.0	ISLAIS CREEK	1735	4/1/97	50	0.08437	0.36592	2.05804	0.16643	0.74722	0.19958	0.46109	0.13849	0.29032
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.11213	0.05066	0.28493	0.25379	1.13947	0.24848	0.57407	0.27089	0.56788
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.20400	0.09458	0.53195	0.29326	1.31669	0.33038	0.76329	0.42390	0.88866
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.01955	0.00250	0.01406	0.00788	0.03539	0.04249	0.09818	0.02162	0.04532
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.01611	0.00598	0.03363	0.00526	0.02363	0.01524	0.03520	0.01578	0.03307
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.20236	0.09552	0.53723	0.11215	0.50351	0.04741	0.10954	0.04368	0.09156
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.03394	0.00786	0.04421	0.01230	0.05522	0.02704	0.06247	0.04488	0.09408
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21307.0	WALDO POINT	1746	4/2/97	50	0.29987	0.02800	0.15748	0.32061	1.43947	0.34268	0.79172	0.59626	1.24999
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.03925	0.01652	0.09291	0.02103	0.09441	0.02941	0.06794	0.04069	0.08530
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	1.60294	2.70000	15.18560	3.55455	15.95918	2.16250	4.99617	1.76250	3.69487
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.05301	0.02520	0.14173	0.03785	0.16992	0.16647	0.38460	0.18409	0.38592
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	0.38627	0.13280	0.74691	0.27091	1.21633	0.76250	1.76166	1.51875	3.18388
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.06912	0.00776	0.04364	0.02045	0.09184	0.07125	0.16461	0.10563	0.22143
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.07413	0.00926	0.05208	0.02400	0.10776	0.06213	0.14353	0.09938	0.20833
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.15247	0.08220	0.46232	0.13364	0.60000	0.37313	0.86206	0.27875	0.58437
21315.0	PG&E/LEVINSON	1760	4/16/97	51	0.43084	0.05780	0.32508	0.05427	0.24367	0.26813	0.61947	0.30063	0.63022
21056.0	SELBY - S2	1761	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	0.06130	0.13400	0.75366	0.05773	0.25918	0.19438	0.44908	0.27063	0.56733
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.06029	0.02780	0.15636	0.01491	0.06694	0.05681	0.13126	0.02344	0.04913
21403.0	ZENECA MARSH #3	1797	10/6/97	55	0.03886	0.01434	0.08065	0.03045	0.13673	0.06750	0.15595	0.08250	0.17295
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	CHRQE	CHRQP	DBAQE	DBAQP	FLAQE	FLAQP	FLUQE	FLUQP	MNP2QE
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.50714	1.67853	0.89231	1.72350	0.61373	2.09569	0.24259	0.90752	0.06970
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.55714	1.84402	0.72692	1.40406	0.39412	1.34580	0.20000	0.74818	0.04657
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	0.50357	1.66671	1.09615	2.11723	0.65882	2.24969	0.36111	1.35088	0.13284
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.09429	0.31206	0.24615	0.47545	0.18863	0.64411	0.30370	1.13613	0.07328
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	0.28607	0.94683	1.31923	2.54810	0.29216	0.99763	0.19074	0.71354	0.52388
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.08250	0.27306	0.28231	0.54528	0.08902	0.30398	0.03889	0.14548	0.06687
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	0.87143	2.88423	2.41923	4.67276	1.16275	3.97043	1.09259	4.08729	0.43881
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.13714	0.45391	0.34808	0.67231	0.15078	0.51488	0.11704	0.43782	0.09373
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.02514	0.08322	0.08769	0.16938	0.03373	0.11516	0.03056	0.11431	0.05627
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21043.0	MAYFIELD SLOUGH-NR SAND PT.	1520	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	CHRQE	CHRQP	DBAQE	DBAQP	FLAQE	FLAQP	FLUQE	FLUQP	MNP2QE
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.22857	0.75652	0.38846	0.75032	0.15059	0.51421	0.07963	0.29789	0.26567
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21012.0	CASTRO COVE	1489	5/1/95	39	3.56786	11.80879	59.61538	115.14750	0.22157	0.75659	0.05296	0.19813	0.14239
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.05036	0.16667	0.13269	0.25630	0.05294	0.18078	0.02537	0.09491	0.02791
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.01864	0.06170	0.06385	0.12332	0.02510	0.08570	0.01107	0.04143	0.00807
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.05143	0.17022	0.06808	0.13149	0.07333	0.25041	0.14148	0.52927	0.06433
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.05714	0.18913	0.13654	0.26372	0.08588	0.29326	0.09463	0.35400	0.14433
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.11179	0.36999	0.21038	0.40636	0.14196	0.48475	0.11889	0.44475	0.04716
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21056.0	SELBY - S2	1536	10/27/95	40	0.02532	0.08381	0.01923	0.03714	0.03176	0.10847	0.05907	0.22099	0.02358
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	CHRQE	CHRQP	DBAQE	DBAQP	FLAQE	FLAQP	FLUQE	FLUQP	MNP2QE
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.04679	0.15485	0.23346	0.45093	0.05451	0.18613	0.03741	0.13994	0.03328
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.11179	0.36999	0.01923	0.03714	0.18196	0.62134	0.16685	0.62418	0.05761
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.25214	0.83454	0.27731	0.53562	0.26471	0.90389	0.18204	0.68098	0.09149
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.26179	0.86645	0.34154	0.65968	0.25294	0.86372	0.18278	0.68375	0.04687
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.51429	1.70217	1.10385	2.13209	1.04118	3.55531	0.49815	1.86353	0.12716
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.30143	0.99766	0.33500	0.64705	0.20784	0.70972	0.16000	0.59855	0.04134
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.12750	0.42200	0.20115	0.38853	0.10098	0.34482	0.07426	0.27780	0.06045
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.01436	0.04752	0.01923	0.03714	0.01433	0.04894	0.01561	0.05840	0.01427
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.00586	0.01939	0.01923	0.03714	0.00888	0.03033	0.01367	0.05113	0.01469
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.01607	0.05319	0.05346	0.10326	0.01639	0.05597	0.02056	0.07690	0.05896
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	CHRQE	CHRQP	DBAQE	DBAQP	FLAQE	FLAQP	FLUQE	FLUQP	MNP2QE
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	0.38786	1.28374	0.44719	0.86375	0.49063	1.67536	0.52967	1.98143	0.88325
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.66553	2.20276	0.79477	1.53510	0.34497	1.17798	0.23356	0.87371	0.17196
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.06945	0.22985	0.06308	0.12183	0.08076	0.27576	0.07507	0.28085	0.03854
20011.0	ISLAIS CREEK	1735	4/1/97	50	0.13514	0.44728	0.13485	0.26046	0.17936	0.61248	0.43617	1.63166	0.54249
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.24047	0.79591	0.21154	0.40859	0.24388	0.83278	0.11081	0.41455	0.06946
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.30063	0.99502	0.26396	0.50984	0.23569	0.80481	0.13846	0.51798	0.08646
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.05000	0.16549	0.04008	0.07741	0.01439	0.04915	0.01041	0.03893	0.02891
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.01818	0.06018	0.02765	0.05341	0.01990	0.06796	0.00980	0.03665	0.01637
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.05444	0.18018	0.03608	0.06968	0.02620	0.08946	0.32244	1.20623	0.12678
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.02150	0.07116	0.03469	0.06701	0.02646	0.09035	0.01148	0.04295	0.01567
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21307.0	WALDO POINT	1746	4/2/97	50	0.57759	1.91168	0.65873	1.27234	0.17603	0.60110	0.09674	0.36190	0.04375
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.02476	0.08195	0.02800	0.05408	0.03097	0.10574	0.02522	0.09435	0.02333
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	1.57857	5.22471	1.76154	3.40242	1.82353	6.22682	3.22222	12.05404	1.50746
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.14540	0.48125	0.23558	0.45502	0.14950	0.51049	0.04452	0.16654	0.05824
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	0.64643	2.13953	1.96154	3.78872	0.42353	1.44623	0.22222	0.83131	0.52836
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.06821	0.22577	0.15500	0.29938	0.05510	0.18814	0.02167	0.08105	0.03254
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.05321	0.17613	0.09115	0.17606	0.04667	0.15935	0.01889	0.07066	0.02955
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.23214	0.76834	0.29769	0.57499	0.27451	0.93737	0.12722	0.47593	0.14090
21315.0	PG&E/LEVINSON	1760	4/16/97	51	0.14679	0.48583	0.33192	0.64111	0.19804	0.67625	0.10741	0.40180	0.07418
21056.0	SELBY - S2	1761	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	0.25179	0.83335	0.31615	0.61065	0.25686	0.87711	0.16222	0.60686	0.06015
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.11893	0.39363	0.05385	0.10400	0.15941	0.54434	0.04907	0.18358	0.07104
21403.0	ZENECA MARSH #3	1797	10/6/97	55	0.07643	0.25296	0.07192	0.13892	0.08706	0.29728	0.02870	0.10738	0.04179
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	MNPZQP	NPHQE	NPHQP	PHNQE	PHNQP	PYRQE	PYRQP	LMWPAHQE
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	0.23202	0.03362	0.18073	0.48400	1.33571	0.81923	1.52404	0.59930
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	0.15501	0.04952	0.26623	0.51867	1.43138	0.70769	1.31654	0.59647
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	0.44217	0.09905	0.53246	0.90000	2.48376	1.21154	2.25386	0.85076
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.24394	0.02833	0.15231	0.48400	1.33571	0.32769	0.60962	0.44493
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	1.74384	0.19429	1.04444	0.37667	1.03950	0.67308	1.25215	0.71962
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.22258	0.02857	0.15359	0.09533	0.26309	0.18500	0.34416	0.12878
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	1.46065	0.38381	2.06328	2.72667	7.52488	3.15769	5.87436	3.01972
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.31200	0.03814	0.20505	0.26000	0.71753	0.40000	0.74413	0.29991
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.18730	0.01386	0.07449	0.07533	0.20790	0.07077	0.13165	0.08951
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	MNP2QP	NPHQE	NPHQP	PHNQE	PHNQP	PYRQE	PYRQP	LMWPAHQE
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.88434	0.03281	0.17638	0.24200	0.66786	1.31538	2.44705	0.35975
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21012.0	CASTRO COVE	1489	5/1/95	39	0.47397	0.02743	0.14745	0.18600	0.51331	8.57692	15.95592	0.65234
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.09291	0.01805	0.09702	0.07267	0.20054	0.12962	0.24113	0.08578
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.02688	0.00374	0.02012	0.04120	0.11370	0.05538	0.10303	0.03770
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.21413	0.02567	0.13798	0.22533	0.62186	0.13731	0.25544	0.23705
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.48043	0.03862	0.20761	0.17600	0.48571	0.15731	0.29264	0.23907
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.15700	0.02505	0.13465	0.21400	0.59058	0.28077	0.52232	0.24222
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21056.0	SELBY - S2	1536	10/27/95	40	0.07850	0.01005	0.05401	0.06933	0.19134	0.06808	0.12665	0.09336
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	MNP2QP	NPHQE	NPHQP	PHNQE	PHNQP	FYRQE	FYRQP	LMWPAHQE
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.11079	0.01457	0.07833	0.07067	0.19502	0.13385	0.24900	0.09693
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.19177	0.02719	0.14617	0.33200	0.91623	0.39615	0.73698	0.33228
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.30455	0.05810	0.31231	0.26267	0.72489	0.72308	1.34516	0.39725
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.15600	0.03438	0.18482	0.35200	0.97143	0.46154	0.85861	0.45030
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	0.42329	0.25143	1.35163	0.81333	2.24459	2.28462	4.25014	1.09114
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.13762	0.02190	0.11776	0.25800	0.71201	0.32808	0.61033	0.35769
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.20121	0.02924	0.15718	0.20200	0.55747	0.24923	0.46365	0.23684
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.04750	0.00633	0.03405	0.02860	0.07893	0.03885	0.07227	0.04007
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.04889	0.00533	0.02867	0.02040	0.05630	0.02019	0.03756	0.02681
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.19624	0.01295	0.06963	0.03393	0.09365	0.04192	0.07799	0.06404
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	MNP2QP	NPHQE	NPHQP	PHNQE	PHNQP	PYRQE	PYRQP	LMWPAHQE
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	2.94008	0.14912	0.80166	1.15149	3.17782	0.88047	1.63797	1.81618
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	0.57239	0.05163	0.27757	0.50657	1.39799	0.87637	1.63034	0.68842
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.12828	0.01868	0.10042	0.14551	0.40158	0.15734	0.29271	0.16427
20011.0	ISLAIS CREEK	1735	4/1/97	50	1.80579	0.10668	0.57347	0.65933	1.81959	0.32832	0.61078	1.02388
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.23122	0.02390	0.12848	0.17823	0.49188	0.40655	0.75631	0.28276
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.28781	0.03491	0.18769	0.24708	0.68188	0.56463	1.05039	0.37000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.09623	0.00479	0.02575	0.02103	0.05805	0.06559	0.12202	0.04415
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.05450	0.00600	0.03228	0.03110	0.08583	0.04564	0.08491	0.03569
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	0.42200	0.01271	0.06835	0.13157	0.36311	0.14795	0.27523	0.49119
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.05217	0.00938	0.05043	0.04025	0.11107	0.06905	0.12845	0.04671
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21307.0	WALDO POINT	1746	4/2/97	50	0.14562	0.01865	0.10027	0.22873	0.63123	0.34491	0.64164	0.31041
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.07765	0.01130	0.06075	0.06560	0.18104	0.07473	0.13902	0.07097
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	5.01789	0.37905	2.03768	4.74000	13.08115	3.01923	5.61677	6.12589
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.19386	0.02365	0.12712	0.18141	0.50063	0.27994	0.52078	0.17424
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	1.75874	0.19905	1.07004	0.53067	1.46450	0.96154	1.78878	0.99899
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.10831	0.01538	0.08268	0.05967	0.16466	0.12923	0.24041	0.07329
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.09837	0.01790	0.09625	0.05580	0.15399	0.11538	0.21465	0.07579
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.46900	0.05905	0.31743	0.34800	0.96039	0.57308	1.06611	0.37608
21315.0	PG&E/LEVINSON	1760	4/16/97	51	0.24692	0.03752	0.20172	0.28133	0.77641	0.50000	0.93017	0.30443
21056.0	SELBY - S2	1761	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	0.20022	0.03914	0.21042	0.61667	1.70184	0.51538	0.95879	0.46466
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.23649	0.03995	0.21478	0.18933	0.52251	0.21192	0.39425	0.18929
21403.0	ZENECA MARSH #3	1797	10/6/97	55	0.13911	0.01814	0.09753	0.07733	0.21342	0.15731	0.29264	0.18444
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	LMWPAHQ	HMWPAHQE	HMWPAHQ	TTLPAHQE	TTLPAHQ	ERMQ	PELO
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	1.31331	1.69323	2.43479	0.40518	1.08218	0.391	0.669
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	1.30709	1.50271	2.16083	0.36415	0.97259	0.363	0.619
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	1.86436	1.89344	2.72268	0.46583	1.24417	1.268	1.877
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	0.97503	0.49688	0.71448	0.13788	0.36826	0.543	0.863
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	1.57698	1.42969	2.05583	0.35718	0.95400	1.518	2.279
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	0.28222	0.37016	0.53227	0.08842	0.23616	0.770	1.181
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	6.61741	4.53219	6.51709	1.18439	3.16337	0.682	1.248
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	0.65723	0.62370	0.89685	0.15483	0.41354	0.452	0.713
21035.0	SIERRA POINT	1512	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	0.19615	0.12660	0.18205	0.03345	0.08934	0.319	0.500
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21046.0	MOWRY SLOUGH	1523	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	LMWPAHQ	HMWPAHQE	HMWPAHQ	TTLPAHQE	TTLPAHQ	ERMQ	PELQ
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	0.78835	0.84527	1.21546	0.20654	0.55165	3.580	7.802
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21012.0	CASTRO COVE	1489	5/1/95	39	1.42954	23.51458	33.81295	5.08576	13.58344	2.254	3.496
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	2.973	2.828
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21016.0	RICHMOND HARBOR	1493	5/1/95	39	0.18798	0.25230	0.36280	0.06013	0.16059	0.227	0.386
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0.08262	0.16489	0.23710	0.03800	0.10149	0.250	0.415
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	0.51948	0.18382	0.26433	0.05612	0.14989	0.214	0.353
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	0.52390	0.22542	0.32414	0.06518	0.17408	0.513	0.905
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	0.53080	0.43726	0.62876	0.11080	0.29594	0.217	0.400
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21053.0	SUISUN SLOUGH	1533	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21056.0	SELBY - S2	1536	10/27/95	40	0.20458	0.08559	0.12308	0.02493	0.06659	0.233	0.384
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	LMWPAHQ	HMWPAHQE	HMWPAHQ	TTLPAHQE	TTLPAHQ	ERMQ	PELQ
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY TUBBS IS -REP #1	1551	10/26/95	40	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	0.21241	0.20308	0.29203	0.05036	0.13452	0.174	0.320
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	0.72816	0.40773	0.58630	0.11083	0.29601	0.189	0.352
21074.0	HOWARD STREET CSO	1556	12/6/95	41	0.87053	1.03355	1.48620	0.24954	0.66649	0.346	0.585
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	0.98679	0.70258	1.01028	0.18235	0.48703	0.232	0.428
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	2.39112	2.96125	4.25815	0.71164	1.90072	0.495	0.846
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	0.78384	0.70925	1.01987	0.17724	0.47340	0.219	0.402
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	0.51900	0.34951	0.50258	0.09162	0.24470	0.228	0.429
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21088.0	ALVISO SLOUGH	1570	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	0.08781	0.06294	0.09051	0.01632	0.04358	0.110	0.206
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20008.0	BOLINAS LAGOON	1576	12/5/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	0.05875	0.03268	0.04700	0.00890	0.02376	0.143	0.252
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	0.14033	0.07344	0.10560	0.02026	0.05410	0.165	0.270
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	LMWPAHQ	HMWPAHQE	HMWPAHQ	TTLPAHQE	TTLPAHQ	ERMQ	PELQ
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	3.97997	1.14115	1.64093	0.37270	0.99545	3.928	6.116
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	1.50861	1.56914	2.25636	0.38487	1.02795	1.004	1.477
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0.35999	0.20863	0.30000	0.05630	0.15038	0.277	0.484
20011.0	ISLAIS CREEK	1735	4/1/97	50	2.24373	0.40237	0.57860	0.15847	0.42326	1.178	1.687
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	0.61963	0.59833	0.86037	0.14818	0.39578	0.604	0.931
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	0.81083	0.79946	1.14959	0.19745	0.52736	0.622	0.980
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	0.09675	0.09243	0.13291	0.02292	0.06123	2.349	4.968
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	0.07822	0.06025	0.08664	0.01543	0.04122	0.404	0.927
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	1.07640	0.12411	0.17847	0.06125	0.16360	0.295	0.523
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0.10236	0.09477	0.13627	0.02361	0.06305	0.158	0.287
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21307.0	WALDO POINT	1746	4/2/97	50	0.68023	1.00793	1.44936	0.23792	0.63546	-9.000	-9.000
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0.15551	0.09308	0.13384	0.02495	0.06665	-9.000	-9.000
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	13.42427	4.19667	6.03462	1.33162	3.55659	3.937	5.997
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	0.38184	0.43922	0.63158	0.10643	0.28426	0.895	1.313
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	2.18918	2.33833	3.36242	0.57164	1.52677	2.008	2.897
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	0.16061	0.22103	0.31783	0.05254	0.14034	0.672	1.013
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	0.16610	0.19749	0.28398	0.04767	0.12733	0.436	0.652
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	0.82413	0.74879	1.07673	0.18702	0.49950	1.327	1.981
21315.0	PG&E/LEVINSON	1760	4/16/97	51	0.66713	0.65441	0.94101	0.16173	0.43197	-9.000	-9.000
21056.0	SELBY - S2	1761	4/15/97	51	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55	1.01827	0.70149	1.00871	0.18313	0.48911	2.700	4.847
21402.0	ZENECA MARSH #2	1796	10/6/97	55	0.41481	0.26127	0.37570	0.06935	0.18523	0.611	1.507
21403.0	ZENECA MARSH #3	1797	10/6/97	55	0.40419	0.22115	0.31800	0.06041	0.16135	2.592	3.842
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9.00000	-9.00000	-9.00000	-9.00000	-9.00000	-9.000	-9.000

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ERMEXCDS	PELEXCDS
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35	-9	-9
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35	-9	-9
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35	-9	-9
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35	-9	-9
20011.0	ISLAIS CREEK	1411	9/6/94	35	-9	-9
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38	3	13
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38	3	12
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38	10	22
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38	2	3
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38	1	1
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38	4	8
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38	11	18
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38	4	7
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38	13	18
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38	0	0
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38	3	5
21035.0	SIERRA POINT	1512	4/17/95	38	0	0
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38	0	0
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38	0	0
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38	0	0
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38	0	0
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38	0	0
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38	2	4
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38	0	0
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38	0	0
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38	0	0
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38	0	0
21046.0	MOWRY SLOUGH	1523	4/19/95	38	0	0
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38	1	1
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39	0	0

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ERMEXCDS	PELEXCDS
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39	0	0
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39	0	0
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39	0	0
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39	-9	-9
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39	10	14
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39	0	0
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39	0	0
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39	0	0
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39	0	0
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39	0	0
21012.0	CASTRO COVE	1489	5/1/95	39	12	15
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39	2	2
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39	1	1
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39	0	0
21016.0	RICHMOND HARBOR	1493	5/1/95	39	1	2
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39	0	2
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39	0	1
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39	1	1
21020.0	EMERYVILLE MARSH	1497	5/1/95	39	0	0
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39	2	2
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39	4	6
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39	1	2
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40	1	1
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40	0	0
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40	0	0
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40	0	0
21053.0	SUISUN SLOUGH	1533	10/27/95	40	0	0
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40	-9	-9
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40	0	0
21056.0	SELBY - S2	1536	10/27/95	40	2	3
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40	0	0
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40	0	0
21060.0	MILLER CREEK- MD10	1540	10/26/95	40	0	0
21061.0	MILLER CREEK- MD11	1541	10/26/95	40	0	0
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40	0	0
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40	0	0
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40	0	0
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40	0	0
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40	0	0

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ERMEXCDS	PELEXCDS
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40	0	0
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40	-9	-9
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40	0	0
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40	0	0
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40	1	2
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41	2	2
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41	0	0
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41	0	0
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41	0	0
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41	1	2
21074.0	HOWARD STREET CSO	1556	12/6/95	41	2	7
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41	1	4
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41	8	17
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41	1	4
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41	1	2
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41	2	2
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41	2	2
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41	1	1
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41	0	0
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41	0	0
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41	0	0
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41	1	1
21087.0	COYOTE CREEK - CX	1569	12/5/95	41	0	0
21088.0	ALVISO SLOUGH	1570	12/5/95	41	0	0
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41	0	0
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41	0	0
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41	0	0
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41	1	2
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41	0	0
20008.0	BOLINAS LAGOON	1576	12/5/95	41	0	0
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41	2	2
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44	0	0
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44	0	0
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44	1	1
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44	1	1
21061.0	MILLER CREEK-MD11	1617	6/10/96	44	0	0
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44	0	0
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44	0	0
21088.0	ALVISO SLOUGH	1620	6/10/96	44	1	1

Chemistry Summations and Quotients

STANUM	STATION	IDORG	DATE	LEG	ERMEXCDS	PELEXCDS
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44	0	0
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44	0	0
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50	13	22
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50	3	16
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50	0	1
20011.0	ISLAIS CREEK	1735	4/1/97	50	5	11
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50	4	6
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50	3	10
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50	6	6
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50	3	4
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50	1	4
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50	0	1
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50	-9	-9
21074.0	HOWARD STREET CSO	1744	4/1/97	50	-9	-9
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50	-9	-9
21307.0	WALDO POINT	1746	4/2/97	50	2	6
21308.0	WARM WATER COVE #2	1747	4/1/97	50	0	0
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51	-9	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51	-9	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51	0	2
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51	23	26
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51	-9	-9
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51	3	7
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51	9	22
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51	1	4
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51	2	3
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51	6	9
21315.0	PG&E/LEVINSON	1760	4/16/97	51	1	2
21056.0	SELBY - S2	1761	4/15/97	51	-9	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55	9	14
21402.0	ZENECA MARSH #2	1796	10/6/97	55	4	9
21403.0	ZENECA MARSH #3	1797	10/6/97	55	10	9
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55	-9	-9
21401.0	ZENECA MARSH #1	1799	12/3/97	56	-9	-9
21402.0	ZENECA MARSH #2	1800	12/3/97	56	-9	-9
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56	-9	-9

Section 7

Bivalve Tissue Chemistry

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	TISS_TYPE	NO_IN_COMP	TMMOIST	ALUMINUM
21030.0	EAST CHINA BASIN-SITE 1-1	1732.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	6	87.50	185.00
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	10	87.80	115.00
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	6	86.40	310.00
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	11	84.60	1520.00
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	7	-9.00	-9.00
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	12	86.10	33.50
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	MACOMA (BIOACCUMULATION)	6	86.20	101.00
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	MACOMA (BIOACCUMULATION)	12	88.30	886.00
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	MACOMA (BIOACCUMULATION)	11	86.20	1630.00
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	MACOMA (BIOACCUMULATION)	12	86.10	66.80
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	MACOMA (BIOACCUMULATION)	11	85.00	242.00
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	MACOMA (BIOACCUMULATION)	11	84.80	87.20
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	MACOMA (BIOACCUMULATION)	15	84.60	865.00
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	MACOMA (BIOACCUMULATION)	15	83.70	326.00
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	MACOMA (BIOACCUMULATION)	15	84.10	668.00

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	ANTIMONY	ARSENIC	CADMIUM	CHROMIUM	COPPER	IRON	LEAD	MANGANESE
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-8.000	29.400	0.3000	4.240	10.80	744.0	9.540	8.34
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.000	28.700	0.2200	1.850	8.70	1120.0	1.190	5.38
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	23.700	0.6300	2.480	139.00	1280.0	32.500	17.44
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	19.200	0.3000	2.690	13.80	1500.0	2.100	40.93
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-9.000	-9.000	-9.0000	-9.000	-9.00	-9.0	-9.000	-9.00
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	21.300	0.3800	1.340	12.00	414.0	1.160	11.30
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	20.700	0.2300	0.560	10.90	468.0	0.840	8.53
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-8.000	28.200	0.3000	2.670	37.90	1870.0	17.400	11.32
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	-8.000	20.500	0.2300	7.050	16.60	1680.0	10.700	24.84
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	26.400	0.2300	2.080	13.00	464.0	0.880	9.39
?1401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	-8.000	-9.000	0.4230	0.785	9.40	10200.0	3.840	0.95
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	-8.000	-9.000	0.1630	0.565	11.00	1760.0	1.000	0.60
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	-8.000	-9.000	0.1600	2.160	6.50	5800.0	3.150	5.31
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-9.000	0.1340	1.350	9.00	956.0	8.200	8.21
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-9.000	0.1270	3.290	6.90	1400.0	0.962	9.26

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	MERCURY	NICKEL	SILVER	SELENIUM	TIN	ZINC	ASBATCH	SEBATCH
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	0.3140	4.100	0.2300	-9.000	-8.0000	150.0000	97.2	-9.0
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.0867	2.860	0.2200	-9.000	-8.0000	119.0000	97.2	-9.0
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	0.1090	3.630	0.1300	-9.000	-8.0000	247.0000	97.2	-9.0
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	0.1330	4.700	0.3600	-9.000	-8.0000	122.0000	97.2	-9.0
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-9.0000	-9.000	-9.0000	-9.000	-9.0000	-9.0000	-9.0	-9.0
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	0.1190	3.010	0.2300	-9.000	-8.0000	148.0000	97.2	-9.0
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	0.1430	2.330	0.2400	-9.000	-8.0000	155.0000	97.2	-9.0
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	0.1790	4.900	0.2100	-9.000	-8.0000	163.0000	97.2	-9.0
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.1590	6.770	0.1900	-9.000	-8.0000	125.0000	97.2	-9.0
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	0.1100	3.930	0.2200	-9.000	-8.0000	116.0000	97.2	-9.0
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.1390	1.740	0.1960	1.310	-8.0000	190.0000	-9.0	98.1
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.0334	1.190	0.1070	1.260	-8.0000	104.0000	-9.0	98.1
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	0.1170	3.440	0.1240	0.870	-8.0000	144.0000	-9.0	98.1
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	0.0552	2.400	0.1990	0.880	-8.0000	106.0000	-9.0	98.1
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	0.0846	3.650	0.1000	1.340	-8.0000	157.0000	-9.0	98.1

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	TMBATCH	TMDATAQC	SOWEIGHT	SOMOIST	SOLIPID	ALDRIN	CCHLOR
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	97.2	-4	8.56	84.24	5.90	-8.000	1.117
20011.0	ISLAIS CREEK-1	1735.1	5/2/97	50.0	97.2	-4	19.62	85.90	4.20	-8.000	0.161
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	97.2	-4	6.28	84.31	9.30	-8.000	0.222
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	97.2	-4	9.70	81.12	7.50	-8.000	0.198
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-9.0	-9	9.19	83.08	5.70	-8.000	0.163
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	97.2	-4	8.61	83.06	5.50	-8.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	97.2	-4	3.25	82.03	14.70	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	97.2	-4	15.55	85.28	5.80	-8.000	1.502
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	97.2	-4	14.53	73.68	3.90	-8.000	1.709
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	97.2	-4	16.61	83.24	5.50	-8.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	98.1	-4	17.56	88.61	8.50	-8.000	0.259
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	98.1	-4	12.81	87.27	9.08	-8.000	0.101
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	98.1	-4	20.00	88.61	11.23	-8.000	2.230
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	98.1	-4	20.65	86.50	6.09	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	98.1	-4	19.17	86.48	5.48	-8.000	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	TCHLOR	ACDEN	GC DEN	TTL_CHLR	CLPYR	DACTH	OPDDD	FPDDD	OPDDE
21030.0	EAST CHINA BASIN-SITE 1-1	1732.1	5/2/97	50.0	1.233	0.117	-9.000	3.372	0.19	-8.000	0.38	1.766	-8.00
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.144	-8.000	-9.000	0.559	-8.00	-8.000	0.21	0.525	-8.00
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.622	-8.00	-8.000	-8.00	1.040	-8.00
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.599	-8.00	-8.000	0.27	1.147	-8.00
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.563	-8.00	-8.000	-8.00	1.014	-8.00
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.500	-8.00	-8.000	-8.00	-8.000	-8.00
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.500	-8.00	-8.000	-8.00	1.012	-8.00
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	1.694	0.459	-9.000	4.841	0.90	-8.000	0.71	4.065	-8.00
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	1.843	0.400	-9.000	5.895	-8.00	-8.000	1.61	6.362	-8.00
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-9.000	0.500	-8.00	-8.000	-8.00	0.408	-8.00
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.301	-8.000	-9.000	1.364	-8.00	-8.000	2.24	11.200	-8.00
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.449	-8.000	-9.000	2.250	-8.00	-8.000	0.61	2.530	2.55
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	2.830	-8.000	-9.000	7.413	-8.00	0.096	4.93	27.200	1.32
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	-9.000	0.871	-8.00	-8.000	-8.00	0.199	-8.00
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	-9.000	0.952	-8.00	-8.000	-8.00	0.196	-8.00

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PPDE	PPDMS	PPDMU	OPDDT	PPDDT	TTL_DDT	DICLB	DIELDRIN	ENDO_I
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	0.39	-9.00	-8.00	-8.00	-8.00	3.64	-8.00	1.041	-8.000
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.37	-9.00	-8.00	-8.00	-8.00	2.21	-8.00	0.322	-8.000
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	0.89	-9.00	-8.00	-8.00	-8.00	3.53	-8.00	0.686	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	1.32	-9.00	0.11	-8.00	-8.00	3.84	-8.00	0.728	-8.000
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	1.14	-9.00	-8.00	-8.00	-8.00	3.75	-8.00	0.567	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	0.31	-9.00	-8.00	-8.00	-8.00	2.21	-8.00	1.007	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	3.98	-9.00	0.27	-8.00	-8.00	6.59	-8.00	1.271	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	2.27	-9.00	-8.00	-8.00	3.17	10.92	-8.00	1.312	-8.000
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	4.52	-9.00	1.29	0.27	-8.00	13.46	-8.00	1.567	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	0.37	-9.00	-8.00	-8.00	-8.00	2.38	-8.00	0.256	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	1.76	-9.00	0.56	-8.00	0.09	15.99	0.31	1.150	-8.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	39.20	-9.00	3.29	-8.00	0.27	45.56	-8.00	0.476	-8.000
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	29.20	-9.00	8.98	-8.00	-8.00	63.45	0.75	2.010	-8.000
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	0.17	-9.00	-8.00	-8.00	-8.00	1.97	-8.00	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	0.21	-9.00	-8.00	-8.00	-8.00	2.01	-8.00	0.117	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	ENDO_II	ESO4	ENDRIN	HCHA	HCHB	HCHG	HCHD	HEPTACHLOR	HE	HCB
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.00	0.21	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.020
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	0.24	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	0.21	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.054
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	0.18	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.131
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	0.31	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.183
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.15	0.77	-8.00	-8.000	-8.00	-8.000	1.086	-8.000	-8.000	0.054
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.09	0.40	-8.00	0.884	0.28	0.087	1.790	-8.000	-8.000	0.152
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	-8.00	-8.00	-8.00	0.117	-8.00	0.337	-8.000	-8.000	-8.000	0.186
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	-8.00	0.18	-1.14	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.263
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.00	-8.00	0.11	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.00	-8.00	-8.00	-8.000	-8.00	-8.000	-8.000	-8.000	-8.000	0.079

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	METHOXY	MIREX	CNONA	TNONA	OXAD	OCDAN	TOXAPH	PESBATCH	PCB5
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-8.00	-8.000	0.323	0.599	-9.00	-8.000	-8.00	B97-300	-8.000
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.00	-8.000	0.058	0.096	-9.00	-8.000	-8.00	B97-300	-8.000
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.00	-8.000	-8.000	-8.000	-9.00	-8.000	-8.00	B97-300	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.00	-8.000	0.117	0.084	-9.00	-8.000	-8.00	B97-300	-8.000
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.00	-8.000	-8.000	-8.000	-9.00	-8.000	-8.00	B97-300	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.00	-8.000	-8.000	-8.000	-9.00	-8.000	-8.00	B97-300	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.00	-8.000	-8.000	-8.000	-9.00	-8.000	-8.00	B97-300	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-8.00	-8.000	0.461	1.084	-9.00	-8.000	-8.00	B97-300	-8.000
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	-8.00	-8.000	0.889	1.354	-9.00	-8.000	-8.00	B97-300	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.00	-8.000	-8.000	-8.000	-9.00	-8.000	-8.00	B97-300	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	-8.00	-8.000	0.149	0.116	-9.00	0.539	-8.00	B98-006	-8.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	-8.00	-8.000	-8.000	0.290	-9.00	1.310	-8.00	B98-006	-8.000
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	-8.00	-8.000	0.653	1.180	-9.00	0.520	-8.00	B98-006	-8.000
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.00	-8.000	0.114	-8.000	-9.00	0.457	-8.00	B98-006	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.00	-8.000	0.120	-8.000	-9.00	0.532	-8.00	B98-006	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PCB8	PCB15	PCB18	PCB27	PCB28	PCB29	PCB31	PCB44	PCB49	PCB52	PCB66
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	0.287	-8.000	0.282	-8.000	0.377	-9.000	0.328	0.095	0.270	0.547	0.181
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.148	-8.000	-8.000	-8.000	-8.000	-9.000	0.179	-8.000	0.125	0.101	-8.000
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-9.000	0.498	-8.000	-8.000	-8.000	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	0.208	-8.000	-8.000	-8.000	-8.000	-9.000	0.192	-8.000	-8.000	-8.000	-8.000
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	0.192	-8.000	0.707	-8.000	-8.000	-9.000	0.332	-8.000	-8.000	-8.000	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-9.000	0.124	-8.000	-8.000	-8.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-9.000	0.121	-8.000	-8.000	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-8.000	-8.000	0.315	-8.000	0.542	-9.000	0.457	0.138	0.367	0.657	0.486
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.134	-8.000	0.150	-8.000	0.804	-9.000	0.476	0.242	0.594	1.138	0.663
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-8.000	-8.000	-8.000	-9.000	0.152	-8.000	-8.000	-8.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	1.030	0.261	0.418	-8.000	0.511	-8.000	0.288	0.178	0.619	1.530	1.100
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.417	0.774	0.678	-8.000	0.667	-8.000	0.192	0.189	0.738	0.962	1.290
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	-8.000	2.040	0.661	-8.000	1.400	-8.000	0.714	0.234	1.290	2.060	1.820
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	-8.000	-8.000	0.171	-8.000	0.138	-8.000	-8.000	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	-8.000	-8.000	0.110	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PCB70	PCB74	PCB87	PCB95	PCB97	PCB99	PCB101	PCB105	PCB110	PCB118
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	0.265	0.136	-9.000	0.374	0.134	0.292	0.640	0.186	0.599	0.571
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.090	-8.000	-9.000	0.182	0.046	0.195	0.329	-8.000	0.164	0.134
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.065	-8.000	-8.000	-8.000	-8.000	0.162	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.067	-8.000	0.052	0.075	-8.000	0.178	0.092
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	-8.000	-9.000	0.064	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	0.092	-8.000	-9.000	0.100	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	0.427	0.309	-9.000	0.399	0.152	0.345	0.655	0.296	0.916	0.754
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.826	0.473	-9.000	1.007	0.500	0.975	2.558	0.791	2.400	2.590
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-9.000	0.046	-8.000	0.017	-8.000	-8.000	-8.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	1.470	0.610	-9.000	1.280	0.996	1.160	2.120	1.700	3.540	4.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.825	0.495	-9.000	1.200	0.778	1.490	2.710	1.150	2.970	3.270
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	1.680	1.150	-9.000	0.628	0.391	0.818	3.100	0.796	1.880	1.910
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	-9.000	-8.000	0.051	-8.000	-8.000	-8.000	-8.000	0.192
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	-9.000	-8.000	-8.000	-8.000	-8.000	0.059	-8.000	0.159

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PCB128	PCB132	PCB137	PCB138	PCB149	PCB151	PCB153	PCB156	PCB157
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-8.000	0.178	-8.000	0.675	0.483	0.287	0.793	0.121	-8.000
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.000	0.113	-8.000	0.337	0.332	0.196	0.544	0.026	-8.000
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.273	0.105	-8.000	-8.000	-8.000	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.470	0.198	0.132	0.332	-8.000	-8.000
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	0.132	0.138	-8.000	-8.000	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-8.000	0.231	-8.000	0.629	0.543	0.227	0.770	-8.000	-8.000
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.444	0.523	0.061	2.106	1.183	0.342	1.556	0.038	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-8.000	-8.000	0.040	-8.000	-8.000	-8.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.589	0.621	0.170	3.200	1.290	0.355	1.840	0.500	-8.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.520	0.714	0.097	4.590	2.150	0.885	2.750	-8.000	-8.000
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	0.154	0.444	0.073	1.080	0.717	0.440	0.952	0.098	-8.000
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	-8.000	-8.000	-8.000	0.108	-8.000	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	0.061	-8.000	-8.000	0.039	-8.000	0.144	-8.000	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PCB158	PCB170	PCB174	PCB177	PCB180	PCB183	PCB187	PCB189	PCB194
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	0.039	-8.000	0.126	0.326	0.410	-8.000	0.173	-8.000	0.128
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	0.034	0.126	0.082	0.418	0.329	0.053	0.139	-8.000	0.041
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.111	0.356	-8.000	-8.000	-8.000	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	0.054	-8.000	0.032	0.162	0.332	-8.000	0.086	-8.000	0.029
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.140	0.312	-8.000	-8.000	-8.000	0.023
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.091	-8.000	-8.000	-8.000	0.165	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	-8.000	0.150	-8.000	-8.000	-8.000	-8.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	0.169	-8.000	0.100	0.315	0.533	-8.000	0.088	0.045	0.162
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	0.196	0.489	0.109	0.234	1.036	0.138	0.302	-8.000	0.130
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-8.000	0.148	0.097	-8.000	-8.000	-8.000	0.019
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.261	0.264	0.151	0.223	0.371	0.074	0.174	-8.000	-8.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.451	0.728	0.765	0.383	1.520	0.442	0.914	-8.000	-8.000
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	0.073	0.265	0.203	0.255	0.547	0.112	0.471	-8.000	0.061
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	0.198	0.527	0.116	-8.000	-8.000	-8.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	0.147	0.090	-8.000	-8.000	-8.000	-8.000	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PCB195	PCB201	PCB203	PCB206	PCB209	PCBBATCH	ARO5460	ARO1248
21030.0	EAST CHINA BASIN-SITE 1-1	1732.1	5/2/97	50.0	-8.000	0.071	0.064	-8.000	-8.000	B97-300	-9.000	-8.000
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.000	0.053	0.061	-8.000	-8.000	B97-300	-9.000	-8.000
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	0.026	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-8.000	0.113	0.103	-8.000	-8.000	B97-300	-9.000	-8.000
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	-8.000	0.116	0.108	-8.000	-8.000	B97-300	-9.000	-8.000
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	-8.000	-8.000	-8.000	B97-300	-9.000	-8.000
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	-8.000	-8.000	-8.000	-8.000	-8.000	B98-006	-9.000	-8.000
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	-8.000	0.247	0.242	0.174	0.344	B98-006	-9.000	-8.000
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	0.024	0.080	-8.000	0.053	0.218	B98-006	-9.000	-8.000
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	-8.000	-8.000	-8.000	B98-006	-9.000	-8.000
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	-8.000	-8.000	-8.000	B98-006	-9.000	-8.000

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	ARO1254	ARO1260	TTL_PCB	ACY	ACE	ANT	BAA	BAP	BBF	BKF	BGP	BEP
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	10.100	-8.000	11.434	-8.00	-8.00	1.93	3.76	1.27	2.85	1.05	-8.00	3.00
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.000	5.054	6.174	-8.00	-8.00	0.44	0.54	-8.00	0.58	0.17	-8.00	0.41
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.000	-8.000	4.458	-8.00	-8.00	-8.00	0.93	-8.00	-1.15	0.34	-8.00	1.15
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.000	-8.000	5.390	-8.00	-8.00	-8.00	0.96	1.19	2.11	0.42	-8.00	1.70
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.000	-8.000	5.422	-8.00	-8.00	-8.00	1.70	-8.00	1.76	0.44	-8.00	1.51
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.000	-8.000	3.600	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.000	-8.000	3.600	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	12.577	-8.000	12.926	0.40	8.45	9.78	32.00	-8.00	31.27	9.64	5.99	18.80
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	30.497	-8.000	30.606	-8.00	-8.00	-8.00	2.37	-8.00	7.02	2.11	2.62	5.68
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.000	-8.000	3.594	-8.00	-8.00	-8.00	0.48	-8.00	0.37	0.18	-8.00	0.30
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	44.100	-8.000	38.650	-8.00	0.69	0.65	2.11	1.39	7.10	4.37	1.13	4.82
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	52.700	-8.000	45.946	2.84	1.99	9.79	16.00	22.10	30.90	28.80	4.54	18.20
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	30.900	-8.000	31.690	-8.00	1.17	1.77	3.82	1.59	4.23	3.30	0.59	3.29
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-8.000	-8.000	3.958	-8.00	0.50	0.24	0.54	-8.00	0.55	0.43	-8.00	0.49
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.000	-8.000	3.744	-8.00	0.57	-8.00	0.14	-8.00	-8.00	-8.00	-8.00	-8.00

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	BPH	CHR	COR	DBA	DBT	DMN	FLA	FLU	IND	MNP1	MNP2	MPH1	NPH
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-8.00	3.86	-8.00	-8.00	1.32	7.52	19.80	-8.00	-8.00	1.89	2.66	4.36	2.13
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-8.00	0.57	-8.00	-8.00	0.25	-8.00	4.65	0.32	-8.00	0.53	0.63	0.45	0.95
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-8.00	0.98	-8.00	-8.00	-8.00	-8.00	4.35	-8.00	-8.00	0.69	1.23	-8.00	2.19
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-8.00	0.64	-8.00	-8.00	-8.00	-8.00	4.19	-8.00	-8.00	-8.00	-8.00	-8.00	2.09
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-8.00	2.59	-8.00	-8.00	-8.00	-8.00	9.88	-8.00	-8.00	-8.00	-8.00	-8.00	1.42
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	3.33	-8.00	-8.00	-8.00	-8.00	-8.00	4.37
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.00	-8.00	-8.00	-8.00	-8.00	-8.00	3.16	-8.00	-8.00	-8.00	-8.00	-8.00	3.94
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	1.12	44.90	-8.00	1.38	7.56	3.78	208.31	13.27	6.33	1.24	1.26	16.03	1.54
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	-8.00	2.98	-8.00	0.28	-8.00	-8.00	8.15	-8.00	2.38	-8.00	-8.00	-8.00	1.74
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-8.00	0.61	-8.00	-8.00	-8.00	-8.00	3.20	-8.00	-8.00	0.74	1.37	-8.00	1.08
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	0.32	11.00	-8.00	0.35	0.46	0.39	23.60	0.75	1.18	0.41	0.55	0.83	0.92
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	0.70	29.90	-8.00	1.64	0.60	1.79	28.80	1.43	4.85	1.65	2.64	1.40	2.41
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	0.57	6.77	-8.00	-8.00	0.84	-8.00	39.00	-0.80	0.49	0.35	0.42	0.64	0.58
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	0.26	1.39	-8.00	-8.00	-8.00	0.21	7.55	0.39	-8.00	0.77	0.61	0.42	0.82
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-8.00	0.70	-8.00	-8.00	-8.00	0.26	1.51	0.28	-8.00	-8.00	0.50	0.30	0.76

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	PHN	PER	PYR	TMN	TRY	PAHBATCH	SODATAQA	BENZENE	TOLUENE
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	10.15	-8.00	21.56	8.08	-9.00	B97-300	-5	-9.00	-9.00
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	2.03	0.28	5.11	-8.00	-9.00	B97-300	-5	-9.00	-9.00
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	1.16	0.62	5.83	-8.00	-9.00	B97-300	-5	-9.00	-9.00
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	1.68	0.92	4.82	-8.00	-9.00	B97-300	-5	-9.00	-9.00
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	5.81	-8.00	8.93	-8.00	-9.00	B97-300	-5	-9.00	-9.00
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	2.27	-8.00	2.53	-8.00	-9.00	B97-300	-5	-9.00	-9.00
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-8.00	-8.00	3.18	-8.00	-9.00	B97-300	-5	-9.00	-9.00
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	111.98	-8.00	162.25	4.92	-9.00	B97-300	-5	-9.00	-9.00
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	1.66	-8.00	12.16	-8.00	-9.00	B97-300	-5	-9.00	-9.00
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	1.20	-8.00	1.45	-8.00	-9.00	B97-300	-5	-9.00	-9.00
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	4.50	0.60	16.00	-8.00	-9.00	B98-006	-5	-9.00	-9.00
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	7.20	5.23	26.30	-8.00	-9.00	B98-006	-5	-9.00	-9.00
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	2.12	0.80	35.70	-8.00	-9.00	B98-006	-5	-9.00	-9.00
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	1.62	0.44	3.68	-8.00	-9.00	B98-006	-5	-9.00	-9.00
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	0.71	-8.00	1.51	-8.00	-9.00	B98-006	-5	-9.00	-9.00

Bivalve Tissue Chemistry

STANUM	STATION	IDORG	DATE	LEG	ETHBENZENE	XYLENES	TPH	DIESEL
21030.0	EAST CHINA BASIN-SITE 1- 1	1732.1	5/2/97	50.0	-9.00	-9.00	-9.00	
20011.0	ISLAIS CREEK- 1	1735.1	5/2/97	50.0	-9.00	-9.00	-9.00	
21006.0	PEYTON SLOUGH- UPPER SITE 2-	1738.1	5/2/97	50.0	-9.00	-9.00	-9.00	
21011.0	PARADISE COVE- REFERENCE- 1	1741.1	5/2/97	50.0	-9.00	-9.00	-9.00	
21308.0	WARM WATER COVE #2- 1	1747.1	5/2/97	50.0	-9.00	-9.00	-9.00	
	GC-INITIAL BEFORE EXPOSURE- 1	1802.1	5/2/97	50.0	-9.00	-9.00	-9.00	
	GC-HOME CONTROL- 1	1803.1	5/2/97	50.0	-9.00	-9.00	-9.00	
21023.0	PACIFIC DRYDOCK- YARD 1- 1	1753.1	5/23/97	51.0	-9.00	-9.00	-9.00	
21310.0	SAN LEANDRO BAY- SITE 3- 1	1755.1	5/23/97	51.0	-9.00	-9.00	-9.00	
	GC-INITIAL BEFORE EXPOSURE- 1	1804.1	4/25/97	51.0	-9.00	-9.00	-9.00	
21401.0	ZENECA MARSH #1-1	1795.1	11/18/97	55.0	-9.00	-9.00	-9.00	
21402.0	ZENECA MARSH #2-1	1796.1	11/18/97	55.0	-9.00	-9.00	-9.00	
21403.0	ZENECA MARSH #3-1	1797.1	11/18/97	55.0	-9.00	-9.00	-9.00	
	GC- INITIAL BEFORE EXPOSURE-1	1811.1	10/2/97	55.0	-9.00	-9.00	-9.00	
	GC- HOME CONTROL-1	1812.1	11/18/97	55.0	-9.00	-9.00	-9.00	

Appendix D

Sediment Grain Size and Total Organic Carbon Analyses

H₂S - Co
NA3 - cm, cm

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	FINES	FINEBATCH	FINEDATAQC	COARSE SAND	FINE SAND	COARSE SILT	FINE SILT
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	95.13	35	-4	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	94.81	35	-4	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	95.39	35	-4	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	99.63	35	-4	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	99.44	35	-4	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	99.24	35	-4	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	99.43	35	-4	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	98.97	35	-4	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	99.03	35	-4	-9.00	-9.00	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	98.79	35	-4	-9.00	-9.00	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	98.92	35	-4	-9.00	-9.00	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	97.12	35	-4	-9.00	-9.00	-9.00	-9.00
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	97.76	35	-4	-9.00	-9.00	-9.00	-9.00
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	87.67	35	-4	-9.00	-9.00	-9.00	-9.00
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	99.20	38	-4	-9.00	-9.00	-9.00	-9.00
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	90.55	38	-4	-9.00	-9.00	-9.00	-9.00
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	67.69	38	-4	-9.00	-9.00	-9.00	-9.00
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	67.69	38	-4	-9.00	-9.00	-9.00	-9.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	83.95	38	-4	-9.00	-9.00	-9.00	-9.00
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	30.88	38	-4	-9.00	-9.00	-9.00	-9.00
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	90.31	38	-4	-9.00	-9.00	-9.00	-9.00
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	97.43	38	-4	-9.00	-9.00	-9.00	-9.00
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	78.05	38	-4	-9.00	-9.00	-9.00	-9.00
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	76.62	38	-4	-9.00	-9.00	-9.00	-9.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	98.34	38	-4	-9.00	-9.00	-9.00	-9.00
21035.0	SIERRA POINT	1512	4/17/95	38.0	81.43	38	-4	-9.00	-9.00	-9.00	-9.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	99.48	38	-4	-9.00	-9.00	-9.00	-9.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	69.18	38	-4	-9.00	-9.00	-9.00	-9.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	61.77	38	-4	-9.00	-9.00	-9.00	-9.00
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	97.28	38	-4	-9.00	-9.00	-9.00	-9.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	24.25	38	-4	-9.00	-9.00	-9.00	-9.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	76.14	38	-4	-9.00	-9.00	-9.00	-9.00
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	91.45	38	-4	-9.00	-9.00	-9.00	-9.00
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	97.02	38	-4	-9.00	-9.00	-9.00	-9.00
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	51.14	38	-4	-9.00	-9.00	-9.00	-9.00
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	80.42	38	-4	-9.00	-9.00	-9.00	-9.00
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	99.73	38	-4	-9.00	-9.00	-9.00	-9.00
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	98.88	38	-4	-9.00	-9.00	-9.00	-9.00
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	99.38	39	-4	-9.00	-9.00	-9.00	-9.00

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	FINES	FINEBATCH	FINEDATAQC	COARSE SAND	FINE SAND	COARSE SILT	FINE SILT
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	99.22	39	-4	-9.00	-9.00	-9.00	-9.00
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	59.15	39	-4	-9.00	-9.00	-9.00	-9.00
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	72.35	39	-4	-9.00	-9.00	-9.00	-9.00
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	64.30	39	-4	-9.00	-9.00	-9.00	-9.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	89.70	39	-4	-9.00	-9.00	-9.00	-9.00
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	98.16	39	-4	-9.00	-9.00	-9.00	-9.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	96.99	39	-4	-9.00	-9.00	-9.00	-9.00
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	98.82	39	-4	-9.00	-9.00	-9.00	-9.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	95.63	39	-4	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	96.39	39	-4	-9.00	-9.00	-9.00	-9.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	98.97	39	-4	-9.00	-9.00	-9.00	-9.00
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	41.64	39	-4	-9.00	-9.00	-9.00	-9.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	99.37	39	-4	-9.00	-9.00	-9.00	-9.00
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	99.72	39	-4	-9.00	-9.00	-9.00	-9.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	99.46	39	-4	-9.00	-9.00	-9.00	-9.00
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	45.39	39	-4	-9.00	-9.00	-9.00	-9.00
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	91.67	39	-4	-9.00	-9.00	-9.00	-9.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	79.33	39	-4	-9.00	-9.00	-9.00	-9.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	31.60	39	-4	-9.00	-9.00	-9.00	-9.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	98.83	39	-4	-9.00	-9.00	-9.00	-9.00
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	7.22	39	-4	-9.00	-9.00	-9.00	-9.00
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	97.72	39	-4	-9.00	-9.00	-9.00	-9.00
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	86.50	40	-4	-9.00	-9.00	-9.00	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	94.74	40	-4	-9.00	-9.00	-9.00	-9.00
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	84.89	40	-4	-9.00	-9.00	-9.00	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	44.27	40	-4	-9.00	-9.00	-9.00	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	99.80	40	-4	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	92.72	40	-4	-9.00	-9.00	-9.00	-9.00
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	63.78	40	-4	-9.00	-9.00	-9.00	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	57.91	40	-4	-9.00	-9.00	-9.00	-9.00
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	70.00	40	-4	-9.00	-9.00	-9.00	-9.00
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	96.72	40	-4	-9.00	-9.00	-9.00	-9.00
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	48.13	40	-4	-9.00	-9.00	-9.00	-9.00
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	99.96	40	-4	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	99.63	40	-4	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	99.69	40	-4	-9.00	-9.00	-9.00	-9.00
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	99.67	40	-4	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	99.74	40	-4	-9.00	-9.00	-9.00	-9.00
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	99.99	40	-4	-9.00	-9.00	-9.00	-9.00

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	FINES	FINEBATCH	FINEDATAQC	COARSE SAND	FINE SAND	COARSE SILT	FINE SILT
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	90.64	40	-4	-9.00	-9.00	-9.00	-9.00
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	52.68	40	-4	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	99.66	40	-4	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	99.60	40	-4	-9.00	-9.00	-9.00	-9.00
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	95.71	40	-4	-9.00	-9.00	-9.00	-9.00
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	19.42	41	-4	-9.00	-9.00	-9.00	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	50.64	41	-4	-9.00	-9.00	-9.00	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	92.59	41	-4	-9.00	-9.00	-9.00	-9.00
21072.0	CORTE MADERA MARSH - MC51	1554	12/5/95	41.0	92.44	41	-4	-9.00	-9.00	-9.00	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	84.13	41	-4	-9.00	-9.00	-9.00	-9.00
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	71.10	41	-4	-9.00	-9.00	-9.00	-9.00
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	89.16	41	-4	-9.00	-9.00	-9.00	-9.00
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	87.66	41	-4	-9.00	-9.00	-9.00	-9.00
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	94.88	41	-4	-9.00	-9.00	-9.00	-9.00
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	97.62	41	-4	-9.00	-9.00	-9.00	-9.00
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	77.95	41	-4	-9.00	-9.00	-9.00	-9.00
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	44.86	41	-4	-9.00	-9.00	-9.00	-9.00
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	52.01	41	-4	-9.00	-9.00	-9.00	-9.00
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	36.54	41	-4	-9.00	-9.00	-9.00	-9.00
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	97.17	41	-4	-9.00	-9.00	-9.00	-9.00
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	95.47	41	-4	-9.00	-9.00	-9.00	-9.00
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	82.35	41	-4	-9.00	-9.00	-9.00	-9.00
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	93.21	41	-4	-9.00	-9.00	-9.00	-9.00
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	97.46	41	-4	-9.00	-9.00	-9.00	-9.00
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	36.64	41	-4	-9.00	-9.00	-9.00	-9.00
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	90.62	41	-4	-9.00	-9.00	-9.00	-9.00
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	86.33	41	-4	-9.00	-9.00	-9.00	-9.00
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	29.32	41	-4	-9.00	-9.00	-9.00	-9.00
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	59.25	41	-4	-9.00	-9.00	-9.00	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	96.03	41	-4	-9.00	-9.00	-9.00	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	86.01	41	-4	-9.00	-9.00	-9.00	-9.00
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	FINES	FINEBATCH	FINEDATAQC	COARSE SAND	FINESAND	COARSE SILT	FINE SILT
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	26.44	B97141	-4	0.00	73.56	2.47	19.60
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	0.00	58.99
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	0.00	49.80
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	38.70	B97141	-4	7.08	54.22	0.00	28.67
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	3.73	71.76
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	2.70	70.93
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	43.36	B97141	-4	17.39	39.26	1.97	26.93
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	100.00	B97141	-4	0.00	0.00	3.74	60.60
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	100.00	B97141	-4	0.00	0.00	3.26	51.80
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	100.00	B97141	-4	0.00	0.00	11.71	50.16
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	14.42	44.29
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	77.30	B97141	-4	0.19	22.51	22.82	34.82
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	5.35	52.17
21307.0	WALDO POINT	1746	4/2/97	50.0	100.00	B97141	-4	0.00	0.00	6.79	66.75
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	100.00	B97141	-4	0.00	0.00	2.52	40.81
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	46.15	B97182	-4	0.00	53.85	2.36	24.98
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	100.00	B97182	-4	0.00	0.00	6.19	64.47
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	100.00	B97182	-4	0.00	0.00	4.30	50.56
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	100.00	B97182	-4	0.00	0.00	4.21	54.50
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	71.07	B97182	-4	0.00	28.93	10.53	47.74
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	71.59	B97182	-4	2.06	26.35	2.73	32.39
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	80.68	B97182	-4	0.00	19.32	6.97	41.34
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	87.99	B97182	-4	0.00	12.01	12.07	45.94
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	85.37	B97182	-4	0.00	14.63	10.01	52.79
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	93.42	B97182	-4	0.00	6.58	7.55	50.83
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	72.86	B97182	-4	0.00	27.14	9.90	45.49
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	99.98	B97182	-4	0.00	0.02	7.84	73.13
21056.0	SFLBY - S2	1761	4/15/97	51.0	63.92	B97182	-4	0.00	36.08	7.29	37.84
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	91.97	B97337	-4	1.57	6.46	6.20	72.78
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	93.77	B97337	-4	1.98	4.25	4.13	54.94
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	98.97	B97337	-4	0.00	1.03	4.46	59.65
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	93.06	B97337	-4	0.26	6.68	11.20	54.14
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9	-9	-9.00	-9.00	-9.00	-9.00

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	CLAY	EXPANDEDQC	TOC	TOCBATCH	TOCDATAQC	DOC
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	-9.00	-9	1.24	35	-4	-9
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9.00	-9	1.16	35	-4	-9
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9.00	-9	1.23	35	-4	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	-9.00	-9	1.37	35	-4	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9.00	-9	1.47	35	-4	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9.00	-9	1.40	35	-4	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	-9.00	-9	0.98	35	-4	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9.00	-9	0.95	35	-4	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9.00	-9	1.03	35	-4	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	-9.00	-9	2.34	35	-4	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9.00	-9	2.31	35	-4	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9.00	-9	2.31	35	-4	-9
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	-9.00	-9	1.43	35	-4	-9
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	-9.00	-9	4.32	35	-4	-9
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/18/95	38.0	-9.00	-9	1.98	38	-4	-9
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/18/95	38.0	-9.00	-9	1.77	38	-4	-9
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/18/95	38.0	-9.00	-9	5.42	38	-4	-9
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	-9.00	-9	5.42	38	-4	-9
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	-9.00	-9	2.02	38	-4	-9
21026.0	OAKLAND-FRUITVALE	1503	4/18/95	38.0	-9.00	-9	3.21	38	-4	-9
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/18/95	38.0	-9.00	-9	6.02	38	-4	-9
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/18/95	38.0	-9.00	-9	3.62	38	-4	-9
21032.0	POTRERO POINT-WARM WATER COVE	1509	5/1/95	38.0	-9.00	-9	1.36	38	-4	-9
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	-9.00	-9	1.14	38	-4	-9
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/18/95	38.0	-9.00	-9	1.84	38	-4	-9
21035.0	SIERRA POINT	1512	4/17/95	38.0	-9.00	-9	1.27	38	-4	-9
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	-9.00	-9	1.90	38	-4	-9
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	-9.00	-9	1.40	38	-4	-9
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	-9.00	-9	1.57	38	-4	-9
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	-9.00	-9	1.39	38	-4	-9
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	-9.00	-9	2.04	38	-4	-9
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	-9.00	-9	2.24	38	-4	-9
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	-9.00	-9	1.36	38	-4	-9
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	-9.00	-9	1.65	38	-4	-9
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	-9.00	-9	0.74	38	-4	-9
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	-9.00	-9	0.70	38	-4	-9
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	-9.00	-9	1.68	38	-4	-9
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG	1524	4/19/95	38.0	-9.00	-9	1.97	38	-4	-9
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	-9.00	-9	1.44	39	-4	-9

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	CLAY	EXPANDEDQC	TOC	TOCBATCH	TOCDATAQC	DOC
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	-9.00	-9	1.60	39	-4	-9
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	-9.00	-9	0.95	39	-4	-9
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	-9.00	-9	1.32	39	-4	-9
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	-9.00	-9	1.50	39	-4	-9
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	-9.00	-9	4.01	39	-4	-9
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	-9.00	-9	1.54	39	-4	-9
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	-9.00	-9	1.52	39	-4	-9
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	-9.00	-9	0.66	39	-4	-9
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	-9.00	-9	1.58	39	-4	-9
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	-9.00	-9	1.12	39	-4	-9
21012.0	CASTRO COVE	1489	5/1/95	39.0	-9.00	-9	2.90	39	-4	-9
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	-9.00	-9	3.44	39	-4	-9
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	-9.00	-9	1.56	39	-4	-9
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	-9.00	-9	1.61	39	-4	-9
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	-9.00	-9	1.61	39	-4	-9
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	-9.00	-9	0.50	39	-4	-9
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	-9.00	-9	2.72	39	-4	-9
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	-9.00	-9	3.03	39	-4	-9
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	-9.00	-9	0.69	39	-4	-9
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	-9.00	-9	1.52	39	-4	-9
21030.0	MISSION CREEK- SITE 1	1507	5/1/95	39.0	-9.00	-9	1.02	39	-4	-9
21031.0	MISSION CREEK- SITE 2	1508	5/2/95	39.0	-9.00	-9	1.44	39	-4	-9
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9.00	-9	2.71	40	-4	-9
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9.00	-9	1.65	40	-4	-9
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9.00	-9	5.93	40	-4	-9
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9.00	-9	2.05	40	-4	-9
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9.00	-9	1.90	40	-4	-9
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9.00	-9	2.50	40	-4	-9
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9.00	-9	1.24	40	-4	-9
21056.0	SELBY - S2	1536	10/27/95	40.0	-9.00	-9	1.03	40	-4	-9
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9.00	-9	1.71	40	-4	-9
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9.00	-9	1.22	40	-4	-9
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9.00	-9	1.18	40	-4	-9
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	-9.00	-9	1.81	40	-4	-9
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	-9.00	-9	2.13	40	-4	-9
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	-9.00	-9	1.52	40	-4	-9
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	-9.00	-9	7.47	40	-4	-9
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	-9.00	-9	1.42	40	-4	-9
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	-9.00	-9	1.38	40	-4	-9

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	CLAY	EXPANDEDQC	TOC	TOCBATCH	TOCDATAQC	DOC
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9.00	-9	1.07	40	-4	-9
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	-9.00	-9	2.68	40	-4	-9
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	-9.00	-9	1.70	40	-4	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	-9.00	-9	1.27	40	-4	-9
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	-9.00	-9	1.03	40	-4	-9
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9.00	-9	4.26	41	-4	-9
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9.00	-9	1.12	41	-4	-9
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9.00	-9	1.56	41	-4	-9
21072.0	CORTE MAJERA MARSH - MC51	1554	12/5/95	41.0	-9.00	-9	1.50	41	-4	-9
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9.00	-9	1.59	41	-4	-9
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9.00	-9	1.06	41	-4	-9
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-9.00	-9	1.44	41	-4	-9
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-9.00	-9	1.76	41	-4	-9
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9.00	-9	1.75	41	-4	-9
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9.00	-9	1.72	41	-4	-9
21080.0	PACIFIC DRYDOCK - 1-T4	1562	12/7/95	41.0	-9.00	-9	3.23	41	-4	-9
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9.00	-9	1.85	41	-4	-9
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9.00	-9	4.78	41	-4	-9
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9.00	-9	1.04	41	-4	-9
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9.00	-9	1.86	41	-4	-9
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9.00	-9	1.52	41	-4	-9
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9.00	-9	3.95	41	-4	-9
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9.00	-9	2.02	41	-4	-9
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9.00	-9	1.56	41	-4	-9
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9.00	-9	3.89	41	-4	-9
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9.00	-9	1.22	41	-4	-9
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9.00	-9	1.20	41	-4	-9
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9.00	-9	0.93	41	-4	-9
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9.00	-9	0.82	41	-4	-9
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9.00	-9	2.62	41	-4	-9
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9.00	-9	2.30	41	-4	-9
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9

Grain Size and Total Organic Carbon Analyses

STANUM	STATION	IDORG	DATE	LEG	CLAY	EXPANDEDQC	TOC	TOCBATCH	TOCDATAQC	DOC
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.00	-9	-9.00	-9	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.00	-9	-9.00	-9	-9	-9
21030.0	MISSION CREEK- SITE 1	1732	4/1/97	50.0	4.37	-4	2.78	50	-4	-9
21301.0	MISSION CREEK- MID GRADIENT	1733	4/1/97	50.0	41.01	-4	2.71	50	-4	-9
21302.0	MISSION CREEK- END GRADIENT	1734	4/1/97	50.0	50.20	-4	1.52	50	-4	-9
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	10.04	-4	3.99	50	-4	-9
21303.0	ISLAIS CREEK- MID GRADIENT	1736	4/1/97	50.0	24.51	-4	2.68	50	-4	-9
21304.0	ISLAIS CREEK- END GRADIENT	1737	4/1/97	50.0	26.37	-4	2.99	50	-4	-9
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1738	4/2/97	50.0	14.46	-4	1.38	50	-4	-9
21305.0	PEYTON SLOUGH- MID GRADIENT	1739	4/2/97	50.0	35.66	-4	4.01	50	-4	-9
21306.0	PEYTON SLOUGH- END GRADIENT	1740	4/2/97	50.0	44.93	-4	1.82	50	-4	-9
20005.0	PARADISE COVE- REFERENCE	1741	4/3/97	50.0	38.13	-4	1.16	50	-4	-9
21029.0	SAN FRANCISCO- PIER 7	1742	4/1/97	50.0	41.29	-4	1.21	50	-4	-9
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	19.67	-4	0.83	50	-4	-9
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	42.47	-4	1.56	50	-4	-9
21307.0	WALDO POINT	1746	4/2/97	50.0	26.46	-4	2.07	50	-4	-9
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	56.67	-4	1.42	50	-4	-9
20013.0	N. SOUTH BAY- REP #1	1749	4/16/97	51.0	18.82	-4	0.44	51	-4	-9
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	29.35	-4	1.10	51	-4	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	45.15	-4	1.47	51	-4	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	41.29	-4	2.49	51	-4	-9
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	12.80	-4	6.27	51	-4	-9
21026.0	OAKLAND-FRUITVALE	1754	4/15/97	51.0	36.48	-4	1.84	51	-4	-9
21310.0	SAN LEANDRO BAY-SITE 3	1755	4/17/97	51.0	32.37	-4	3.82	51	-4	-9
21311.0	SAN LEANDRO BAY-SITE 4	1756	4/17/97	51.0	29.98	-4	6.04	51	-4	-9
21312.0	SAN LEANDRO BAY-SITE 5	1757	4/17/97	51.0	22.57	-4	2.14	51	-4	-9
21313.0	SAN LEANDRO BAY-SITE 6	1758	4/17/97	51.0	35.04	-4	1.59	51	-4	-9
21314.0	SAN LEANDRO BAY-SITE 7	1759	4/16/97	51.0	17.47	-4	2.76	51	-4	-9
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	19.01	-4	4.32	51	-4	-9
21056.0	SELBY - S2	1761	4/15/97	51.0	18.79	-4	0.95	51	-4	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	12.99	-4	2.10	55	-4	-9
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	34.69	-4	1.27	55	-4	-9
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	34.86	-4	3.06	55	-4	-9
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	27.72	-4	1.53	55	-4	-9
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9	-9.00	-9	-9	-9
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9	-9.00	-9	-9	-9
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9	-9.00	-9	-9	-9

Appendix E

Toxicity Test Data

Section 1

Eohaustorius estuarius Survival in Sediment

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	TYPE	METADATA	CTRL	EE_MN	EE_SD	EE_SG	EE_TOX	EE_BATCH	EEQC
	CONTROL-CI			35.0	CI	toxmeta2.wpd	-9	95.00	4.00	-9	-9	b035eesa01	-4
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	SAM	toxmeta2.wpd	-9	82.00	6.00	*	NT	b035eesa01	-3
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	FR	toxmeta2.wpd	-9	81.00	16.00	ns	NT	b035eesa01	-3
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	FR	toxmeta2.wpd	-9	84.00	13.00	ns	NT	b035eesa01	-4
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	SAM	toxmeta2.wpd	-9	66.00	39.00	ns	NT	b035eesa01	-4
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	FR	toxmeta2.wpd	-9	62.00	35.00	ns	NT	b035eesa01	-3
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	FR	toxmeta2.wpd	-9	72.00	18.00	*	NT	b035eesa01	-4
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	SAM	toxmeta2.wpd	-9	88.00	12.00	ns	NT	b035eesa01	-4
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	FR	toxmeta2.wpd	-9	86.00	12.00	ns	NT	b035eesa01	-4
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	FR	toxmeta2.wpd	-9	80.00	6.00	*	NT	b035eesa01	-4
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	SAM	toxmeta2.wpd	-9	78.00	10.00	*	NT	b035eesa01	-4
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	FR	toxmeta2.wpd	-9	54.00	32.00	*	T	b035eesa01	-3
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	FR	toxmeta2.wpd	-9	85.00	11.00	ns	NT	b035eesa01	-4
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	SAM	toxmeta2.wpd	-9	33.00	3.00	*	T	b035eesa01	-4
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	SAM	toxmeta2.wpd	-9	57.00	14.00	*	T	b035eesa01	-4
	CONTROL-CI			38.0	CI	toxdata4.wpd		98.00	3.00	-9	-9	b038eesa01	-3
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/17/95	38.0	SAM	toxdata4.wpd		72.00	3.00	*	T	b038eesa01	-3
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/17/95	38.0	SAM	toxdata4.wpd		60.00	9.00	*	T	b038eesa01	-4
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/17/95	38.0	SAM	toxdata4.wpd		14.00	13.00	*	T	b038eesa01	-4
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	SAM	toxdata4.wpd		86.00	4.00	*	NT	b038eesa01	-4
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	SAM	toxdata4.wpd		71.00	9.00	*	T	b038eesa01	-4
21026.0	OAKLAND-FRUITVALE	1503	4/17/95	38.0	SAM	toxdata4.wpd		16.00	21.00	*	T	b038eesa01	-5
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/17/95	38.0	SAM	toxdata4.wpd		26.00	39.00	*	T	b038eesa01	-4
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/17/95	38.0	SAM	toxdata4.wpd		73.00	12.00	*	NT	b038eesa01	-4
21032.0	POTRERO POINT-WARM WATER COVE	1509	4/17/95	38.0	SAM	toxdata4.wpd		95.00	6.00	ns	NT	b038eesa01	-4
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	SAM	toxdata4.wpd		86.00	4.00	*	NT	b038eesa01	-4
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/17/95	38.0	SAM	toxdata4.wpd		80.00	8.00	*	NT	b038eesa01	-4
21035.0	SIERRA POINT	1512	4/17/95	38.0	SAM	toxdata4.wpd		77.00	18.00	*	NT	b038eesa01	-4
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	SAM	toxdata4.wpd		85.00	13.00	*	NT	b038eesa01	-4
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	SAM	toxdata4.wpd		84.00	4.00	*	NT	b038eesa01	-4
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	SAM	toxdata4.wpd		84.00	5.00	*	NT	b038eesa01	-4
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	SAM	toxdata4.wpd		74.00	11.00	*	NT	b038eesa01	-4
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	SAM	toxdata4.wpd		72.00	7.00	*	T	b038eesa01	-4
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	SAM	toxdata4.wpd		85.00	6.00	*	NT	b038eesa01	-5
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	SAM	toxdata4.wpd		78.00	6.00	*	NT	b038eesa01	-4
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	SAM	toxdata4.wpd		60.00	22.00	*	T	b038eesa01	-4
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	SAM	toxdata4.wpd		89.00	11.00	ns	NT	b038eesa01	-4
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	SAM	toxdata4.wpd		86.00	4.00	*	NT	b038eesa01	-4

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	TYPE	METADATA	CTRL	EE_MN	EE_SD	EE_SG	EE_TOX	EE_BATCH	EEQC
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	SAM	toxdata4.wpd		83.00	8.00	*	NT	b038eesa01	-4
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG CONTROL-C1	1524	4/19/95	38.0	SAM	toxdata4.wpd		87.00	6.00	*	NT	b038eesa01	-4
				39.0	C1	toxdata4.wpd		99.00	2.00	-9	-9	b039eesa01	-3
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	SAM	toxdata4.wpd		73.00	14.00	*	T	b039eesa01	-3
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	SAM	toxdata4.wpd		90.00	6.00	*	NT	b039eesa01	-3
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	SAM	toxdata4.wpd		93.00	8.00	ns	NT	b039eesa01	-3
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	SAM	toxdata4.wpd		88.00	8.00	*	NT	b039eesa01	-3
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	SAM	toxdata4.wpd		87.00	6.00	*	NT	b039eesa01	-3
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	SAM	toxdata4.wpd		1.00	2.00	*	T	b039eesa01	-3
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	SAM	toxdata4.wpd		74.00	14.00	*	NT	b039eesa01	-3
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	SAM	toxdata4.wpd		71.00	13.00	*	T	b039eesa01	-4
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	SAM	toxdata4.wpd		84.00	8.00	*	NT	b039eesa01	-4
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	SAM	toxdata4.wpd		88.00	10.00	*	NT	b039eesa01	-4
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	SAM	toxdata4.wpd		84.00	13.00	*	NT	b039eesa01	-4
21012.0	CASTRO COVE	1489	5/1/95	39.0	SAM	toxdata4.wpd		0.00	0.00	*	T	b039eesa01	-4
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	SAM	toxdata4.wpd		86.00	8.00	*	NT	b039eesa01	-4
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	SAM	toxdata4.wpd		79.00	7.00	*	NT	b039eesa01	-4
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	SAM	toxdata4.wpd		71.00	27.00	*	T	b039eesa01	-4
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	SAM	toxdata4.wpd		88.00	6.00	*	NT	b039eesa01	-3
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	SAM	toxdata4.wpd		83.00	18.00	ns	NT	b039eesa01	-4
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	SAM	toxdata4.wpd		81.00	13.00	*	NT	b039eesa01	-4
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	SAM	toxdata4.wpd		87.00	8.00	*	NT	b039eesa01	-4
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	SAM	toxdata4.wpd		89.00	11.00	ns	NT	b039eesa01	-3
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	SAM	toxdata4.wpd		83.00	12.00	*	NT	b039eesa01	-3
21030.0	MISSION CREEK- SITE 1	1507	5/2/95	39.0	SAM	toxdata4.wpd		5.00	6.00	*	T	b039eesa01	-4
21031.0	MISSION CREEK- SITE 2 CONTROL-C1	1508	5/1/95	39.0	SAM	toxdata4.wpd		83.00	10.00	*	NT	b039eesa01	-3
				40.0	C1	toxdata4.wpd		96.00	4.00	-9	-9	b040eesa01	-3
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	SAM	toxdata4.wpd		86.00	4.00	*	NT	b040eesa01	-3
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	SAM	toxdata4.wpd		85.00	11.00	*	NT	b040eesa01	-3
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	SAM	toxdata4.wpd		89.00	14.00	ns	NT	b040eesa01	-3
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	SAM	toxdata4.wpd		86.00	10.00	*	NT	b040eesa01	-3
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	SAM	toxdata4.wpd		89.00	10.00	ns	NT	b040eesa01	-3
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	SAM	toxdata4.wpd		91.00	7.00	ns	NT	b040eesa01	-3
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	SAM	toxdata4.wpd		87.00	3.00	*	NT	b040eesa01	-3
21056.0	SELBY - S2	1536	10/27/95	40.0	SAM	toxdata4.wpd		89.00	7.00	*	NT	b040eesa01	-3
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	SAM	toxdata4.wpd		91.00	4.00	*	NT	b040eesa01	-3
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	SAM	toxdata4.wpd		93.00	6.00	ns	NT	b040eesa01	-3
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	SAM	toxdata4.wpd		93.00	10.00	ns	NT	b040eesa01	-3

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	TYPE	METADATA	CTRL	EE_MN	EE_SD	EE_SG	EE_TOX	EE_BATCH	EEQC
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	SAM	toxdata4.wpd		93.00	8.00	ns	NT	b040eesa01	-3
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	SAM	toxdata4.wpd		80.00	15.00	*	NT	b040eesa01	-3
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	SAM	toxdata4.wpd		92.00	6.00	ns	NT	b040eesa01	-3
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	SAM	toxdata4.wpd		83.00	4.00	*	NT	b040eesa01	-3
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	SAM	toxdata4.wpd		88.00	4.00	*	NT	b040eesa01	-3
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	SAM	toxdata4.wpd		89.00	7.00	*	NT	b040eesa01	-3
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	SAM	toxdata4.wpd		72.00	38.00	ns	NT	b040eesa01	-3
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	SAM	toxdata4.wpd		92.00	6.00	ns	NT	b040eesa01	-3
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	SAM	toxdata4.wpd		96.00	5.00	ns	NT	b040eesa01	-3
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	SAM	toxdata4.wpd		87.00	6.00	*	NT	b040eesa01	-3
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	SAM	toxdata4.wpd		85.00	13.00	ns	NT	b040eesa01	-3
	CONTROL-C1			41.0	C1	toxdata4.wpd		99.00	2.00	-9	-9	b041eesa01	-3
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	SAM	toxdata4.wpd		77.00	10.00	*	NT	b041eesa01	-5
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	SAM	toxdata4.wpd		86.00	8.00	*	NT	b041eesa01	-3
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	SAM	toxdata4.wpd		82.00	16.00	*	NT	b041eesa01	-3
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41.0	SAM	toxdata4.wpd		79.00	14.00	*	NT	b041eesa01	-3
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	SAM	toxdata4.wpd		80.00	9.00	*	NT	b041eesa01	-3
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	SAM	toxdata4.wpd		82.00	6.00	*	NT	b041eesa01	-3
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	SAM	toxdata4.wpd		80.00	14.00	*	NT	b041eesa01	-3
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	SAM	toxdata4.wpd		89.00	9.00	*	NT	b041eesa01	-3
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	SAM	toxdata4.wpd		87.00	12.00	*	NT	b041eesa01	-3
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	SAM	toxdata4.wpd		78.00	9.00	*	NT	b041eesa01	-3
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	SAM	toxdata4.wpd		91.00	4.00	*	NT	b041eesa01	-3
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	SAM	toxdata4.wpd		79.00	4.00	*	NT	b041eesa01	-3
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	SAM	toxdata4.wpd		87.00	10.00	*	NT	b041eesa01	-3
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	SAM	toxdata4.wpd		91.00	7.00	*	NT	b041eesa01	-3
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	SAM	toxdata4.wpd		82.00	9.00	*	NT	b041eesa01	-3
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	SAM	toxdata4.wpd		72.00	19.00	*	T	b041eesa01	-3
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	SAM	toxdata4.wpd		86.00	5.00	*	NT	b041eesa01	-3
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	SAM	toxdata4.wpd		79.00	13.00	*	NT	b041eesa01	-3
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	SAM	toxdata4.wpd		70.00	4.00	*	T	b041eesa01	-3
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	SAM	toxdata4.wpd		96.00	5.00	ns	NT	b041eesa01	-3
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	SAM	toxdata4.wpd		79.00	11.00	*	NT	b041eesa01	-3
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	SAM	toxdata4.wpd		84.00	11.00	*	NT	b041eesa01	-3
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	SAM	toxdata4.wpd		86.00	18.00	ns	NT	b041eesa01	-3
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	SAM	toxdata4.wpd		88.00	4.00	*	NT	b041eesa01	-3
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	SAM	toxdata4.wpd		74.00	9.00	*	NT	b041eesa01	-3
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	SAM	toxdata4.wpd		85.00	7.00	*	NT	b041eesa01	-3

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	TYPE	METADATA	CTRL	EE_MN	EE_SD	EE_SG	EE_TOX	EE_BATCH	EEQC
	CONTROL-C1			44.0	C1	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	SAM	toxdata6.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
	CONTROL-C1			50.0	C1	toxdata7.wpd	C1	100.00	0.00	-9	-9	150tee	-4
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	SAM	toxdata7.wpd	C1	19.00	18.00	*	T	150tee	-5
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	SAM	toxdata7.wpd	C1	58.00	17.00	*	T	150tee	-4
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	SAM	toxdata7.wpd	C1	80.00	9.00	*	NT	150tee	-4
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	SAM	toxdata7.wpd	C1	0.00	0.00	*	T	150tee	-4
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	SAM	toxdata7.wpd	C1	81.00	4.00	*	NT	150tee	-4
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	SAM	toxdata7.wpd	C1	49.00	12.00	*	T	150tee	-4
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	SAM	toxdata7.wpd	C1	69.00	13.00	*	T	150tee	-4
21305.0	PEYTON SLOUGH - MID GRADIENT	1739	4/2/97	50.0	SAM	toxdata7.wpd	C1	59.00	33.00	*	T	150tee	-5
21306.0	PEYTON SLOUGH - END GRADIENT	1740	4/2/97	50.0	SAM	toxdata7.wpd	C1	14.00	11.00	*	T	150tee	-4
21011.0	PARADISE COVE - REFERENCE	1741	4/3/97	50.0	SAM	toxdata7.wpd	C1	79.00	8.00	*	NT	150tee	-4
21029.0	SAN FRANCISCO - PIER 7	1742	4/1/97	50.0	SAM	toxdata7.wpd	C1	79.00	11.00	*	NT	150tee	-4
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	SAM	toxdata7.wpd	C1	86.00	8.00	*	NT	150tee	-4
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	SAM	toxdata7.wpd	C1	67.00	8.00	*	T	150tee	-4
21307.0	WALDO POINT	1746	4/2/97	50.0	SAM	toxdata7.wpd	C1	59.00	17.00	*	T	150tee	-4
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	SAM	toxdata7.wpd	C1	81.00	22.00	ns	NT	150tee	-4
	CONTROL-C1			51.0	C1	toxdata7.wpd	C1	98.00	3.00	-9	-9	151tee	-4
20013.0	N. SOUTH BAY - REP #1	1749	4/16/97	51.0	SAM	toxdata7.wpd	C1	98.00	4.00	ns	NT	151tee	-4
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	SAM	toxdata7.wpd	C1	51.00	15.00	*	T	151tee	-4
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	SAM	toxdata7.wpd	C1	64.00	28.00	*	T	151tee	-4
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	SAM	toxdata7.wpd	C1	-9.00	-9.00	-9	-9	-9	-9
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	SAM	toxdata7.wpd	C1	0.00	0.00	*	T	151tee	-4
21026.0	OAKLAND - FRUITVALE	1754	4/15/97	51.0	SAM	toxdata7.wpd	C1	55.00	40.00	*	T	151tee	-4
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	SAM	toxdata7.wpd	C1	40.00	31.00	*	T	151tee	-4
21311.0	SAN LEANDRO BAY - SITE 4	1756	4/17/97	51.0	SAM	toxdata7.wpd	C1	65.00	28.00	*	T	151tee	-4
21312.0	SAN LEANDRO BAY - SITE 5	1757	4/17/97	51.0	SAM	toxdata7.wpd	C1	76.00	37.00	ns	NT	151tee	-4
21313.0	SAN LEANDRO BAY - SITE 6	1758	4/17/97	51.0	SAM	toxdata7.wpd	C1	70.00	12.00	*	T	151tee	-4

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	TYPE	METADATA	CTRL	EE_MN	EE_SD	EE_SG	EE_TOX	EE_BATCH	EEQC
21314.0	SAN LEANDRO BAY - SITE 7	1759	4/16/97	51.0	SAM	toxdata7.wpd	CI	96.00	7.00	ns	NT	151tee	-4
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	SAM	toxdata7.wpd	CI	-9.00	-9.00	-9	-9	-9	-9
21056.0	SELBY - S2	1761	4/15/97	51.0	SAM	toxdata7.wpd	CI	100.00	0.00	ns	NT	151tee	-4
	CONTROL-CI			55.0	CI	toxmeta8	CI	94.00	4.00	-9	-9	155tee	-4
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	SAM	toxmeta8	CI	0.00	0.00	*	T	155tee	-3
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	SAM	toxmeta8	CI	0.00	0.00	*	T	155tee	-4
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	SAM	toxmeta8	CI	0.00	0.00	*	T	155tee	-3
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	SAM	toxmeta8	CI	54.00	38.00	*	T	155tee	-4
	CONTROL-CI			56.0	CI	toxmeta8	CI	91.00	7.00	-9	-9	156tee	-4
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	SAM	toxmeta8	CI	1.00	2.00	*	T	156tee	-4
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	SAM	toxmeta8	CI	0.00	0.00	*	T	156tee	-4
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	SAM	toxmeta8	CI	85.00	15.00	ns	NT	156tee	-3

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	EE_OTNH3	EE_OUNH3	EE_OH2S	EE_ITNH3	EE_IUNH3	EE_IH2S
	CONTROL-CI			35.0	0.150	0.012	0.0210	-8.000	-8.000	-8.0000
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	1.240	0.014	0.0140	1.330	0.012	0.0060
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	0.280	0.005	0.0110	1.730	0.009	0.0080
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	0.250	0.004	0.0040	1.410	0.007	0.0070
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	0.250	0.004	0.0150	1.860	0.017	0.0050
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	0.300	0.005	0.0110	1.960	0.016	0.0140
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	0.320	0.007	0.0120	1.850	0.016	0.0070
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	0.380	0.004	0.0120	2.440	0.024	0.0020
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	0.360	0.004	0.0190	2.420	0.024	0.0040
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	0.350	0.011	0.0120	2.830	0.028	0.0030
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	0.310	0.009	0.0130	3.610	0.020	0.0110
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	0.520	0.016	0.0120	12.000	0.093	0.0260
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	0.790	0.009	0.0150	4.140	0.021	0.0240
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	0.710	0.009	0.0160	3.290	0.024	0.0150
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	6.300	0.330	0.0100	37.000	0.261	0.9700
	CONTROL-CI			38.0	-8.000	-8.000	-8.0000	-9.000	-9.000	-9.0000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/17/95	38.0	1.800	0.013	0.0245	3.700	0.051	0.0111
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/17/95	38.0	1.700	0.016	-8.0000	5.500	0.045	0.0190
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/17/95	38.0	5.800	0.131	0.0093	7.100	0.085	0.1347
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	1.200	0.013	-8.0000	3.200	0.034	0.0070
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	0.560	0.007	-8.0000	2.800	0.032	0.0093
21026.0	OAKLAND-FRUITVALE	1503	4/17/95	38.0	221.000	4.353	0.0340	320.000	0.865	0.3030
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/17/95	38.0	1.100	0.010	0.0058	3.800	0.028	0.0220
21028.0	SAN LEANDRO BAY -SITE 2	1505	4/17/95	38.0	0.920	0.007	-8.0000	4.800	0.023	0.0081
21032.0	POTRERO POINT-WARM WATER COVE	1509	4/17/95	38.0	1.600	0.017	0.0018	8.800	0.098	0.0190
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	0.800	0.023	-8.0000	3.200	0.049	0.0019
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/17/95	38.0	0.980	0.012	0.0010	6.800	0.033	0.0180
21035.0	SIERRA POINT	1512	4/17/95	38.0	0.570	0.007	0.0050	1.700	0.014	0.0093
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	0.640	0.005	-8.0000	4.400	0.015	0.0249
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	0.710	0.006	-8.0000	2.400	0.012	0.0130
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	0.580	0.010	-8.0000	2.400	0.023	0.0126
21039.0	STEINBERGER SLOUGH- NR MOUTH	1516	4/18/95	38.0	0.550	0.007	-8.0000	1.600	0.016	0.0060
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	0.940	0.018	-8.0000	4.000	0.025	0.0542
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	4.800	0.052	-8.0000	10.000	0.051	0.0842
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	1.700	0.023	-8.0000	4.100	0.072	0.0034
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	0.700	0.007	-8.0000	1.600	0.031	0.0114
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	0.760	0.012	-8.0000	2.200	0.051	0.0040
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	0.500	0.005	-8.0000	1.200	0.026	0.0006

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	EE_OTNH3	EE_OUNH3	EE_OH2S	EE_ITNH3	EE_IUNH3	EE_IH2S
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	0.500	0.006	-8.0000	2.000	0.036	0.0071
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG CONTROL-C1	1524	4/19/95	38.0	0.480	0.004	-8.0000	1.400	0.012	0.0030
				39.0	0.340	0.005	-9.0000	-9.000	-9.000	-9.0000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	1.100	0.014	0.0024	1.500	0.077	0.0009
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	0.530	0.007	-8.0000	1.200	0.004	0.0055
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	0.700	0.008	-8.0000	2.100	0.012	0.0078
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	0.820	0.009	0.0016	2.300	0.029	0.0084
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	0.630	0.005	0.0038	1.200	0.070	0.5190
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	1.300	0.010	-8.0000	5.000	0.008	0.0450
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	0.350	0.004	-8.0000	1.000	0.012	0.0041
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	0.610	0.007	0.0023	2.200	0.047	0.0079
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	0.360	0.005	-8.0000	1.900	0.024	0.0017
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	0.340	0.004	-8.0000	1.200	0.016	0.0110
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	0.610	0.007	-8.0000	2.200	0.025	0.0043
21012.0	CASTRO COVE	1489	5/1/95	39.0	0.440	0.006	0.0021	2.300	0.023	0.0133
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	1.300	0.029	0.0014	6.200	0.081	0.0058
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	0.730	0.006	-8.0000	4.300	0.012	0.0244
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	1.100	0.006	-8.0000	5.500	0.011	0.0749
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	1.200	0.016	0.0026	6.200	0.038	0.0279
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	2.000	0.044	0.0034	10.000	0.091	0.0116
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	3.200	0.059	0.0035	4.600	0.021	0.0242
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	3.100	0.082	-8.0000	4.900	0.049	0.0138
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	0.880	0.012	-8.0000	2.500	0.027	0.0040
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	1.100	0.011	-8.0000	8.000	0.138	0.0074
21030.0	MISSION CREEK- SITE 1	1507	5/2/95	39.0	10.000	0.232	0.0277	37.000	0.651	0.1123
21031.0	MISSION CREEK- SITE 2	1508	5/1/95	39.0	0.800	0.008	0.0017	6.200	0.017	0.0562
	CONTROL-C1			40.0	0.340	0.004	-8.0000	-9.000	-9.000	-8.0000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	0.280	0.002	-8.0000	0.480	0.003	-8.0000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	0.250	0.003	-8.0000	1.400	0.013	-8.0000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	0.260	0.003	-8.0000	0.710	0.013	-8.0000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	0.270	0.003	-8.0000	0.930	0.012	-8.0000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	0.390	0.004	-8.0000	2.200	0.007	-8.0000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	1.800	0.019	-8.0000	12.000	0.085	0.0030
21055.0	SEMPLÉ POINT-M.W. VA-7	1535	10/27/95	40.0	0.350	0.004	-8.0000	2.300	0.044	-8.0000
21056.0	SELBY - S2	1536	10/27/95	40.0	0.330	0.004	-8.0000	2.300	0.020	-8.0000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	0.350	0.004	-8.0000	2.300	0.009	-8.0000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	0.360	0.004	-8.0000	1.600	0.025	-8.0000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	0.370	0.004	-8.0000	1.800	0.004	-8.0000

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	EE_OTNH3	EE_OUNH3	EE_OH2S	EE_ITNH3	EE_IUNH3	EE_IH2S
21061.0	MILLER CREEK - MD11	1541	10/26/95	40.0	0.470	0.007	-8.0000	4.100	0.023	-8.0000
21062.0	GALLINAS CREEK - MD20	1542	10/26/95	40.0	0.490	0.005	-8.0000	1.100	0.024	-8.0000
21063.0	NOVATO CREEK - MD21	1543	10/26/95	40.0	0.430	0.006	-8.0000	3.000	0.076	-8.0000
21064.0	TOLAY CREEK MOUTH - MD31	1544	10/26/95	40.0	0.430	0.006	-8.0000	2.000	0.018	-8.0000
21065.0	SONOMA CREEK - MD33	1545	10/26/95	40.0	0.720	0.010	-8.0000	5.900	0.021	-8.0000
21066.0	NAPA SLOUGH - MD32	1546	10/26/95	40.0	0.700	0.008	-8.0000	1.800	0.021	-8.0000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	0.530	0.007	-8.0000	0.980	0.013	-8.0000
21068.0	SILVA ISLAND MARSH - MC61	1548	10/25/95	40.0	3.400	0.068	-8.0000	8.500	0.056	-8.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	0.820	0.012	-8.0000	3.500	0.018	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	0.670	0.009	-8.0000	1.600	0.032	-8.0000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	1.800	0.023	-8.0000	4.600	0.051	-8.0000
	CONTROL-C1			41.0	-8.000	-8.000	-8.0000	-9.000	-9.000	-9.0000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	1.000	0.033	-8.0000	2.200	0.046	-8.0000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	1.700	0.022	-8.0000	2.000	0.013	-8.0000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	0.730	0.011	-8.0000	5.100	0.021	0.0050
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41.0	0.890	0.014	-8.0000	1.200	0.016	-8.0000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	0.830	0.015	-8.0000	6.100	0.022	0.0047
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-8.000	-8.000	-8.0000	2.000	0.019	-8.0000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	0.760	0.015	-8.0000	3.200	0.014	0.0036
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	0.490	0.009	-8.0000	3.800	0.014	0.0030
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	0.690	0.014	-8.0000	5.800	0.017	0.0011
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	0.680	0.009	-8.0000	5.800	0.042	0.0034
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	-8.000	0.003	-8.0000	3.100	0.019	-8.0000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	0.400	0.007	-8.0000	2.500	0.034	-8.0000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-8.000	-8.000	-8.0000	2.100	0.022	-8.0000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	2.100	0.029	-8.0000	3.700	0.030	0.0030
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	0.350	0.007	-8.0000	2.000	0.011	-8.0000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	1.000	0.010	-8.0000	3.500	0.035	-8.0000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	0.400	0.005	-8.0000	3.300	0.034	-8.0000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-8.000	-8.000	-8.0000	1.300	0.020	-8.0000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	0.600	0.014	-8.0000	3.000	0.053	0.0008
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	0.370	0.007	-8.0000	4.100	0.069	-8.0000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	0.280	0.005	-8.0000	3.200	0.038	-8.0000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	0.190	0.003	-8.0000	2.400	0.053	-8.0000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	0.250	0.004	-8.0000	0.990	0.009	-8.0000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-8.000	-8.000	-8.0000	2.100	0.040	-8.0000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	0.330	0.004	-8.0000	2.000	0.018	-8.0000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	0.110	0.002	-8.0000	1.900	0.018	-8.0000

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	EE_OTNH3	EE_OUNH3	EE_OH2S	EE_ITNH3	EE_IUNH3	EE_IH2S
	CONTROL-CI			44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
	CONTROL-CI			50.0	-8.000	-8.000	-9.0000	-9.000	-9.000	-9.0000
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	4.600	0.275	-9.0000	6.800	0.024	0.4493
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	2.100	0.086	-9.0000	5.100	0.025	0.0959
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	1.600	0.021	-9.0000	5.000	0.011	0.1018
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	9.100	0.167	-9.0000	25.000	0.074	0.4624
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	2.200	0.027	-9.0000	4.300	0.044	0.0608
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	3.600	0.261	-9.0000	9.800	0.154	0.0606
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	3.000	0.038	-9.0000	6.300	0.075	0.0281
21305.0	PEYTON SLOUGH - MID GRADIENT	1739	4/2/97	50.0	22.000	0.990	-9.0000	29.000	0.139	0.0459
21306.0	PEYTON SLOUGH - END GRADIENT	1740	4/2/97	50.0	4.000	0.049	-9.0000	6.400	0.029	0.1420
21011.0	PARADISE COVE - REFERENCE	1741	4/3/97	50.0	-8.000	-8.000	-9.0000	1.500	0.009	0.0306
21029.0	SAN FRANCISCO - PIER 7	1742	4/1/97	50.0	1.800	0.032	-9.0000	3.900	0.011	0.0710
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	-8.000	-8.000	-9.0000	2.000	0.013	0.0249
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	-8.000	-8.000	-9.0000	2.000	0.005	0.1264
21307.0	WALDO POINT	1746	4/2/97	50.0	1.700	0.031	-9.0000	2.700	0.020	0.0524
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	-8.000	-8.000	-9.0000	3.600	0.008	0.1148
	CONTROL-CI			51.0	1.600	0.026	-9.0000	-9.000	-9.000	-9.0000
20013.0	N. SOUTH BAY - REP #1	1749	4/16/97	51.0	0.440	0.003	-9.0000	11.700	0.063	0.0166
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	0.420	0.007	-9.0000	1.400	0.025	0.0091
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	5.100	0.075	-9.0000	4.800	0.055	0.0185
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	8.200	0.118	-9.0000	16.000	0.116	0.1017
21026.0	OAKLAND - FRUITVALE	1754	4/15/97	51.0	3.100	0.039	-9.0000	5.100	0.032	0.1231
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	2.000	0.032	-9.0000	5.000	0.037	0.0199
21311.0	SAN LEANDRO BAY - SITE 4	1756	4/17/97	51.0	2.900	0.047	-9.0000	10.000	0.054	0.0569
21312.0	SAN LEANDRO BAY - SITE 5	1757	4/17/97	51.0	1.900	0.030	-9.0000	4.000	0.022	0.0338
21313.0	SAN LEANDRO BAY - SITE 6	1758	4/17/97	51.0	1.900	0.021	-9.0000	4.500	0.033	0.0477

Eohaustorius estuarius Survival Toxicity Test Data for Sediment

STANUM	STATION	IDORG	DATE	LEG	EE_OTNH3	EE_OUNH3	EE_OH2S	EE_ITNH3	EE_IUNH3	EE_IH2S
21314.0	SAN LEANDRO BAY - SITE 7	1759	4/16/97	51.0	1.400	0.028	-9.0000	5.500	0.051	0.0787
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-9.000	-9.000	-9.0000	-9.000	-9.000	-9.0000
21056.0	SELBY - S2	1761	4/15/97	51.0	0.400	0.006	-9.0000	3.700	0.039	0.0082
	CONTROL-CI			55.0	-8.000	-8.000	-9.0000	-9.000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	3.400	0.001	-9.0000	11.000	0.000	-8.0000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	1.900	0.001	-9.0000	6.700	0.000	0.0544
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	2.900	0.107	-9.0000	4.800	0.012	-8.0000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	1.800	0.052	-9.0000	3.200	0.012	-8.0000
	CONTROL-CI			56.0	-8.000	-8.000	-9.0000	-9.000	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	1.900	0.000	-9.0000	3.200	0.000	0.5746
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	2.900	0.000	-9.0000	4.500	0.001	3.0920
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	4.600	0.022	-9.0000	15.000	0.051	-8.0000

Section 2

Strongylocentrotus purpuratus Development in Porewater

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD100_MN	SPPD100_SD	SPPD100_SG	SPPD100TOX	SPPD50_MN	SPPD50_SD
	CONTROL-C1			35.0	96.00	2.00	-9	-9	-9.00	-9.00
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	94.00	5.00	ns	NT	-9.00	-9.00
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	96.00	2.00	ns	NT	-9.00	-9.00
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	96.00	3.00	ns	NT	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	96.00	3.00	ns	NT	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	97.00	2.00	ns	NT	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	97.00	1.00	ns	NT	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	97.00	1.00	ns	NT	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	94.00	3.00	ns	NT	-9.00	-9.00
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	97.00	2.00	ns	NT	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	82.00	4.00	*	NT	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	64.00	20.00	*	T	-9.00	-9.00
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	71.00	7.00	*	T	-9.00	-9.00
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	96.00	1.00	ns	NT	-9.00	-9.00
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	0.00	0.00	*	T	-9.00	-9.00
	CONTROL-C1			38.0	84.00	10.00	-9	-9	84.00	10.00
21021.0	OAKLAND INNER HBR-TODD SHIPYD	1498	4/17/95	38.0	48.00	37.00	*	T	94.00	2.00
21022.0	OAKLAND INNER HBR-SCHNITZER	1499	4/17/95	38.0	46.00	41.00	ns	NT	94.00	5.00
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/17/95	38.0	97.00	1.00	*	NT	96.00	2.00
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	94.00	5.00	*	NT	90.00	8.00
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	97.00	1.00	*	NT	95.00	5.00
21026.0	OAKLAND-FRUITVALE	1503	4/17/95	38.0	94.00	5.00	*	NT	96.00	2.00
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/17/95	38.0	93.00	10.00	ns	NT	93.00	3.00
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/17/95	38.0	5.00	3.00	*	T	95.00	3.00
21032.0	POTRERO POINT-WARM WATER COVE	1509	4/17/95	38.0	70.00	17.00	ns	NT	81.00	5.00
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	95.00	3.00	*	NT	96.00	3.00
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/17/95	38.0	22.00	39.00	*	T	94.00	3.00
21035.0	SIERRA POINT	1512	4/17/95	38.0	89.00	10.00	ns	NT	89.00	6.00
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	67.00	18.00	ns	NT	69.00	25.00
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	91.00	5.00	ns	NT	89.00	6.00
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	93.00	3.00	ns	NT	91.00	3.00
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	91.00	4.00	ns	NT	90.00	4.00
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	85.00	3.00	ns	NT	95.00	4.00
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	0.00	0.00	*	T	30.00	34.00
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	97.00	1.00	*	NT	95.00	5.00
21043.0	MAYFIELD SLOUGH-NR SAND PT.	1520	4/18/95	38.0	94.00	3.00	*	NT	91.00	3.00
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	87.00	4.00	ns	NT	90.00	10.00
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	98.00	1.00	*	NT	93.00	4.00

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD100_MN	SPPD100_SD	SPPD100_SG	SPPD100TOX	SPPD50_MN	SPPD50_SD
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	97.00	1.00	*	NT	96.00	2.00
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG CONTROL-CI	1524	4/19/95	38.0 39.0	96.00 96.00	3.00 4.00	* -9	NT -9	95.00 96.00	4.00 4.00
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	89.00	9.00	ns	NT	98.00	1.00
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	91.00	3.00	*	NT	95.00	3.00
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	91.00	3.00	*	NT	94.00	1.00
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	97.00	2.00	ns	NT	98.00	2.00
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	63.00	8.00	*	T	84.00	6.00
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	0.00	0.00	*	T	0.00	0.00
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	98.00	1.00	ns	NT	97.00	1.00
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	97.00	1.00	ns	NT	98.00	0.00
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	97.00	3.00	ns	NT	96.00	2.00
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	98.00	2.00	ns	NT	96.00	3.00
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	96.00	2.00	ns	NT	97.00	2.00
21012.0	CASTRO COVE	1489	5/1/95	39.0	0.00	0.00	*	T	0.00	0.00
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	80.00	8.00	*	NT	96.00	1.00
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	88.00	6.00	*	NT	92.00	3.00
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	81.00	9.00	*	NT	92.00	6.00
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	22.00	36.00	*	T	98.00	1.00
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	0.00	0.00	*	T	0.00	0.00
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	97.00	4.00	ns	NT	98.00	2.00
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	97.00	3.00	ns	NT	98.00	2.00
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	97.00	1.00	ns	NT	98.00	1.00
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	33.00	19.00	*	T	88.00	8.00
21030.0	MISSION CREEK- SITE 1	1507	5/2/95	39.0	0.00	0.00	*	T	0.00	0.00
21031.0	MISSION CREEK- SITE 2 CONTROL-CI	1508	5/1/95	39.0 40.0	57.00 97.00	8.00 2.00	* -9	T -9	94.00 -9.00	4.00 -9.00
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	83.00	13.00	ns	NT	-9.00	-9.00
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	95.00	6.00	ns	NT	-9.00	-9.00
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	92.00	11.00	ns	NT	-9.00	-9.00
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	96.00	2.00	ns	NT	-9.00	-9.00
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	82.00	16.00	ns	NT	-9.00	-9.00
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	0.00	0.00	*	T	-9.00	-9.00
21055.0	SEMPLER POINT-M.W. VA-7	1535	10/27/95	40.0	93.00	5.00	ns	NT	-9.00	-9.00
21056.0	SELBY - S2	1536	10/27/95	40.0	2.00	4.00	*	T	-9.00	-9.00
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	85.00	15.00	ns	NT	-9.00	-9.00
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	93.00	4.00	ns	NT	-9.00	-9.00
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	79.00	22.00	ns	NT	-9.00	-9.00

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD100_MN	SPPD100_SD	SPPD100_SG	SPPD100TOX	SPPD50_MN	SPPD50_SD
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	0.00	0.00	*	T	-9.00	-9.00
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	0.00	0.00	*	T	-9.00	-9.00
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	1.00	1.00	*	T	-9.00	-9.00
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	94.00	5.00	ns	NT	-9.00	-9.00
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	0.00	0.00	*	T	-9.00	-9.00
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	90.00	7.00	ns	NT	-9.00	-9.00
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	92.00	8.00	ns	NT	-9.00	-9.00
21068.0	SILVA ISLAND MARSH- MC6I	1548	10/25/95	40.0	0.00	0.00	*	T	-9.00	-9.00
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	5.00	6.00	*	T	-9.00	-9.00
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	96.00	2.00	ns	NT	-9.00	-9.00
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	3.00	6.00	*	T	-9.00	-9.00
	CONTROL-CI			41.0	90.00	4.00	-9	-9	-9.00	-9.00
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	93.00	3.00	*	NT	-9.00	-9.00
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	92.00	5.00	ns	NT	-9.00	-9.00
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	26.00	24.00	*	T	-9.00	-9.00
21072.0	CORTE MADERA MARSH - MC5I	1554	12/5/95	41.0	89.00	5.00	ns	NT	-9.00	-9.00
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	8.00	12.00	*	T	-9.00	-9.00
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	33.00	11.00	*	T	-9.00	-9.00
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	59.00	8.00	*	T	-9.00	-9.00
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	58.00	12.00	*	T	-9.00	-9.00
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	10.00	13.00	*	T	-9.00	-9.00
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	12.00	12.00	*	T	-9.00	-9.00
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	83.00	14.00	ns	NT	-9.00	-9.00
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	89.00	3.00	ns	NT	-9.00	-9.00
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	87.00	5.00	ns	NT	-9.00	-9.00
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	80.00	13.00	ns	NT	-9.00	-9.00
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	80.00	4.00	*	NT	-9.00	-9.00
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	3.00	3.00	*	T	-9.00	-9.00
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	87.00	4.00	ns	NT	-9.00	-9.00
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	87.00	4.00	ns	NT	-9.00	-9.00
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	76.00	7.00	*	NT	-9.00	-9.00
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	86.00	5.00	ns	NT	-9.00	-9.00
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	49.00	9.00	*	T	-9.00	-9.00
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	86.00	6.00	ns	NT	-9.00	-9.00
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	0.00	0.00	*	T	-9.00	-9.00
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	89.00	2.00	ns	NT	-9.00	-9.00
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	88.00	4.00	ns	NT	-9.00	-9.00
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	82.00	6.00	ns	NT	-9.00	-9.00

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD50_SG	SPPD50_TOX	SPPD25_MN	SPPD25_SD	SPPD25_SG	SPPD25_TOX
	CONTROL-CI			35.0	-9	-9	-9.00	-9.00	-9	-9
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	-9	-9	-9.00	-9.00	-9	-9
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	-9	-9	-9.00	-9.00	-9	-9
	CONTROL-CI			38.0	-9	-9	84.00	10.00	-9	-9
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/17/95	38.0	*	NT	92.00	4.00	ns	NT
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/17/95	38.0	*	NT	93.00	4.00	*	NT
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/17/95	38.0	*	NT	94.00	2.00	*	NT
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	ns	NT	92.00	3.00	ns	NT
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	*	NT	90.00	4.00	ns	NT
21026.0	OAKLAND-FRUITVALE	1503	4/17/95	38.0	*	NT	82.00	33.00	ns	NT
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/17/95	38.0	ns	NT	94.00	2.00	*	NT
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/17/95	38.0	*	NT	94.00	3.00	*	NT
21032.0	POTRERO POINT-WARM WATER COVE	1509	4/17/95	38.0	ns	NT	87.00	4.00	ns	NT
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	*	NT	94.00	3.00	*	NT
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/17/95	38.0	*	NT	78.00	25.00	ns	NT
21035.0	SIERRA POINT	1512	4/17/95	38.0	ns	NT	93.00	4.00	ns	NT
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	ns	NT	87.00	6.00	ns	NT
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	ns	NT	94.00	2.00	*	NT
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	ns	NT	89.00	9.00	ns	NT
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	ns	NT	94.00	2.00	*	NT
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	*	NT	93.00	3.00	*	NT
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	*	T	85.00	27.00	ns	NT
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	*	NT	87.00	4.00	ns	NT
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	ns	NT	92.00	3.00	ns	NT
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	ns	NT	89.00	5.00	ns	NT
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	ns	NT	93.00	5.00	ns	NT

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD50_SG	SPPD50_TOX	SPPD25_MN	SPPD25_SD	SPPD25_SG	SPPD25_TOX
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	*	NT	94.00	4.00	*	NT
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG CONTROL-C1	1524	4/19/95	38.0	*	NT	91.00	3.00	ns	NT
				39.0	-9	-9	96.00	4.00	-9	-9
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	ns	NT	98.00	2.00	ns	NT
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	ns	NT	93.00	4.00	ns	NT
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	ns	NT	98.00	-1.00	ns	NT
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	ns	NT	98.00	1.00	ns	NT
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	*	NT	89.00	5.00	*	NT
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	*	T	1.00	-1.00	*	T
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	ns	NT	97.00	3.00	ns	NT
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	ns	NT	98.00	2.00	ns	NT
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	ns	NT	98.00	2.00	ns	NT
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	ns	NT	97.00	2.00	ns	NT
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	ns	NT	97.00	2.00	ns	NT
21012.0	CASTRO COVE	1489	5/1/95	39.0	*	T	-1.00	2.00	*	T
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	ns	NT	97.00	2.00	ns	NT
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	ns	NT	94.00	4.00	ns	NT
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	ns	NT	96.00	4.00	ns	NT
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	ns	NT	96.00	1.00	ns	NT
21017.0	RICHMOND INNER HBR- HOFFMAN MR	1494	5/1/95	39.0	*	T	6.00	7.00	*	T
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	ns	NT	98.00	2.00	ns	NT
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	ns	NT	98.00	-1.00	ns	NT
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	ns	NT	97.00	1.00	ns	NT
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	*	NT	97.00	2.00	ns	NT
21030.0	MISSION CREEK- SITE 1	1507	5/2/95	39.0	*	T	0.00	0.00	*	T
21031.0	MISSION CREEK- SITE 2 CONTROL-C1	1508	5/1/95	39.0	-9	NT	96.00	3.00	ns	NT
				40.0	-9	-9	-9.00	-9.00	-9	-9
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21056.0	SELBY -S2	1536	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD50_SG	SPPD50_TOX	SPPD25_MN	SPPD25_SD	SPPD25_SG	SPPD25_TOX
21061.0	MILLER CREEK - MD11	1541	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21062.0	GALLINAS CREEK - MD20	1542	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21063.0	NOVATO CREEK - MD21	1543	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21064.0	TOLAY CREEK MOUTH - MD31	1544	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21065.0	SONOMA CREEK - MD33	1545	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21066.0	NAPA SLOUGH - MD32	1546	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21068.0	SILVA ISLAND MARSH - MC61	1548	10/25/95	40.0	-9	-9	-9.00	-9.00	-9	-9
21069.0	SAUSALITO HARBOR - ANDERSON B.Y.	1549	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
20006.0	SAN PABLO BAY - TUBBS IS. - REP #1	1551	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
20005.0	PARADISE COVE - REP #1	1552	10/26/95	40.0	-9	-9	-9.00	-9.00	-9	-9
	CONTROL-C1			41.0	-9	-9	-9.00	-9.00	-9	-9
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21080.0	PACIFIC DRYDOCK - 1-T4	1562	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	-9	-9	-9.00	-9.00	-9	-9
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	-9	-9	-9.00	-9.00	-9	-9

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD_BATCH	SPPDQC	SPPD_ITNH3	SPPD_IUNH3	SPPD_IH2S
	CONTROL-CI			35.0	b035spda01	-3	-9.000	-9.000	-9.0000
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	b035spda01	-3	1.000	0.008	-8.0000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	b035spda01	-3	0.970	0.008	-8.0000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	b035spda01	-3	0.950	0.009	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	b035spda01	-3	1.200	0.012	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	b035spda01	-3	1.200	0.012	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	b035spda01	-3	1.100	0.020	-8.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	b035spda01	-3	1.500	0.019	-8.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	b035spda01	-3	1.500	0.029	-8.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	b035spda01	-3	1.300	0.024	-8.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	b035spda01	-3	3.100	0.049	-8.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	b035spda01	-3	2.700	0.027	-8.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	b035spda01	-3	2.900	0.029	-8.0000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	b035spda01	-3	2.200	0.037	-8.0000
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	b035spda01	-3	26.000	0.478	0.0620
	CONTROL-CI			38.0	b038spda01	-3	-8.000	-8.000	-9.0000
21021.0	OAKLAND INNER HBR.-TODD SHIPYD	1498	4/17/95	38.0	b038spda01	-5	2.900	0.065	-8.0000
21022.0	OAKLAND INNER HBR.-SCHNITZER	1499	4/17/95	38.0	b038spda01	-3	8.100	0.064	-8.0000
21023.0	PACIFIC DRYDOCK YARD 1	1500	4/17/95	38.0	b038spda01	-3	1.300	0.028	0.0207
21024.0	PACIFIC DRYDOCK YARD 2	1501	4/17/95	38.0	b038spda01	-3	1.500	0.029	-8.0000
21025.0	NORTH GOVERNMENT ISLAND	1502	4/17/95	38.0	b038spda01	-3	1.100	0.021	-8.0000
21026.0	OAKLAND-FRUITVALE	1503	4/17/95	38.0	b038spda01	-3	0.950	0.010	-8.0000
21027.0	SAN LEANDRO BAY-SITE 1	1504	4/17/95	38.0	b038spda01	-3	0.930	0.010	-8.0000
21028.0	SAN LEANDRO BAY-SITE 2	1505	4/17/95	38.0	b038spda01	-3	3.500	0.090	-8.0000
21032.0	POTRERO POINT-WARM WATER COVE	1509	4/17/95	38.0	b038spda01	-3	2.500	0.052	0.0043
21033.0	NORTH INDIA BASIN-SITE 1	1510	4/17/95	38.0	b038spda01	-3	0.620	0.013	-8.0000
21034.0	SOUTH INDIA BASIN-SITE 2	1511	4/17/95	38.0	b038spda01	-3	2.800	0.054	-8.0000
21035.0	SIERRA POINT	1512	4/17/95	38.0	b038spda01	-3	0.540	0.009	-8.0000
21036.0	OYSTER POINT (WEST)-SITE 1	1513	4/17/95	38.0	b038spda01	-3	1.600	0.028	-8.0000
21037.0	OYSTER POINT (EAST)-SITE 2	1514	4/17/95	38.0	b038spda01	-3	1.200	0.024	0.0037
21038.0	SAN BRUNO CHANNEL	1515	4/17/95	38.0	b038spda01	-3	0.490	0.013	-8.0000
21039.0	STEINBERGER SLOUGH-NR MOUTH	1516	4/18/95	38.0	b038spda01	-3	0.610	0.015	-8.0000
21040.0	STEINBERGER SLOUGH-NR FREEWAY	1517	4/18/95	38.0	b038spda01	-3	1.600	0.041	0.0045
21041.0	GUADALUPE SLOUGH	1518	4/19/95	38.0	b038spda01	-5	6.000	0.034	0.0396
21042.0	MAYFIELD SLOUGH-NR COOLEY LDNG	1519	4/18/95	38.0	b038spda01	-3	1.100	0.031	-8.0000
21043.0	MAYFIELD SLOUGH-NEAR SAND PT.	1520	4/18/95	38.0	b038spda01	-3	0.630	0.011	-8.0000
20013.0	NORTH-SOUTH BAY-REFERENCE	1521	4/18/95	38.0	b038spda01	-3	0.650	0.017	-8.0000
20014.0	SOUTH-SOUTH BAY-REFERENCE	1522	4/18/95	38.0	b038spda01	-3	0.490	0.010	-8.0000

Strongylocentrotus purpuratus Development Toxicity Test for Porewater

STANUM	STATION	IDORG	DATE	LEG	SPPD_BATCH	SPPDQC	SPPD_ITNH3	SPPD_IUNH3	SPPD_IH2S
21046.0	MOWRY SLOUGH	1523	4/19/95	38.0	b038spda01	-3	0.940	0.019	-8.0000
21047.0	COYOTE SLOUGH-@FIXED R/R BRIDG CONTROL-CI	1524	4/19/95	38.0	b038spda01	-3	0.780	0.015	-8.0000
				39.0	b039spda01	-4	-8.000	-8.000	-8.0000
21001.0	NORTH RESERVE FLEET-SUISUN	1478	5/1/95	39.0	b039spda01	-3	0.780	0.031	0.0124
21002.0	SOUTH RESERVE FLEET-SUISUN	1479	5/1/95	39.0	b039spda01	-3	0.260	0.008	0.0110
21003.0	PACHECO CR-NEAR MOUTH-SITE 1	1480	5/1/95	39.0	b039spda01	-3	0.410	0.017	0.0045
21004.0	PACHECO CR-ABOVE BRIDGE-SITE 2	1481	5/1/95	39.0	b039spda01	-3	0.480	0.020	0.0145
21005.0	PEYTON SLOUGH-MOUTH-SITE 1	1482	5/1/95	39.0	b039spda01	-3	0.170	0.005	0.0122
21006.0	PEYTON SLOUGH-UPPER-SITE 2	1483	5/1/95	39.0	b039spda01	-3	0.310	0.011	0.0243
21007.0	VALLEJO-MARE ISLAND-NORTH SIDE	1484	5/2/95	39.0	b039spda01	-4	0.250	0.008	0.0041
21008.0	VALLEJO-MARE IS-SHIP ANCHORAGE	1485	5/2/95	39.0	b039spda01	-3	0.770	0.030	0.0081
20007.0	SAN PABLO BAY-IS. #1 REFERENCE	1486	5/2/95	39.0	b039spda01	-3	0.420	0.014	0.0041
21010.0	SAN PABLO BAY- HAMILTON	1487	5/2/95	39.0	b039spda01	-3	0.380	0.007	0.0080
20005.0	PARADISE COVE- REFERENCE	1488	5/1/95	39.0	b039spda01	-3	0.370	0.007	0.0063
21012.0	CASTRO COVE	1489	5/1/95	39.0	b039spda01	-3	0.500	0.019	0.0096
21013.0	POINT PORTRERO- SITE 1	1490	5/1/95	39.0	b039spda01	-4	1.500	0.062	0.0066
21014.0	POINT PORTRERO- SITE 2	1491	5/1/95	39.0	b039spda01	-4	1.600	0.045	0.0207
21015.0	SANTA FE CHANNEL- END	1492	5/1/95	39.0	b039spda01	-3	2.300	0.068	0.0379
21016.0	RICHMOND HARBOR	1493	5/1/95	39.0	b039spda01	-4	3.000	0.121	0.0040
21017.0	RICHMOND INNER HBR.-HOFFMAN MR	1494	5/1/95	39.0	b039spda01	-3	2.300	0.062	0.0137
21018.0	CERRITO CREEK MOUTH	1495	5/1/95	39.0	b039spda01	-4	1.000	0.022	0.0102
21019.0	CORDORNICES CREEK MOUTH	1496	5/1/95	39.0	b039spda01	-4	0.830	0.031	0.0283
21020.0	EMERYVILLE MARSH	1497	5/1/95	39.0	b039spda01	-4	0.720	0.016	-8.0000
21029.0	SAN FRANCISCO- PIER 7	1506	5/1/95	39.0	b039spda01	-4	3.000	0.124	0.7898
21030.0	MISSION CREEK- SITE 1	1507	5/2/95	39.0	b039spda01	-5	21.000	1.201	0.9204
21031.0	MISSION CREEK- SITE 2 CONTROL-CI	1508	5/1/95	39.0	b039spda01	-3	4.900	0.088	0.0151
				40.0	b040spda01	-4	-8.000	-8.000	-8.0000
21049.0	DOW CHEMICAL- KIRKER CREEK	1529	10/27/95	40.0	b040spda01	-4	0.370	0.007	-8.0000
21050.0	GRIZZLY BAY- RMP BF20	1530	10/27/95	40.0	b040spda01	-4	0.970	0.009	-8.0000
21051.0	BOYNTON SLOUGH- MF10	1531	10/28/95	40.0	b040spda01	-4	0.720	0.011	-8.0000
21052.0	HILL SLOUGH- MF21	1532	10/28/95	40.0	b040spda01	-4	0.640	0.012	-8.0000
21053.0	SUISUN SLOUGH	1533	10/27/95	40.0	b040spda01	-4	1.100	0.021	-8.0000
21054.0	CHADBORNE SLOUGH- MF13	1534	10/27/95	40.0	b040spda01	-4	5.200	0.206	0.0075
21055.0	SEMPLE POINT-M.W. VA-7	1535	10/27/95	40.0	b040spda01	-4	1.100	0.018	-8.0000
21056.0	SELBY - S2	1536	10/27/95	40.0	b040spda01	-4	1.300	0.022	-8.0000
21058.0	PG&E-VALLEJO-COAL GAS PLANT	1538	10/27/95	40.0	b040spda01	-4	1.600	0.026	-8.0000
21059.0	PETALUMA RIVER MOUTH- BD20	1539	10/26/95	40.0	b040spda01	-4	1.300	0.012	-8.0000
21060.0	MILLER CREEK- MD10	1540	10/26/95	40.0	b040spda01	-4	1.100	0.017	-8.0000

Strongylocentrotus purpuratus Development Toxicity Test for Forewater

STANUM	STATION	IDORG	DATE	LEG	SPPD_BATCH	SPPDQC	SPPD_ITNH3	SPPD_IUNH3	SPPD_IH2S
21061.0	MILLER CREEK- MD11	1541	10/26/95	40.0	b040spda01	-4	3.300	0.091	-8.0000
21062.0	GALLINAS CREEK- MD20	1542	10/26/95	40.0	b040spda01	-4	0.850	0.014	-8.0000
21063.0	NOVATO CREEK- MD21	1543	10/26/95	40.0	b040spda01	-4	1.800	0.032	-8.0000
21064.0	TOLAY CREEK MOUTH- MD31	1544	10/26/95	40.0	b040spda01	-4	1.400	0.017	-8.0000
21065.0	SONOMA CREEK- MD33	1545	10/26/95	40.0	b040spda01	-4	3.400	0.146	-8.0000
21066.0	NAPA SLOUGH- MD32	1546	10/26/95	40.0	b040spda01	-4	1.500	0.031	-8.0000
21067.0	RICHMOND ROD AND GUN	1547	10/26/95	40.0	b040spda01	-4	1.100	0.028	-8.0000
21068.0	SILVA ISLAND MARSH- MC61	1548	10/25/95	40.0	b040spda01	-4	4.900	0.165	-8.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1549	10/26/95	40.0	b040spda01	-4	3.500	0.088	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP #1	1551	10/26/95	40.0	b040spda01	-4	1.500	0.025	-8.0000
20005.0	PARADISE COVE-REP #1	1552	10/26/95	40.0	b040spda01	-4	2.000	0.056	-8.0000
	CONTROL-C1			41.0	b041spda01	-3	0.100	0.002	-8.0000
21057.0	LAKE MERRIT - MW #307.5	1537	12/7/95	41.0	b041spda01	-3	2.100	0.052	-8.0000
21070.0	YERBA BUENA ISLAND - NAVAL STN	1550	12/7/95	41.0	b041spda01	-3	1.900	0.048	-8.0000
21071.0	TREASURE ISLAND - CLIPPER COVE	1553	12/7/95	41.0	b041spda01	-3	5.200	0.088	-8.0000
21072.0	CORTE MADERA MARSH - MCS1	1554	12/5/95	41.0	b041spda01	-3	1.000	0.025	-8.0000
21073.0	SANSOME STREET CSO - PIER 31	1555	12/6/95	41.0	b041spda01	-3	9.500	0.300	-8.0000
21074.0	HOWARD STREET CSO	1556	12/6/95	41.0	b041spda01	-3	1.600	0.016	-8.0000
21075.0	BRANNAN STREET CSO - PIER 32	1557	12/6/95	41.0	b041spda01	-3	3.200	0.054	-8.0000
21076.0	CENTRAL BASIN - INNER	1558	12/6/95	41.0	b041spda01	-3	4.100	0.095	-8.0000
21077.0	CENTRAL BASIN - OUTER	1559	12/6/95	41.0	b041spda01	-3	7.100	0.226	-8.0000
21079.0	GASHOUSE COVE - LAGUNA ST. CSO	1561	12/7/95	41.0	b041spda01	-3	7.400	0.279	-8.0000
21080.0	PACIFIC DRYDOCK - I-T4	1562	12/7/95	41.0	b041spda01	-3	2.100	0.050	-8.0000
21081.0	PACIFIC DRYDOCK - PPD #3	1563	12/7/95	41.0	b041spda01	-3	1.200	0.021	-8.0000
21082.0	S.F. AIRPORT - SEAPLANE HARBOR	1564	12/6/95	41.0	b041spda01	-3	1.900	0.040	-8.0000
21083.0	S.F. AIRPORT - CENTRAL	1565	12/6/95	41.0	b041spda01	-3	3.100	0.057	-8.0000
21084.0	S.F. AIRPORT - SOUTH	1566	12/6/95	41.0	b041spda01	-3	2.300	0.056	-8.0000
21085.0	REDWOOD CREEK - BA40	1567	12/5/95	41.0	b041spda01	-3	4.600	0.216	-8.0000
21086.0	REDWOOD CREEK - WEST	1568	12/6/95	41.0	b041spda01	-3	1.600	0.028	-8.0000
21087.0	COYOTE CREEK - CX	1569	12/5/95	41.0	b041spda01	-3	0.870	0.031	-8.0000
21088.0	ALVISO SLOUGH	1570	12/5/95	41.0	b041spda01	-3	2.600	0.083	-8.0000
21089.0	RAVENSWOOD SLOUGH - WEST	1571	12/5/95	41.0	b041spda01	-3	1.300	0.052	-8.0000
21090.0	SOUTH BAY BASIN - BA20	1572	12/5/95	41.0	b041spda01	-3	0.400	0.004	-8.0000
21091.0	DUMBARTON BRIDGE - BA30	1573	12/5/95	41.0	b041spda01	-3	0.300	0.004	-8.0000
20013.0	NORTH SOUTH BAY - REP 1	1574	12/6/95	41.0	b041spda01	-3	0.650	0.006	-8.0000
20014.0	SOUTH SOUTH BAY - REP 1	1575	12/6/95	41.0	b041spda01	-3	0.550	0.012	-8.0000
20008.0	BOLINAS LAGOON	1576	12/5/95	41.0	b041spda01	-3	0.910	0.024	-8.0000
21092.0	SOUTH BASIN - YOSEMITE CRK CSO	1577	12/6/95	41.0	b041spda01	-3	0.890	0.007	-8.0000

Section 3

Strongylocentrotus purpuratus Development in Intact Sediment Cores

Strongylocentrotus purpuratus Development Toxicity Tests for Intact Sediment Cores

STANUM	STATION	IDORG	DATE	LEG	SPDI_MN	SPDI_SD	SPDI_SG	SPDI_TOX	SPDI_BATCH	SPDIQC	SPDI_OTNH3
	CONTROL-C1			35.0	93.00	2.00	-9	-9	b035spda02	-4	-9.000
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	95.00	2.00	ns	NT	b035spda02	-4	-9.000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	94.00	2.00	ns	NT	b035spda02	-4	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	98.00	2.00	*	NT	b035spda02	-4	0.130
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	77.00	43.00	ns	NT	b035spda02	-4	0.400
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	97.00	3.00	*	NT	b035spda02	-4	4.100
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	0.00	0.00	*	T	b035spda02	-4	8.900
	CONTROL-C1			44.0	95.00	2.00	-9	-9	144tswi.xl	-3	-8.000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	81.00	23.00	ns	NT	144tswi.xl	-3	-8.000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	98.00	1.00	*	NT	144tswi.xl	-3	-8.000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	47.00	34.00	*	T	144tswi.xl	-4	0.870
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	44.00	15.00	*	T	144tswi.xl	-4	1.900
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	89.00	12.00	ns	NT	144tswi.xl	-5	2.300
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	98.00	1.00	*	NT	144tswi.xl	-3	0.120
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	89.00	8.00	ns	NT	144tswi.xl	-4	2.000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	98.00	1.00	*	NT	144tswi.xl	-3	0.120
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	98.00	2.00	ns	NT	144tswi.xl	-4	0.170
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	98.00	1.00	*	NT	144tswi.xl	-5	0.120
	CONTROL-C1			50.0	99.00	2.00	-9	-9	150tspdswi	-4	1.700
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	11.00	24.00	*	T	150tspdswi	-3	2.800
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	98.00	2.00	ns	NT	150tspdswi	-4	1.800
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	94.00	5.00	ns	NT	150tspdswi	-4	1.600
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	8.00	17.00	*	T	150tspdswi	-4	18.000
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	45.00	43.00	*	T	150tspdswi	-4	2.100
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	76.00	43.00	ns	NT	150tspdswi	-4	7.100
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	1.00	2.00	*	T	150tspdswi	-4	2.200
21305.0	PEYTON SLOUGH - MID GRADIENT	1739	4/2/97	50.0	0.00	0.00	*	T	150tspdswi	-5	17.000
21306.0	PEYTON SLOUGH - END GRADIENT	1740	4/2/97	50.0	81.00	37.00	ns	NT	150tspdswi	-4	1.100
21011.0	PARADISE COVE - REFERENCE	1741	4/3/97	50.0	96.00	4.00	ns	NT	150tspdswi	-4	-8.000
21029.0	SAN FRANCISCO - PIER 7	1742	4/1/97	50.0	87.00	13.00	ns	NT	150tspdswi	-4	1.800

Strongylocentrotus purpuratus Development Toxicity Tests for Intact Sediment Cores

STANUM	STATION	IDORG	DATE	LEG	SPDI_MN	SPDI_SD	SPDI_SG	SPDI_TOX	SPDI_BATCH	SPDIQC	SPDI_OTNH3
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	89.00	8.00	*	NT	150tspdswi	-4	0.100
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	63.00	50.00	ns	NT	150tspdswi	-4	0.220
21307.0	WALDO POINT	1746	4/2/97	50.0	92.00	8.00	ns	NT	150tspdswi	-4	3.100
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	90.00	9.00	*	NT	150tspdswi	-4	2.000
	CONTROL-C1			51.0	98.00	2.00	-9	-9	151tspdswi	-4	0.660
20013.0	N. SOUTH BAY - REP #1	1749	4/16/97	51.0	98.00	2.00	ns	NT	151tspdswi	-4	0.100
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	88.00	21.00	ns	NT	151tspdswi	-4	-8.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	95.00	6.00	ns	NT	151tspdswi	-4	1.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.00	-9.00	-9	-9	151tspdswi	-9	-9.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	72.00	25.00	*	NT	151tspdswi	-4	4.500
21026.0	OAKLAND - FRUITVALE	1754	4/15/97	51.0	96.00	4.00	ns	NT	151tspdswi	-4	0.760
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	94.00	4.00	ns	NT	151tspdswi	-4	2.000
21311.0	SAN LEANDRO BAY - SITE 4	1756	4/17/97	51.0	19.00	18.00	*	T	151tspdswi	-4	2.200
21312.0	SAN LEANDRO BAY - SITE 5	1757	4/17/97	51.0	77.00	10.00	*	NT	151tspdswi	-4	4.500
21313.0	SAN LEANDRO BAY - SITE 6	1758	4/17/97	51.0	96.00	3.00	ns	NT	151tspdswi	-4	1.900
21314.0	SAN LEANDRO BAY - SITE 7	1759	4/16/97	51.0	14.00	23.00	*	T	151tspdswi	-4	1.200
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-9.00	-9.00	-9	-9	151tspdswi	-9	-9.000
21056.0	SELBY - S2	1761	4/15/97	51.0	96.00	3.00	ns	NT	151tspdswi	-4	0.390
	CONTROL-C1			55.0	86.00	5.00	-9	-9	155tspdswi	-4	-8.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	0.00	0.00	*	T	155tspdswi	-4	6.000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	0.00	0.00	*	T	155tspdswi	-4	1.600
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	19.00	16.00	*	T	155tspdswi	-4	3.100
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	24.00	18.00	*	T	155tspdswi	-4	2.900
	CONTROL-C1			56.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.00	-9.00	-9	-9	-9	-9	-9.000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.00	-9.00	-9	-9	-9	-9	-9.000

Strongylocentrotus purpuratus Development Toxicity Tests for Intact Sediment Cores

STANUM	STATION	IDORG	DATE	LEG	SPDI_OUNH3	SPDI_OH2S
	CONTROL-C1			35.0	-9.000	-8.0000
20005.0	PARADISE COVE-REP 1	1398	9/7/94	35.0	-9.000	-9.0000
20005.0	PARADISE COVE-REP 2	1399	9/7/94	35.0	-9.000	-9.0000
20005.0	PARADISE COVE-REP 3	1400	9/7/94	35.0	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 1	1401	9/8/94	35.0	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 2	1402	9/8/94	35.0	-9.000	-9.0000
20006.0	SAN PABLO BAY-TUBBS IS.-REP 3	1403	9/8/94	35.0	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 1	1404	9/7/94	35.0	0.001	-8.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 2	1405	9/7/94	35.0	-9.000	-9.0000
20007.0	SAN PABLO BAY-ISLAND #1-REP 3	1406	9/7/94	35.0	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 1	1407	9/6/94	35.0	0.004	-8.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 2	1408	9/6/94	35.0	-9.000	-9.0000
20009.0	TOMALES BAY-MARCONI COVE-REP 3	1409	9/6/94	35.0	-9.000	-9.0000
20010.0	CASTRO COVE-EVSO4	1410	9/8/94	35.0	0.038	-8.0000
20011.0	ISLAIS CREEK	1411	9/6/94	35.0	0.083	0.0080
	CONTROL-C1			44.0	-8.000	-8.0000
21062.0	GALLINAS CREEK-MD20	1613	6/10/96	44.0	-8.000	-8.0000
21065.0	SONOMA CREEK-MD33	1614	6/11/96	44.0	-8.000	-8.0000
21054.0	CHADBORNE SLOUGH-MF13	1615	6/11/96	44.0	0.018	-8.0000
21068.0	SILVA ISLAND MARSH-MC61	1616	6/10/96	44.0	0.056	0.0011
21061.0	MILLER CREEK-MD11	1617	6/10/96	44.0	0.044	-8.0000
21063.0	NOVATO CREEK-MD21	1618	6/11/96	44.0	0.002	-8.0000
21069.0	SAUSALITO HARBOR-ANDERSON B.Y.	1619	6/10/96	44.0	0.046	-8.0000
21088.0	ALVISO SLOUGH	1620	6/10/96	44.0	0.004	-8.0000
21085.0	REDWOOD CREEK BA40	1621	6/10/96	44.0	0.002	-8.0000
20006.0	SAN PABLO BAY-TUBBS IS. REP 1	1622	6/11/96	44.0	0.003	-8.0000
	CONTROL-C1			50.0	0.042	-9.0000
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	0.079	0.0244
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	0.023	0.0039
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	0.026	0.0005
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	0.406	0.0089
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	0.105	0.0021
21304.0	ISLAIS CREEK - END GRADIENT	1737	4/1/97	50.0	0.312	0.0028
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	0.038	0.0018
21305.0	PEYTON SLOUGH - MID GRADIENT	1739	4/2/97	50.0	0.366	0.0044
21306.0	PEYTON SLOUGH - END GRADIENT	1740	4/2/97	50.0	0.017	0.0020
21011.0	PARADISE COVE - REFERENCE	1741	4/3/97	50.0	-8.000	0.0048
21029.0	SAN FRANCISCO - PIER 7	1742	4/1/97	50.0	0.045	0.0007

Strongylocentrotus purpuratus Development Toxicity Tests for Intact Sediment Cores

STANUM	STATION	IDORG	DATE	LEG	SPDI_OUNH3	SPDI_OH2S
21074.0	HOWARD STREET CSO	1744	4/1/97	50.0	0.002	0.0014
21076.0	CENTRAL BASIN - INNER	1745	4/1/97	50.0	0.004	0.0002
21307.0	WALDO POINT	1746	4/2/97	50.0	0.060	0.0016
21308.0	WARM WATER COVE #2	1747	4/1/97	50.0	0.047	0.0016
	CONTROL-CI			51.0	0.016	-9.0000
20013.0	N. SOUTH BAY - REP #1	1749	4/16/97	51.0	0.001	0.0013
20007.0	SAN PABLO BAY-ISLAND #1- REP 1	1750	4/15/97	51.0	-8.000	0.0046
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	0.025	0.0044
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	-9.000	-9.0000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	0.091	0.0197
21026.0	OAKLAND - FRUITVALE	1754	4/15/97	51.0	0.015	0.0036
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	0.039	0.0147
21311.0	SAN LEANDRO BAY - SITE 4	1756	4/17/97	51.0	0.047	0.0064
21312.0	SAN LEANDRO BAY - SITE 5	1757	4/17/97	51.0	0.060	0.0061
21313.0	SAN LEANDRO BAY - SITE 6	1758	4/17/97	51.0	0.033	0.0171
21314.0	SAN LEANDRO BAY - SITE 7	1759	4/16/97	51.0	0.023	0.0006
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	-9.000	0.0027
21056.0	SELBY - S2	1761	4/15/97	51.0	0.009	-9.0000
	CONTROL-CI			55.0	-8.000	-8.0000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	0.000	-8.0000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	0.001	-8.0000
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	0.012	-8.0000
21404.0	CARLSON CREEK REFERENCE	1798	10/6/97	55.0	0.021	-8.0000
	CONTROL-CI			56.0	-9.000	-9.0000
21401.0	ZENECA MARSH #1	1799	12/3/97	56.0	-9.000	-9.0000
21402.0	ZENECA MARSH #2	1800	12/3/97	56.0	-9.000	-9.0000
21404.0	CARLSON CREEK REFERENCE	1801	12/3/97	56.0	-9.000	-9.0000

Section 4

***Ceriodaphnia dubia* Survival in Intact Sediment Cores**

Ceriodaphnia dubia Survival Toxicity Test Data for Intact Sediment Cores

STANUM	STATION	IDORG	DATE	LEG	CDSI_MN	CDSI_SD	CDSI_SG	CDSI_TOX	CDSI_BATCH	CDSIQC
	CONTROL-C1			51.0	94	9	-9	-9	151tcdswi	-4
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	96	5	ns	NT	151tcdswi	-4
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	90	17	ns	NT	151tcdswi	-4

STANUM	STATION	IDORG	DATE	LEG	CDSI_OTNH3	CDSI_OUNH3	CDSI_OH2S	CDSI_OHDLO	CDSI_OHDHI	CDSI_OCYHI
	CONTROL-C1			51.0	0.230	0.025	-9.0000	71	-9	499
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	3.500	0.364	0.0578	158	-9	3900
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	2.500	0.230	0.0094	84	-9	7270

Section 5

***Hyaella azteca* Survival in Sediment**

Hyallela azteca Survival Toxicity Test Data in Sediment

STANUM	STATION	IDORG	DATE	LEG	HA_MN	HA_SD	HA_SG	HA_TOX	HA_BATCH	HAQC	HA_OTNH3	HA_OUNH3	HA_ITNH3
	CONTROL-CI			50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
	CONTROL-CI			51.0	89	11	-9	-9	151tha	-4	-8.000	-8.000	-9.000
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	67	39	ns	NT	151tha	-4	2.000	0.584	10.000
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	85	17	ns	NT	151tha	-4	1.400	0.074	7.200
21056.0	SELBY - S2	1761	4/15/97	51.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
	CONTROL-CI			55.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-9	-9	-9	-9	-9	-9	-9.000	-9.000	-9.000

Hyallolella azteca Survival Toxicity Test Data in Sediment

STANUM	STATION	IDORG	DATE	LEG	HA_IUNH3	HA_IH2S	HA_OHDLO	HA_OHDHI	HA_OCYHI	MB_META	TIE_META	
	CONTROL-C1				50.0	-9.000	-9.0000	-9	-9	-9	Y	-9
21030.0	MISSION CREEK - SITE 1	1732	4/1/97	50.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21301.0	MISSION CREEK - MID GRADIENT	1733	4/1/97	50.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21302.0	MISSION CREEK - END GRADIENT	1734	4/1/97	50.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
20011.0	ISLAIS CREEK	1735	4/1/97	50.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21303.0	ISLAIS CREEK - MID GRADIENT	1736	4/1/97	50.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21006.0	PEYTON SLOUGH - UPPER SITE 2	1738	4/2/97	50.0	-9.000	-9.0000	-9	-9	-9	-9	Y	-9
	CONTROL-C1				51.0	-9.000	-9.0000	-9	-9	769	Y	-9
21041.0	GUADALUPE SLOUGH	1751	4/16/97	51.0	-9.000	-9.0000	-9	-9	-9	-9	Y	-9
21309.0	SAN BRUNO CHANNEL #2	1752	4/16/97	51.0	0.123	0.0052	-9	-9	3970	-9	-9	
21023.0	PACIFIC DRYDOCK - YARD 1	1753	4/15/97	51.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21310.0	SAN LEANDRO BAY - SITE 3	1755	4/17/97	51.0	-9.000	-9.0000	-9	-9	-9	Y	-9	
21315.0	PG&E/LEVINSON	1760	4/16/97	51.0	0.032	0.0095	-9	-9	854	-9	-9	
21056.0	SELBY - S2	1761	4/15/97	51.0	-9.000	-9.0000	-9	-9	-9	-9	-9	
	CONTROL-C1				55.0	-9.000	-9.0000	-9	-9	-9	Y	-9
21401.0	ZENECA MARSH #1	1795	10/6/97	55.0	-9.000	-9.0000	-9	-9	-9	Y	Y	
21402.0	ZENECA MARSH #2	1796	10/6/97	55.0	-9.000	-9.0000	-9	-9	-9	Y	Y	
21403.0	ZENECA MARSH #3	1797	10/6/97	55.0	-9.000	-9.0000	-9	-9	-9	Y	Y	

Appendix F

Benthic Community Data

Benthic Community Data

STANUM	STATION	IDORG	DATE	LEG								
21030	MISSION CREEK- SITE 1	1507	04/01/97	50								
SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Corophium insidiosum	Gammaridea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Grandidicerella japonica	Gammaridea	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Capitella capitata	Polychaete	68	60	76	68.0	68.0	60	76	8.0	4.6	18.0	204
Eteone californica	Polychaete	2	2	3	2.3	2.5	2	3	0.6	0.3	1.3	7
Eteone sp(p)	Polychaete	5	9	3	5.7	6.0	3	9	3.1	1.8	6.9	17
Polydora cornuta	Polychaete	31	16	5	17.3	18.0	5	31	13.1	7.5	29.4	52
Polydora sp.	Polychaete	4	2	0	2.0	2.0	0	4	2.0	1.2	4.5	6
Nematoda	Nematoda	3	2	1	2.0	2.0	1	3	1.0	0.6	2.3	6
Oligochaeta	Oligochaeta	1448	529	122	699.7	785.0	122	1448	679.3	392.2	1528.4	2099
	TOTAL INDIVIDUALS	1562	621	211	798.0	886.5	211	1562	692.7	399.9	1558.5	2394
	TOTAL SPECIES	9	8	7	7.7	7.5	7	8	0.6	0.3	1.3	23
	TOTAL CRUST. INDIV.		1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL CRUST. SP.	2	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	GAMMARID INDIV.		1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	GAMMARID SP.	2	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	OTHER CRUSTACEAN INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	OTHER CRUSTACEAN SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.		110	89	95.3	98.5	87	110	12.7	7.4	28.7	286
	TOTAL POLYCHAETE SP.	5	5	4	4.7	4.5	4	5	0.6	0.3	1.3	14

STANUM	STATION	IDORG	DATE	LEG								
21301	MISSION CREEK- MID GRADIENT	1733	04/01/97	50								
SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	2	1	0	1.0	1.0	0	2	1.0	0.6	2.3	3
Glycinde polygnatha	Polychaete	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Leitoscoloplos spp. juv.	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Sphaerosyllis californiensis	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	32	23	0	18.3	16.0	0	32	16.5	9.5	37.1	55

Benthic Community Data

Oligochaeta	Oligochaeta	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
	TOTAL INDIVIDUALS	37	26	0	21.0	18.5	0	37	19.0	11.0	42.8	63
	TOTAL SPECIES	6	5	3	2.7	2.5	0	5	2.5	1.5	5.7	8
	TOTAL CRUST. INDIV.	2	1	0	1.0	1.0	0	2	1.0	0.6	2.3	3
	TOTAL CRUST. SP.	1	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
	GAMMARID INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	GAMMARID SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	OTHER CRUSTACEAN INDIV.	2	1	0	1.0	1.0	0	2	1.0	0.6	2.3	3
	OTHER CRUSTACEAN SP.	1	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.	34	25	0	19.7	17.0	0	34	17.6	10.2	39.6	59
	TOTAL POLYCHAETE SP.	4	3	2	1.7	1.5	0	3	1.5	0.9	3.4	5

STANUM	STATION	IDORG	DATE	LEG
21302	MISSION CREEK- END GRADIENT	1734	04/01/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	46	87	119	84.0	82.5	46	119	36.6	21.1	82.3	252
Ampelisca abdita	Gammaridea	2	2	6	3.3	4.0	2	6	2.3	1.3	5.2	10
Photis sp.	Gammaridea	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Bivalve	Bivalvia	2	0	1	1.0	1.0	0	2	1.0	0.6	2.3	3
Mysella sp.	Bivalvia	4	0	0	1.3	2.0	0	4	2.3	1.3	5.2	4
Theora fragilis	Bivalvia	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Gastropteron pacificum	Gastropoda	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Aphelochaeta monilaris	Polychaete	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
Brania brevipharyngea	Polychaete	0	2	1	1.0	1.0	0	2	1.0	0.6	2.3	3
Cirratulus spp. juv.	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Cossura candida	Polychaete	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
Cossura spp. indet.	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Glycinde armigera	Polychaete	2	0	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Glycinde polygnatha	Polychaete	3	2	0	1.7	1.5	0	3	1.5	0.9	3.4	5
Glycinde spp. juv.	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Leitoscoloplos spp. juv.	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Polydora cornuta	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Sphaerosyllis californiensis	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1

Benthic Community Data

Oligochaeta	Oligochaeta	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
	TOTAL INDIVIDUALS	62	98	135	98.3	98.5	62	135	36.5	21.1	82.1	295	
	TOTAL SPECIES	19	9	9	12	10.0	10.5	9	12	1.7	1.0	3.9	30
	TOTAL CRUST. INDIV.	49	89	125	87.7	87.0	49	125	38.0	21.9	85.5	263	
	TOTAL CRUST. SP.	3	3	2	2	2.3	2.5	2	3	0.6	0.3	1.3	7
	GAMMARID INDIV.	3	2	6	3.7	4.0	2	6	2.1	1.2	4.7	11	
	GAMMARID SP.	2	2	1	1	1.3	1.5	1	2	0.6	0.3	1.3	4
	OTHER CRUSTACEAN INDIV.	46	87	119	84.0	82.5	46	119	36.6	21.1	82.3	252	
	OTHER CRUSTACEAN SP.	1	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
	TOTAL MOLLUSC INDIV.	6	1	2	3.0	3.5	1	6	2.6	1.5	6.0	9	
	TOTAL MOLLUSC SP.	4	2	1	2	1.7	1.5	1	2	0.6	0.3	1.3	5
	TOTAL POLYCHAETE INDIV.	7	7	8	7.3	7.5	7	8	0.6	0.3	1.3	22	
	TOTAL POLYCHAETE SP.	11	4	5	8	5.7	6.0	4	8	2.1	1.2	4.7	17

STANUM	STATION	IDORG	DATE	LEG
20011	ISLAIS CREEK	1735	04/01/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	10	0	0	3.3	5.0	0	10	5.8	3.3	13.0	10
Capitella capitata	Polychaete	11	6	5	7.3	8.0	5	11	3.2	1.9	7.2	22
	TOTAL INDIVIDUALS	21	6	5	10.7	13.0	5	21	9.0	5.2	20.2	32
	TOTAL SPECIES	2	1	1	1.3	1.5	1	2	0.6	0.3	1.3	4
	TOTAL CRUST. INDIV.	10	0	0	3.3	5.0	0	10	5.8	3.3	13.0	10
	TOTAL CRUST. SP.	1	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
	GAMMARID INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	GAMMARID SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	OTHER CRUSTACEAN INDIV.	10	0	0	3.3	5.0	0	10	5.8	3.3	13.0	10
	OTHER CRUSTACEAN SP.	1	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.	11	6	5	7.3	8.0	5	11	3.2	1.9	7.2	22
	TOTAL POLYCHAETE SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3

Benthic Community Data

STANUM	STATION	IDORG	DATE	LEG
21303	ISLAIS CREEK- MID GRADIENT	1736	04/01/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Cumella sp.	Cumacea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Nippoleucon hinumensis	Cumacea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Capitella capitata	Polychaete	4	11	5	6.7	7.5	4	11	3.8	2.2	8.5	20
	TOTAL INDIVIDUALS	4	11	7	7.3	7.5	4	11	3.5	2.0	7.9	22
	TOTAL SPECIES	3	1	3	1.7	2.0	1	3	1.2	0.7	2.6	5
	TOTAL CRUST. INDIV.	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
	TOTAL CRUST. SP.	2	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
	GAMMARID INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	GAMMARID SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	OTHER CRUSTACEAN INDIV.	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
	OTHER CRUSTACEAN SP.	2	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.	4	11	5	6.7	7.5	4	11	3.8	2.2	8.5	20
	TOTAL POLYCHAETE SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3

STANUM	STATION	IDORG	DATE	LEG
21304	ISLAIS CREEK- END GRADIENT	1737	04/01/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	2	33	1	12.0	17.0	1	33	18.2	10.5	40.9	36
Ampelisca abdita	Gammaridea	1	7	0	2.7	3.5	0	7	3.8	2.2	8.5	8
Corophium heteroceratum	Gammaridea	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Grandidierella japonica	Gammaridea	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Capitella capitata	Polychaete	1	2	1	1.3	1.5	1	2	0.6	0.3	1.3	4
Glycinde polygnatha	Polychaete	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Glycinde spp. juv.	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Polydora cornuta	Polychaete	0	7	0	2.3	3.5	0	7	4.0	2.3	9.1	7
Pseudopolydora paucibranchiata	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Spionidae spp. indet.	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	12	101	0	37.7	50.5	0	101	55.2	31.9	124.1	113

Benthic Community Data

Tharyx parvus	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Nemertea	Nemertea	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2	
Oligochaeta	Oligochaeta	1	23	0	8.0	11.5	0	23	13.0	7.5	29.3	24	
	TOTAL INDIVIDUALS	20	181	2	67.7	91.5	2	181	98.6	56.9	221.8	203	
	TOTAL SPECIES	14	8	13	2	7.7	7.5	2	13	5.5	3.2	12.4	23
	TOTAL CRUST. INDIV.		4	42	1	15.7	21.5	1	42	22.9	13.2	51.4	47
	TOTAL CRUST. SP.	4	3	4	1	2.7	2.5	1	4	1.5	0.9	3.4	8
	GAMMARID INDIV.		2	9	0	3.7	4.5	0	9	4.7	2.7	10.6	11
	GAMMARID SP.	3	2	3	0	1.7	1.5	0	3	1.5	0.9	3.4	5
	OTHER CRUSTACEAN INDIV.		2	33	1	12.0	17.0	1	33	18.2	10.5	40.9	36
	OTHER CRUSTACEAN SP.	1	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.		14	115	1	43.3	58.0	1	115	62.4	36.0	140.4	130
	TOTAL POLYCHAETE SP.	8	3	7	1	3.7	4.0	1	7	3.1	1.8	6.9	11

STANUM	STATION	IDORG	DATE	LEG
21006	PEYTON SLOUGH-UPPER-SITE 2	1738	04/02/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS								
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum	
Nippoleucon hinumensis	Cumacea	0	0	5	1.7	2.5	0	5	2.9	1.7	6.5	5	
Corophium spiniornis	Gammaridea	129	284	21	144.7	152.5	21	284	132.2	76.3	297.4	434	
Eogammarus confervicolus	Gammaridea	17	114	10	47.0	62.0	10	114	58.1	33.6	130.8	141	
Eudistylia vancouveri	Polychaete	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2	
Polydora comuta	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Streblospio benedicti	Polychaete	3	0	0	1.0	1.5	0	3	1.7	1.0	3.9	3	
Oligochaeta	Oligochaeta	11	12	141	54.7	76.0	11	141	74.8	43.2	168.2	164	
	TOTAL INDIVIDUALS	161	410	179	250.0	285.5	161	410	138.9	80.2	312.4	750	
	TOTAL SPECIES	7	5	3	5	4.3	4.0	3	5	1.2	0.7	2.6	13
	TOTAL CRUST. INDIV.		146	398	36	193.3	217.0	36	398	185.6	107.1	417.6	580
	TOTAL CRUST. SP.	3	2	2	3	2.3	2.5	2	3	0.6	0.3	1.3	7
	GAMMARID INDIV.		146	398	31	191.7	214.5	31	398	187.7	108.4	422.4	575
	GAMMARID SP.	2	2	2	2	2.0	2.0	2	2	0.0	0.0	0.0	6
	OTHER CRUSTACEAN INDIV.		0	0	5	1.7	2.5	0	5	2.9	1.7	6.5	5
	OTHER CRUSTACEAN SP.	1	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
	TOTAL ECHINODERM INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0

Benthic Community Data

TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL MOLLUSC INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL MOLLUSC SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL POLYCHAETE INDIV.		4	0	2	2.0	2.0	0	4	2.0	1.2	4.5	6
TOTAL POLYCHAETE SP.	3	2	0	1	1.0	1.0	0	2	1.0	0.6	2.3	3

STANUM	STATION	IDORG	DATE	LEG
21305	PEYTON SLOUGH- MID GRADIENT	1739	04/02/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Corophium spicorne	Gammaridea	915	735	943	864.3	839.0	735	943	112.9	65.2	254.0	2593
Eogammarus confervicolus	Gammaridea	65	57	171	97.7	114.0	57	171	63.6	36.7	143.2	293
Gnorimosphaeroma oregonensis	Isopoda	4	12	5	7.0	8.0	4	12	4.4	2.5	9.8	21
Corbicula fluminea	Bivalvia	1	0	3	1.3	1.5	0	3	1.5	0.9	3.4	4
Boccardiella ligERICA	Polychaete	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Eudistylia vancouveri	Polychaete	16	27	9	17.3	18.0	9	27	9.1	5.2	20.4	52
Nereididae spp. juv	Polychaete	5	8	0	4.3	4.0	0	8	4.0	2.3	9.1	13
Nereis procerA	Polychaete	2	1	0	1.0	1.0	0	2	1.0	0.6	2.3	3
Oligochaeta	Oligochaeta	465	218	225	302.7	341.5	218	465	140.6	81.2	316.4	908
	TOTAL INDIVIDUALS	1474	1059	1356	1296.3	1266.5	1059	1474	213.8	123.5	481.1	3889
	TOTAL SPECIES	9	9	8	7.7	7.5	6	9	1.5	0.9	3.4	23
	TOTAL CRUST. INDIV.	984	804	1119	969.0	961.5	804	1119	158.0	91.2	355.6	2907
	TOTAL CRUST. SP.	3	3	3	3.0	3.0	3	3	0.0	0.0	0.0	9
	GAMMARID INDIV.	980	792	1114	962.0	953.0	792	1114	161.8	93.4	363.9	2886
	GAMMARID SP.	2	2	2	2.0	2.0	2	2	0.0	0.0	0.0	6
	OTHER CRUSTACEAN INDIV.	4	12	5	7.0	8.0	4	12	4.4	2.5	9.8	21
	OTHER CRUSTACEAN SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.	1	1	0	1.3	1.5	0	3	1.5	0.9	3.4	4
	TOTAL MOLLUSC SP.	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
	TOTAL POLYCHAETE INDIV.	24	37	9	23.3	23.0	9	37	14.0	8.1	31.5	70
	TOTAL POLYCHAETE SP.	4	4	4	3.0	2.5	1	4	1.7	1.0	3.9	9

Benthic Community Data

STANUM	STATION	IDORG	DATE	LEG
21306	PEYTON SLOUGH- END GRADIENT	1740	04/02/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	14	14	1	9.7	7.5	1	14	7.5	4.3	16.9	29
Corophium spinicorne	Gammaridea	0	0	7	2.3	3.5	0	7	4.0	2.3	9.1	7
Eogammarus confervicolus	Gammaridea	0	0	6	2.0	3.0	0	6	3.5	2.0	7.8	6
Eudistylia vancouveri	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	0	0	5	1.7	2.5	0	5	2.9	1.7	6.5	5
Oligochaeta	Oligochaeta	17	0	22	13.0	11.0	0	22	11.5	6.7	25.9	39
	TOTAL INDIVIDUALS	32	14	41	29.0	27.5	14	41	13.7	7.9	30.9	87
	TOTAL SPECIES	6	3	5	3.0	3.0	1	5	2.0	1.2	4.5	9
	TOTAL CRUST. INDIV.		14	14	14.0	14.0	14	14	0.0	0.0	0.0	42
	TOTAL CRUST. SP.	3	1	3	1.7	2.0	1	3	1.2	0.7	2.6	5
	GAMMARID INDIV.		0	13	4.3	6.5	0	13	7.5	4.3	16.9	13
	GAMMARID SP.	2	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
	OTHER CRUSTACEAN INDIV.		14	14	9.7	7.5	1	14	7.5	4.3	16.9	29
	OTHER CRUSTACEAN SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL POLYCHAETE INDIV.		1	5	2.0	2.5	0	5	2.6	1.5	6.0	6
	TOTAL POLYCHAETE SP.	2	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2

STANUM	STATION	IDORG	DATE	LEG
20005	PARADISE COVE- REFERENCE	1741	04/03/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	9	33	23	21.7	21.0	9	33	12.1	7.0	27.1	65
Ampelisca abdita	Gammaridea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Grandidierella japonica	Gammaridea	0	6	0	2.0	3.0	0	6	3.5	2.0	7.8	6
Mytilus sp.	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	2	0	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Nemertea	Nemertea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
	TOTAL INDIVIDUALS	11	40	25	25.3	25.5	11	40	14.5	8.4	32.6	76
	TOTAL SPECIES	6	2	3	2.7	2.5	2	3	0.6	0.3	1.3	8

Benthic Community Data

TOTAL CRUST. INDIV.	9	39	24	24.0	24.0	9	39	15.0	8.7	33.8	72	
TOTAL CRUST. SP.	3	1	2	2	1.7	1.5	1	2	0.6	0.3	1.3	5
GAMMARID INDIV.	0	6	1	2.3	3.0	0	6	3.2	1.9	7.2	7	
GAMMARID SP.	2	0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
OTHER CRUSTACEAN INDIV.	9	33	23	21.7	21.0	9	33	12.1	7.0	27.1	65	
OTHER CRUSTACEAN SP.	1	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0	
TOTAL MOLLUSC INDIV.	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
TOTAL MOLLUSC SP.	1	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
TOTAL POLYCHAETE INDIV.	2	0	0	0.7	1.0	0	2	1.2	0.7	2.6	2	
TOTAL POLYCHAETE SP.	1	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1

STANUM	STATION	IDORG	DATE	LEG
21308	WARM WATER COVE #2	1747	04/01/97	50

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS								
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum	
Nippoleucon hinumensis	Cumacea	76	66	144	95.3	105.0	66	144	42.4	24.5	95.5	286	
Ampelisca abdita	Gammaridea	1	14	5	6.7	7.5	1	14	6.7	3.8	15.0	20	
Corophium spinicorne	Gammaridea	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2	
Potamocorbula amurensis	Bivalvia	4	8	2	4.7	5.0	2	8	3.1	1.8	6.9	14	
Siliqua lucida	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Brania brevipharyngea	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Capitella capitata	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Cirriformia spirabrancha	Polychaete	0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2	
Heteromastus filiformis	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Nephtys caecoides	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Sphaerosyllis californiensis	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
	TOTAL INDIVIDUALS	84	94	152	110.0	118.0	84	152	36.7	21.2	82.6	330	
	TOTAL SPECIES	11	6	8	4	6.0	6.0	4	8	2.0	1.2	4.5	18
	TOTAL CRUST. INDIV.	77	82	149	102.7	113.0	77	149	40.2	23.2	90.5	308	
	TOTAL CRUST. SP.	3	2	3	2	2.3	2.5	2	3	0.6	0.3	1.3	7
	GAMMARID INDIV.	1	16	5	7.3	8.5	1	16	7.8	4.5	17.5	22	
	GAMMARID SP.	2	1	2	1	1.3	1.5	1	2	0.6	0.3	1.3	4
	OTHER CRUSTACEAN INDIV.	76	66	144	95.3	105.0	66	144	42.4	24.5	95.5	286	
	OTHER CRUSTACEAN SP.	1	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
	TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0	

Benthic Community Data

TOTAL MOLLUSC INDIV.	4	9	2	5.0	5.5	2	9	3.6	2.1	8.1	15
TOTAL MOLLUSC SP.	2	1	2	1.3	1.5	1	2	0.6	0.3	1.3	4
TOTAL POLYCHAETE INDIV.	3	3	1	2.3	2.0	1	3	1.2	0.7	2.6	7
TOTAL POLYCHAETE SP.	6	3	3	2.3	2.0	1	3	1.2	0.7	2.6	7

STANUM	STATION	IDORG	DATE	LEG
20013	N. SOUTH BAY- REP #1	1749	04/16/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	4	0	0	1.3	2.0	0	4	2.3	1.3	5.2	4
Grandidierella japonica	Gammaridea	1	0	1	0.7	0.5	0	1	0.6	0.3	1.3	2
Eusarsiella zostericola	Ostracoda	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Mácoma balthica	Bivalvia	4	9	12	8.3	8.0	4	12	4.0	2.3	9.1	25
Mya arenaria	Bivalvia	0	2	3	1.7	1.5	0	3	1.5	0.9	3.4	5
Potamocorbula amurensis	Bivalvia	91	189	74	118.0	131.5	74	189	62.1	35.8	139.7	354
Glycindé polygnatha	Polychaete	4	1	4	3.0	2.5	1	4	1.7	1.0	3.9	9
Heteromastus filiformis	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Malacoceros indicus	Polychaete	1	0	1	0.7	0.5	0	1	0.6	0.3	1.3	2
Nereididae spp. juv.	Polychaete	2	0	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Pseudopolydora kempfi	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	6	6	12	8.0	9.0	6	12	3.5	2.0	7.8	24
Oligochaeta	Oligochaeta	8	1	3	4.0	4.5	1	8	3.6	2.1	8.1	12
	TOTAL INDIVIDUALS	122	211	110	147.7	160.5	110	211	55.2	31.9	124.1	443
	TOTAL SPECIES	13	10	8	8.7	9.0	8	10	1.2	0.7	2.6	26
	TOTAL CRUST. INDIV.		5	2	2.7	3.0	1	5	2.1	1.2	4.7	8
	TOTAL CRUST. SP.	3	2	1	1.3	1.5	1	2	0.6	0.3	1.3	4
	GAMMARID INDIV.		1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
	GAMMARID SP.	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
	OTHER CRUSTACEAN INDIV.		4	2	2.0	2.0	0	4	2.0	1.2	4.5	6
	OTHER CRUSTACEAN SP.	2	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
	TOTAL ECHINODERM INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.		95	200	128.0	144.5	89	200	62.4	36.0	140.5	384
	TOTAL MOLLUSC SP.	3	2	3	2.7	2.5	2	3	0.6	0.3	1.3	8
	TOTAL POLYCHAETE INDIV.		14	8	13.0	12.5	8	17	4.6	2.6	10.3	39
	TOTAL POLYCHAETE SP.	6	5	3	3.7	4.0	3	5	1.2	0.7	2.6	11

Benthic Community Data

STANUM	STATION	IDORG	DATE	LEG
20007	SAN PABLO BAY-ISLAND #1- REP 1	1404	04/15/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	30	28	6	21.3	18.0	6	30	13.3	7.7	30.0	64
Potamocorbula amurensis	Bivalvia	14	33	8	18.3	20.5	8	33	13.1	7.5	29.4	55
Heteromastus filiformis	Polychaete	20	15	21	18.7	18.0	15	21	3.2	1.9	7.2	56
Malacoceros indicus	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Neanthes succinea	Polychaete	2	2	0	1.3	1.0	0	2	1.2	0.7	2.6	4
Streblospio benedicti	Polychaete	9	8	11	9.3	9.5	8	11	1.5	0.9	3.4	28
	TOTAL INDIVIDUALS	75	87	46	69.3	66.5	46	87	21.1	12.2	47.4	208
	TOTAL SPECIES	6	5	6	5.0	5.0	4	6	1.0	0.6	2.3	15
	TOTAL CRUST. INDIV.	30	28	6	21.3	18.0	6	30	13.3	7.7	30.0	64
	TOTAL CRUST. SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	GAMMARID INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	GAMMARID SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	OTHER CRUSTACEAN INDIV.	30	28	6	21.3	18.0	6	30	13.3	7.7	30.0	64
	OTHER CRUSTACEAN SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL MOLLUSC INDIV.	14	33	8	18.3	20.5	8	33	13.1	7.5	29.4	55
	TOTAL MOLLUSC SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL POLYCHAETE INDIV.	31	26	32	29.7	29.0	26	32	3.2	1.9	7.2	89
	TOTAL POLYCHAETE SP.	4	3	4	3.0	3.0	2	4	1.0	0.6	2.3	9

STANUM	STATION	IDORG	DATE	LEG
21310	SAN LEANDRO BAY-SITE 3	1755	04/17/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Cumella sp.	Cumacea	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Nippoleucon hinumensis	Cumacea	10	26	16	17.3	18.0	10	26	8.1	4.7	18.2	52
Corophium spinicorne	Gammaridea	0	15	0	5.0	7.5	0	15	8.7	5.0	19.5	15
Engammarus confervicolus	Gammaridea	4	8	1	4.3	4.5	1	8	3.5	2.0	7.9	13
Grandidierella japonica	Gammaridea	3	17	10	10.0	10.0	3	17	7.0	4.0	15.8	30
Gnorimosphaeroma oregonensis	Isopoda	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Gemma gemma	Bivalvia	1	5	4	3.3	3.0	1	5	2.1	1.2	4.7	10
Macoma balthica	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1

Benthic Community Data

Musculista senhousi	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Mya arenaria	Bivalvia	8	24	17	16.3	16.0	8	24	8.0	4.6	18.0	49	
Mytilus sp.	Bivalvia	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2	
Potamocorbula amurensis	Bivalvia	1	2	0	1.0	1.0	0	2	1.0	0.6	2.3	3	
Venerupis philippinarum	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Capitella capitata	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Eteone lighti	Polychaete	3	14	14	10.3	8.5	3	14	6.4	3.7	14.3	31	
Glycinde polygnatha	Polychaete	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2	
Glycinde spp. juv.	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Harmothoainae spp. indet.	Polychaete	0	3	0	1.0	1.5	0	3	1.7	1.0	3.9	3	
Heteromastus filiformis	Polychaete	1	10	10	7.0	5.5	1	10	5.2	3.0	11.7	21	
Malacoceros indicus	Polychaete	7	1	1	3.0	4.0	1	7	3.5	2.0	7.8	9	
Mediomastus sp(p)	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Neanthes succinea	Polychaete	9	14	18	13.7	13.5	9	18	4.5	2.6	10.1	41	
Onuphidae spp. juv.	Polychaete	4	15	3	7.3	9.0	3	15	6.7	3.8	15.0	22	
Polydora comuta	Polychaete	11	26	24	20.3	18.5	11	26	8.1	4.7	18.3	61	
Pseudopolydora kempfi	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1	
Streblospio benedicti	Polychaete	177	993	461	543.7	585.0	177	993	414.2	239.2	932.0	1631	
Nematoda	Nematoda	4	4	0	2.7	2.0	0	4	2.3	1.3	5.2	8	
Oligochaeta	Oligochaeta	118	125	0	81.0	62.5	0	125	70.2	40.6	158.0	243	
TOTAL INDIVIDUALS		363	1314	579	752.0	838.5	363	1314	498.5	287.8	1121.7	2256	
TOTAL SPECIES		28	17	27	12	18.7	19.5	12	27	7.6	4.4	17.2	56
TOTAL CRUST. INDIV.		17	69	27	37.7	43.0	17	69	27.6	15.9	62.1	113	
TOTAL CRUST. SP.		6	3	6	3	4.0	4.5	3	6	1.7	1.0	3.9	12
GAMMARID INDIV.		7	40	11	19.3	23.5	7	40	18.0	10.4	40.5	58	
GAMMARID SP.		3	2	3	2	2.3	2.5	2	3	0.6	0.3	1.3	7
OTHER CRUSTACEAN INDIV.		10	29	16	18.3	19.5	10	29	9.7	5.6	21.9	55	
OTHER CRUSTACEAN SP.		3	1	3	1	1.7	2.0	1	3	1.2	0.7	2.6	5
TOTAL ECHINODERM INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
TOTAL ECHINODERM SP.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
TOTAL MOLLUSC INDIV.		10	36	21	22.3	23.0	10	36	13.1	7.5	29.4	67	
TOTAL MOLLUSC SP.		7	3	7	2	4.0	4.5	2	7	2.6	1.5	6.0	12
TOTAL POLYCHAETE INDIV.		214	1080	531	608.3	647.0	214	1080	438.1	253.0	985.8	1825	
TOTAL POLYCHAETE SP.		13	9	12	7	9.3	9.5	7	12	2.5	1.5	5.7	28

Benthic Community Data

STANUM	STATION	IDORG	DATE	LEG								
21311	SAN LEANDRO BAY-SITE 4	1756	04/17/97	51	NO. PER CORE			SUMMARY STATISTICS				
SPECIES	TAXA	rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	32	24	4	20.0	18.0	4	32	14.4	8.3	32.5	60
Corophium spicorne	Gammaridea	5	1	0	2.0	2.5	0	5	2.6	1.5	6.0	6
Eogammarus confervicolus	Gammaridea	0	3	5	2.7	2.5	0	5	2.5	1.5	5.7	8
Grandidierella japonica	Gammaridea	74	121	51	82.0	86.0	51	121	35.7	20.6	80.3	246
Gnorimosphaeroma oregonensis	Isopoda	0	1	3	1.3	1.5	0	3	1.5	0.9	3.4	4
Gemma gemma	Bivalvia	16	16	0	10.7	8.0	0	16	9.2	5.3	20.8	32
Macoma balthica	Bivalvia	8	2	4	4.7	5.0	2	8	3.1	1.8	6.9	14
Musculista senhousci	Bivalvia	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Mya arenaria	Bivalvia	11	13	4	9.3	8.5	4	13	4.7	2.7	10.6	28
Mytilus sp.	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Potamocorbula amurensis	Bivalvia	7	2	0	3.0	3.5	0	7	3.6	2.1	8.1	9
Capitella capitata	Polychaete	8	1	1	3.3	4.5	1	8	4.0	2.3	9.1	10
Eteone californica	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Eteone lighti	Polychaete	7	5	1	4.3	4.0	1	7	3.1	1.8	6.9	13
Ficopomatus enigmaticus	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Glycinde spp. juv.	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Harmothoinae spp. indet.	Polychaete	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Heteromastus filiformis	Polychaete	0	1	6	2.3	3.0	0	6	3.2	1.9	7.2	7
Neanthes succinea	Polychaete	6	10	7	7.7	8.0	6	10	2.1	1.2	4.7	23
Nereididae spp. juv.	Polychaete	5	6	1	4.0	3.5	1	6	2.6	1.5	6.0	12
Polydora comuta	Polychaete	19	19	21	19.7	20.0	19	21	1.2	0.7	2.6	59
Pseudopolydora paucibranchiata	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	351	469	136	318.7	302.5	136	469	168.8	97.5	379.9	956
Oligochaeta	Oligochaeta	23	35	16	24.7	25.5	16	35	9.6	5.5	21.6	74
	TOTAL INDIVIDUALS	576	732	262	523.3	497.0	262	732	239.4	138.2	538.6	1570
	TOTAL SPECIES	24	18	20	18.0	18.0	16	20	2.0	1.2	4.5	54
	TOTAL CRUST. INDIV.		111	150	108.0	106.5	63	150	43.6	25.2	98.1	324
	TOTAL CRUST. SP.	5	3	5	4.0	4.0	3	5	1.0	0.6	2.3	12
	GAMMARID INDIV.		79	125	86.7	90.5	56	125	35.1	20.3	79.0	260
	GAMMARID SP.	3	2	3	2.3	2.5	2	3	0.6	0.3	1.3	7
	OTHER CRUSTACEAN INDIV.		32	25	21.3	19.5	7	32	12.9	7.4	29.0	64
	OTHER CRUSTACEAN SP.	2	1	2	1.7	1.5	1	2	0.6	0.3	1.3	5
	TOTAL ECHINODERM INDIV.		0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0

Benthic Community Data

TOTAL MOLLUSC INDIV.	43	35	8	28.7	25.5	8	43	18.3	10.6	41.3	86
TOTAL MOLLUSC SP.	6	5	6	4.3	4.0	2	6	2.1	1.2	4.7	13
TOTAL POLYCHAETE INDIV.	399	512	175	362.0	343.5	175	512	171.5	99.0	385.9	1086
TOTAL POLYCHAETE SP.	12	9	8	8.7	8.5	8	9	0.6	0.3	1.3	26

STANUM	STATION	IDORG	DATE	LEG
21312	SAN LEANDRO BAY-SITE 5	1757	04/17/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	200	235	360	265.0	280.0	200	360	84.1	48.6	189.3	795
Corophium spinicorne	Gammaridea	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
Grandidierella japonica	Gammaridea	17	11	17	15.0	14.0	11	17	3.5	2.0	7.8	45
Gemma gemma	Bivalvia	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
Macoma balthica	Bivalvia	47	46	48	47.0	47.0	46	48	1.0	0.6	2.3	141
Mya arenaria	Bivalvia	0	17	4	7.0	8.5	0	17	8.9	5.1	20.0	21
Potamocorbula anurensis	Bivalvia	1	5	16	7.3	8.5	1	16	7.8	4.5	17.5	22
Streblospio benedicti	Polychaeta	335	356	267	319.3	311.5	267	356	46.5	26.9	104.7	958
Capitella capitata	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Eteone californica	Polychaete	3	0	0	1.0	1.5	0	3	1.7	1.0	3.9	3
Eteone lighti	Polychaete	14	8	6	9.3	10.0	6	14	4.2	2.4	9.4	28
Heteromastus filiformis	Polychaete	7	7	8	7.3	7.5	7	8	0.6	0.3	1.3	22
Malacoceros indicus	Polychaete	0	0	2	0.7	1.0	0	2	1.2	0.7	2.6	2
Neanthes succinea	Polychaete	2	3	0	1.7	1.5	0	3	1.5	0.9	3.4	5
Nereididae spp. juv.	Polychaete	6	4	0	3.3	3.0	0	6	3.1	1.8	6.9	10
Polydora cornuta	Polychaete	2	3	1	2.0	2.0	1	3	1.0	0.6	2.3	6
Pseudopolydora kempfi	Polychaete	3	4	15	7.3	9.0	3	15	6.7	3.8	15.0	22
Nematoda	Nematoda	1	3	0	1.3	1.5	0	3	1.5	0.9	3.4	4
Oligochaeta	Oligochaeta	25	37	30	30.7	31.0	25	37	6.0	3.5	13.6	92
	TOTAL INDIVIDUALS	664	739	778	727.0	721.0	664	778	57.9	33.5	130.4	2181
	TOTAL SPECIES	19	15	14	14.3	14.5	14	15	0.6	0.3	1.3	43
	TOTAL CRUST. INDIV.	217	246	379	280.7	298.0	217	379	86.4	49.9	194.4	842
	TOTAL CRUST. SP.	3	2	3	2.3	2.5	2	3	0.6	0.3	1.3	7
	GAMMARID INDIV.	17	11	19	15.7	15.0	11	19	4.2	2.4	9.4	47
	GAMMARID SP.	2	1	2	1.3	1.5	1	2	0.6	0.3	1.3	4
	OTHER CRUSTACEAN INDIV.	200	235	360	265.0	280.0	200	360	84.1	48.6	189.3	795
	OTHER CRUSTACEAN SP.	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
	TOTAL ECHINODERM SP.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0

Benthic Community Data

TOTAL MOLLUSC INDIV.	48	68	70	62.0	59.0	48	70	12.2	7.0	27.4	186
TOTAL MOLLUSC SP.	4	2	3	3.0	3.0	2	4	1.0	0.6	2.3	9
TOTAL POLYCHAETE INDIV.	373	385	299	352.3	342.0	299	385	46.6	26.9	104.8	1057
TOTAL POLYCHAETE SP.	10	9	7	7.3	7.5	6	9	1.5	0.9	3.4	22

STANUM	STATION	IDORG	DATE	LEG
21313	SAN LEANDRO BAY-SITE 6	1758	04/17/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	379	362	789	510.0	575.5	362	789	241.8	139.6	544.0	1530
Ampelisca abdita	Gammaridea	40	40	15	31.7	27.5	15	40	14.4	8.3	32.5	95
Corophium spicorne	Gammaridea	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Eogammarus confervicolus	Gammaridea	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Grandidierella japonica	Gammaridea	18	15	12	15.0	15.0	12	18	3.0	1.7	6.8	45
Eusarsiella zostericola	Ostracoda	5	3	8	5.3	5.5	3	8	2.5	1.5	5.7	16
Gemma gemma	Bivalvia	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Macoma balthica	Bivalvia	3	0	0	1.0	1.5	0	3	1.7	1.0	3.9	3
Musculista senhousi	Bivalvia	1	3	0	1.3	1.5	0	3	1.5	0.9	3.4	4
Potamocorbula amurensis	Bivalvia	6	1	3	3.3	3.5	1	6	2.5	1.5	5.7	10
Venerupis philippinarum	Bivalvia	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Brania brevipharyngea	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Eteone lighti	Polychaete	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Exogone lourei	Polychaete	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Glycinde polygnatha	Polychaete	1	1	1	1.0	1.0	1	1	0.0	0.0	0.0	3
Glycinde spp. juv.	Polychaete	1	0	1	0.7	0.5	0	1	0.6	0.3	1.3	2
Harmothoe imbricata	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Harmothoinae spp. indet.	Polychaete	5	3	2	3.3	3.5	2	5	1.5	0.9	3.4	10
Heteromastus filiformis	Polychaete	8	1	2	3.7	4.5	1	8	3.8	2.2	8.5	11
Neanthes succinea	Polychaete	0	1	2	1.0	1.0	0	2	1.0	0.6	2.3	3
Nereididae spp. juv.	Polychaete	0	7	2	3.0	3.5	0	7	3.6	2.1	8.1	9
Polydora cornuta	Polychaete	20	22	5	15.7	13.5	5	22	9.3	5.4	20.9	47
Pseudopolydora paucibranchiata	Polychaete	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Streblospio benedicti	Polychaete	74	69	65	69.3	69.5	65	74	4.5	2.6	10.1	208
Tharyx parvus	Polychaete	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Oligochaeta	Oligochaeta	6	16	22	14.7	14.0	6	22	8.1	4.7	18.2	44
TOTAL INDIVIDUALS		570	551	931	684.0	741.0	551	931	214.1	123.6	481.8	2052
TOTAL SPECIES		26	17	20	17.7	18.0	16	20	2.1	1.2	4.7	53
TOTAL CRUST. INDIV.		443	422	824	563.0	623.0	422	824	226.3	130.6	509.1	1689

Benthic Community Data

TOTAL CRUST. SP.	6	5	6	4	5.0	5.0	4	6	1.0	0.6	2.3	15
GAMMARID INDIV.		59	57	27	47.7	43.0	27	59	17.9	10.3	40.3	143
GAMMARID SP.	4	3	4	2	3.0	3.0	2	4	1.0	0.6	2.3	9
OTHER CRUSTACEAN INDIV.		384	365	797	515.3	581.0	365	797	244.1	140.9	549.3	1546
OTHER CRUSTACEAN SP.	2	2	2	2	2.0	2.0	2	2	0.0	0.0	0.0	6
TOTAL ECHINODERM INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL MOLLUSC INDIV.		11	4	4	6.3	7.5	4	11	4.0	2.3	9.1	19
TOTAL MOLLUSC SP.	5	4	2	2	2.7	3.0	2	4	1.2	0.7	2.6	8
TOTAL POLYCHAETE INDIV.		110	109	81	100.0	95.5	81	110	16.5	9.5	37.0	300
TOTAL POLYCHAETE SP.	14	7	11	9	9.0	9.0	7	11	2.0	1.2	4.5	27

STANUM	STATION	IDORG	DATE	LEG
21314	SAN LEANDRO BAY-SITE 7	1759	04/16/97	51

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Nippoleucon hinumensis	Cumacea	72	257	157	162.0	164.5	72	257	92.6	53.5	208.4	486
Corophium spinicorne	Gammaridea	0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
Eusarsiella zostericola	Ostracoda	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Zeuxo paranormani	Tanaidacea	0	0	1	0.3	0.5	0	1	0.6	0.3	1.3	1
Gemma gemma	Bivalvia	1	9	3	4.3	5.0	1	9	4.2	2.4	9.4	13
Macoma balthica	Bivalvia	61	63	62	62.0	62.0	61	63	1.0	0.6	2.3	186
Musculista senhousi	Bivalvia	0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
Mya arenaria	Bivalvia	0	1	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Potamocorbula amurensis	Bivalvia	0	7	3	3.3	3.5	0	7	3.5	2.0	7.9	10
Capitella capitata	Polychaete	1	0	3	1.3	1.5	0	3	1.5	0.9	1.4	4
Eteone californica	Polychaete	1	2	7	3.3	4.0	1	7	3.2	1.9	7.2	10
Eteone lighti	Polychaete	5	13	8	8.7	9.0	5	13	4.0	2.3	9.1	26
Heteromastus filiformis	Polychaete	6	12	8	8.7	9.0	6	12	3.1	1.8	6.9	26
Nereididae spp. juv.	Polychaete	2	4	5	3.7	3.5	2	5	1.5	0.9	3.4	11
Polydora cornuta	Polychaete	5	5	10	6.7	7.5	5	10	2.9	1.7	6.5	20
Pseudopolydora kempfi	Polychaete	16	30	16	20.7	23.0	16	30	8.1	4.7	18.2	62
Pygospio elegans	Polychaete	6	2	17	8.3	9.5	2	17	7.8	4.5	17.5	25
Streblospio benedicti	Polychaete	255	190	216	220.3	222.5	190	255	32.7	18.9	73.6	661
Tharyx parvus	Polychaete	1	2	1	1.3	1.5	1	2	0.6	0.3	1.3	4
Nematoda	Nematoda	1	1	0	0.7	0.5	0	1	0.6	0.3	1.3	2
Oligochaeta	Oligochaeta	79	35	63	59.0	57.0	35	79	22.3	12.9	50.1	177
TOTAL INDIVIDUALS		512	635	583	576.7	573.5	512	635	61.7	35.6	138.9	1730

Benthic Community Data

TOTAL SPECIES	21	15	18	19	17.3	17.0	15	19	2.1	1.2	4.7	52
TOTAL CRUST. INDIV.		72	258	160	163.3	165.0	72	258	93.0	53.7	209.4	490
TOTAL CRUST. SP.	4	1	2	4	2.3	2.5	1	4	1.5	0.9	3.4	7
GAMMARID INDIV.		0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
GAMMARID SP.	1	0	1	1	0.7	0.5	0	1	0.6	0.3	1.3	2
OTHER CRUSTACEAN INDIV.		72	257	159	162.7	164.5	72	257	92.6	53.4	208.2	488
OTHER CRUSTACEAN SP.	3	1	1	3	1.7	2.0	1	3	1.2	0.7	2.6	5
TOTAL ECHINODERM INDIV.		0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0
TOTAL MOLLUSC INDIV.		62	81	69	70.7	71.5	62	81	9.6	5.5	21.6	212
TOTAL MOLLUSC SP.	5	2	5	4	3.7	3.5	2	5	1.5	0.9	3.4	11
TOTAL POLYCHAETE INDIV.		298	260	291	283.0	279.0	260	298	20.2	11.7	45.5	849
TOTAL POLYCHAETE SP.	10	10	9	10	9.7	9.5	9	10	0.6	0.3	1.3	29

STANUM	STATION	IDORG	DATE	LEG
21404	CARLSON CREEK REFERENCE	1801	12/03/97	56

SPECIES	TAXA	NO. PER CORE			SUMMARY STATISTICS							
		rep 1	rep 2	rep 3	mean	median	min	max	St. Dev.	S.E.	95%CL	sum
Cumacea	Cumacea	1	0	36	12.3	18.0	0	36	20.5	11.8	46.1	37
Nippoleucon hinumensis	Cumacea	20	42	10	24.0	26.0	10	42	16.4	9.5	36.8	72
Allorchestes angusta	Gammaridea	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Corophium acherusicum	Gammaridea	3	5	1	3.0	3.0	1	5	2.0	1.2	4.5	9
Grandidierella japonica	Gammaridea	18	25	11	18.0	18.0	11	25	7.0	4.0	15.8	54
Sphaeroma sp.	Isopoda	1	0	0	0.3	0.5	0	1	0.6	0.3	1.3	1
Sinelobus stanfordi	Tanaidacea	6	8	9	7.7	7.5	6	9	1.5	0.9	3.4	23
Gemma gemma	Bivalvia	3	0	1	1.3	1.5	0	3	1.5	0.9	3.4	4
Macoma balthica	Bivalvia	19	14	15	16.0	16.5	14	19	2.6	1.5	6.0	48
Eteone californica	Polychaeta	18	10	10	12.7	14.0	10	18	4.6	2.7	10.4	38
Eteone lighti	Polychaeta	14	22	5	13.7	13.5	5	22	8.5	4.9	19.1	41
Glycinde polygnatha	Polychaeta	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Heteromastus filiformis	Polychaeta	2	2	0	1.3	1.0	0	2	1.2	0.7	2.6	4
Neanthes succinea	Polychaeta	2	0	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Neanthes virens	Polychaeta	0	2	0	0.7	1.0	0	2	1.2	0.7	2.6	2
Polydora cornuta	Polychaeta	0	4	22	8.7	11.0	0	22	11.7	6.8	26.4	26
Polydora kempfi	Polychaeta	10	25	22	19.0	17.5	10	25	7.9	4.6	17.9	57
Pseudopolydora paucibranchiata	Polychaeta	0	2	7	3.0	3.5	0	7	3.6	2.1	8.1	9
Pygospio elegans	Polychaeta	18	20	165	67.7	91.5	18	165	84.3	48.7	189.7	203
Streblospio benedicti	Polychaeta	368	116	160	248.0	248.0	160	116	79.9	46.1	179.8	744

Benthic Community Data

Capitella capitata	Polychaete	20	14	7	13.7	13.5	7	20	6.5	3.8	14.6	41	
Pseudopolydora kempfi	Polychaete	10	25	2	12.3	13.5	2	25	11.7	6.7	26.3	37	
Oligochaeta	Oligochaeta	60	120	36	72.0	78.0	36	120	43.3	25.0	97.4	216	
	TOTAL INDIVIDUALS	494	658	519	557.0	576.0	494	658	88.4	51.0	198.8	1671	
	TOTAL SPECIES	23	19	18	17	18.0	18.0	17	19	1.0	0.6	2.3	54
	TOTAL CRUST. INDIV.	50	80	67	65.7	65.0	50	80	15.0	8.7	33.9	197	
	TOTAL CRUST. SP.	7	7	4	5	5.3	5.5	4	7	1.5	0.9	3.4	16
	GAMMARID INDIV.	22	30	12	21.3	21.0	12	30	9.0	5.2	20.3	64	
	GAMMARID SP.	3	3	2	2	2.3	2.5	2	3	0.6	0.3	1.3	7
	OTHER CRUSTACEAN INDIV.	28	50	55	44.3	41.5	28	55	14.4	8.3	32.3	133	
	OTHER CRUSTACEAN SP.	4	4	2	3	3.0	3.0	2	4	1.0	0.6	2.3	9
	TOTAL ECHINODERM INDIV.	0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0	
	TOTAL ECHINODERM SP.	0	0	0	0	0.0	0.0	0	0	0.0	0.0	0	
	TOTAL MOLLUSC INDIV.	22	14	16	17.3	18.0	14	22	4.2	2.4	9.4	52	
	TOTAL MOLLUSC SP.	2	2	1	2	1.7	1.5	1	2	0.6	0.3	1.3	5
	TOTAL POLYCHAETE INDIV.	362	444	400	402.0	403.0	362	444	41.0	23.7	92.3	1206	
	TOTAL POLYCHAETE SP.	13	9	12	9	10.0	10.5	9	12	1.7	1.0	3.9	30

STANUM	STATION	IDORG	DATE	LEG
21401	ZENECA MARSH #1	1799	12/03/97	56

SPECIES **TAXA**
 NO ANIMALS PRESENT

STANUM	STATION	IDORG	DATE	LEG
21402	ZENECA MARSH #2	1800	12/03/97	56

SPECIES **TAXA**
 NO ANIMALS PRESENT

Appendix G

Effects of Extraction Methods on Porewater Toxicity

METHODS VALIDATION: EFFECTS OF EXTRACTION METHOD ON POREWATER TOXICITY

Introduction

As part of the development and validation of analytical methods for the BPTCP, a study was conducted in 1993 to assess the effects of three extraction methods on the toxicity of the sediment porewater. Sediment was collected at four sites in the San Francisco Bay Region, and porewater was extracted by centrifugation, piston squeezing, and passive separation through sediment settlement. These porewater samples were then tested for toxicity using the sea urchin embryo/larval development test and the amphipod survival test.

Methods

Sediment was collected from four sites using the techniques described in the Methods section of the main report. One site, Bolinas Lagoon, is remote from industrial pollution sources, but has shown sediment toxicity in past surveys. Castro Cove has elevated concentrations of numerous chemicals, primarily high molecular weight PAH compounds. The Hunter's Point and Oakland Harbor sites have received chemical inputs from shipbuilding and industrial activities, and likely receive storm water runoff as well.

Sediment samples were homogenized in the field in polycarbonate tubs, and were brought to Moss Landing Marine Laboratories for porewater extraction. All storage and handling techniques were as described in the Methods section of the main report.

Porewater was extracted using three methods. The squeezing technique used a pneumatic air cylinder to apply pressure to pistons within a core tube. Sediment placed in the core tube was compressed by the piston, and the force displaced porewater from the interstitial spaces of the sediment. The rate of porewater displacement was controlled by increasing or decreasing the air pressure to the cylinder. Glas fiber filters (0.45 μm) were used to retain sediment and allow porewater to flow from the cylinder port. There was concern with this technique that somewhere in the working pressure range of 0 to 200 psi the potential for pressure-related artifacts would arise. Such artifacts might include the lysing of biological cells, with release of natural toxins, or the stripping of chemicals from solid-phase sediment beyond that which would occur under conditions of porewater equilibrium in the environment.

The second technique was centrifugation. Sediment samples were centrifuged in one-liter polycarbonate bottles at 2500 g for 30 minutes at 4° C. Centrifugation also exerts force on sediment samples, perhaps affecting chemical equilibria or the integrity of biological cells, and may also result in toxicity artifacts. The third method was passive settling, in which sediment samples were simply allowed to stand for 48 hours, and pore

water supernatant was siphoned off the top. Neither of these techniques incorporated any sample filtration.

These three porewater treatments were then tested for toxicity to sea urchin embryos at the Marine Pollution Studies Laboratory at Granite Canyon, and for toxicity to amphipods (*Eohaustorius*) at H.R. Hansen and Associates, using the protocols described in the Methods section of the main report. Sea urchin tests were 96 hours in duration; amphipod tests, both porewater and solid-phase, were 10 days in duration. Porewater was renewed every 48 hours for the amphipod tests, and was not renewed for the sea urchin tests. Six porewater concentrations and a control were tested for each treatment. For all treatments, porewater concentrations were 0% (control), 1%, 5%, 10%, 25%, 50%, and 100% porewater.

Results and Discussion

While six porewater concentrations were tested, all concentration lower than 100% were non-toxic to sea urchin larvae, and there was sufficient resolution among samples in the 100% porewater amphipod tests that subsequent dilutions provided little additional information.

In the sea urchin tests, the passive technique was assumed to be the least disruptive of the three techniques, and this treatment was compared to the other two for resolution of extraction artifacts. Porewater produced by squeezing was more toxic than either the centrifugation or passive treatments in samples from all four sites (Table G-1). Centrifugation and passive samples produced identical results in one sample, but there were significant differences between the two in the other three samples. Passive was less toxic than centrifugation in one sample, but more toxic in two others.

Table G-1. Sea urchin toxicity in porewater samples extracted using different techniques. Values are mean percent normal sea urchin larval development, with standard deviations in parentheses.

Test Site	Extraction Technique		
	Squeezing	Centrifugation	Passive
Bolinas Lagoon	40 (15)	92 (3)	77 (6)
Castro Cove	4 (4)	87 (4)	49 (10)
Oakland Harbor	11 (18)	32 (19)	91 (2)
Hunter's Point	84 (3)	94 (1)	94 (4)
Control	89 (1)	89 (1)	89 (1)

In the amphipod tests, the solid phase exposure was assumed to be the ground-truth against which to compare porewater results. However, the solid-phase exposures produced significantly greater toxicity than did any porewater treatment in all four samples (Table G-2). Two samples (Bollinas Lagoon and Hunter's Point) were essentially non-toxic in all porewater extraction treatments, though both were toxic in solid-phase tests. In the Castro Cove sample, the squeezing treatment was much less toxic than either passive or centrifugation. In the Oakland Harbor sample, the squeezing treatment was more toxic than either passive or centrifugation. Only in this Oakland Harbor sample was any porewater treatment similar to solid-phase, with the squeezing treatment having 55% survival compared to 60% in solid-phase. There were no obvious explanations for the greater toxicity in the solid-phase tests. No chemical analyses were conducted on either solid-phase or porewater samples. Sediment grain size was relatively high, ranging from 89% to 96% fines, but this percentage of fine-grained sediments would not generally be responsible for the magnitude of effects observed.

Table G-2. Amphipod toxicity in porewater samples extracted using different techniques. Values are mean percent amphipod survival. The last column gives the results of amphipod survival in solid-phase sediment from which porewater was extracted for comparison.

Test Site	Extraction Technique			Solid-Phase Sediment
	Squeezing	Centrifugation	Passive	
Bollinas Lagoon	80	85	85	44
Castro Cove	75	15	10	5
Oakland Harbor	55	80	90	60
Hunter's Point	90	100	100	31
Control	> 80	> 75	> 85	98

There were a number of conflicting trends in the data, perhaps indicating the site-specific nature of porewater equilibrium conditions. The only consistent trend was that porewater produced by squeezing was consistently the most toxic to sea urchin larvae. In order to produce data as free from technical artifacts as possible, the squeezing method was discontinued in favor of centrifugation after this study was completed. By using centrifugation, the program was attempting to minimize the occurrence of false positive results, in order to have greater confidence that determinations of sample toxicity were most likely to be accurate.