

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46	UR	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,2,4-Trichlorobenzene	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	1,2,4-Trichlorobenzene	=	0.45	B2, J	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	1,2,4-Trichlorobenzene	=	0.11	B2, J	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	1,2,4-Trichlorobenzene	<	0.01	ND	0.01	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	1,2,4-Trichlorobenzene	<	0.053	ND	0.053	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	1,2,4-Trichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	1,2,4-Trichlorobenzene	<	0.41	ND	0.41	0.50	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	1,2,4-Trichlorobenzene	<	0.13	ND	0.13	0.50	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	1,2-Dichlorobenzene	=	0.44		0.042	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	1,2-Dichlorobenzene	=	0.17	J	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	1,2-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	1,2-Dichlorobenzene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	1,2-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	1,2-Dichlorobenzene	<	0.31	ND	0.31	0.50	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	1,2-Dichlorobenzene	<	0.14	ND	0.14	0.50	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Composite	5/16/2005	9:45	Total	1,2-Diphenylhydrazine	<	0.22	ND	0.22	2.5	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	1,2-Diphenylhydrazine	=	1.3		0.13	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65	UR	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	1,2-Diphenylhydrazine	<	0.099	ND	0.099	1.1	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	1,2-Diphenylhydrazine	=	1.3		0.13	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	1,2-Diphenylhydrazine	<	0.13	ND	0.13	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	1,2-Diphenylhydrazine	<	0.20	ND	0.20	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	1,2-Diphenylhydrazine	<	1.0	ND	1	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	1,2-Diphenylhydrazine	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	1,2-Diphenylhydrazine	<	0.087	ND	0.087	1.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	1,2-Diphenylhydrazine/Azobenzene	=	0.34	J	0.087	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	1,2-Diphenylhydrazine/Azobenzene	=	0.31	J	0.084	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.086	ND	0.086	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	1,2-Diphenylhydrazine/Azobenzene	=	0.46	J	0.086	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	1,2-Diphenylhydrazine/Azobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	1,3-Dichlorobenzene	=	0.021	J	0.021	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	1,3-Dichlorobenzene	=	0.13	J	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	MS-14	UR	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<=	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<=	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<=	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	1,3-Dichlorobenzene	<=	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	1,3-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	1,3-Dichlorobenzene	<	0.021	ND	0.021	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	1,3-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	1,3-Dichlorobenzene	<	0.34	ND	0.34	0.50	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	1,3-Dichlorobenzene	<	0.29	ND	0.29	0.50	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	=	0.42		0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	1,4-Dichlorobenzene	=	0.051	J	0.034	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	1,4-Dichlorobenzene	=	0.15	J	0.10	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	1,4-Dichlorobenzene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	1,4-Dichlorobenzene	<	0.034	ND	0.034	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	1,4-Dichlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	1,4-Dichlorobenzene	<	0.46	ND	0.46	0.50	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	1,4-Dichlorobenzene	<	0.19	ND	0.19	0.50	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	CR-46	UR	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE39	CR-46R	RW	Grab	12/2/2005	11:10	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4,5-TP (Silvex)	<	0.10	ND	0.10	0.10	µg/L	EPA 8151A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	DC-65	UR	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4,5-TP (Silvex)	=	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	MS-14	UR	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	SC-1	UR	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.1	ND	0.1	0.2	µg/L	EPA8151A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4,5-TP (Silvex)	<	0.01	ND	0.01	0.2	µg/L	EPA 8151A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4,5-TP (Silvex)	<	0.010	ND	0.010	0.20	µg/L	EPA 8151A
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4,5-TP (Silvex)	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4,5-TP (Silvex)	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4,6-Trichlorophenol	<	0.25	ND	0.25	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4,6-Trichlorophenol	<	0.095	ND, L2	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4,6-Trichlorophenol	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4,6-Trichlorophenol	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4,6-Trichlorophenol	<	0.38	ND, L2	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4,6-Trichlorophenol	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4,6-Trichlorophenol	<	0.095	ND, L2	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4,6-Trichlorophenol	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4,6-Trichlorophenol	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4,6-Trichlorophenol	<	0.11	ND	0.11	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4,6-Trichlorophenol	<	0.096	ND, H4, L2	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4,6-Trichlorophenol	<	0.10	ND, L2	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4,6-Trichlorophenol	=	0.12	J	0.099	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4,6-Trichlorophenol	<	0.095	ND, H4, L2	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,4,6-Trichlorophenol	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4,6-Trichlorophenol	<	0.099	ND	0.099	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4,6-Trichlorophenol	<	0.095	ND, H4, L2	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4,6-Trichlorophenol	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4,6-Trichlorophenol	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4,6-Trichlorophenol	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,4,6-Trichlorophenol	<	0.035	ND	0.035	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4,6-Trichlorophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,4,6-Trichlorophenol	<	1	ND	1	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4,6-Trichlorophenol	<	0.11	ND, H4, RL-4, L2	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4,6-Trichlorophenol	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4,6-Trichlorophenol	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4-D	=	1.1		0.007	0.02	µg/L	EPA 8151A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4-D	=	1.6		0.007	0.02	µg/L	EPA 8151A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4-D	=	0.23		0.0070	0.020	µg/L	EPA 8151A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4-D	=	2.4		0.0070	0.020	µg/L	EPA 8151A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4-D	=	1.3		0.0070	0.020	µg/L	EPA 8151A
DW02	CR-46	UR	Grab	6/13/2004	---	Total	2,4-D	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4-D	=	1.2		0.007	0.02	µg/L	EPA 8151A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4-D	=	0.38		0.007	0.02	µg/L	EPA 8151A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4-D	=	0.24		0.007	0.02	µg/L	EPA 8151A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4-D	=	0.21		0.0070	0.020	µg/L	EPA 8151A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4-D	=	1.5		0.0070	0.020	µg/L	EPA 8151A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4-D	=	0.26		0.0070	0.020	µg/L	EPA 8151A
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	2,4-D	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4-D	=	0.12		0.08	0.08	µg/L	EPA 8151A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4-D	=	0.48		0.007	0.02	µg/L	EPA 8151A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4-D	=	0.29		0.007	0.02	µg/L	EPA 8151A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4-D	=	0.37		0.007	0.02	µg/L	EPA 8151A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4-D	=	0.19		0.0070	0.020	µg/L	EPA 8151A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4-D	=	0.12		0.0070	0.020	µg/L	EPA 8151A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4-D	=	0.30		0.0070	0.020	µg/L	EPA 8151A
DW02	DC-65	UR	Grab	6/13/2004	---	Total	2,4-D	<	0.2	ND, J	0.2	0.8	µg/L	EPA8151A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4-D	=	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4-D	=	0.49		0.007	0.02	µg/L	EPA 8151A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4-D	=	0.12		0.007	0.02	µg/L	EPA 8151A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4-D	=	0.26		0.007	0.02	µg/L	EPA 8151A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4-D	=	0.32		0.0070	0.020	µg/L	EPA 8151A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4-D	=	2.4		0.0070	0.020	µg/L	EPA 8151A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4-D	=	0.12		0.0070	0.020	µg/L	EPA 8151A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4-D	=	0.034		0.0070	0.020	µg/L	EPA 8151A
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	2,4-D	<	0.01	ND, J	0.01	0.02	µg/L	EPA8151A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4-D	=	7.35		0.08	0.08	µg/L	EPA 8151A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4-D	=	1.2		0.007	0.02	µg/L	EPA 8151A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4-D	=	1.4		0.007	0.02	µg/L	EPA 8151A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4-D	=	3		0.007	0.02	µg/L	EPA 8151A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4-D	=	0.63		0.0070	0.020	µg/L	EPA 8151A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4-D	=	2.0		0.0070	0.020	µg/L	EPA 8151A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4-D	=	3.9		0.0070	0.020	µg/L	EPA 8151A
DW02	MS-14	UR	Grab	6/13/2004	---	Total	2,4-D	=	4.6		0.4	0.8	µg/L	EPA8151A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4-D	=	0.85		0.08	0.08	µg/L	EPA 8151A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4-D	=	0.5		0.08	0.08	µg/L	EPA 8151A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4-D	=	0.66		0.08	0.08	µg/L	EPA 8151A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4-D	=	0.31		0.2	0.2	µg/L	EPA 8151A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4-D	=	1.5		0.007	0.02	µg/L	EPA 8151A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4-D	=	0.48		0.007	0.02	µg/L	EPA 8151A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4-D	=	0.18		0.007	0.02	µg/L	EPA 8151A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4-D	=	1.1		0.0070	0.020	µg/L	EPA 8151A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4-D	=	1.6		0.0070	0.020	µg/L	EPA 8151A
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	2,4-D	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4-D	=	1.04		0.08	0.08	µg/L	EPA 8151A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4-D	=	0.52		0.08	0.08	µg/L	EPA 8151A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4-D	=	1.6		0.007	0.02	µg/L	EPA 8151A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4-D	=	0.83		0.007	0.02	µg/L	EPA 8151A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4-D	=	0.97		0.007	0.02	µg/L	EPA 8151A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4-D	=	0.18		0.0070	0.020	µg/L	EPA 8151A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4-D	=	0.90		0.0070	0.020	µg/L	EPA 8151A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4-D	=	0.78		0.0070	0.020	µg/L	EPA 8151A
DW02	SC-1	UR	Grab	6/13/2004	---	Total	2,4-D	<	0.1	ND	0.1	0.2	µg/L	EPA8151A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4-D	=	0.80		0.08	0.08	µg/L	EPA 8151A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4-D	=	1.3		0.007	0.02	µg/L	EPA 8151A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4-D	=	0.27		0.007	0.02	µg/L	EPA 8151A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4-D	=	0.28		0.007	0.02	µg/L	EPA 8151A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4-D	=	0.34		0.0070	0.020	µg/L	EPA 8151A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4-D	=	0.26		0.0070	0.020	µg/L	EPA 8151A
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	2,4-D	<	0.2	ND	0.2	0.4	µg/L	EPA8151A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	2,4-D	=	0.10		0.08	0.08	µg/L	EPA 8151A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4-D	<	0.08	ND	0.08	0.08	µg/L	EPA 8151A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4-D	<	0.2	ND	0.2	0.2	µg/L	EPA 8151A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	=	0.077	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4-Dichlorophenol	=	0.043	J	0.028	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4-Dichlorophenol	<	0.52	ND	0.52	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4-Dichlorophenol	<	0.76	ND	0.76	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4-Dichlorophenol	<	0.94	ND, RL-3	0.94	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4-Dichlorophenol	<	0.24	ND	0.24	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4-Dichlorophenol	<	0.19	ND, H4, L2	0.19	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	=	0.057	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4-Dichlorophenol	=	0.094	J	0.028	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,4-Dichlorophenol	=	0.14		0.028	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4-Dichlorophenol	<	0.19	ND, H4, L2	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4-Dichlorophenol	<	0.19	ND, H4, L2	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	=	0.032	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4-Dichlorophenol	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4-Dichlorophenol	<	0.20	ND, H4	0.20	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4-Dichlorophenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,4-Dichlorophenol	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4-Dichlorophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,4-Dichlorophenol	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4-Dichlorophenol	<	0.21	ND	0.21	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4-Dichlorophenol	<	0.21	ND, H4, RL-4, L2	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4-Dichlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4-Dichlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	=	0.08	J	0.04	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4-Dimethylphenol	=	0.10		0.084	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,4-Dimethylphenol	=	0.11		0.084	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4-Dimethylphenol	<	0.78	ND	0.78	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4-Dimethylphenol	=	0.088	J	0.04	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4-Dimethylphenol	=	0.12		0.084	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4-Dimethylphenol	<	1.1	ND	1.1	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	=	0.05	J	0.04	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4-Dimethylphenol	<	1.4	ND, RL-3	1.4	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4-Dimethylphenol	<	0.28	ND	0.28	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4-Dimethylphenol	<	0.35	ND	0.35	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4-Dimethylphenol	<	0.29	ND, H4	0.29	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4-Dimethylphenol	=	0.088	J	0.084	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4-Dimethylphenol	=	0.087	J	0.084	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4-Dimethylphenol	<	0.29	ND, H4	0.29	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4-Dimethylphenol	<	0.29	ND, H4	0.29	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4-Dimethylphenol	<	0.32	ND, H4, RL-4	0.32	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4-Dimethylphenol	<	0.30	ND, H4	0.30	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4-Dimethylphenol	<	0.29	ND	0.29	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4-Dimethylphenol	<	0.04	ND	0.04	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,4-Dimethylphenol	<	0.084	ND	0.084	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4-Dimethylphenol	<	1.0	ND	1	2	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,4-Dimethylphenol	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4-Dimethylphenol	<	0.31	ND	0.31	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4-Dimethylphenol	<	0.32	ND, H4, RL-4	0.32	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4-Dimethylphenol	<	0.28	ND	0.28	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4-Dimethylphenol	<	0.30	ND	0.30	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	=	-	NR	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4-Dinitrophenol	=	0.074	J	0.015	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4-Dinitrophenol	=	0.88		0.015	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4-Dinitrophenol	=	3.0	J	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4-Dinitrophenol	<	6.8	ND	6.8	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4-Dinitrophenol	<	0.90	ND	0.90	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4-Dinitrophenol	<	0.87	ND	0.87	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4-Dinitrophenol	=	0.57		0.015	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4-Dinitrophenol	=	1.3		0.015	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4-Dinitrophenol	<	2.6	ND	2.6	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4-Dinitrophenol	<	3.4	ND	3.4	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4-Dinitrophenol	<	0.87	ND	0.87	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	=	0.16	J	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4-Dinitrophenol	=	0.39	J	0.015	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4-Dinitrophenol	=	0.49	J	0.015	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4-Dinitrophenol	<	4.2	ND, RL-3	4.2	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4-Dinitrophenol	<	0.85	ND	0.85	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4-Dinitrophenol	=	0.21	J	0.015	0.50	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4-Dinitrophenol	=	0.18	J	0.015	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4-Dinitrophenol	=	0.18	J	0.015	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4-Dinitrophenol	<	3.1	ND	3.1	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4-Dinitrophenol	<	0.86	ND, H4	0.86	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4-Dinitrophenol	<	0.90	ND	0.90	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4-Dinitrophenol	<	0.90	ND	0.90	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4-Dinitrophenol	=	0.55		0.015	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4-Dinitrophenol	=	1.0		0.015	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4-Dinitrophenol	<	0.86	ND, H4, L2	0.86	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,4-Dinitrophenol	<	0.87	ND	0.87	4.9	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4-Dinitrophenol	=	0.54		0.015	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4-Dinitrophenol	<	2.7	ND, M1	2.7	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4-Dinitrophenol	<	0.86	ND, H4	0.86	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4-Dinitrophenol	=	0.63		0.015	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4-Dinitrophenol	=	1.1		0.015	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4-Dinitrophenol	=	3.0	J	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4-Dinitrophenol	=	2.3	L2, Jb, H4, RL-4	0.95	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,4-Dinitrophenol	<	0.90	ND, L2	0.90	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4-Dinitrophenol	<	0.89	ND, H4	0.89	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4-Dinitrophenol	<	0.86	ND	0.86	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrophenol	<	0.16	ND	0.16	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4-Dinitrophenol	=	0.38	J	0.015	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,4-Dinitrophenol	<	0.015	ND	0.015	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4-Dinitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,4-Dinitrophenol	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4-Dinitrophenol	<	2.7	ND	2.7	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4-Dinitrophenol	<	0.95	ND, H4, RL-4	0.95	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,4-Dinitrophenol	<	0.90	ND, L2	0.90	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4-Dinitrophenol	<	0.85	ND	0.85	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4-Dinitrophenol	<	0.90	ND	0.90	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,4-Dinitrotoluene	<	0.58	ND	0.58	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrotoluene	<--	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,4-Dinitrotoluene	<--	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,4-Dinitrotoluene	<	0.22	ND	0.22	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,4-Dinitrotoluene	<	0.76	ND	0.76	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,4-Dinitrotoluene	=	0.045	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,4-Dinitrotoluene	<	0.94	ND, RL-3	0.94	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrotoluene	<--	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,4-Dinitrotoluene	<	0.26	ND	0.26	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,4-Dinitrotoluene	<	0.19	ND, H4	0.19	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,4-Dinitrotoluene	<	0.19	ND, H4	0.19	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,4-Dinitrotoluene	<	0.19	ND, H4	0.19	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,4-Dinitrotoluene	=	0.045	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,4-Dinitrotoluene	<	0.21	ND, H4, RL-4	0.21	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,4-Dinitrotoluene	=	0.77	Jb, H4	0.20	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,4-Dinitrotoluene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,4-Dinitrotoluene	<	0.042	ND	0.042	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,4-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,4-Dinitrotoluene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,4-Dinitrotoluene	<	0.23	ND	0.23	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,4-Dinitrotoluene	<	0.21	ND, H4, RL-4	0.21	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,4-Dinitrotoluene	<	0.19	ND	0.19	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,4-Dinitrotoluene	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2,6-Dinitrotoluene	<	0.60	ND	0.60	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2,6-Dinitrotoluene	<	0.096	ND	0.096	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2,6-Dinitrotoluene	<	0.23	ND	0.23	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2,6-Dinitrotoluene	<	0.38	ND	0.38	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2,6-Dinitrotoluene	<	0.096	ND	0.096	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2,6-Dinitrotoluene	=	0.28		0.060	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2,6-Dinitrotoluene	<	0.47	ND, RL-3	0.47	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2,6-Dinitrotoluene	<	0.094	ND	0.094	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2,6-Dinitrotoluene	<	0.27	ND	0.27	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2,6-Dinitrotoluene	<	0.096	ND, H4	0.096	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	=	0.12		0.06	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2,6-Dinitrotoluene	<	0.095	ND, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2,6-Dinitrotoluene	<	0.097	ND	0.097	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2,6-Dinitrotoluene	<	0.095	ND, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2,6-Dinitrotoluene	<	0.11	ND, H4, RL-4	0.11	5.3	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2,6-Dinitrotoluene	=	0.18	Jb, H4	0.099	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2,6-Dinitrotoluene	<	0.06	ND	0.06	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2,6-Dinitrotoluene	<	0.060	ND	0.060	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2,6-Dinitrotoluene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2,6-Dinitrotoluene	<	0.5	ND	0.5	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2,6-Dinitrotoluene	<	0.24	ND	0.24	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2,6-Dinitrotoluene	<	0.11	ND, H4, RL-4	0.11	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2,6-Dinitrotoluene	<	0.095	ND	0.095	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2,6-Dinitrotoluene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	CR-46	UR	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	CR-46	UR	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	CR-46	UR	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	CR-46R	RW	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	DC-65	UR	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	DC-65	UR	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE35	DC-65	UR	Grab	2/16/2004	9:11	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	DC-65	UR	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	DC-65	UR	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	DC-65R	RW	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	MS-14	UR	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	MS-14	UR	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	MS-14	UR	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	MS-14	UR	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE34	MS-14R	RW	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	SC-1	UR	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	SC-1	UR	Grab	2/2/2004	12:05	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	SC-1	UR	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	SC-1	UR	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2-Chloroethyl vinyl ether	<	0.5	ND	0.5	0.5	µg/L	EPA 8260
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	2-Chloroethyl vinyl ether	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5	µg/L	EPA 8260
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	2-Chloroethyl vinyl ether	<	0.45	ND	0.45	5.0	µg/L	EPA 8260
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	0.50	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2-Chloroethyl vinyl ether	<	0.43	ND	0.43	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2-Chloroethyl vinyl ether	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	2-Chloroethyl vinyl ether	<	0.52	ND	0.52	1.0	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2-Chloronaphthalene	<	0.15	ND	0.15	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2-Chloronaphthalene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2-Chloronaphthalene	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2-Chloronaphthalene	<	0.057	ND	0.057	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2-Chloronaphthalene	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2-Chloronaphthalene	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2-Chloronaphthalene	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2-Chloronaphthalene	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2-Chloronaphthalene	<	0.067	ND	0.067	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2-Chloronaphthalene	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2-Chloronaphthalene	=	0.10	Ja	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2-Chloronaphthalene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2-Chloronaphthalene	<	0.058	ND	0.058	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2-Chloronaphthalene	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2-Chloronaphthalene	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2-Chloronaphthalene	<	0.058	ND	0.058	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2-Chloronaphthalene	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2-Chloronaphthalene	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2-Chloronaphthalene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2-Chloronaphthalene	=	0.36	Jb, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2-Chloronaphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2-Chloronaphthalene	<	0.030	ND	0.030	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2-Chloronaphthalene	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2-Chloronaphthalene	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2-Chloronaphthalene	<	0.059	ND	0.059	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2-Chloronaphthalene	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2-Chloronaphthalene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2-Chloronaphthalene	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2-Chloronaphthalene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2-Chlorophenol	<	0.30	ND	0.30	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2-Chlorophenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2-Chlorophenol	<	0.12	ND	0.12	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2-Chlorophenol	<	0.76	ND	0.76	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2-Chlorophenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2-Chlorophenol	<	0.94	ND, RL-3	0.94	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2-Chlorophenol	<	0.19	ND	0.19	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2-Chlorophenol	<	0.14	ND	0.14	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2-Chlorophenol	<	0.19	ND, H4	0.19	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2-Chlorophenol	<	0.12	ND	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2-Chlorophenol	<	0.19	ND, H4, L2	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2-Chlorophenol	<	0.19	ND	0.19	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2-Chlorophenol	<	0.12	ND	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2-Chlorophenol	<	0.19	ND, H4	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2-Chlorophenol	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2-Chlorophenol	<	0.20	ND, H4	0.20	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2-Chlorophenol	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2-Chlorophenol	<	0.049	ND	0.049	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2-Chlorophenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2-Chlorophenol	<	0.5	ND	0.5	1	µg/L	EPA 8270

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2-Chlorophenol	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2-Chlorophenol	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2-Chlorophenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2-Chlorophenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	2-Nitrophenol	=	0.046	J	0.017	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	2-Nitrophenol	=	0.17	J	0.017	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	2-Nitrophenol	=	0.066	J	0.017	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	2-Nitrophenol	<	0.58	ND	0.58	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	2-Nitrophenol	=	0.28	J	0.23	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	2-Nitrophenol	<	0.095	ND, L2	0.095	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	2-Nitrophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	2-Nitrophenol	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	2-Nitrophenol	=	0.056	J	0.017	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	2-Nitrophenol	=	0.19	J	0.017	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	2-Nitrophenol	<	0.22	ND	0.22	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	2-Nitrophenol	<	0.38	ND, L2	0.38	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	2-Nitrophenol	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	2-Nitrophenol	=	0.17	J	0.017	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	2-Nitrophenol	=	0.24		0.017	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	2-Nitrophenol	<	0.095	ND, L2	0.095	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	2-Nitrophenol	<	0.47	ND, RL-3	0.47	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	2-Nitrophenol	<	0.094	ND	0.094	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	2-Nitrophenol	=	0.049	J	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	2-Nitrophenol	=	0.060	J	0.017	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	2-Nitrophenol	<	0.26	ND	0.26	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	2-Nitrophenol	<	0.096	ND, H4, L2	0.096	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	2-Nitrophenol	<	0.10	ND, L2	0.10	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	2-Nitrophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	2-Nitrophenol	=	0.045	J	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	2-Nitrophenol	=	0.10	J	0.017	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	2-Nitrophenol	=	0.14	J	0.017	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	2-Nitrophenol	=	0.020	J	0.017	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	2-Nitrophenol	=	0.30	J	0.23	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	2-Nitrophenol	<	0.095	ND, H4, L2	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	2-Nitrophenol	<	0.097	ND	0.097	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	2-Nitrophenol	=	0.028	J	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	2-Nitrophenol	<	0.095	ND, H4, L2	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	2-Nitrophenol	=	0.082	J	0.017	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	2-Nitrophenol	=	0.16	J	0.017	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	2-Nitrophenol	=	0.15	Jb, A-01, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	2-Nitrophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	2-Nitrophenol	<	0.099	ND, H4	0.099	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	2-Nitrophenol	<	0.02	ND	0.02	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	2-Nitrophenol	<	0.017	ND	0.017	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	2-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	2-Nitrophenol	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	2-Nitrophenol	<	0.23	ND	0.23	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	2-Nitrophenol	<	0.11	ND, H4, RL-4, L2	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	2-Nitrophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	2-Nitrophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	2-Nitrophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	3,3-Dichlorobenzidine	<	2.3	ND	2.3	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	3,3-Dichlorobenzidine	<	0.38	ND, M2	0.38	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	3,3-Dichlorobenzidine	<	0.89	ND	0.89	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	3,3-Dichlorobenzidine	<	1.5	ND	1.5	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	3,3-Dichlorobenzidine	<	1.9	ND, RL-3	1.9	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	3,3-Dichlorobenzidine	<	1.1	ND	1.1	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	3,3-Dichlorobenzidine	<	0.38	ND, H4	0.38	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	3,3-Dichlorobenzidine	<	0.92	ND	0.92	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	3,3-Dichlorobenzidine	<	0.38	ND, H4	0.38	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	3,3-Dichlorobenzidine	<	0.39	ND	0.39	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	3,3-Dichlorobenzidine	<	0.92	ND, M2	0.92	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	3,3-Dichlorobenzidine	<	0.38	ND, H4	0.38	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	3,3-Dichlorobenzidine	<	0.42	ND, H4, RL-4	0.42	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	3,3-Dichlorobenzidine	<	0.40	ND, H4	0.40	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	3,3-Dichlorobenzidine	<	0.55	ND	0.55	0.60	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	3,3-Dichlorobenzidine	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	3,3-Dichlorobenzidine	<	0.6	ND	0.6	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	3,3-Dichlorobenzidine	<	0.93	ND	0.93	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	3,3-Dichlorobenzidine	<	0.42	ND, H4, RL-4	0.42	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	3,3-Dichlorobenzidine	<	0.38	ND	0.38	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	3,3-Dichlorobenzidine	<	0.40	ND	0.40	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4,4'-DDD	<	0.0055	ND	0.0055	0.0071	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4,4'-DDD	<	0.056	ND	0.056	0.073	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4,4'-DDD	<	0.0019	ND, A-01	0.0019	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4,4'-DDD	=	0.0025	J	0.0018	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4,4'-DDD	<	0.0054	ND	0.0054	0.0071	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4,4'-DDD	<	0.011	ND	0.011	0.015	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4,4'-DDD	<	0.0019	ND, A-01	0.0019	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4,4'-DDD	<	0.0019	ND, C-1	0.0019	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4,4'-DDD	<	0.0055	ND	0.0055	0.0071	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4,4'-DDD	<	0.057	ND	0.057	0.074	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	4,4'-DDD	<	0.0022	ND, A-01, H4. C-1b	0.0022	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4,4'-DDD	<	0.0019	ND, A-01	0.0019	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4,4'-DDD	<	0.0054	ND	0.0054	0.0071	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4,4'-DDD	<	0.011	ND	0.011	0.015	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4,4'-DDD	<	0.0019	ND, A-01, H4. C-1b	0.0019	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4,4'-DDD	<	0.0021	ND, A-01	0.0021	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4,4'-DDD	<	0.0020	ND, C-1	0.0020	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8088
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4,4'-DDD	<	0.0055	ND	0.0055	0.0072	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4,4'-DDD	<	0.011	ND	0.011	0.015	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4,4'-DDD	<	0.0019	ND, A-01, H4. C-1b	0.0019	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4,4'-DDD	<	0.0021	ND	0.0021	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4,4'-DDD	<	0.0055	ND	0.0055	0.0072	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4,4'-DDD	<	0.027	ND	0.027	0.035	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4,4'-DDD	<	0.0019	ND, A-01, H4. C-1b	0.0019	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4,4'-DDD	=	0.016		0.0021	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4,4'-DDD	=	0.0031	J	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4,4'-DDD	=	0.0066	J	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4,4'-DDD	=	0.023		0.0018	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4,4'-DDD	=	0.0076		0.0018	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4,4'-DDD	=	0.024		0.0018	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4,4'-DDD	<	0.0054	ND	0.0054	0.0071	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4,4'-DDD	<	0.060	ND	0.060	0.078	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4,4'-DDD	<	0.0019	ND, A-01, H4. C-1b	0.0019	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4,4'-DDD	=	0.015	R-1	0.0020	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4,4'-DDD	=	0.0095	J	0.0021	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4,4'-DDD	=	0.0058	J	0.0021	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4,4'-DDD	=	0.0099	J	0.0021	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4,4'-DDD	=	0.0024	J	0.0018	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4,4'-DDD	<	0.0018	ND	0.0018	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4,4'-DDD	=	0.0059	J	0.0018	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4,4'-DDD	<	0.0054	ND	0.0054	0.0071	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4,4'-DDD	<	0.011	ND	0.011	0.014	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4,4'-DDD	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4,4'-DDD	=	0.021	R-1, A-01, H4	0.0019	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4,4'-DDD	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4,4'-DDD	<	0.0021	ND, C-1	0.0021	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4,4'-DDD	=	0.0051	R-10	0.0019	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4,4'-DDE	=	0.0038		0.0029	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4,4'-DDE	<	0.0022	ND	0.0022	0.0024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4,4'-DDE	<	0.023	ND	0.023	0.024	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4,4'-DDE	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4,4'-DDE	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4,4'-DDE	=	0.0090	J	0.0029	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4,4'-DDE	<	0.0022	ND	0.0022	0.0024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4,4'-DDE	<	0.0046	ND	0.0046	0.0049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4,4'-DDE	=	0.0030	J	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4,4'-DDE	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4,4'-DDE	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4,4'-DDE	<	0.0022	ND	0.0022	0.0024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4,4'-DDE	<	0.023	ND	0.023	0.025	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	4,4'-DDE	<	0.0033	ND, R-10, A-01, H4	0.0033	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4,4'-DDE	<	0.0028	ND, A-01	0.0028	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4,4'-DDE	<	0.0022	ND	0.0022	0.0024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4,4'-DDE	<	0.0046	ND	0.0046	0.0049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4,4'-DDE	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4,4'-DDE	<	0.0032	ND, A-01	0.0032	0.0053	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8089
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4,4'-DDE	<	0.0023	ND	0.0023	0.0024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4,4'-DDE	<	0.0046	ND	0.0046	0.0049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4,4'-DDE	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4,4'-DDE	<	0.0023	ND	0.0023	0.0024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4,4'-DDE	<	0.011	ND	0.011	0.012	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4,4'-DDE	=	0.0030	J	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4,4'-DDE	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4,4'-DDE	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4,4'-DDE	=	0.0098	J	0.0059	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4,4'-DDE	=	0.032		0.0029	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4,4'-DDE	=	0.032		0.0029	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4,4'-DDE	=	0.0029		0.0029	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4,4'-DDE	=	0.012		0.0029	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4,4'-DDE	=	0.0061		0.0022	0.0024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4,4'-DDE	=	0.029		0.024	0.026	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4,4'-DDE	=	0.014		0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4,4'-DDE	=	0.014	R-10, A-01, H4	0.0029	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4,4'-DDE	=	0.018	R-10	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4,4'-DDE	=	0.013	R-1	0.0030	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4,4'-DDE	=	0.0084		0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4,4'-DDE	=	0.012		0.0059	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4,4'-DDE	<	0.0059	ND	0.0059	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4,4'-DDE	=	0.0036	J	0.0029	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4,4'-DDE	<	0.0022	ND	0.0022	0.0024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4,4'-DDE	<	0.0045	ND	0.0045	0.0048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4,4'-DDE	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4,4'-DDE	=	0.0057		0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4,4'-DDE	=	0.0094	R-10, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4,4'-DDE	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4,4'-DDE	<	0.0032	ND	0.0032	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4,4'-DDE	=	0.0094	R-1	0.0029	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4,4'-DDT	<	0.0062	ND	0.0062	0.0071	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4,4'-DDT	<	0.063	ND	0.063	0.073	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4,4'-DDT	=	0.0091	J, B1	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4,4'-DDT	=	0.0082	J	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4,4'-DDT	<	0.0029	ND, A-01	0.0029	0.0096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4,4'-DDT	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4,4'-DDT	=	0.015		0.0024	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4,4'-DDT	=	0.027		0.0024	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4,4'-DDT	<	0.0061	ND	0.0061	0.0071	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4,4'-DDT	<	0.013	ND	0.013	0.015	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4,4'-DDT	=	0.0093	J, B1	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4,4'-DDT	<	0.0029	ND, A-01, C-2	0.0029	0.0095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4,4'-DDT	<	0.0029	ND, C-2	0.0029	0.0096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4,4'-DDT	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4,4'-DDT	<	0.0062	ND	0.0062	0.0071	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4,4'-DDT	<	0.064	ND	0.064	0.074	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4,4'-DDT	=	0.015	B1	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	4,4'-DDT	<	0.0033	ND, R-10, A-01, H4	0.0033	0.011	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4,4'-DDT	<	0.0028	ND, A-01, C-2	0.0028	0.0094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4,4'-DDT	=	0.026		0.0024	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4,4'-DDT	<	0.0061	ND	0.0061	0.0071	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4,4'-DDT	<	0.013	ND	0.013	0.015	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4,4'-DDT	=	0.094	B1	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4,4'-DDT	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4,4'-DDT	<	0.0032	ND, A-01, C-2	0.0032	0.011	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4,4'-DDT	<	0.0030	ND, C-2	0.0030	0.010	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8090
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4,4'-DDT	<	0.0062	ND	0.0062	0.0072	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4,4'-DDT	<	0.013	ND	0.013	0.015	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4,4'-DDT	=	0.005	J, B1	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4,4'-DDT	<	0.0029	ND, A-01, H4	0.0029	0.0096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4,4'-DDT	=	0.026		0.0024	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4,4'-DDT	<	0.0062	ND	0.0062	0.0072	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4,4'-DDT	<	0.031	ND	0.031	0.035	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4,4'-DDT	=	0.0099	B1, J	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4,4'-DDT	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4,4'-DDT	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4,4'-DDT	=	0.061		0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4,4'-DDT	=	0.087		0.0024	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4,4'-DDT	=	0.22		0.0024	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4,4'-DDT	=	0.0084	J	0.0024	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4,4'-DDT	=	0.032		0.0024	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4,4'-DDT	=	0.0071		0.0061	0.0071	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4,4'-DDT	<	0.068	ND	0.068	0.078	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4,4'-DDT	=	0.026	C	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4,4'-DDT	=	0.018	R-10, A-01, H4	0.0029	0.0097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4,4'-DDT	=	0.035	C-2	0.0029	0.0095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4,4'-DDT	=	0.018		0.0030	0.010	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4,4'-DDT	=	0.017	R-1	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4,4'-DDT	=	0.03		0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4,4'-DDT	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4,4'-DDT	<	0.0024	ND	0.0024	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4,4'-DDT	<	0.0061	ND	0.0061	0.0071	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4,4'-DDT	<	0.013	ND	0.013	0.014	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4,4'-DDT	=	0.018	B1	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4,4'-DDT	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4,4'-DDT	=	0.0066	Jb, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4,4'-DDT	<	0.0029	ND, C-2	0.0029	0.0096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4,4'-DDT	<	0.0032	ND, C-2	0.0032	0.011	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4,4'-DDT	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4,6-Dinitro-2-methylphenol	=	0.43	J	0.053	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4,6-Dinitro-2-methylphenol	<	0.95	ND	0.95	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND, L2	0.19	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	=	0.12	J	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4,6-Dinitro-2-methylphenol	=	0.36	J	0.053	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4,6-Dinitro-2-methylphenol	=	0.37	J	0.053	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4,6-Dinitro-2-methylphenol	<	0.37	ND	0.37	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4,6-Dinitro-2-methylphenol	<	0.76	ND, L2	0.76	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4,6-Dinitro-2-methylphenol	=	0.44	J	0.053	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4,6-Dinitro-2-methylphenol	=	0.30	J	0.053	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND, L2	0.19	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4,6-Dinitro-2-methylphenol	<	0.94	ND, RL-3	0.94	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4,6-Dinitro-2-methylphenol	=	0.14	J	0.053	0.50	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4,6-Dinitro-2-methylphenol	=	0.12	J	0.053	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4,6-Dinitro-2-methylphenol	=	0.10	J	0.053	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4,6-Dinitro-2-methylphenol	<	0.43	ND	0.43	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND, H4	0.19	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND, L2	0.20	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4,6-Dinitro-2-methylphenol	=	0.089	J	0.053	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4,6-Dinitro-2-methylphenol	=	0.15	J	0.053	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND, H4, L2	0.19	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	=	0.23	J	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4,6-Dinitro-2-methylphenol	=	0.40	J	0.053	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4,6-Dinitro-2-methylphenol	=	2.3	J	0.38	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND, H4	0.19	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4,6-Dinitro-2-methylphenol	=	0.22	J	0.053	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4,6-Dinitro-2-methylphenol	=	0.41	J	0.053	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4,6-Dinitro-2-methylphenol	<	0.21	ND, H4, RL-4, L2	0.21	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND, L2	0.20	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND, H4	0.20	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4,6-Dinitro-2-methylphenol	<	0.06	ND	0.06	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4,6-Dinitro-2-methylphenol	=	0.21	J	0.053	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4,6-Dinitro-2-methylphenol	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4,6-Dinitro-2-methylphenol	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4,6-Dinitro-2-methylphenol	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4,6-Dinitro-2-methylphenol	<	0.38	ND	0.38	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4,6-Dinitro-2-methylphenol	<	0.21	ND, H4, RL-4	0.21	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND, L2	0.20	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4,6-Dinitro-2-methylphenol	<	0.19	ND	0.19	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4,6-Dinitro-2-methylphenol	<	0.20	ND	0.20	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4-Bromophenyl phenyl ether	<	0.30	ND	0.30	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4-Bromophenyl phenyl ether	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4-Bromophenyl phenyl ether	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4-Bromophenyl phenyl ether	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4-Bromophenyl phenyl ether	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4-Bromophenyl phenyl ether	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4-Bromophenyl phenyl ether	<	0.14	ND	0.14	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4-Bromophenyl phenyl ether	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4-Bromophenyl phenyl ether	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4-Bromophenyl phenyl ether	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4-Bromophenyl phenyl ether	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4-Bromophenyl phenyl ether	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4-Bromophenyl phenyl ether	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4-Bromophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4-Bromophenyl phenyl ether	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4-Bromophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4-Bromophenyl phenyl ether	<	0.12	ND	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4-Bromophenyl phenyl ether	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4-Bromophenyl phenyl ether	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4-Bromophenyl phenyl ether	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4-Chloro-3-methylphenol	=	0.063	J	0.032	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4-Chloro-3-methylphenol	=	0.059	J	0.032	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4-Chloro-3-methylphenol	<	0.85	ND	0.85	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.046	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4-Chloro-3-methylphenol	=	0.15		0.032	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4-Chloro-3-methylphenol	<	0.33	ND	0.33	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4-Chloro-3-methylphenol	<	0.76	ND	0.76	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.084	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	=	0.077		0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	=	0.062	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4-Chloro-3-methylphenol	=	0.074	J	0.032	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4-Chloro-3-methylphenol	=	0.092	J	0.032	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4-Chloro-3-methylphenol	<	0.94	ND, RL-3	0.94	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.063	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	=	0.037	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4-Chloro-3-methylphenol	=	0.042	J	0.032	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4-Chloro-3-methylphenol	<	0.39	ND	0.39	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4-Chloro-3-methylphenol	<	0.19	ND, H4	0.19	0.96	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.063	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	=	0.036	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4-Chloro-3-methylphenol	=	0.064	J	0.032	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4-Chloro-3-methylphenol	<	0.19	ND, H4	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.13		0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	=	0.045	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4-Chloro-3-methylphenol	=	0.041	J	0.032	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4-Chloro-3-methylphenol	<	0.19	ND, H4	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.084	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	=	0.054	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4-Chloro-3-methylphenol	=	0.068	J	0.032	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4-Chloro-3-methylphenol	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4-Chloro-3-methylphenol	<	0.20	ND, H4	0.20	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4-Chloro-3-methylphenol	=	0.079	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4-Chloro-3-methylphenol	=	0.037	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4-Chloro-3-methylphenol	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4-Chloro-3-methylphenol	<	0.032	ND	0.032	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4-Chloro-3-methylphenol	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4-Chloro-3-methylphenol	<	1	ND	1	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4-Chloro-3-methylphenol	<	0.34	ND	0.34	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4-Chloro-3-methylphenol	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4-Chloro-3-methylphenol	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4-Chloro-3-methylphenol	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4-Chlorophenyl phenyl ether	<	0.14	ND	0.14	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4-Chlorophenyl phenyl ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4-Chlorophenyl phenyl ether	<	0.054	ND	0.054	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4-Chlorophenyl phenyl ether	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4-Chlorophenyl phenyl ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4-Chlorophenyl phenyl ether	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4-Chlorophenyl phenyl ether	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4-Chlorophenyl phenyl ether	<	0.064	ND	0.064	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4-Chlorophenyl phenyl ether	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4-Chlorophenyl phenyl ether	<	0.055	ND	0.055	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4-Chlorophenyl phenyl ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4-Chlorophenyl phenyl ether	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4-Chlorophenyl phenyl ether	<	0.055	ND	0.055	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4-Chlorophenyl phenyl ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4-Chlorophenyl phenyl ether	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4-Chlorophenyl phenyl ether	=	0.14	Jb, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4-Chlorophenyl phenyl ether	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4-Chlorophenyl phenyl ether	<	0.020	ND	0.020	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4-Chlorophenyl phenyl ether	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4-Chlorophenyl phenyl ether	<	0.056	ND	0.056	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4-Chlorophenyl phenyl ether	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4-Chlorophenyl phenyl ether	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4-Chlorophenyl phenyl ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	4-Nitrophenol	=	0.56		0.047	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	4-Nitrophenol	=	0.91		0.047	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	4-Nitrophenol	<	1.8	ND	1.8	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	4-Nitrophenol	=	4.4	J	0.73	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	4-Nitrophenol	=	2.4	Ja	0.70	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	4-Nitrophenol	<	2.4	ND	2.4	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	4-Nitrophenol	=	0.92		0.047	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	4-Nitrophenol	=	0.12	J	0.047	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	4-Nitrophenol	=	2.4	J	0.70	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	4-Nitrophenol	<	2.8	ND	2.8	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	4-Nitrophenol	<	0.70	ND	0.70	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	4-Nitrophenol	<	2.4	ND	2.4	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65	UR	Grab	6/4/2003	---	Total	4-Nitrophenol	=	0.77		0.02	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	4-Nitrophenol	=	0.15	J	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	4-Nitrophenol	=	1.2		0.047	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	4-Nitrophenol	=	0.068	J	0.047	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	4-Nitrophenol	=	2.0	J	0.3	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	4-Nitrophenol	=	2.0	Ja	0.70	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	4-Nitrophenol	<	3.4	ND, RL-3	3.4	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	4-Nitrophenol	<	2.4	ND	2.4	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	4-Nitrophenol	=	0.10	J	0.047	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	4-Nitrophenol	=	0.62		0.047	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	4-Nitrophenol	<	0.83	ND	0.83	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	4-Nitrophenol	<	0.70	ND, H4, L2	0.70	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	4-Nitrophenol	<	2.4	ND	2.4	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	4-Nitrophenol	=	0.11	J	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	4-Nitrophenol	=	0.53		0.047	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	4-Nitrophenol	=	0.83		0.047	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	4-Nitrophenol	=	3.1	J	0.72	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	4-Nitrophenol	<	0.70	ND, H4, L2	0.70	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	4-Nitrophenol	<	0.70	ND	0.70	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	4-Nitrophenol	<	2.4	ND	2.4	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	4-Nitrophenol	=	0.25	J	0.047	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	4-Nitrophenol	=	3.9	M1, J	0.72	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	4-Nitrophenol	<	0.70	ND, H4, L2	0.70	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	4-Nitrophenol	<	0.70	ND	0.70	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	4-Nitrophenol	<	2.4	ND	2.4	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	4-Nitrophenol	=	0.065	J	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	4-Nitrophenol	=	0.66		0.047	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	4-Nitrophenol	=	0.90		0.047	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	4-Nitrophenol	=	0.16	J	0.047	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	4-Nitrophenol	=	0.86	L2, Jb, H4, RL-4	0.77	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	4-Nitrophenol	<	0.72	ND, H4	0.72	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	4-Nitrophenol	<	2.4	ND	2.4	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	4-Nitrophenol	<	0.02	ND	0.02	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	4-Nitrophenol	<	0.047	ND	0.047	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	4-Nitrophenol	<	0.2	ND	0.2	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	4-Nitrophenol	<	0.3	ND	0.3	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	4-Nitrophenol	<	0.77	ND, H4, RL-4, L2	0.77	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	4-Nitrophenol	<	0.73	ND	0.73	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	4-Nitrophenol	<	0.69	ND	0.69	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	4-Nitrophenol	<	2.5	ND	2.5	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Acenaphthene	=	0.049	J	0.023	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Acenaphthene	=	0.067	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Acenaphthene	=	0.090	J	0.023	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Acenaphthene	=	0.037	J	0.023	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Acenaphthene	<	0.15	ND	0.15	0.57	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Acenaphthene	=	0.042	J	0.023	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Acenaphthene	<	0.13		0.13	1.0	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Acenaphthene	<	0.13	ND, M2	0.13	0.50	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Acenaphthene	<	0.13		0.13	1.0	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Acenaphthene	<	0.13	ND	0.13	0.50	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Acenaphthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Acenaphthene	<	0.023	ND	0.023	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Acenaphthene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Acenaphthene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Acenaphthene	<	0.13	ND, M2	0.13	1.0	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Acenaphthene	<	0.13	ND	0.13	1.0	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Acenaphthylene	<	0.34	ND	0.34	0.99	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Acenaphthylene	<	0.40	ND	0.40	1.0	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Acenaphthylene	<	0.32	ND	0.32	0.95	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Acenaphthylene	<	0.40	ND	0.40	1.0	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Acenaphthylene	=	0.14		0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Acenaphthylene	<	0.32	ND	0.32	0.95	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Acenaphthylene	<	0.34	ND	0.34	0.99	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Acenaphthylene	<	0.32	ND	0.32	0.95	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Acenaphthylene	<	0.39	ND	0.39	1.1	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Acenaphthylene	=	0.058	J	0.044	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Acenaphthylene	<	0.32	ND	0.32	0.95	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Acenaphthylene	<	0.32	ND	0.32	0.95	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Acenaphthylene	<	0.40	ND	0.40	1.0	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Acenaphthylene	<	0.40	ND	0.40	1.0	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Acenaphthylene	<	0.34	ND	0.34	1.0	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Acenaphthylene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Acenaphthylene	<	0.044	ND	0.044	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Acenaphthylene	<	0.33	ND	0.33	0.96	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Acenaphthylene	<	0.33	ND	0.33	0.98	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Acenaphthylene	<	0.33	ND	0.33	0.97	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Acenaphthylene	<	0.40	ND, M2	0.40	2.0	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Acenaphthylene	<	0.40	ND	0.40	2.0	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Acenaphthylene	=	3.8	R-1	0.40	2.0	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Aldrin	<	0.0036	ND, J	0.0036	0.0050	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Aldrin	=	0.0075		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Aldrin	<	0.0049	ND	0.0049	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Aldrin	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Aldrin	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Aldrin	=	0.0018		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Aldrin	=	0.0011	J	0.00097	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Aldrin	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Aldrin	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Aldrin	=	0.0015		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Aldrin	=	0.028		0.0050	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Aldrin	<	0.0033	ND, R-10, A-01, H4	0.0033	0.0056	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Aldrin	<	0.0028	ND, A-01	0.0028	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Aldrin	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Aldrin	=	0.0045		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Aldrin	=	0.0037		0.00097	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Aldrin	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Aldrin	<	0.0032	ND, A-01	0.0032	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Aldrin	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Aldrin	=	0.0024		0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Aldrin	=	0.0011	J	0.00097	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Aldrin	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Aldrin	<	0.00048	ND	0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Aldrin	<	0.0024	ND	0.0024	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Aldrin	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Aldrin	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Aldrin	<	0.0036	ND, J	0.0036	0.0050	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Aldrin	=	0.0014		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Aldrin	=	0.014		0.0052	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Aldrin	<	0.0029	ND, A-01, H4	0.0029	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Aldrin	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Aldrin	<	0.0017	ND	0.0017	0.005	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Aldrin	<	0.0036	ND	0.0036	0.0050	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Aldrin	=	0.0012		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Aldrin	=	0.019		0.00097	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Aldrin	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Aldrin	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Aldrin	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Aldrin	<	0.0032	ND	0.0032	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Aldrin	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Alkalinity	=	130		0.05	2	mg/L	EPA 310.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Alkalinity	=	200		0.05	2	mg/L	EPA 310.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Alkalinity	=	14		0.05	2.0	mg/L	EPA 310.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Alkalinity	=	11		0.05	1.0	mg/L	EPA 310.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Alkalinity	=	170		0.05	5.0	mg/L	EPA 310.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Alkalinity	=	150		0.05	1.0	mg/L	EPA 310.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Alkalinity	=	180		4.0	5.0	mg/L	SM 2320B
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Alkalinity	=	76		4.0	5.0	mg/L	SM 2320B
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Alkalinity	=	10		1.6	5.0	mg/L	SM 2320B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Alkalinity	=	58		1.6	5.0	mg/L	SM 2320B
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Alkalinity	=	20		1.6	5.0	mg/L	SM 2320B
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Alkalinity	=	12		1.6	5.0	mg/L	SM 2320B
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Alkalinity	=	120		1.6	5.0	mg/L	SM 2320B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Alkalinity	=	160		1.6	5.0	mg/L	SM 2320B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Alkalinity	=	44		0.05	2	mg/L	EPA 310.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Alkalinity	=	110		0.05	2	mg/L	EPA 310.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Alkalinity	=	94		0.05	2	mg/L	EPA 310.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Alkalinity	=	24		0.05	2.0	mg/L	EPA 310.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Alkalinity	=	22		0.05	1.0	mg/L	EPA 310.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Alkalinity	=	120		0.05	5.0	mg/L	EPA 310.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Alkalinity	=	85		0.05	1.0	mg/L	EPA 310.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Alkalinity	=	110		4.0	5.0	mg/L	SM 2320B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Alkalinity	=	110		4.0	5.0	mg/L	SM 2320B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Alkalinity	=	94		1.6	5.0	mg/L	SM 2320B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Alkalinity	=	43		1.6	5.0	mg/L	SM 2320B
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Alkalinity	=	51		1.6	5.0	mg/L	SM 2320B
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Alkalinity	=	62		1.6	5.0	mg/L	SM 2320B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Alkalinity	=	76		1.6	5.0	mg/L	SM 2320B
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Alkalinity	=	61		1.6	5.0	mg/L	SM 2320B
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Alkalinity	=	23		0.05	2	mg/L	EPA 310.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Alkalinity	=	140		0.05	2	mg/L	EPA 310.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Alkalinity	=	160		0.05	2	mg/L	EPA 310.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Alkalinity	=	35		0.05	2.0	mg/L	EPA 310.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Alkalinity	=	32		0.05	1.0	mg/L	EPA 310.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Alkalinity	=	94		0.05	5.0	mg/L	EPA 310.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Alkalinity	=	160		0.05	1.0	mg/L	EPA 310.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Alkalinity	=	110		4.0	5.0	mg/L	SM 2320B
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Alkalinity	=	73		4.0	5.0	mg/L	SM 2320B
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Alkalinity	=	160		1.6	5.0	mg/L	SM 2320B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Alkalinity	=	62		1.6	5.0	mg/L	SM 2320B
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Alkalinity	=	34		1.6	5.0	mg/L	SM 2320B
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Alkalinity	=	24		1.6	5.0	mg/L	SM 2320B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Alkalinity	=	100		1.6	5.0	mg/L	SM 2320B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Alkalinity	=	84		1.6	5.0	mg/L	SM 2320B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Alkalinity	=	76		0.05	2	mg/L	EPA 310.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Alkalinity	=	58		0.05	2	mg/L	EPA 310.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Alkalinity	=	78		0.05	2	mg/L	EPA 310.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Alkalinity	=	110		0.05	2.0	mg/L	EPA 310.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Alkalinity	=	110		0.05	1.0	mg/L	EPA 310.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Alkalinity	=	76		0.05	1.0	mg/L	EPA 310.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Alkalinity	=	44		0.05	5.0	mg/L	EPA 310.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Alkalinity	=	39		0.05	1.0	mg/L	EPA 310.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Alkalinity	=	61		4.0	5.0	mg/L	SM 2320B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Alkalinity	=	61		4.0	5.0	mg/L	SM 2320B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Alkalinity	=	62		1.6	5.0	mg/L	SM 2320B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Alkalinity	=	43		1.6	5.0	mg/L	SM 2320B
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Alkalinity	=	85		1.6	5.0	mg/L	SM 2320B
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Alkalinity	=	48		1.6	5.0	mg/L	SM 2320B
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Alkalinity	=	59		1.6	5.0	mg/L	SM 2320B
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Alkalinity	=	33		1.6	5.0	mg/L	SM 2320B
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Alkalinity	=	30		0.05	2	mg/L	EPA 310.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Alkalinity	=	240		0.05	2	mg/L	EPA 310.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Alkalinity	=	280		0.05	2	mg/L	EPA 310.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Alkalinity	=	25		0.05	2.0	mg/L	EPA 310.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Alkalinity	=	25		0.05	1.0	mg/L	EPA 310.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Alkalinity	=	210		0.05	5.0	mg/L	EPA 310.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Alkalinity	=	210		0.05	1.0	mg/L	EPA 310.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Alkalinity	=	150		4.0	5.0	mg/L	SM 2320B
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Alkalinity	=	27		4.0	5.0	mg/L	SM 2320B
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Alkalinity	=	12		1.6	5.0	mg/L	SM 2320B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Alkalinity	=	210		1.6	5.0	mg/L	SM 2320B
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Alkalinity	=	51		1.6	5.0	mg/L	SM 2320B
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Alkalinity	=	34		1.6	5.0	mg/L	SM 2320B
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Alkalinity	=	280		1.6	5.0	mg/L	SM 2320B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Alkalinity	=	280		1.6	5.0	mg/L	SM 2320B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Alkalinity	=	27		0.05	2	mg/L	EPA 310.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Alkalinity	=	92		0.05	2	mg/L	EPA 310.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Alkalinity	=	100		0.05	2	mg/L	EPA 310.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Alkalinity	=	80		0.05	1.0	mg/L	EPA 310.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Alkalinity	=	130		0.05	5.0	mg/L	EPA 310.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Alkalinity	=	85		0.05	1.0	mg/L	EPA 310.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Alkalinity	=	86		4.0	5.0	mg/L	SM 2320B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Alkalinity	=	38		4.0	5.0	mg/L	SM 2320B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Alkalinity	=	77		1.6	5.0	mg/L	SM 2320B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Alkalinity	=	41		1.6	5.0	mg/L	SM 2320B
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Alkalinity	=	45		1.6	5.0	mg/L	SM 2320B
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Alkalinity	=	99		1.6	5.0	mg/L	SM 2320B
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Alkalinity	=	110		1.6	5.0	mg/L	SM 2320B
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Alkalinity	=	61		1.6	5.0	mg/L	SM 2320B
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Alkalinity	=	23		0.05	2	mg/L	EPA 310.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Alkalinity	=	180		0.05	2	mg/L	EPA 310.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Alkalinity	=	180		0.05	2	mg/L	EPA 310.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Alkalinity	=	19		0.05	2.0	mg/L	EPA 310.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Alkalinity	=	14		0.05	1.0	mg/L	EPA 310.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Alkalinity	=	170		0.05	5.0	mg/L	EPA 310.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Alkalinity	=	160		0.05	1.0	mg/L	EPA 310.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Alkalinity	=	150		4.0	5.0	mg/L	SM 2320B
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Alkalinity	=	160		1.6	5.0	mg/L	SM 2320B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Alkalinity	=	220		1.6	5.0	mg/L	SM 2320B
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Alkalinity	=	26		1.6	5.0	mg/L	SM 2320B
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Alkalinity	=	77		1.6	5.0	mg/L	SM 2320B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Alkalinity	=	290		1.6	5.0	mg/L	SM 2320B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Alkalinity	=	280		1.6	5.0	mg/L	SM 2320B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Alkalinity	=	64		0.05	2	mg/L	EPA 310.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Alkalinity	=	99		0.05	2	mg/L	EPA 310.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Alkalinity	=	110		0.05	2	mg/L	EPA 310.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Alkalinity	=	67		0.05	2.0	mg/L	EPA 310.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Alkalinity	=	87		0.05	5.0	mg/L	EPA 310.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Alkalinity	=	97		0.05	1.0	mg/L	EPA 310.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Alkalinity	=	150		4.0	5.0	mg/L	SM 2320B
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Alkalinity	=	120		4.0	5.0	mg/L	SM 2320B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Alkalinity	=	50		1.6	5.0	mg/L	SM 2320B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Alkalinity	=	47		1.6	5.0	mg/L	SM 2320B
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Alkalinity	=	52		1.6	5.0	mg/L	SM 2320B
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Alkalinity	=	32		1.6	5.0	mg/L	SM 2320B
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Alkalinity	=	86		1.6	5.0	mg/L	SM 2320B
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Alkalinity	=	80		1.6	5.0	mg/L	SM 2320B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Aluminum	=	48	J	0.2	50	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Aluminum	=	5.6	J	0.2	50	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Aluminum	=	240		0.2	50	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Aluminum	=	1.5	J	0.2	50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Aluminum	=	38	J	0.17	50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Aluminum	=	630		0.17	50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Aluminum	=	95		0.17	50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Aluminum	=	2300		0.17	50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Aluminum	=	3.5	J	0.17	50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Aluminum	=	110	J	0.17	50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Aluminum	=	160		0.17	50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Aluminum	=	14	J	0.17	50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Aluminum	=	34		0.89	1.0	µg/L	EPA 6020
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Aluminum	=	6200		89	500	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Aluminum	=	790		8.9	50	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Aluminum	=	660		8.9	50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Aluminum	=	4500		89	500	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Dissolved	Aluminum	=	96		0.15	1.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Aluminum	=	2500		17	100	µg/L	EPA 200.7
SE41	CR-46	UR	Composite	3/20/2006	14:25	Dissolved	Aluminum	=	240		17	100	µg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Aluminum	=	380		17	100	µg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Dissolved	Aluminum	=	43	Jb	17	100	µg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Aluminum	=	1000		17	100	µg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Dissolved	Aluminum	=	64	Jb	17	100	µg/L	EPA 200.7
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Aluminum	=	1100		0.2	50	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Aluminum	=	15	J	0.2	50	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Aluminum	=	290		0.2	50	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Aluminum	=	1.5	J	0.2	50	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Aluminum	=	250		0.2	50	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Aluminum	=	3.3	J	0.2	50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Aluminum	=	44	J	0.17	50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Aluminum	=	410		0.17	50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Aluminum	=	46	J	0.17	50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Aluminum	=	1800		0.17	50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Aluminum	=	1.5		0.17	50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Aluminum	=	150	J	0.17	50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Aluminum	=	4.1	J	0.17	50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Aluminum	=	280		0.17	50	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Aluminum	=	1200		8.9	10	µg/L	EPA 6020
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Aluminum	=	160		0.89	5.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Aluminum	=	600		8.9	50	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Aluminum	=	390		8.9	50	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Aluminum	=	3300		89	500	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Dissolved	Aluminum	=	48		0.73	5.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Aluminum	=	1500		17	100	µg/L	EPA 200.7
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Dissolved	Aluminum	=	190		17	100	µg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Aluminum	=	650		17	100	µg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Dissolved	Aluminum	=	45	Jb	17	100	µg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Aluminum	=	300		17	100	µg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Aluminum	=	1200		0.2	50	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Aluminum	=	15	J	0.2	50	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Aluminum	=	260		0.2	50	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Aluminum	=	20	J	0.2	50	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Aluminum	=	320		0.2	50	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Aluminum	=	11	J	0.2	50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Aluminum	=	20	J	0.17	50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Aluminum	=	700		0.17	50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Aluminum	=	38	J	0.17	50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Aluminum	=	1000		0.17	50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Aluminum	=	58	J	0.17	50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Aluminum	=	150		0.17	50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Aluminum	=	39	J	0.17	50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Aluminum	=	340		0.17	50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Aluminum	=	120000		890	1000	µg/L	EPA 6020
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Aluminum	=	730		8.9	50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Aluminum	=	590		8.9	50	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Aluminum	=	840		8.9	50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Aluminum	=	4300		17	100	µg/L	EPA 200.7
SE40	DC-65	UR	Composite	2/26/2006	23:45	Dissolved	Aluminum	=	81	Jb	17	100	µg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Aluminum	=	8200		17	100	µg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Dissolved	Aluminum	=	88	Ja	17	100	µg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Aluminum	=	290		17	100	µg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Dissolved	Aluminum	=	29	Jb	17	100	µg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Aluminum	=	120		17	100	µg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Aluminum	=	650		0.2	50	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Aluminum	=	340		0.2	50	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Aluminum	=	2000		0.2	50	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Aluminum	=	120		0.2	50	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Aluminum	=	1500		0.2	50	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Aluminum	=	190		0.2	50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Aluminum	=	4.2	J	0.17	50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Aluminum	=	310		0.17	50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Aluminum	=	11	J	0.17	50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Aluminum	=	800		0.17	50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Aluminum	=	37	J	0.17	50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Aluminum	=	1400		0.17	50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Aluminum	=	190		0.17	50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Aluminum	=	770		0.17	50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Aluminum	=	120		0.17	50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Aluminum	=	1100		0.17	50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Aluminum	=	280		0.89	1.0	µg/L	EPA 6020
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Aluminum	=	3900		89	500	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Aluminum	=	2600		8.9	50	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Aluminum	=	840		8.9	50	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Aluminum	=	1500		17	100	µg/L	EPA 200.7
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Dissolved	Aluminum	=	350		17	100	µg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Aluminum	=	13000		17	100	µg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Dissolved	Aluminum	=	710		17	100	µg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Aluminum	=	260		17	100	µg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Dissolved	Aluminum	=	91	Jb	17	100	µg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Aluminum	=	3600		17	100	µg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Dissolved	Aluminum	=	360		17	100	µg/L	EPA 200.7
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Aluminum	=	4.2		0.2	50	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Aluminum	=	15		0.2	50	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Aluminum	=	11	J	0.2	50	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Aluminum	=	9.2	J	0.2	50	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Aluminum	=	22	J	0.2	50	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Aluminum	=	1.5	J	0.2	50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Aluminum	=	14	J	0.17	50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Aluminum	=	340		0.17	50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Aluminum	=	21	J	0.17	50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Aluminum	=	1700		0.17	50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Aluminum	=	0.62		0.17	50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Aluminum	=	4.8		0.17	50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Aluminum	=	3.7	J	0.17	50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Aluminum	=	10	J	0.17	50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Aluminum	=	36		0.89	1.0	µg/L	EPA 6020
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Aluminum	=	270		0.89	5.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Aluminum	=	500		8.9	50	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Aluminum	=	46		0.89	5.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Aluminum	=	1300		89	500	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Dissolved	Aluminum	=	500		1.5	10	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Aluminum	=	840		17	100	µg/L	EPA 200.7
SE40	MS-14	UR	Composite	2/26/2006	23:40	Dissolved	Aluminum	=	24	Jb	17	100	µg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Aluminum	=	880		0.2	50	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Aluminum	=	20	J	0.2	50	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Aluminum	=	320		0.2	50	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Aluminum	=	26	J	0.2	50	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Aluminum	=	470		0.2	50	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Aluminum	=	20	J	0.2	50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Aluminum	=	32	J	0.17	50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Aluminum	=	470		0.17	50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Aluminum	=	3.2	J	0.17	50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Aluminum	=	140	J	0.17	50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Aluminum	=	83		0.17	50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Aluminum	=	1100		0.17	50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Aluminum	=	530		1.8	2.0	µg/L	EPA 6020
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Aluminum	=	400		1.8	10	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Aluminum	=	1800	MSD1	8.9	50	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Aluminum	=	560		8.9	50	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Aluminum	=	2800		89	500	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Dissolved	Aluminum	=	44		0.15	1.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Aluminum	=	310		17	100	µg/L	EPA 200.7
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Dissolved	Aluminum	=	80	Jb	17	100	µg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Aluminum	=	130		17	100	µg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Dissolved	Aluminum	=	38	Jb	17	100	µg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Aluminum	=	360		17	100	µg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Dissolved	Aluminum	=	68	Jb	17	100	µg/L	EPA 200.7
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Aluminum	=	360		0.2	50	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Aluminum	=	27	J	0.2	50	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Aluminum	=	25	J	0.2	50	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Aluminum	=	5.7	J	0.2	50	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Aluminum	=	25	J	0.2	50	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Aluminum	=	8.9	J	0.2	50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Aluminum	=	58		0.17	50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Aluminum	=	850		0.17	50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Aluminum	=	46	J	0.17	50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Aluminum	=	3900		0.17	50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Aluminum	=	3.8		0.17	50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Aluminum	=	250	J	0.17	50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Aluminum	=	48	J	0.17	50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Aluminum	=	3.2	J	0.17	50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Aluminum	=	53		0.89	1.0	µg/L	EPA 6020
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Aluminum	=	1800		8.9	50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Aluminum	=	170		0.89	5.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Aluminum	=	1200		18	100	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Aluminum	=	1200		17	100	µg/L	EPA 200.7
SE40	SC-1	UR	Composite	2/27/2006	6:45	Dissolved	Aluminum	=	98	Jb	17	100	µg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Aluminum	=	6700		17	100	µg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Dissolved	Aluminum	=	230		17	100	µg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Aluminum	=	75	Jb	17	100	µg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Dissolved	Aluminum	<	17	ND	17	100	µg/L	EPA 200.7
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Aluminum	=	760		0.2	50	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Aluminum	=	3.3	J	0.2	50	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Aluminum	=	370		0.2	50	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Aluminum	=	52		0.2	50	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Aluminum	=	540		0.2	50	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Aluminum	=	9.7	J	0.2	50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Aluminum	=	5.7	J	0.17	50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Aluminum	=	170		0.17	50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Aluminum	=	1.8		0.17	50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Aluminum	=	310	J	0.17	50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Aluminum	=	870		0.17	50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Aluminum	=	0.47	J	0.17	50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Aluminum	=	2100		8.9	10	µg/L	EPA 6020
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Aluminum	=	580		8.9	50	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Aluminum	=	580		8.9	50	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Aluminum	=	1700		18	100	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Aluminum	=	730		17	100	µg/L	EPA 200.7
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Dissolved	Aluminum	=	140		17	100	µg/L	EPA 200.7
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Aluminum	=	610		17	100	µg/L	EPA 200.7
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Dissolved	Aluminum	=	87	Jb	17	100	µg/L	EPA 200.7
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Aluminum	=	190		17	100	µg/L	EPA 200.7
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Dissolved	Aluminum	=	45	Jb	17	100	µg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Aluminum	=	320		17	100	µg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Dissolved	Aluminum	=	27	Jb	17	100	µg/L	EPA 200.7
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Ammonia as N	=	1.2		0.1	0.1	mg/L	EPA 350.2
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Ammonia as N	=	0.399		0.1	0.1	mg/L	EPA 350.2
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Ammonia as N	=	0.726		0.100	0.100	mg/L	EPA 350.2
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Ammonia as N	=	0.752		0.100	0.100	mg/L	EPA 350.2
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Ammonia as N	=	5.9		0.10	1.0	mg/L	EPA 350.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Ammonia as N	=	1.5		0.10	0.20	mg/L	EPA 350.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Ammonia as N	=	0.41		0.052	0.082	mg/L	EPA 350.3
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Ammonia as N	=	1.8		0.052	0.082	mg/L	EPA 350.3
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Ammonia as N	=	0.59		0.052	0.082	mg/L	EPA 350.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Ammonia as N	=	0.17		0.052	0.082	mg/L	EPA 350.3
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Ammonia as N	=	1.4		0.052	0.082	mg/L	EPA 350.3
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Ammonia as N	=	0.572		0.0600	0.100	mg/L	EPA 350.1M
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Ammonia as N	=	0.137		0.0390	0.100	mg/L	EPA 350.1M
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Ammonia as N	=	0.322		0.0390	0.100	mg/L	EPA 350.1M
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Ammonia as N	=	0.105		0.1	0.1	mg/L	EPA 350.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Ammonia as N	=	0.409		0.100	0.100	mg/L	EPA 350.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Ammonia as N	=	0.812		0.100	0.100	mg/L	EPA 350.2
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Ammonia as N	<	0.10	ND	0.10	0.10	mg/L	EPA 350.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Ammonia as N	=	0.17		0.10	0.10	mg/L	EPA 350.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Ammonia as N	=	0.074	J	0.052	0.082	mg/L	EPA 350.3
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Ammonia as N	=	0.14		0.052	0.082	mg/L	EPA 350.3
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Ammonia as N	=	0.25		0.052	0.082	mg/L	EPA 350.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Ammonia as N	<	0.052	ND	0.052	0.082	mg/L	EPA 350.3
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Ammonia as N	=	0.45		0.052	0.082	mg/L	EPA 350.3
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Ammonia as N	=	0.102		0.0600	0.100	mg/L	EPA 350.1M
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Ammonia as N	=	0.0450	J	0.0390	0.100	mg/L	EPA 350.1M
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Ammonia as N	=	0.186		0.0390	0.100	mg/L	EPA 350.1M
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Ammonia as N	=	0.518		0.1	0.1	mg/L	EPA 350.2
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Ammonia as N	=	1.9		0.1	0.1	mg/L	EPA 350.2
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Ammonia as N	=	0.688		0.1	0.1	mg/L	EPA 350.2
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Ammonia as N	=	0.181		0.100	0.100	mg/L	EPA 350.2
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Ammonia as N	=	0.626		0.100	0.100	mg/L	EPA 350.2
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Ammonia as N	=	0.16		0.10	0.10	mg/L	EPA 350.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Ammonia as N	=	0.18		0.10	0.10	mg/L	EPA 350.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Ammonia as N	=	0.27		0.052	0.082	mg/L	EPA 350.3
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Ammonia as N	=	1.2		0.052	0.082	mg/L	EPA 350.3
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Ammonia as N	=	0.16		0.052	0.082	mg/L	EPA 350.1
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Ammonia as N	<	0.052	ND	0.052	0.082	mg/L	EPA 350.3
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Ammonia as N	=	0.482		0.0600	0.100	mg/L	EPA 350.1M
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Ammonia as N	=	0.403		0.0600	0.100	mg/L	EPA 350.1M
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Ammonia as N	=	2.21		0.0390	0.100	mg/L	EPA 350.1M
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Ammonia as N	=	1.20		0.0390	0.100	mg/L	EPA 350.1M
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Ammonia as N	=	0.205		0.1	0.1	mg/L	EPA 350.2
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Ammonia as N	=	0.22		0.1	0.1	mg/L	EPA 350.2
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Ammonia as N	=	0.492		0.100	0.100	mg/L	EPA 350.2
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Ammonia as N	=	0.782		0.100	0.100	mg/L	EPA 350.2
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Ammonia as N	=	0.168		0.100	0.100	mg/L	EPA 350.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Ammonia as N	=	0.11		0.10	0.10	mg/L	EPA 350.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Ammonia as N	=	0.35		0.10	0.10	mg/L	EPA 350.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Ammonia as N	=	0.083		0.052	0.082	mg/L	EPA 350.3
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Ammonia as N	<	0.052	ND	0.052	0.082	mg/L	EPA 350.3
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Ammonia as N	=	0.15		0.052	0.082	mg/L	EPA 350.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Ammonia as N	<	0.052	ND	0.052	0.082	mg/L	EPA 350.3
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Ammonia as N	=	0.0963	J	0.0600	0.100	mg/L	EPA 350.1M
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Ammonia as N	=	0.284		0.0600	0.100	mg/L	EPA 350.1M
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Ammonia as N	=	0.100		0.0390	0.100	mg/L	EPA 350.1M
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Ammonia as N	=	0.119		0.0390	0.100	mg/L	EPA 350.1M
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Ammonia as N	=	0.328		0.1	0.1	mg/L	EPA 350.2
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Ammonia as N	=	0.32		0.1	0.1	mg/L	EPA 350.2
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Ammonia as N	=	0.397		0.100	0.100	mg/L	EPA 350.2
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Ammonia as N	=	0.628		0.100	0.100	mg/L	EPA 350.2
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Ammonia as N	=	0.29		0.10	0.10	mg/L	EPA 350.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Ammonia as N	=	6.0		0.10	0.50	mg/L	EPA 350.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Ammonia as N	=	0.27		0.052	0.082	mg/L	EPA 350.3
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Ammonia as N	=	0.34		0.052	0.082	mg/L	EPA 350.3
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Ammonia as N	=	0.5		0.052	0.082	mg/L	EPA 350.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Ammonia as N	=	0.28		0.052	0.082	mg/L	EPA 350.3
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Ammonia as N	=	0.20		0.052	0.082	mg/L	EPA 350.3
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Ammonia as N	=	0.294		0.0600	0.100	mg/L	EPA 350.1M
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Ammonia as N	=	0.109		0.0390	0.100	mg/L	EPA 350.1M
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Ammonia as N	=	0.114		0.0390	0.100	mg/L	EPA 350.1M
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Ammonia as N	=	0.197		0.1	0.1	mg/L	EPA 350.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Ammonia as N	=	0.32		0.1	0.1	mg/L	EPA 350.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Ammonia as N	=	0.265		0.100	0.100	mg/L	EPA 350.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Ammonia as N	=	0.21		0.10	0.10	mg/L	EPA 350.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Ammonia as N	=	0.93		0.10	0.10	mg/L	EPA 350.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Ammonia as N	=	0.12		0.052	0.082	mg/L	EPA 350.3
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Ammonia as N	=	0.21		0.052	0.082	mg/L	EPA 350.3
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Ammonia as N	=	0.24		0.052	0.082	mg/L	EPA 350.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Ammonia as N	=	0.06	J	0.052	0.082	mg/L	EPA 350.3
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Ammonia as N	=	0.42		0.052	0.082	mg/L	EPA 350.3
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Ammonia as N	=	0.125		0.0600	0.100	mg/L	EPA 350.1M
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Ammonia as N	=	0.237		0.0390	0.100	mg/L	EPA 350.1M
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Ammonia as N	=	0.203		0.0390	0.100	mg/L	EPA 350.1M
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Ammonia as N	=	0.518		0.1	0.1	mg/L	EPA 350.2
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Ammonia as N	=	0.28		0.1	0.1	mg/L	EPA 350.2
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Ammonia as N	=	0.791		0.1	0.1	mg/L	EPA 350.2
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Ammonia as N	=	0.388		0.100	0.100	mg/L	EPA 350.2
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Ammonia as N	=	0.779		0.100	0.100	mg/L	EPA 350.2
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Ammonia as N	=	0.90		0.10	0.10	mg/L	EPA 350.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Ammonia as N	=	0.61		0.10	0.10	mg/L	EPA 350.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Ammonia as N	=	0.2		0.052	0.082	mg/L	EPA 350.3
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Ammonia as N	=	0.46		0.052	0.082	mg/L	EPA 350.3
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Ammonia as N	=	6.6		0.052	0.082	mg/L	EPA 350.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Ammonia as N	=	4.5		0.052	0.082	mg/L	EPA 350.3
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Ammonia as N	=	0.563		0.0600	0.100	mg/L	EPA 350.1M
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Ammonia as N	=	0.478		0.0390	0.100	mg/L	EPA 350.1M
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Ammonia as N	=	0.158		0.0390	0.100	mg/L	EPA 350.1M
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Ammonia as N	=	0.688		0.0390	0.100	mg/L	EPA 350.1M
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Ammonia as N	=	0.111		0.1	0.1	mg/L	EPA 350.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Ammonia as N	<	0.1	ND	0.1	0.1	mg/L	EPA 350.2
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Ammonia as N	=	0.765		0.100	0.100	mg/L	EPA 350.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Ammonia as N	<	0.10	ND	0.10	0.10	mg/L	EPA 350.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Ammonia as N	<	0.10	ND	0.10	0.10	mg/L	EPA 350.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Ammonia as N	=	0.063	J	0.052	0.082	mg/L	EPA 350.3
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Ammonia as N	=	0.11		0.052	0.082	mg/L	EPA 350.3
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Ammonia as N	=	0.083		0.052	0.082	mg/L	EPA 350.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Ammonia as N	<	0.052	ND	0.052	0.082	mg/L	EPA 350.3
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Ammonia as N	=	0.226		0.0600	0.100	mg/L	EPA 350.1M
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Ammonia as N	=	0.118		0.0390	0.100	mg/L	EPA 350.1M
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Ammonia as N	<	0.0390	ND	0.0390	0.100	mg/L	EPA 350.1M
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Ammonia as N	=	0.275		0.0390	0.100	mg/L	EPA 350.1M
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Anthracene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Anthracene	<	0.0083	ND	0.0083	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Anthracene	<	0.0083	ND	0.0083	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Anthracene	=	0.11		0.041	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Anthracene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Anthracene	<	0.011	ND	0.011	0.057	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Anthracene	<	0.0083	ND	0.0083	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Anthracene	<	0.0083	ND	0.0083	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Anthracene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Anthracene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Anthracene	<	0.041	ND	0.041	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Anthracene	=	0.0083	Jb	0.0083	0.30	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Anthracene	<	0.0083	ND	0.0083	0.30	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Antimony	=	0.49	J	0.04	0.5	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Antimony	=	0.33	J	0.04	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Antimony	=	1.4		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Antimony	=	0.73	J	0.04	0.5	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Antimony	=	0.52		0.044	0.50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Antimony	=	0.94		0.044	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Antimony	=	0.65		0.044	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Antimony	=	1.3		0.044	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Antimony	=	0.93	J	0.044	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Antimony	=	1.0		0.044	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Antimony	=	1.9		0.044	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Antimony	=	1.4		0.044	0.50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Antimony	=	0.74		0.20	0.50	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Antimony	=	7.5		0.20	0.50	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Antimony	=	1.4		0.20	0.50	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Antimony	=	4.6		0.20	0.50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Antimony	=	4.2		0.010	0.50	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Antimony	=	1.63		0.00810	0.500	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Antimony	=	6.86		0.00810	0.500	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Antimony	=	3.63		0.00810	0.500	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Antimony	=	0.92		0.04	0.5	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Antimony	=	0.63		0.04	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Antimony	=	0.64	J	0.04	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Antimony	=	0.76		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Antimony	=	0.26	J	0.04	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Antimony	<	0.04	ND	0.04	0.5	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Antimony	=	0.59		0.044	0.50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Antimony	=	1.4		0.044	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Antimony	=	0.55		0.044	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Antimony	=	1.1		0.044	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Antimony	=	0.26	J	0.044	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Antimony	=	0.47		0.044	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Antimony	=	0.53		0.044	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Antimony	=	0.33	J	0.044	0.50	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Antimony	=	0.54		0.20	0.50	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Antimony	=	0.64		0.20	0.50	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Antimony	=	0.33	J	0.20	0.50	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Antimony	=	0.2	J	0.20	0.50	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Antimony	=	0.56		0.010	0.50	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Antimony	=	0.171	J	0.00810	0.500	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Antimony	<	0.0810	ND, R-01	0.0810	5.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Antimony	=	0.0718	Ja	0.00810	0.500	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Antimony	=	0.5		0.04	0.5	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Antimony	=	0.63		0.04	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Antimony	=	0.17	J	0.04	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Antimony	=	0.19	J	0.04	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Antimony	=	0.43	J	0.04	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Antimony	=	0.24	J	0.04	0.5	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Antimony	=	0.34	J	0.044	0.50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Antimony	=	0.56		0.044	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Antimony	=	0.47	J	0.044	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Antimony	=	0.51		0.044	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Antimony	=	0.22		0.044	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Antimony	=	0.19		0.044	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Antimony	=	0.30	J	0.044	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Antimony	=	0.24	J	0.044	0.50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Antimony	=	0.63		0.20	0.50	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Antimony	=	1.0		0.20	0.50	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Antimony	=	0.32	J	0.20	0.50	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Antimony	=	0.78		0.20	0.50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Antimony	=	0.727		0.00810	0.0500	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Antimony	=	0.531		0.00810	0.500	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Antimony	=	0.570		0.00810	0.500	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Antimony	=	0.212	Ja	0.00810	0.500	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Antimony	=	0.23	J	0.04	0.5	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Antimony	=	0.38	J	0.04	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Antimony	<	0.04	ND, J	0.04	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Antimony	=	0.044	J	0.04	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Antimony	=	0.14	J	0.04	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Antimony	<	0.04	ND	0.04	0.5	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Antimony	=	0.71		0.044	0.50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Antimony	=	1.2		0.044	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Antimony	=	0.36	J	0.044	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Antimony	=	0.65		0.044	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Antimony	=	0.25	J	0.044	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Antimony	=	0.35	J	0.044	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Antimony	=	0.11	J	0.044	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Antimony	=	0.066		0.044	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Antimony	=	0.23	J	0.044	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Antimony	=	0.13	J	0.044	0.50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Antimony	=	0.2	J	0.20	0.50	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Antimony	=	0.21	J	0.20	0.50	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Antimony	=	0.24	J	0.20	0.50	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Antimony	<	0.20	ND	0.20	0.50	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Antimony	=	0.207		0.00810	0.0500	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Antimony	=	0.319	J	0.00810	0.500	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Antimony	=	0.0517	Ja	0.00810	0.500	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Antimony	=	0.0796	Ja	0.00810	0.500	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Antimony	=	0.95		0.04	0.5	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Antimony	=	0.63		0.04	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Antimony	=	0.2	J	0.04	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Antimony	=	0.42	J	0.04	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Antimony	=	1.1		0.04	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Antimony	=	1.3		0.04	0.5	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Antimony	=	0.20	J	0.044	0.50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Antimony	=	0.79		0.044	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Antimony	=	0.24	J	0.044	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Antimony	=	0.88		0.044	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Antimony	=	0.31	J	0.044	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Antimony	=	0.33	J	0.044	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Antimony	=	0.48	J	0.044	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Antimony	=	0.38	J	0.044	0.50	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Antimony	=	0.46	J	0.20	0.50	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Antimony	=	0.38	J	0.20	0.50	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Antimony	=	0.39	J	0.20	0.50	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Antimony	=	0.42	J	0.20	0.50	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Antimony	=	0.69		0.010	0.50	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Antimony	=	0.814		0.00810	0.0500	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Antimony	=	0.171	Ja	0.00810	0.500	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Antimony	=	0.194	Ja	0.00810	0.500	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Antimony	=	0.55		0.04	0.5	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Antimony	=	0.47	J	0.04	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Antimony	=	0.089	J	0.04	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Antimony	=	0.4	J	0.04	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Antimony	=	0.26	J	0.04	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Antimony	<	0.04	ND	0.04	0.5	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Antimony	=	0.56		0.044	0.50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Antimony	=	0.93		0.044	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Antimony	=	0.28		0.044	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Antimony	=	0.24		0.044	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Antimony	=	0.32	J	0.044	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Antimony	=	0.31	J	0.044	0.50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Antimony	=	0.34	J	0.20	0.50	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Antimony	=	0.61		0.20	0.50	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Antimony	=	0.54		0.20	0.50	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Antimony	<	0.20	ND	0.20	0.50	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Antimony	=	1.1		0.010	0.50	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Antimony	=	0.297		0.00810	0.0500	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Antimony	=	0.194	Ja	0.00810	0.500	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Antimony	=	0.176	Ja	0.00810	0.500	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Antimony	=	0.51		0.04	0.5	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Antimony	=	0.67		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Antimony	=	0.35	J	0.04	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Antimony	=	0.13	J	0.04	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Antimony	=	0.3	J	0.04	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Antimony	=	0.065	J	0.04	0.5	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Antimony	=	0.31	J	0.044	0.50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Antimony	=	0.88		0.044	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Antimony	=	0.43	J	0.044	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Antimony	=	1.5		0.044	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Antimony	=	0.35	J	0.044	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Antimony	=	0.35	J	0.044	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Antimony	=	0.39	J	0.044	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Antimony	=	0.35	J	0.044	0.50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Antimony	=	0.34	J	0.20	0.50	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Antimony	=	2.0		0.20	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Antimony	=	0.32	J	0.20	0.50	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Antimony	=	0.48	J	0.20	0.50	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Antimony	=	1.00		0.00810	0.0500	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Antimony	=	1.61		0.00810	0.500	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Antimony	=	0.130	Ja	0.00810	0.500	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Antimony	=	0.184	Ja	0.00810	0.500	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Antimony	=	0.52		0.04	0.5	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Antimony	=	0.56		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Antimony	=	0.3	J	0.04	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Antimony	=	0.34	J	0.04	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Antimony	=	1		0.04	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Antimony	=	0.37	J	0.04	0.5	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Antimony	=	0.37	J	0.044	0.50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Antimony	=	0.68		0.044	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Antimony	=	0.41	J	0.044	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Antimony	=	0.35		0.044	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Antimony	=	0.59		0.044	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Antimony	=	0.51		0.044	0.50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Antimony	=	0.55		0.20	0.50	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Antimony	=	0.45	J	0.20	0.50	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Antimony	=	0.46	J	0.20	0.50	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Antimony	=	0.4	J	0.20	0.50	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Antimony	=	0.0596		0.00810	0.0500	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Antimony	=	0.380	Ja	0.00810	0.500	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Antimony	=	0.338	Ja	0.00810	0.500	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Antimony	=	0.438	Ja	0.00810	0.500	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Arsenic	=	2.5		0.06	1	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Arsenic	=	2.5		0.06	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Arsenic	=	3.3		0.06	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Arsenic	=	2.5		0.06	1	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Arsenic	=	1.3		0.055	1.0	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Arsenic	=	1.0		0.055	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Arsenic	=	1.3		0.055	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Arsenic	=	5.0		0.055	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Arsenic	=	4.7		0.055	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Arsenic	=	3.5		0.50	1.0	µg/L	EPA 206.3
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Arsenic	=	2.9		0.50	1.0	µg/L	EPA 206.3
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Arsenic	=	4.0		0.20	1.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Arsenic	=	4.1		0.20	1.0	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Arsenic	=	0.87	J	0.20	1.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Arsenic	=	2.5		0.20	1.0	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Arsenic	=	2.5		0.31	1.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Arsenic	=	1.12		0.664	1.00	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Arsenic	=	4.30		0.664	1.00	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Arsenic	=	5.54		0.664	1.00	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Arsenic	=	1.3		0.06	1	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Arsenic	=	2.2		0.06	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Arsenic	=	2.3		0.06	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Arsenic	=	2.5		0.06	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Arsenic	=	0.77	J	0.06	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Arsenic	=	1.4		0.06	1	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Arsenic	=	0.98	J	0.055	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Arsenic	=	1.1		0.055	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Arsenic	=	1.1		0.055	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Arsenic	=	1.7		0.055	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Arsenic	=	1.4		0.055	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Arsenic	=	1.3		0.50	1.0	µg/L	EPA 206.3
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Arsenic	=	1.2		0.50	1.0	µg/L	EPA 206.3
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Arsenic	=	1.8		0.20	1.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Arsenic	=	1.2		0.20	1.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Arsenic	=	1.2		0.20	1.0	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Arsenic	=	0.43	J	0.20	1.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Arsenic	=	1.2		0.31	1.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Arsenic	<	0.664	ND	0.664	1.00	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Arsenic	=	0.919	Ja	0.664	1.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Arsenic	<	0.664	ND	0.664	1.00	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Arsenic	=	2.2		0.06	1	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Arsenic	=	2.2		0.06	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Arsenic	=	7.4		0.06	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Arsenic	=	9		0.06	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Arsenic	=	11		0.06	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Arsenic	=	13		0.06	1	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Arsenic	=	1.4		0.055	1.0	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Arsenic	=	1.4		0.055	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Arsenic	=	1.8		0.055	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Arsenic	=	2.4		0.055	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Arsenic	=	6.9		0.055	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Arsenic	=	5.5		0.055	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Arsenic	=	13		0.50	1.0	µg/L	EPA 206.3
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Arsenic	=	13		0.50	1.0	µg/L	EPA 206.3
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Arsenic	=	82		0.20	1.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Arsenic	=	2.9		0.20	1.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Arsenic	=	0.85	J	0.20	1.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Arsenic	=	2.3		0.20	1.0	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Arsenic	=	2.52		0.664	1.00	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Arsenic	=	2.35		0.664	1.00	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Arsenic	=	16.2		0.664	1.00	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Arsenic	=	3.42		0.664	1.00	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Arsenic	=	2.9		0.06	1	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Arsenic	=	3.5		0.06	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Arsenic	=	2.5		0.06	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Arsenic	=	2.4		0.06	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Arsenic	=	2.4		0.06	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Arsenic	=	2.7		0.06	1	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Arsenic	=	4.9		0.055	1.0	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Arsenic	=	4.4		0.055	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Arsenic	=	5.5		0.055	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Arsenic	=	4.3		0.055	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Arsenic	=	2.3		0.055	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Arsenic	=	2.3		0.055	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Arsenic	=	1.6		0.055	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Arsenic	=	1.4		0.055	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Arsenic	=	1.5		0.50	1.0	µg/L	EPA 206.3
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Arsenic	=	1.4		0.50	1.0	µg/L	EPA 206.3
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Arsenic	=	2.6		0.20	1.0	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Arsenic	=	2.4		0.20	1.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Arsenic	=	1.6		0.20	1.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Arsenic	=	1.1		0.20	1.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Arsenic	=	2.12		0.664	1.00	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Arsenic	=	2.51		0.664	1.00	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Arsenic	=	1.83		0.664	1.00	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Arsenic	=	1.26		0.664	1.00	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Arsenic	=	1.1		0.06	1	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Arsenic	=	2.2		0.06	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Arsenic	=	12		0.06	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Arsenic	=	11		0.06	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Arsenic	=	8.5		0.06	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Arsenic	=	10		0.06	1	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Arsenic	=	1.3		0.055	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Arsenic	=	8.2		0.055	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Arsenic	=	6.4		0.055	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Arsenic	=	7.5		0.50	1.0	µg/L	EPA 206.3
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Arsenic	=	7.2		0.50	1.0	µg/L	EPA 206.3
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Arsenic	=	7.2		0.20	1.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Arsenic	=	1.2		0.20	1.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Arsenic	=	0.82	J	0.20	1.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Arsenic	=	6.0		0.20	1.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Arsenic	=	2.0		0.31	1.0	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Arsenic	=	7.30		0.664	1.00	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Arsenic	=	9.60		0.664	1.00	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Arsenic	=	10.9		0.664	1.00	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Arsenic	=	1.3		0.06	1	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Arsenic	=	1.4		0.06	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Arsenic	=	2.1		0.06	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Arsenic	=	2.4		0.06	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Arsenic	=	2.2		0.06	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Arsenic	=	1.7		0.06	1	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Arsenic	=	1.7		0.055	1.0	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Arsenic	=	1.4		0.055	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Arsenic	=	3.7		0.055	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Arsenic	=	3.2		0.055	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Arsenic	=	2.2		0.50	1.0	µg/L	EPA 206.3
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Arsenic	=	2.1		0.50	1.0	µg/L	EPA 206.3
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Arsenic	=	1.5		0.20	1.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Arsenic	=	1.5		0.20	1.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Arsenic	=	1.7		0.20	1.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Arsenic	=	0.68	J	0.20	1.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Arsenic	=	1.8		0.31	1.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Arsenic	=	6.85		0.664	1.00	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Arsenic	=	2.99		0.664	1.00	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Arsenic	=	1.23		0.664	1.00	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Arsenic	=	1.6		0.06	1	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Arsenic	=	1.9		0.06	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Arsenic	=	8.6		0.06	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Arsenic	=	11		0.06	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Arsenic	=	7.2		0.06	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Arsenic	=	9.4		0.06	1	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Arsenic	=	1.2		0.055	1.0	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Arsenic	=	1.5		0.055	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Arsenic	=	1.1		0.055	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Arsenic	=	2.2		0.055	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Arsenic	=	4.7		0.055	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Arsenic	=	4.2		0.055	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Arsenic	=	5.5		0.50	1.0	µg/L	EPA 206.3
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Arsenic	=	4.8		0.50	1.0	µg/L	EPA 206.3
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Arsenic	=	5.2		0.20	1.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Arsenic	=	4.5		0.20	1.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Arsenic	=	1.1		0.20	1.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Arsenic	=	2.1		0.20	1.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Arsenic	=	1.17		0.664	1.00	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Arsenic	=	4.60		0.664	1.00	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Arsenic	=	4.22		0.664	1.00	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Arsenic	=	4.75		0.664	1.00	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Arsenic	=	2.4		0.06	1	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Arsenic	=	2.3		0.06	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Arsenic	=	3.3		0.06	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Arsenic	=	3		0.06	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Arsenic	=	3.2		0.06	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Arsenic	=	3.6		0.06	1	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Arsenic	=	1.9		0.055	1.0	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Arsenic	=	1.7		0.055	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Arsenic	=	1.9		0.055	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Arsenic	=	1.8		0.055	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Arsenic	=	3.0		0.50	1.0	µg/L	EPA 206.3
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Arsenic	=	2.6		0.50	1.0	µg/L	EPA 206.3
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Arsenic	=	4.6		0.20	1.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Arsenic	=	2.2		0.20	1.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Arsenic	=	1.7		0.20	1.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Arsenic	=	1.7		0.20	1.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Arsenic	<	0.664	ND	0.664	1.00	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Arsenic	=	2.21		0.664	1.00	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Arsenic	=	2.70		0.664	1.00	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Arsenic	=	3.12		0.664	1.00	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Atrazine	=	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Atrazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Atrazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Atrazine	<	0.16	ND	0.16	2.0	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 619
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Atrazine	<	0.1	ND	0.10	2.0	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Atrazine	<	0.2	ND	0.2	0.2	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Atrazine	<	2	ND	2	2	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzidine	<	6.0	ND	6.0	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzidine	<	2.4	ND, L2	2.4	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzidine	<	2.3	ND	2.3	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzidine	<	0.96	ND, M2	0.96	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzidine	<	2.3	ND, L2	2.3	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzidine	<	9.1	ND	9.1	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzidine	<	2.3	ND	2.3	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzidine	<	0.95	ND	0.95	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzidine	<	2.3	ND	2.3	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzidine	<	11	ND, RL-3	11	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzidine	<	0.94	ND	0.94	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzidine	=	5.2		1.0	1.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzidine	<	2.7	ND	2.7	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzidine	<	2.3	ND, H4	2.3	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzidine	<	0.95	ND	0.95	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzidine	<	2.4	ND, L2	2.4	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzidine	<	2.3	ND, H4	2.3	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzidine	<	2.3	ND	2.3	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzidine	<	0.97	ND	0.97	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzidine	<	2.4	ND, L2, M2	2.4	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzidine	<	2.3	ND, H4	2.3	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzidine	<	2.3	ND	2.3	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzidine	<	0.95	ND	0.95	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzidine	<	2.5	ND, H4, RL-4	2.5	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzidine	<	2.4	ND, H4	2.4	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzidine	<	0.95	ND	0.95	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzidine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzidine	<	1.0	ND		1.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzidine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzidine	<	0.6	ND	0.6	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzidine	<	0.1	ND	0.1	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzidine	<	2.5	ND, H4, RL-4	2.5	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzidine	<	2.4	ND	2.4	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzidine	<	2.3	ND	2.3	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzidine	<	1.0	ND	1.0	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzo(a)anthracene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzo(a)anthracene	<	0.015	ND, M2	0.015	0.050	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzo(a)anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzo(a)anthracene	<	0.015	ND, M2	0.015	0.050	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzo(a)anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzo(a)anthracene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Benzo(a)anthracene	=	0.021	Jb, R-1	0.015	0.050	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzo(a)anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzo(a)anthracene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzo(a)anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzo(a)anthracene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzo(a)anthracene	<	0.015		0.015	0.050	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzo(a)anthracene	<	0.015	ND, M2	0.015	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzo(a)anthracene	<	0.015		0.015	0.050	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzo(a)anthracene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzo(a)anthracene	=	0.015	Jb, R-1	0.015	0.050	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzo(a)anthracene	=	0.020	Jb	0.015	0.050	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzo(a)anthracene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzo(a)anthracene	<	0.082	ND	0.082	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzo(a)anthracene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzo(a)anthracene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzo(a)anthracene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzo(a)anthracene	<	0.015	ND, M2	0.015	0.050	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzo(a)anthracene	<	0.015	ND	0.015	0.050	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzo(a)pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzo(a)pyrene	<	0.018	ND, C-2	0.018	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzo(a)pyrene	=	0.020	Ja, R-10	0.018	0.10	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzo(a)pyrene	<	0.018	ND, M2	0.018	0.10	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzo(a)pyrene	=	0.068	J	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzo(a)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzo(a)pyrene	<	0.018	ND, C-2	0.018	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzo(a)pyrene	<	0.018	ND, M2	0.018	0.10	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzo(a)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzo(a)pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Benzo(a)pyrene	=	0.019	Jb, R-10	0.018	0.10	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzo(a)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzo(a)pyrene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzo(a)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzo(a)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzo(a)pyrene	<	0.018	ND, C-2	0.018	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzo(a)pyrene	<	0.018		0.018	0.10	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzo(a)pyrene	<	0.018	ND, M2	0.018	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzo(a)pyrene	<	0.018		0.018	0.10	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzo(a)pyrene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzo(a)pyrene	=	0.026	Jb	0.018	0.10	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzo(a)pyrene	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzo(a)pyrene	<	0.027	ND	0.027	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzo(a)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzo(a)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzo(a)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzo(a)pyrene	<	0.018	ND, M2	0.018	0.10	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzo(a)pyrene	<	0.018	ND	0.018	0.10	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzo(b)fluoranthene	<	0.12	ND	0.12	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzo(b)fluoranthene	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzo(b)fluoranthene	<	0.048	ND	0.048	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzo(b)fluoranthene	<	0.38	ND	0.38	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzo(b)fluoranthene	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzo(b)fluoranthene	<	0.47	ND, RL-3	0.47	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzo(b)fluoranthene	<	0.094	ND	0.094	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzo(b)fluoranthene	<	0.057	ND	0.057	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzo(b)fluoranthene	<	0.096	ND, H4	0.096	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzo(b)fluoranthene	=	0.13	Jb, A-01, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzo(b)fluoranthene	<	0.097	ND	0.097	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzo(b)fluoranthene	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzo(b)fluoranthene	=	0.10		0.039	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzo(b)fluoranthene	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzo(b)fluoranthene	<	0.099	ND, H4	0.099	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzo(b)fluoranthene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzo(b)fluoranthene	<	0.039	ND	0.039	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzo(b)fluoranthene	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzo(b)fluoranthene	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzo(b)fluoranthene	<	0.050	ND	0.050	2.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzo(b)fluoranthene	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzo(b)fluoranthene	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzo(b)fluoranthene	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.099	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.10	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzo(g,h,i)perylene	<	0.034	ND, M2	0.034	0.30	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.095	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.10	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzo(g,h,i)perylene	<	0.034	ND, M2	0.034	0.30	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzo(g,h,i)perylene	=	0.061	J	0.046	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.095	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.099	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.095	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzo(g,h,i)perylene	<	0.023	ND	0.023	0.11	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.095	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.095	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.10	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzo(g,h,i)perylene	=	0.053	J	0.046	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzo(g,h,i)perylene	<	0.034	ND, M2	0.034	0.10	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.10	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzo(g,h,i)perylene	=	0.091	J	0.07	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzo(g,h,i)perylene	<	0.07	ND	0.07	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzo(g,h,i)perylene	<	0.046	ND	0.046	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.096	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzo(g,h,i)perylene	<	0.020	ND	0.020	0.098	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzo(g,h,i)perylene	<	0.019	ND	0.019	0.097	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzo(g,h,i)perylene	<	0.034	ND, M2	0.034	0.30	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzo(g,h,i)perylene	<	0.034	ND	0.034	0.30	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Benzo(k)fluoranthene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Benzo(k)fluoranthene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Benzo(k)fluoranthene	<	0.13	ND	0.13	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Benzo(k)fluoranthene	<	0.095	ND, C	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Benzo(k)fluoranthene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Benzo(k)fluoranthene	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Benzo(k)fluoranthene	=	0.048	J	0.028	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Benzo(k)fluoranthene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Benzo(k)fluoranthene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Benzo(k)fluoranthene	<	0.051	ND	0.051	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Benzo(k)fluoranthene	<	0.38	ND, C	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Benzo(k)fluoranthene	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Benzo(k)fluoranthene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Benzo(k)fluoranthene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Benzo(k)fluoranthene	<	0.095	ND, C	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Benzo(k)fluoranthene	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Benzo(k)fluoranthene	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Benzo(k)fluoranthene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Benzo(k)fluoranthene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Benzo(k)fluoranthene	<	0.061	ND	0.061	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Benzo(k)fluoranthene	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Benzo(k)fluoranthene	<	0.10	ND, C	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Benzo(k)fluoranthene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Benzo(k)fluoranthene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Benzo(k)fluoranthene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Benzo(k)fluoranthene	<	0.052	ND	0.052	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Benzo(k)fluoranthene	=	0.11	Jb, A-01, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Benzo(k)fluoranthene	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Benzo(k)fluoranthene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Benzo(k)fluoranthene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Benzo(k)fluoranthene	<	0.052	ND	0.052	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Benzo(k)fluoranthene	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Benzo(k)fluoranthene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Benzo(k)fluoranthene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Benzo(k)fluoranthene	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Benzo(k)fluoranthene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Benzo(k)fluoranthene	<	0.099	ND, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Benzo(k)fluoranthene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Benzo(k)fluoranthene	<	0.028	ND	0.028	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Benzo(k)fluoranthene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Benzo(k)fluoranthene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Benzo(k)fluoranthene	<	0.053	ND	0.053	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Benzo(k)fluoranthene	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Benzo(k)fluoranthene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Benzo(k)fluoranthene	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Benzo(k)fluoranthene	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Beryllium	=	0.23	J	0.012	0.50	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Beryllium	=	0.021	J	0.012	0.50	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Beryllium	=	0.039	J	0.012	0.50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Beryllium	=	0.14	J	0.024	0.50	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Beryllium	=	0.0500	J	0.00299	0.500	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Beryllium	=	0.0244	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Beryllium	=	0.0499	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Beryllium	=	0.038	J	0.012	0.50	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Beryllium	=	0.025	J	0.012	0.50	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Beryllium	=	0.013	J	0.012	0.50	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Beryllium	=	0.12	J	0.024	0.50	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Beryllium	=	0.0200	J	0.00299	0.500	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Beryllium	=	0.0318	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Beryllium	=	0.0109	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Beryllium	=	4.4		0.060	2.5	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Beryllium	=	0.047	J	0.012	0.50	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Beryllium	=	0.024	J	0.012	0.50	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Beryllium	=	0.033	J	0.012	0.50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Beryllium	=	0.105		0.00299	0.0100	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Beryllium	=	0.150	J	0.00299	0.500	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Beryllium	=	0.336	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Beryllium	=	0.0144	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Beryllium	=	0.049	J	0.05	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Beryllium	=	0.067	J	0.047	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Beryllium	=	0.014	J	0.012	0.50	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Beryllium	=	0.15	J	0.012	0.50	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Beryllium	=	0.093	J	0.012	0.50	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Beryllium	=	0.04	J	0.012	0.50	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Beryllium	=	0.0386		0.00299	0.0100	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Beryllium	=	0.200	J	0.00299	0.500	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Beryllium	=	0.0681	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Beryllium	=	0.0858	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Beryllium	=	0.021	J	0.012	0.50	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Beryllium	=	0.016	J	0.012	0.50	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Beryllium	=	0.045	J	0.024	0.50	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Beryllium	=	0.0362		0.00299	0.0100	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Beryllium	=	0.0123	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Beryllium	=	0.0120	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Beryllium	=	0.018	J	0.012	0.50	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Beryllium	=	0.071	J	0.012	0.50	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Beryllium	=	0.055	J	0.012	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Beryllium	=	0.014	J	0.012	0.50	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Beryllium	=	0.11	J	0.024	0.50	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Beryllium	=	1.04		0.00299	0.0100	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Beryllium	=	0.00349	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Beryllium	=	0.0493	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Beryllium	=	0.069	J	0.047	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Beryllium	=	0.083	J	0.012	0.50	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Beryllium	<	0.012	ND	0.012	0.50	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Beryllium	=	0.043	J	0.012	0.50	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Beryllium	=	0.0298		0.00299	0.0100	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Beryllium	=	0.216	Ja	0.00299	0.500	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Beryllium	=	0.00409	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Beryllium	=	0.00883	Ja	0.00299	0.500	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Beryllium	<	0.05	ND	0.05	0.5	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Beryllium	<	0.047	ND	0.047	0.50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Beryllium	=	0.06	J	0.012	0.50	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Beryllium	=	0.025	J	0.012	0.50	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Beryllium	=	0.025	J	0.012	0.50	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Beryllium	=	0.024	J	0.012	0.50	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Beryllium	<	0.00299	ND	0.00299	0.0100	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Beryllium	=	0.0291	Ja	0.00299	0.500	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Beryllium	=	0.0118	Ja	0.00299	0.500	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Beryllium	=	0.0340	Ja	0.00299	0.500	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	BHC, alpha	=	0.0053		0.00038	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	BHC, alpha	=	0.043		0.0039	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	BHC, alpha	<	0.00096	ND, A-01	0.00096	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	BHC, alpha	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	BHC, alpha	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	BHC, alpha	=	0.0011	J	0.00038	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	BHC, alpha	=	0.0019	J	0.00078	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	BHC, alpha	<	0.00095	ND, A-01	0.00095	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	BHC, alpha	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	BHC, alpha	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	BHC, alpha	=	0.0027		0.00038	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	BHC, alpha	=	0.018		0.0040	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	BHC, alpha	<	0.0011	ND, A-01, H4. C-1a	0.0011	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	BHC, alpha	<	0.00094	ND, A-01	0.00094	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	BHC, alpha	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	BHC, alpha	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	BHC, alpha	=	0.0012	J	0.0011	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	BHC, alpha	=	0.00054	J	0.00038	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	BHC, alpha	<	0.00078	ND	0.00078	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	BHC, alpha	<	0.00095	ND, A-01, H4. C-1a	0.00095	0.0048	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	BHC, alpha	<	0.0011	ND, A-01	0.0011	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	BHC, alpha	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	BHC, alpha	=	0.0023		0.00038	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	BHC, alpha	=	0.0013	J	0.00078	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	BHC, alpha	<	0.00096	ND, A-01, H4. C-1a	0.00096	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	BHC, alpha	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	BHC, alpha	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	BHC, alpha	=	0.00056	J	0.00038	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	BHC, alpha	=	0.002	J	0.0019	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	BHC, alpha	<	0.00095	ND, A-01, H4. C-1a	0.00095	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	BHC, alpha	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	BHC, alpha	<	0.0011	ND, J	0.0011	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	BHC, alpha	=	0.0019	J	0.0011	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	BHC, alpha	=	0.0023		0.00038	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	BHC, alpha	<	0.0042	ND	0.0042	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	BHC, alpha	<	0.00097	ND, A-01, H4. C-1a	0.00097	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	BHC, alpha	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	BHC, alpha	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	BHC, alpha	<	0.0071	ND	0.0071	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	BHC, alpha	<	0.0011	ND	0.0011	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	BHC, alpha	=	0.0029		0.00038	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	BHC, alpha	=	0.0055		0.00077	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	BHC, alpha	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	BHC, alpha	<	0.00095	ND, A-01, H4, C-1	0.00095	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	BHC, alpha	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	BHC, alpha	<	0.0011	ND	0.0011	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	BHC, alpha	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	BHC, beta	=	0.0062		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	BHC, beta	=	0.15		0.0049	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	BHC, beta	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	BHC, beta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	BHC, beta	=	0.003		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	BHC, beta	=	0.011		0.00097	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	BHC, beta	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	BHC, beta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	BHC, beta	=	0.0074		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	BHC, beta	=	0.084		0.0050	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	BHC, beta	<	0.0033	ND, R-10, A-01, H4	0.0033	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	BHC, beta	<	0.0028	ND, A-01	0.0028	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	BHC, beta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	BHC, beta	=	0.0079		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	BHC, beta	=	0.0062		0.00097	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	BHC, beta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	BHC, beta	<	0.0032	ND, A-01	0.0032	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	BHC, beta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8083
SE31	MS-14	UR	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	BHC, beta	=	0.0083		0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	BHC, beta	=	0.0033		0.00097	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	BHC, beta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	BHC, beta	=	0.0019		0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	BHC, beta	=	0.0063		0.0024	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	BHC, beta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	BHC, beta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	BHC, beta	=	0.0082		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	BHC, beta	=	0.046		0.0052	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	BHC, beta	<	0.0029	ND, A-01, H4	0.0029	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	BHC, beta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	BHC, beta	<	0.005	ND	0.005	0.005	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	BHC, beta	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	BHC, beta	=	0.0061		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	BHC, beta	=	0.009		0.00097	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	BHC, beta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	BHC, beta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	BHC, beta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	BHC, beta	<	0.0032	ND	0.0032	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	BHC, beta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	BHC, delta	=	0.0018	J	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	BHC, delta	=	0.0042		0.00062	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	BHC, delta	=	0.034		0.0063	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	BHC, delta	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	BHC, delta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	BHC, delta	=	0.0029		0.00061	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	BHC, delta	=	0.0067		0.0013	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	BHC, delta	<	0.0029	ND, A-01	0.0029	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	BHC, delta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65	UR	Composite	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	BHC, delta	=	0.0027		0.00062	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	BHC, delta	=	0.0031		0.0064	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	BHC, delta	<	0.0033	ND, R-10, A-01, H4	0.0033	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	BHC, delta	<	0.0028	ND, A-01	0.0028	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	BHC, delta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	BHC, delta	=	0.0016		0.00061	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	BHC, delta	=	0.0021	J	0.0013	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	BHC, delta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	BHC, delta	<	0.0032	ND, A-01	0.0032	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	BHC, delta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8084
SE31	MS-14	UR	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	BHC, delta	=	0.0019		0.00062	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	BHC, delta	=	0.0028		0.0013	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	BHC, delta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	BHC, delta	=	0.00092	J	0.00062	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	BHC, delta	=	0.0043	J	0.0031	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	BHC, delta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	BHC, delta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	BHC, delta	=	0.0033		0.00061	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	BHC, delta	=	0.014		0.0068	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	BHC, delta	<	0.0029	ND, A-01, H4	0.0029	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	BHC, delta	<	0.0028	ND	0.0028	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	BHC, delta	<	0.0016	ND	0.0016	0.005	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	BHC, delta	<	0.0039	ND	0.0039	0.0050	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	BHC, delta	=	0.0022		0.00061	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	BHC, delta	=	0.0042		0.0013	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	BHC, delta	<	0.0030	ND	0.0030	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	BHC, delta	<	0.0029	ND, A-01, H4	0.0029	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	BHC, delta	<	0.0029	ND	0.0029	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	BHC, delta	<	0.0032	ND	0.0032	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	BHC, delta	<	0.0029	ND	0.0029	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	BHC, gamma (Lindane)	=	0.0031		0.00043	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	BHC, gamma (Lindane)	=	0.047		0.0044	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01	0.0048	0.0096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	BHC, gamma (Lindane)	<	0.0047	ND	0.0047	0.0094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	BHC, gamma (Lindane)	=	0.0016		0.00042	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	BHC, gamma (Lindane)	=	0.012		0.00087	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01	0.0048	0.0095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	BHC, gamma (Lindane)	<	0.0047	ND	0.0047	0.0094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	BHC, gamma (Lindane)	=	0.019		0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	BHC, gamma (Lindane)	=	0.020		0.0012	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	BHC, gamma (Lindane)	=	0.0062		0.00043	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	BHC, gamma (Lindane)	=	0.072		0.0045	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	BHC, gamma (Lindane)	<	0.0056	ND, R-10, A-01, H4	0.0056	0.011	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	BHC, gamma (Lindane)	<	0.0047	ND, A-01	0.0047	0.0094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	BHC, gamma (Lindane)	<	0.0049	ND	0.0049	0.0097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	BHC, gamma (Lindane)	=	0.0022	J	0.0012	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	BHC, gamma (Lindane)	=	0.0027		0.00042	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	BHC, gamma (Lindane)	=	0.0088		0.00087	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01, H4	0.0048	0.0095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	BHC, gamma (Lindane)	<	0.0053	ND, A-01	0.0053	0.011	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	BHC, gamma (Lindane)	<	0.0049	ND	0.0049	0.0097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8085
SE31	MS-14	UR	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	BHC, gamma (Lindane)	=	0.0071		0.00043	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	BHC, gamma (Lindane)	=	0.0022	J	0.00087	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01, H4	0.0048	0.0096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	BHC, gamma (Lindane)	=	0.0012		0.00043	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	BHC, gamma (Lindane)	=	0.0055	J	0.0021	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01, H4	0.0048	0.0095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	BHC, gamma (Lindane)	<	0.0047	ND	0.0047	0.0094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	BHC, gamma (Lindane)	=	0.0077	J	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	BHC, gamma (Lindane)	=	0.0036		0.00042	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	BHC, gamma (Lindane)	<	0.0047	ND	0.0047	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	BHC, gamma (Lindane)	<	0.0049	ND, A-01, H4	0.0049	0.0097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	BHC, gamma (Lindane)	<	0.0047	ND	0.0047	0.0094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	BHC, gamma (Lindane)	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	BHC, gamma (Lindane)	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	BHC, gamma (Lindane)	=	0.0057		0.00042	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	BHC, gamma (Lindane)	=	0.0042		0.00087	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	BHC, gamma (Lindane)	<	0.0050	ND	0.0050	0.010	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	BHC, gamma (Lindane)	<	0.0048	ND, A-01, H4	0.0048	0.0095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	BHC, gamma (Lindane)	<	0.0048	ND	0.0048	0.0096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	BHC, gamma (Lindane)	<	0.0053	ND	0.0053	0.011	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	BHC, gamma (Lindane)	<	0.0049	ND	0.0049	0.0097	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	4.3		0.5	2	mg/L	EPA 405.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	=	15		0.5	2	mg/L	EPA 405.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Biochemical Oxygen Demand	=	6.4		0.5	4.0	mg/L	EPA 405.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Biochemical Oxygen Demand	=	9.2		0.5	6.0	mg/L	EPA 405.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	7.2		0.5	6.0	mg/L	EPA 405.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	9.3		0.5	6	mg/L	EPA 405.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Biochemical Oxygen Demand	=	2.1		1.0	2.0	mg/L	EPA 405.1
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Biochemical Oxygen Demand	=	47		1.0	2.0	mg/L	EPA 405.1
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Biochemical Oxygen Demand	=	4.2		1.0	2.0	mg/L	EPA 405.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Biochemical Oxygen Demand	=	30		1.0	2.0	mg/L	EPA 405.1
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Biochemical Oxygen Demand	=	15		1.0	2.0	mg/L	EPA 405.1
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Biochemical Oxygen Demand	=	6.6		1.0	2.0	mg/L	EPA 405.1
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Biochemical Oxygen Demand	=	11		1.0	2.0	mg/L	EPA 405.1
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Biochemical Oxygen Demand	=	11		1.0	2.0	mg/L	EPA 405.1
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Biochemical Oxygen Demand	=	11		0.5	2	mg/L	EPA 405.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	6.2		0.5	2	mg/L	EPA 405.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Biochemical Oxygen Demand	=	6.5		0.5	6.0	mg/L	EPA 405.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Biochemical Oxygen Demand	=	6.5		0.5	4.0	mg/L	EPA 405.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	3.2		0.5	2.0	mg/L	EPA 405.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	2.6		0.5	2	mg/L	EPA 405.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Biochemical Oxygen Demand	=	1.6	J	1.0	2.0	mg/L	EPA 405.1
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Biochemical Oxygen Demand	=	9.9		1.0	2.0	mg/L	EPA 405.1
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Biochemical Oxygen Demand	=	2.0		1.0	2.0	mg/L	EPA 405.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Biochemical Oxygen Demand	=	1.2	J	1.0	2.0	mg/L	EPA 405.1
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Biochemical Oxygen Demand	=	8.4		1.0	2.0	mg/L	EPA 405.1
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Biochemical Oxygen Demand	<	1.0	ND	1.0	2.0	mg/L	EPA 405.1
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Biochemical Oxygen Demand	=	3.1		1.0	2.0	mg/L	EPA 405.1
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Biochemical Oxygen Demand	<	1.0	ND	1.0	2.0	mg/L	EPA 405.1
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Biochemical Oxygen Demand	=	14		0.5	2	mg/L	EPA 405.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	5		0.5	2	mg/L	EPA 405.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Biochemical Oxygen Demand	=	5.2		0.5	2.0	mg/L	EPA 405.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Biochemical Oxygen Demand	=	21		0.5	6.0	mg/L	EPA 405.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	7.7		0.5	6.0	mg/L	EPA 405.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	6.0		0.5	4	mg/L	EPA 405.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Biochemical Oxygen Demand	=	4.1		1.0	2.0	mg/L	EPA 405.1
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Biochemical Oxygen Demand	=	59		1.0	2.0	mg/L	EPA 405.1
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Biochemical Oxygen Demand	=	3.4		1.0	2.0	mg/L	EPA 405.1
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Biochemical Oxygen Demand	=	16		1.0	2.0	mg/L	EPA 405.1
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Biochemical Oxygen Demand	=	22		1.0	2.0	mg/L	EPA 405.1
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Biochemical Oxygen Demand	=	13		1.0	2.0	mg/L	EPA 405.1
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Biochemical Oxygen Demand	=	130		1.0	2.0	mg/L	EPA 405.1
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Biochemical Oxygen Demand	=	24		1.0	2.0	mg/L	EPA 405.1
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Biochemical Oxygen Demand	=	3.1	J	0.5	2	mg/L	EPA 405.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	4		0.5	2	mg/L	EPA 405.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Biochemical Oxygen Demand	=	2.6		0.5	2.0	mg/L	EPA 405.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Biochemical Oxygen Demand	=	3.8		0.5	2.0	mg/L	EPA 405.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Biochemical Oxygen Demand	=	4.4		0.5	2.0	mg/L	EPA 405.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	2.3		0.5	2.0	mg/L	EPA 405.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	2.5		0.5	2	mg/L	EPA 405.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Biochemical Oxygen Demand	=	1.1	J	1.0	2.0	mg/L	EPA 405.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Biochemical Oxygen Demand	=	2.6		1.0	2.0	mg/L	EPA 405.1
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Biochemical Oxygen Demand	=	1.9	J	1.0	2.0	mg/L	EPA 405.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Biochemical Oxygen Demand	=	1.4	J	1.0	2.0	mg/L	EPA 405.1
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Biochemical Oxygen Demand	=	2.9		1.0	2.0	mg/L	EPA 405.1
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Biochemical Oxygen Demand	=	5.1		1.0	2.0	mg/L	EPA 405.1
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Biochemical Oxygen Demand	=	5.8		1.0	2.0	mg/L	EPA 405.1
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Biochemical Oxygen Demand	<	1.0	ND	1.0	2.0	mg/L	EPA 405.1
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Biochemical Oxygen Demand	=	17		0.5	2	mg/L	EPA 405.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	4		0.5	2	mg/L	EPA 405.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Biochemical Oxygen Demand	=	8.1		0.5	4.0	mg/L	EPA 405.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Biochemical Oxygen Demand	=	7.7		0.5	6.0	mg/L	EPA 405.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2.0	mg/L	EPA 405.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	2.5		0.5	2	mg/L	EPA 405.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Biochemical Oxygen Demand	=	1.3	J	1.0	2.0	mg/L	EPA 405.1
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Biochemical Oxygen Demand	=	17		1.0	2.0	mg/L	EPA 405.1
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Biochemical Oxygen Demand	=	15		1.0	2.0	mg/L	EPA 405.1
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Biochemical Oxygen Demand	=	5.1		1.0	2.0	mg/L	EPA 405.1
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Biochemical Oxygen Demand	=	21		1.0	2.0	mg/L	EPA 405.1
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Biochemical Oxygen Demand	=	31		1.0	2.0	mg/L	EPA 405.1
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Biochemical Oxygen Demand	=	2.9		1.0	2.0	mg/L	EPA 405.1
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Biochemical Oxygen Demand	<	1.0	ND	1.0	2.0	mg/L	EPA 405.1
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Biochemical Oxygen Demand	=	10		0.5	2	mg/L	EPA 405.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Biochemical Oxygen Demand	=	5.0		0.5	2.0	mg/L	EPA 405.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	2.2		0.5	2.0	mg/L	EPA 405.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	2.1		0.5	2	mg/L	EPA 405.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Biochemical Oxygen Demand	<	1.0	ND	1.0	2.0	mg/L	EPA 405.1
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Biochemical Oxygen Demand	=	34		1.0	2.0	mg/L	EPA 405.1
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Biochemical Oxygen Demand	=	14		1.0	2.0	mg/L	EPA 405.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Biochemical Oxygen Demand	=	1.1	J	1.0	2.0	mg/L	EPA 405.1
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Biochemical Oxygen Demand	=	16		1.0	2.0	mg/L	EPA 405.1
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Biochemical Oxygen Demand	=	4.1		1.0	2.0	mg/L	EPA 405.1
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Biochemical Oxygen Demand	=	2.3		1.0	2.0	mg/L	EPA 405.1
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Biochemical Oxygen Demand	=	2.0		1.0	2.0	mg/L	EPA 405.1
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Biochemical Oxygen Demand	=	14		0.5	2	mg/L	EPA 405.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	<	0.5	ND	0.5	2	mg/L	EPA 405.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Biochemical Oxygen Demand	=	14		0.5	6.0	mg/L	EPA 405.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Biochemical Oxygen Demand	=	11		0.5	6.0	mg/L	EPA 405.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	5.2		0.5	2.0	mg/L	EPA 405.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	5.1		0.5	2	mg/L	EPA 405.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Biochemical Oxygen Demand	=	2.8		1.0	2.0	mg/L	EPA 405.1
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Biochemical Oxygen Demand	=	220	HT	1.0	2.0	mg/L	EPA 405.1
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Biochemical Oxygen Demand	=	5.8		1.0	2.0	mg/L	EPA 405.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Biochemical Oxygen Demand	=	20		1.0	2.0	mg/L	EPA 405.1
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Biochemical Oxygen Demand	=	8.4		1.0	2.0	mg/L	EPA 405.1
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Biochemical Oxygen Demand	=	17		1.0	2.0	mg/L	EPA 405.1
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Biochemical Oxygen Demand	=	2.5		1.0	2.0	mg/L	EPA 405.1
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Biochemical Oxygen Demand	=	4.4		1.0	2.0	mg/L	EPA 405.1
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Biochemical Oxygen Demand	=	11		0.5	2	mg/L	EPA 405.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Biochemical Oxygen Demand	=	9.7		0.5	2	mg/L	EPA 405.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Biochemical Oxygen Demand	=	5.7		0.5	2	mg/L	EPA 405.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Biochemical Oxygen Demand	=	4.1		0.5	2.0	mg/L	EPA 405.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Biochemical Oxygen Demand	=	4.0		0.5	2.0	mg/L	EPA 405.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Biochemical Oxygen Demand	=	3.7		0.5	2	mg/L	EPA 405.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Biochemical Oxygen Demand	=	3.7		1.0	2.0	mg/L	EPA 405.1
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Biochemical Oxygen Demand	=	5.4		1.0	2.0	mg/L	EPA 405.1
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Biochemical Oxygen Demand	=	4.4		1.0	2.0	mg/L	EPA 405.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Biochemical Oxygen Demand	=	3.1		1.0	2.0	mg/L	EPA 405.1
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Biochemical Oxygen Demand	=	5.8		1.0	2.0	mg/L	EPA 405.1
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Biochemical Oxygen Demand	=	5.2		1.0	2.0	mg/L	EPA 405.1
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Biochemical Oxygen Demand	=	5.8		1.0	2.0	mg/L	EPA 405.1
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Biochemical Oxygen Demand	=	4.2		1.0	2.0	mg/L	EPA 405.1
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Bis(2-chloroethoxy)methane	<	0.18	ND	0.18	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Bis(2-chloroethoxy)methane	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Bis(2-chloroethoxy)methane	<	0.069	ND	0.069	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Bis(2-chloroethoxy)methane	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Bis(2-chloroethoxy)methane	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Bis(2-chloroethoxy)methane	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Bis(2-chloroethoxy)methane	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Bis(2-chloroethoxy)methane	<	0.082	ND	0.082	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Bis(2-chloroethoxy)methane	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Bis(2-chloroethoxy)methane	=	0.061	J	0.059	1.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Bis(2-chloroethoxy)methane	<	0.071	ND	0.071	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Bis(2-chloroethoxy)methane	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Bis(2-chloroethoxy)methane	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Bis(2-chloroethoxy)methane	<	0.071	ND	0.071	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Bis(2-chloroethoxy)methane	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Bis(2-chloroethoxy)methane	=	0.065	J	0.059	1.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Bis(2-chloroethoxy)methane	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroethoxy)methane	<	0.099	ND, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethoxy)methane	<	0.07	ND	0.07	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Bis(2-chloroethoxy)methane	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Bis(2-chloroethoxy)methane	<	0.5	ND	0.5	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Bis(2-chloroethoxy)methane	<	0.4	ND	0.4	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Bis(2-chloroethoxy)methane	<	0.072	ND	0.072	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Bis(2-chloroethoxy)methane	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Bis(2-chloroethoxy)methane	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Bis(2-chloroethoxy)methane	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Bis(2-chloroethyl)ether	<	0.21	ND	0.21	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Bis(2-chloroethyl)ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Bis(2-chloroethyl)ether	=	0.19	J	0.037	1.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Bis(2-chloroethyl)ether	<	0.081	ND	0.081	0.48	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Bis(2-chloroethyl)ether	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Bis(2-chloroethyl)ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Bis(2-chloroethyl)ether	=	0.11	J	0.037	1.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Bis(2-chloroethyl)ether	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Bis(2-chloroethyl)ether	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Bis(2-chloroethyl)ether	=	0.056	J	0.037	1.0	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Bis(2-chloroethyl)ether	<	0.096	ND	0.096	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Bis(2-chloroethyl)ether	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Bis(2-chloroethyl)ether	<	0.083	ND	0.083	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Bis(2-chloroethyl)ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Bis(2-chloroethyl)ether	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Bis(2-chloroethyl)ether	<	0.083	ND	0.083	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Bis(2-chloroethyl)ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Bis(2-chloroethyl)ether	=	0.53	J	0.037	1.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Bis(2-chloroethyl)ether	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroethyl)ether	<	0.099	ND, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroethyl)ether	<	0.12	ND	0.12	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Bis(2-chloroethyl)ether	<	0.037	ND	0.037	1.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Bis(2-chloroethyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Bis(2-chloroethyl)ether	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Bis(2-chloroethyl)ether	<	0.084	ND	0.084	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Bis(2-chloroethyl)ether	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Bis(2-chloroethyl)ether	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Bis(2-chloroethyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Bis(2-chloroisopropyl)ether	=	0.20		0.099	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Bis(2-chloroisopropyl)ether	<	0.28	ND	0.28	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Bis(2-chloroisopropyl)ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	=	0.1	J	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Bis(2-chloroisopropyl)ether	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Bis(2-chloroisopropyl)ether	<	0.096	ND	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	=	0.12	J	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroisopropyl)ether	=	0.12	J	0.099	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Bis(2-chloroisopropyl)ether	<	0.47	ND, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Bis(2-chloroisopropyl)ether	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Bis(2-chloroisopropyl)ether	<	0.13	ND	0.13	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Bis(2-chloroisopropyl)ether	<	0.096	ND, H4	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Bis(2-chloroisopropyl)ether	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Bis(2-chloroisopropyl)ether	=	0.21	Jb, A-01, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Bis(2-chloroisopropyl)ether	<	0.03	ND	0.03	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Bis(2-chloroisopropyl)ether	<	0.099	ND	0.099	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Bis(2-chloroisopropyl)ether	<	0.3	ND	0.3	2	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Bis(2-chloroisopropyl)ether	<	0.6	ND	0.6	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND	0.11	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Bis(2-chloroisopropyl)ether	<	0.11	ND, H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Bis(2-chloroisopropyl)ether	<	0.095	ND	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Bis(2-chloroisopropyl)ether	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Bis(2-ethylhexyl)phthalate	=	1.3	J	0.66	2.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Bis(2-ethylhexyl)phthalate	=	1.6	J	0.66	2.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Bis(2-ethylhexyl)phthalate	=	1.7	J	0.66	2.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Bis(2-ethylhexyl)phthalate	=	3.0	J	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Bis(2-ethylhexyl)phthalate	=	2.0	J	0.7	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Bis(2-ethylhexyl)phthalate	=	3.0	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Bis(2-ethylhexyl)phthalate	=	3.7	J	2.8	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Bis(2-ethylhexyl)phthalate	=	4.4	J	1.1	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Bis(2-ethylhexyl)phthalate	=	3.0	Ja	1.6	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Bis(2-ethylhexyl)phthalate	=	3.2	Jb	1.7	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Bis(2-ethylhexyl)phthalate	=	6.0	B	1.6	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Bis(2-ethylhexyl)phthalate	=	2.2		0.66	2.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Bis(2-ethylhexyl)phthalate	=	0.89	J	0.66	2.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Bis(2-ethylhexyl)phthalate	=	1.0	J	0.66	2.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Bis(2-ethylhexyl)phthalate	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Bis(2-ethylhexyl)phthalate	=	4.0	J	0.7	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Bis(2-ethylhexyl)phthalate	=	58	B1	3.1	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Bis(2-ethylhexyl)phthalate	=	8.4		1.1	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Bis(2-ethylhexyl)phthalate	=	15		1.1	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Bis(2-ethylhexyl)phthalate	=	32		6.5	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Bis(2-ethylhexyl)phthalate	=	2.2	Jb	1.6	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Bis(2-ethylhexyl)phthalate	=	2.3	B, Jb	1.6	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Bis(2-ethylhexyl)phthalate	=	2.8	J	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Bis(2-ethylhexyl)phthalate	=	4.0	J	0.7	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Bis(2-ethylhexyl)phthalate	=	2.1	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Bis(2-ethylhexyl)phthalate	<	1.1	ND	1.1	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Bis(2-ethylhexyl)phthalate	<	1.6	ND	1.6	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Bis(2-ethylhexyl)phthalate	=	11	Jb, RL-3	8.0	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Bis(2-ethylhexyl)phthalate	=	2.8	B, Jb	1.6	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Bis(2-ethylhexyl)phthalate	=	1.4	J	0.66	2.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Bis(2-ethylhexyl)phthalate	=	5.4		0.3	5	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Bis(2-ethylhexyl)phthalate	=	2.0	J	0.7	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Bis(2-ethylhexyl)phthalate	=	5.0	B2	1.1	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Bis(2-ethylhexyl)phthalate	<	1.3	ND	1.3	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Bis(2-ethylhexyl)phthalate	=	36	H4	1.6	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Bis(2-ethylhexyl)phthalate	<	1.7	ND	1.7	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Bis(2-ethylhexyl)phthalate	=	2.2	Jb	1.7	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Bis(2-ethylhexyl)phthalate	=	3.1	B, Jb	1.6	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Bis(2-ethylhexyl)phthalate	=	0.75	J	0.66	2.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Bis(2-ethylhexyl)phthalate	=	1.0	J	0.66	2.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Bis(2-ethylhexyl)phthalate	=	2.9	J	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Bis(2-ethylhexyl)phthalate	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Bis(2-ethylhexyl)phthalate	=	2.2	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Bis(2-ethylhexyl)phthalate	<	1.1	ND	1.1	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Bis(2-ethylhexyl)phthalate	=	1.4	J	1.1	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Bis(2-ethylhexyl)phthalate	=	2.0	Jb, A-01, H4	1.6	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Bis(2-ethylhexyl)phthalate	=	2.0	Jb	1.6	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Bis(2-ethylhexyl)phthalate	=	2.1	Jb, B	1.7	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Bis(2-ethylhexyl)phthalate	=	1.5	J	0.66	2.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Bis(2-ethylhexyl)phthalate	=	1.4	J	0.66	2.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Bis(2-ethylhexyl)phthalate	=	1.9	J	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Bis(2-ethylhexyl)phthalate	=	2.0	J	0.7	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Bis(2-ethylhexyl)phthalate	=	2.9	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Bis(2-ethylhexyl)phthalate	=	2.3	J	1.1	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Bis(2-ethylhexyl)phthalate	=	4.5	J	1.1	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Bis(2-ethylhexyl)phthalate	=	13	H4	1.6	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Bis(2-ethylhexyl)phthalate	=	1.8	Jb	1.6	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Bis(2-ethylhexyl)phthalate	=	8.5	B	1.6	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Bis(2-ethylhexyl)phthalate	=	2.0		0.66	2.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Bis(2-ethylhexyl)phthalate	=	1.7	J	0.66	2.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Bis(2-ethylhexyl)phthalate	=	2.7	J	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Bis(2-ethylhexyl)phthalate	=	3.0	J	0.7	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Bis(2-ethylhexyl)phthalate	=	1.9	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Bis(2-ethylhexyl)phthalate	=	1.3	J	1.1	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Bis(2-ethylhexyl)phthalate	=	2.7	Jb, A-01, H4, RL-4	1.8	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Bis(2-ethylhexyl)phthalate	<	1.7	ND	1.7	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Bis(2-ethylhexyl)phthalate	=	2.3	Jb, H4	1.7	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Bis(2-ethylhexyl)phthalate	=	2.4	B, Jb	1.6	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Bis(2-ethylhexyl)phthalate	<	2	ND	2	2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Bis(2-ethylhexyl)phthalate	<	0.66	ND	0.66	2.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Bis(2-ethylhexyl)phthalate	=	0.68	J	0.66	2.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Bis(2-ethylhexyl)phthalate	=	1.4	J	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Bis(2-ethylhexyl)phthalate	=	8.0		0.7	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Bis(2-ethylhexyl)phthalate	=	2.4	B2, J	1.1	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Bis(2-ethylhexyl)phthalate	<	1.1	ND	1.1	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Bis(2-ethylhexyl)phthalate	<	1.8	ND, H4, RL-4	1.8	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Bis(2-ethylhexyl)phthalate	=	3.3	B, Jb	1.7	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Bis(2-ethylhexyl)phthalate	=	5.6		1.6	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Bis(2-ethylhexyl)phthalate	=	3.4	B, Jb	1.7	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	2.8		0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Butyl benzyl phthalate	=	0.31		0.065	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Butyl benzyl phthalate	=	0.46		0.065	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Butyl benzyl phthalate	=	1.0	J	0.4	10	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Butyl benzyl phthalate	=	1.7	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Butyl benzyl phthalate	<	0.85	ND	0.85	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Butyl benzyl phthalate	=	0.80	J	0.34	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Butyl benzyl phthalate	=	0.90	Ja	0.67	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Butyl benzyl phthalate	<	0.70	ND	0.70	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Butyl benzyl phthalate	=	2.0	B, Jb	0.67	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.11		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	0.048	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Butyl benzyl phthalate	=	0.18		0.065	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Butyl benzyl phthalate	=	0.24		0.065	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Butyl benzyl phthalate	=	1.6	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Butyl benzyl phthalate	<	0.34	ND	0.34	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Butyl benzyl phthalate	=	0.67	J	0.33	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Butyl benzyl phthalate	<	2.7	ND	2.7	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Butyl benzyl phthalate	=	2.1	Jb	0.67	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Butyl benzyl phthalate	=	2.0	B, Jb	0.67	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.13		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Butyl benzyl phthalate	=	0.12		0.065	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Butyl benzyl phthalate	=	0.086	J	0.065	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Butyl benzyl phthalate	=	4.0	J	0.4	10	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Butyl benzyl phthalate	=	1.6	B2, J	0.34	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Butyl benzyl phthalate	=	1.2	J	0.34	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Butyl benzyl phthalate	=	0.78	Ja	0.67	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Butyl benzyl phthalate	<	3.3	ND, RL-3	3.3	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Butyl benzyl phthalate	=	2.0	B, Jb	0.66	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	0.046	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Butyl benzyl phthalate	=	1.6	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Butyl benzyl phthalate	<	0.39	ND	0.39	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Butyl benzyl phthalate	<	0.67	ND, H4	0.67	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Butyl benzyl phthalate	<	0.70	ND	0.70	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Butyl benzyl phthalate	=	2.1	Jb	0.70	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Butyl benzyl phthalate	=	2.0	B, Jb	0.67	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.18		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	=	0.055	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Butyl benzyl phthalate	=	0.10		0.065	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Butyl benzyl phthalate	=	0.16		0.065	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Butyl benzyl phthalate	=	0.16		0.065	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Butyl benzyl phthalate	=	1.7	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Butyl benzyl phthalate	=	0.51	J	0.34	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Butyl benzyl phthalate	=	0.46	J	0.34	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Butyl benzyl phthalate	<	0.67	ND, H4	0.67	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Butyl benzyl phthalate	=	1.8	Jb	0.67	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Butyl benzyl phthalate	=	1.8	Jb, B	0.68	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.16		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	0.043	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Butyl benzyl phthalate	=	0.11		0.065	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Butyl benzyl phthalate	=	1.9	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Butyl benzyl phthalate	=	0.36	J	0.34	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Butyl benzyl phthalate	=	0.48	J	0.34	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Butyl benzyl phthalate	<	0.67	ND, H4	0.67	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Butyl benzyl phthalate	=	1.7	Jb	0.67	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Butyl benzyl phthalate	=	1.9	B, Jb	0.67	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.13		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	=	0.074	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	0.073	J	0.04	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Butyl benzyl phthalate	=	0.38		0.065	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Butyl benzyl phthalate	=	0.45		0.065	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Butyl benzyl phthalate	=	0.9	J	0.4	10	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Butyl benzyl phthalate	=	1.6	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Butyl benzyl phthalate	=	0.4	J	0.34	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Butyl benzyl phthalate	=	0.76	Jb, A-01, H4, RL-4	0.74	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Butyl benzyl phthalate	<	0.70	ND	0.70	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Butyl benzyl phthalate	=	2.0	Jb, H4	0.69	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Butyl benzyl phthalate	=	2.0	B, Jb	0.67	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Butyl benzyl phthalate	=	0.3		0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Butyl benzyl phthalate	=	0.1		0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Butyl benzyl phthalate	=	0.048	J	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Butyl benzyl phthalate	<	0.065	ND	0.065	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Butyl benzyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Butyl benzyl phthalate	=	1.7	B2, J	0.34	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Butyl benzyl phthalate	<	0.34	ND	0.34	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Butyl benzyl phthalate	<	0.74	ND, H4, RL-4	0.74	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Butyl benzyl phthalate	<	0.70	ND	0.70	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Butyl benzyl phthalate	=	2.0	Jb	0.66	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Butyl benzyl phthalate	=	1.9	B, Jb	0.70	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Cadmium	=	0.25		0.02	0.2	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.043	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Cadmium	=	0.25	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.18	J	0.02	0.2	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Cadmium	=	0.072	J	0.019	0.20	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Cadmium	=	0.44		0.019	0.20	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Cadmium	=	0.10	J	0.019	0.20	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Cadmium	=	0.32		0.019	0.20	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Cadmium	=	0.058	J	0.019	0.20	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Cadmium	=	0.31		0.019	0.20	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Cadmium	=	0.31		0.019	0.20	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Cadmium	=	0.097	J	0.019	0.20	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Cadmium	=	0.15	J	0.014	0.25	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Cadmium	=	2.3		0.014	0.25	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Cadmium	=	0.24	J	0.014	0.25	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Cadmium	=	0.98		0.014	0.25	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Cadmium	=	1.5		0.016	0.25	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Cadmium	=	0.480		0.0170	0.250	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Cadmium	=	0.948		0.0170	0.250	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Cadmium	=	0.886		0.0170	0.250	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Cadmium	=	0.086	J	0.02	0.2	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Cadmium	<	0.02	ND, J	0.02	0.2	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Cadmium	=	0.045	J	0.02	0.2	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.047	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Cadmium	=	0.019	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Cadmium	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Cadmium	=	0.11	J	0.019	0.20	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Cadmium	=	0.29		0.019	0.20	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Cadmium	=	0.066	J	0.019	0.20	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Cadmium	=	0.16	J	0.019	0.20	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Cadmium	<	0.019	ND	0.019	0.20	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Cadmium	=	0.055	J	0.019	0.20	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Cadmium	=	0.14	J	0.019	0.20	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Cadmium	=	0.055	J	0.019	0.20	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Cadmium	=	0.065	J	0.014	0.25	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Cadmium	=	0.05	J	0.014	0.25	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Cadmium	=	0.32		0.014	0.25	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Cadmium	=	0.045	J	0.014	0.25	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Cadmium	=	0.25		0.016	0.25	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Cadmium	=	0.0500	J	0.0170	0.250	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Cadmium	=	0.0608	Ja	0.0170	0.250	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Cadmium	<	0.0170	ND	0.0170	0.250	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Cadmium	=	0.24		0.02	0.2	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Cadmium	<	0.02	ND, J	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Cadmium	=	0.2		0.02	0.2	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.056	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Cadmium	=	0.08	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.032	J	0.02	0.2	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Cadmium	=	0.038	J	0.019	0.20	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Cadmium	=	0.13	J	0.019	0.20	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Cadmium	=	0.027	J	0.019	0.20	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Cadmium	=	0.42		0.019	0.20	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Cadmium	=	0.068	J	0.019	0.20	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Cadmium	=	0.11	J	0.019	0.20	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Cadmium	=	0.091	J	0.019	0.20	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Cadmium	=	0.027	J	0.019	0.20	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Cadmium	=	21		0.014	0.25	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Cadmium	=	0.19	J	0.014	0.25	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Cadmium	=	0.07	J	0.014	0.25	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Cadmium	=	0.2	J	0.014	0.25	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Cadmium	=	0.270		0.0170	0.100	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Cadmium	=	0.710		0.0170	0.250	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Cadmium	=	3.75		0.0170	0.250	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Cadmium	=	0.0620	Ja	0.0170	0.250	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Cadmium	=	0.24		0.02	0.2	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Cadmium	=	0.1	J	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Cadmium	=	0.053	J	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.026	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Cadmium	=	0.024	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.023	J	0.02	0.2	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Cadmium	=	0.020	J	0.019	0.20	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Cadmium	=	0.044	J	0.019	0.20	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Cadmium	=	0.079	J	0.019	0.20	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Cadmium	=	0.18	J	0.019	0.20	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Cadmium	=	0.029	J	0.019	0.20	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Cadmium	=	0.077	J	0.019	0.20	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Cadmium	=	0.21		0.019	0.20	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Cadmium	=	0.34		0.019	0.20	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Cadmium	=	0.12	J	0.019	0.20	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Cadmium	=	0.034	J	0.019	0.20	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Cadmium	=	0.055	J	0.014	0.25	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Cadmium	=	0.25		0.014	0.25	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Cadmium	=	0.22	J	0.014	0.25	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Cadmium	=	0.065	J	0.014	0.25	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Cadmium	=	0.0700	Ja	0.0170	0.100	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Cadmium	=	0.470		0.0170	0.250	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Cadmium	=	0.0387	Ja	0.0170	0.250	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Cadmium	=	0.0342	Ja	0.0170	0.250	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Cadmium	=	0.043		0.02	0.2	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Cadmium	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Cadmium	=	0.083	J	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.095	J	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Cadmium	=	0.74	J	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.062	J	0.02	0.2	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Cadmium	<	0.019	ND	0.019	0.20	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Cadmium	=	0.15	J	0.019	0.20	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Cadmium	<	0.019	ND	0.019	0.20	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Cadmium	=	0.14	J	0.019	0.20	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Cadmium	=	0.17	J	0.019	0.20	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Cadmium	=	0.20		0.019	0.20	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Cadmium	=	0.51		0.019	0.20	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Cadmium	=	0.40		0.019	0.20	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Cadmium	=	0.24	J	0.014	0.25	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Cadmium	=	0.055	J	0.014	0.25	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Cadmium	=	0.12	J	0.014	0.25	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Cadmium	<	0.014	ND	0.014	0.25	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Cadmium	=	0.20	J	0.016	0.25	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Cadmium	=	0.140		0.0170	0.100	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Cadmium	=	0.0750	Ja	0.0170	0.250	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Cadmium	=	0.0737	Ja	0.0170	0.250	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Cadmium	=	0.063	J	0.02	0.2	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Cadmium	=	0.025	J	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Cadmium	=	0.023	J	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.028	J	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Cadmium	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Cadmium	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Cadmium	=	0.021	J	0.019	0.20	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Cadmium	=	0.043	J	0.019	0.20	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Cadmium	=	0.025	J	0.019	0.20	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Cadmium	=	0.046	J	0.019	0.20	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Cadmium	<	0.019	ND	0.019	0.20	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Cadmium	=	0.049	J	0.019	0.20	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Cadmium	=	0.9		0.014	0.25	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Cadmium	=	0.14	J	0.014	0.25	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Cadmium	=	0.37		0.014	0.25	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Cadmium	=	0.044	J	0.014	0.25	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Cadmium	=	0.21	J	0.016	0.25	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Cadmium	=	0.180		0.0170	0.100	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Cadmium	<	0.0170	ND	0.0170	0.250	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Cadmium	=	0.0702	Ja	0.0170	0.250	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Cadmium	=	0.14	J	0.02	0.2	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Cadmium	=	0.078	J	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Cadmium	=	0.047	J	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.065	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Cadmium	=	0.053	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.032	J	0.02	0.2	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Cadmium	=	0.029	J	0.019	0.20	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Cadmium	=	0.33		0.019	0.20	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Cadmium	=	0.036	J	0.019	0.20	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Cadmium	=	0.40		0.019	0.20	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Cadmium	=	0.025	J	0.019	0.20	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Cadmium	=	0.094	J	0.019	0.20	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Cadmium	=	0.061	J	0.019	0.20	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Cadmium	=	0.022	J	0.019	0.20	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Cadmium	<	0.014	ND	0.014	0.25	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Cadmium	=	0.28		0.014	0.25	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Cadmium	<	0.014	ND	0.014	0.25	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Cadmium	=	0.21	J	0.014	0.25	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Cadmium	=	0.110		0.0170	0.100	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Cadmium	=	0.925		0.0170	0.250	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Cadmium	=	2.48		0.0170	0.250	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Cadmium	=	0.0365	Ja	0.0170	0.250	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Cadmium	=	0.33		0.02	0.2	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Cadmium	=	0.094	J	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Cadmium	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Cadmium	=	0.033	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Cadmium	=	0.084	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Cadmium	=	0.035	J	0.02	0.2	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Cadmium	=	0.040	J	0.019	0.20	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Cadmium	=	0.070	J	0.019	0.20	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Cadmium	=	0.019	J	0.019	0.20	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Cadmium	=	0.038	J	0.019	0.20	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Cadmium	=	0.11	J	0.019	0.20	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Cadmium	=	0.024	J	0.019	0.20	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Cadmium	=	0.055	J	0.014	0.25	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Cadmium	<	0.014	ND	0.014	0.25	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Cadmium	=	0.048	J	0.014	0.25	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Cadmium	<	0.014	ND	0.014	0.25	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Cadmium	=	0.0200	Ja	0.0170	0.100	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Cadmium	=	0.126	Ja	0.0170	0.250	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Cadmium	=	0.0286	Ja	0.0170	0.250	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Cadmium	=	0.0216	Ja	0.0170	0.250	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Calcium	=	35		0.015	0.50	mg/L	EPA 200.7
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Calcium	=	18		0.015	0.50	mg/L	EPA 200.7
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Calcium	=	3.4		0.027	0.50	mg/L	EPA 200.7
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Calcium	=	28		0.028	0.50	mg/L	EPA 200.7
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Calcium	=	5.6		0.028	0.50	mg/L	EPA 200.7
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Calcium	=	4.1		0.028	0.50	mg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Calcium	=	47		0.028	0.50	mg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Calcium	=	40		0.028	0.50	mg/L	EPA 200.7
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Calcium	=	27		0.015	0.50	mg/L	EPA 200.7
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Calcium	=	27		0.015	0.50	mg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Calcium	=	21		0.027	0.50	mg/L	EPA 200.7
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Calcium	=	12		0.028	0.50	mg/L	EPA 200.7
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Calcium	=	9.6		0.028	0.50	mg/L	EPA 200.7
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Calcium	=	15		0.028	0.50	mg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Calcium	=	20		0.028	0.50	mg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Calcium	=	14		0.028	0.50	mg/L	EPA 200.7
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Calcium	=	81		0.015	0.50	mg/L	EPA 200.7
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Calcium	=	17		0.015	0.50	mg/L	EPA 200.7
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Calcium	=	6.0		0.027	0.50	mg/L	EPA 200.7
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Calcium	=	19		0.028	0.50	mg/L	EPA 200.7
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Calcium	=	13		0.028	0.50	mg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Calcium	=	12		0.028	0.50	mg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Calcium	=	21		0.028	0.50	mg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Calcium	=	21		0.028	0.50	mg/L	EPA 200.7
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Calcium	=	16		0.015	0.50	mg/L	EPA 200.7
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Calcium	=	16		0.015	0.50	mg/L	EPA 200.7
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Calcium	=	14		0.027	0.50	mg/L	EPA 200.7
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Calcium	=	9.9		0.028	0.50	mg/L	EPA 200.7
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Calcium	=	18		0.028	0.50	mg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Calcium	=	13		0.028	0.50	mg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Calcium	=	12		0.028	0.50	mg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Calcium	=	6.8		0.028	0.50	mg/L	EPA 200.7
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Calcium	=	40		0.015	0.50	mg/L	EPA 200.7
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Calcium	=	6.3		0.015	0.50	mg/L	EPA 200.7
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Calcium	=	5.2		0.027	0.50	mg/L	EPA 200.7
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Calcium	=	44		0.028	0.50	mg/L	EPA 200.7
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Calcium	=	12		0.028	0.50	mg/L	EPA 200.7
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Calcium	=	7.9		0.028	0.50	mg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Calcium	=	51		0.028	0.50	mg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Calcium	=	44		0.028	0.50	mg/L	EPA 200.7
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Calcium	=	21		0.015	0.50	mg/L	EPA 200.7
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Calcium	=	7.6		0.015	0.50	mg/L	EPA 200.7
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Calcium	=	18		0.027	0.50	mg/L	EPA 200.7
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Calcium	=	11		0.028	0.50	mg/L	EPA 200.7
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Calcium	=	12		0.028	0.50	mg/L	EPA 200.7
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Calcium	=	21		0.028	0.50	mg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Calcium	=	27		0.028	0.50	mg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Calcium	=	14		0.028	0.50	mg/L	EPA 200.7
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Calcium	=	36		0.015	0.50	mg/L	EPA 200.7
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Calcium	=	23		0.015	0.50	mg/L	EPA 200.7
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Calcium	=	35		0.027	0.50	mg/L	EPA 200.7
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Calcium	=	62		0.028	0.50	mg/L	EPA 200.7
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Calcium	=	7.0		0.028	0.50	mg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Calcium	=	22		0.028	0.50	mg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Calcium	=	71		0.028	0.50	mg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Calcium	=	67		0.028	0.50	mg/L	EPA 200.7
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Calcium	=	38		0.015	0.50	mg/L	EPA 200.7
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Calcium	=	36		0.015	0.50	mg/L	EPA 200.7
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Calcium	=	16		0.027	0.50	mg/L	EPA 200.7
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Calcium	=	16		0.028	0.50	mg/L	EPA 200.7
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Calcium	=	14		0.028	0.50	mg/L	EPA 200.7
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Calcium	=	9.1		0.028	0.50	mg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Calcium	=	21		0.028	0.50	mg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Calcium	=	18		0.028	0.50	mg/L	EPA 200.7
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	110		0.22	10	mg/L	EPA 410.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	120		0.22	10	mg/L	EPA 410.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Chemical Oxygen Demand	=	84		0.222	9.0	mg/L	EPA 410.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Chemical Oxygen Demand	=	35		0.222	4.0	mg/L	EPA 410.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	53		0.222	4.0	mg/L	EPA 410.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	65		0.222	4.0	mg/L	EPA 410.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chemical Oxygen Demand	=	31		4.5	30	mg/L	EPA 410.4
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chemical Oxygen Demand	=	180		4.5	30	mg/L	EPA 410.4
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chemical Oxygen Demand	=	32		8.9	30	mg/L	EPA 410.4
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chemical Oxygen Demand	=	140		8.9	30	mg/L	EPA 410.4
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chemical Oxygen Demand	=	220		8.9	30	mg/L	EPA 410.4
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chemical Oxygen Demand	=	36		9.7	30	mg/L	EPA 410.4
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chemical Oxygen Demand	=	25	Jb	9.7	30	mg/L	EPA 410.4
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chemical Oxygen Demand	=	21	Jb	9.7	30	mg/L	EPA 410.4
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chemical Oxygen Demand	=	49		0.22	10	mg/L	EPA 410.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	62		0.22	10	mg/L	EPA 410.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	29		0.22	10	mg/L	EPA 410.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Chemical Oxygen Demand	=	54		0.222	9.0	mg/L	EPA 410.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Chemical Oxygen Demand	=	35		0.222	4.0	mg/L	EPA 410.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	23		0.222	4.0	mg/L	EPA 410.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	32		0.222	4.0	mg/L	EPA 410.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chemical Oxygen Demand	=	24	J	4.5	30	mg/L	EPA 410.4
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chemical Oxygen Demand	=	41		4.5	30	mg/L	EPA 410.4
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chemical Oxygen Demand	=	25	J	8.9	30	mg/L	EPA 410.4
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chemical Oxygen Demand	=	20	J	8.9	30	mg/L	EPA 410.4
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chemical Oxygen Demand	=	130		8.9	30	mg/L	EPA 410.4
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chemical Oxygen Demand	=	37		9.7	30	mg/L	EPA 410.4
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chemical Oxygen Demand	=	77		0.22	10	mg/L	EPA 410.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	42		0.22	10	mg/L	EPA 410.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	53		0.22	10	mg/L	EPA 410.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Chemical Oxygen Demand	=	93		0.222	9.0	mg/L	EPA 410.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Chemical Oxygen Demand	=	63		0.222	4.0	mg/L	EPA 410.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	63		0.222	4.0	mg/L	EPA 410.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	82		0.222	4.0	mg/L	EPA 410.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chemical Oxygen Demand	=	180		4.5	30	mg/L	EPA 410.4
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chemical Oxygen Demand	=	380		4.5	30	mg/L	EPA 410.4
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chemical Oxygen Demand	=	60		8.9	30	mg/L	EPA 410.4
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chemical Oxygen Demand	=	100		8.9	30	mg/L	EPA 410.4
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chemical Oxygen Demand	=	88		8.9	30	mg/L	EPA 410.4
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chemical Oxygen Demand	=	420		9.7	30	mg/L	EPA 410.4
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chemical Oxygen Demand	=	27	Jb	9.7	30	mg/L	EPA 410.4
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chemical Oxygen Demand	=	58		9.7	30	mg/L	EPA 410.4
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chemical Oxygen Demand	=	44		0.22	10	mg/L	EPA 410.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	36		0.22	10	mg/L	EPA 410.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	25		0.22	10	mg/L	EPA 410.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Chemical Oxygen Demand	=	89		0.222	9.0	mg/L	EPA 410.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Chemical Oxygen Demand	=	28		0.222	4.0	mg/L	EPA 410.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Chemical Oxygen Demand	=	30		0.222	4.0	mg/L	EPA 410.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	21		0.222	4.0	mg/L	EPA 410.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	22		0.222	4.0	mg/L	EPA 410.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chemical Oxygen Demand	=	37		4.5	30	mg/L	EPA 410.4
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chemical Oxygen Demand	=	97		4.5	30	mg/L	EPA 410.4
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chemical Oxygen Demand	=	54		8.9	30	mg/L	EPA 410.4
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chemical Oxygen Demand	=	48		8.9	30	mg/L	EPA 410.4
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chemical Oxygen Demand	=	22	Jb	8.9	30	mg/L	EPA 410.4
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chemical Oxygen Demand	=	45		9.7	30	mg/L	EPA 410.4
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chemical Oxygen Demand	=	33		0.22	10	mg/L	EPA 410.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	58		0.22	10	mg/L	EPA 410.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	60		0.22	10	mg/L	EPA 410.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Chemical Oxygen Demand	=	47		0.222	9.0	mg/L	EPA 410.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Chemical Oxygen Demand	=	40		0.222	4.0	mg/L	EPA 410.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	18		0.222	4.0	mg/L	EPA 410.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	59		0.222	4.0	mg/L	EPA 410.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chemical Oxygen Demand	=	15	J	4.5	30	mg/L	EPA 410.4
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chemical Oxygen Demand	=	67		4.5	30	mg/L	EPA 410.4
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chemical Oxygen Demand	=	17	J	8.9	30	mg/L	EPA 410.4
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chemical Oxygen Demand	=	61		8.9	30	mg/L	EPA 410.4
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chemical Oxygen Demand	=	830		8.9	30	mg/L	EPA 410.4
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chemical Oxygen Demand	=	60		8.9	30	mg/L	EPA 410.4
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chemical Oxygen Demand	=	14	Jb	9.7	30	mg/L	EPA 410.4
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chemical Oxygen Demand	=	49		0.22	10	mg/L	EPA 410.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	34		0.22	10	mg/L	EPA 410.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	26		0.22	10	mg/L	EPA 410.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Chemical Oxygen Demand	=	22		0.222	4.0	mg/L	EPA 410.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	17		0.222	4.0	mg/L	EPA 410.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	38		0.222	4.0	mg/L	EPA 410.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chemical Oxygen Demand	=	190		4.5	30	mg/L	EPA 410.4
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chemical Oxygen Demand	=	85		4.5	30	mg/L	EPA 410.4
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chemical Oxygen Demand	=	25	J	8.9	30	mg/L	EPA 410.4
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chemical Oxygen Demand	=	18	J	8.9	30	mg/L	EPA 410.4
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chemical Oxygen Demand	=	76		8.9	30	mg/L	EPA 410.4
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chemical Oxygen Demand	=	27	Jb	8.9	30	mg/L	EPA 410.4
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chemical Oxygen Demand	=	19	Jb	9.7	30	mg/L	EPA 410.4
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chemical Oxygen Demand	=	22	Jb	9.7	30	mg/L	EPA 410.4
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chemical Oxygen Demand	=	77		0.22	10	mg/L	EPA 410.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	38		0.22	10	mg/L	EPA 410.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	65		0.22	10	mg/L	EPA 410.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Chemical Oxygen Demand	=	77		0.222	9.0	mg/L	EPA 410.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Chemical Oxygen Demand	=	56		0.222	4.0	mg/L	EPA 410.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	39		0.222	4.0	mg/L	EPA 410.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	110		0.222	4.0	mg/L	EPA 410.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chemical Oxygen Demand	=	100		4.5	30	mg/L	EPA 410.4
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chemical Oxygen Demand	=	2400		45	300	mg/L	EPA 410.4
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chemical Oxygen Demand	=	47		8.9	30	mg/L	EPA 410.4
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chemical Oxygen Demand	=	72		8.9	30	mg/L	EPA 410.4
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chemical Oxygen Demand	=	33		8.9	30	mg/L	EPA 410.4
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chemical Oxygen Demand	=	47		9.7	30	mg/L	EPA 410.4

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chemical Oxygen Demand	<	9.7	ND	9.7	30	mg/L	EPA 410.4
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chemical Oxygen Demand	=	130		0.22	10	mg/L	EPA 410.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chemical Oxygen Demand	=	67		0.22	10	mg/L	EPA 410.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chemical Oxygen Demand	=	74		0.22	10	mg/L	EPA 410.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Chemical Oxygen Demand	=	120		0.222	9.0	mg/L	EPA 410.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Chemical Oxygen Demand	=	39		0.222	4.0	mg/L	EPA 410.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Chemical Oxygen Demand	=	58		0.222	4.0	mg/L	EPA 410.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chemical Oxygen Demand	=	30		4.5	30	mg/L	EPA 410.4
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chemical Oxygen Demand	=	87		4.5	30	mg/L	EPA 410.4
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chemical Oxygen Demand	=	30		8.9	30	mg/L	EPA 410.4
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chemical Oxygen Demand	=	39		8.9	30	mg/L	EPA 410.4
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chemical Oxygen Demand	=	25	Jb	8.9	30	mg/L	EPA 410.4
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chemical Oxygen Demand	=	13	Jb	9.7	30	mg/L	EPA 410.4
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chemical Oxygen Demand	=	21	Jb	9.7	30	mg/L	EPA 410.4
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chemical Oxygen Demand	=	12	Jb	9.7	30	mg/L	EPA 410.4
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chlordane, alpha	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chlordane, alpha	<	0.0019	ND, A-01	0.0019	0.096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chlordane, alpha	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chlordane, alpha	<	0.0019	ND, A-01	0.0019	0.095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chlordane, alpha	<	0.25	ND	0.25	0.25	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chlordane, alpha	<	0.0022	ND, R-10, A-01, H4	0.0022	0.11	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chlordane, alpha	<	0.0019	ND, A-01	0.0019	0.094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chlordane, alpha	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chlordane, alpha	<	0.0019	ND, A-01, H4	0.0019	0.095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chlordane, alpha	<	0.0021	ND, A-01	0.0021	0.11	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8086
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chlordane, alpha	<	0.097	ND	0.097	0.097	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chlordane, alpha	<	0.0019	ND, A-01, H4	0.0019	0.096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chlordane, alpha	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chlordane, alpha	<	0.0019	ND, A-01, H4	0.0019	0.095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chlordane, alpha	=	0.012		0.0019	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chlordane, alpha	=	0.012		0.0019	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chlordane, alpha	<	0.26	ND	0.26	0.26	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chlordane, alpha	<	0.0019	ND, A-01, H4	0.0019	0.097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chlordane, alpha	<	0.0032	ND	0.0032	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chlordane, alpha	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chlordane, alpha	<	0.097	ND	0.097	0.097	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chlordane, alpha	<	0.0020	ND	0.0020	0.10	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chlordane, alpha	<	0.0019	ND, A-01, H4	0.0019	0.095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chlordane, alpha	<	0.0021	ND	0.0021	0.11	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chlordane, alpha	<	0.0019	ND	0.0019	0.097	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chlordane, gamma	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chlordane, gamma	<	0.0029	ND, A-01	0.0029	0.096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chlordane, gamma	<	0.0028	ND	0.0028	0.094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chlordane, gamma	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chlordane, gamma	<	0.0029	ND, A-01	0.0029	0.095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chlordane, gamma	<	0.0028	ND	0.0028	0.094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chlordane, gamma	<	0.25	ND	0.25	0.25	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chlordane, gamma	<	0.0033	ND, R-10, A-01, H4	0.0033	0.11	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chlordane, gamma	<	0.0028	ND, A-01	0.0028	0.094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chlordane, gamma	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chlordane, gamma	<	0.0029	ND, A-01, H4	0.0029	0.095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chlordane, gamma	<	0.0032	ND, A-01	0.0032	0.11	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8087
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chlordane, gamma	<	0.097	ND	0.097	0.097	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chlordane, gamma	<	0.0029	ND, A-01, H4	0.0029	0.096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.095	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chlordane, gamma	=	0.024	SPC	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chlordane, gamma	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chlordane, gamma	<	0.0029	ND, A-01, H4	0.0029	0.095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chlordane, gamma	<	0.0028	ND	0.0028	0.094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chlordane, gamma	=	0.026		0.0045	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chlordane, gamma	=	0.010		0.0045	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chlordane, gamma	<	0.26	ND	0.26	0.26	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chlordane, gamma	<	0.0029	ND, A-01, H4	0.0029	0.097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chlordane, gamma	=	0.0070	Jb	0.0028	0.094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chlordane, gamma	<	0.002	ND	0.002	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chlordane, gamma	<	0.0045	ND	0.0045	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chlordane, gamma	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chlordane, gamma	<	0.097	ND	0.097	0.097	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chlordane, gamma	<	0.0030	ND	0.0030	0.10	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chlordane, gamma	<	0.0029	ND, A-01, H4	0.0029	0.095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chlordane, gamma	<	0.0032	ND	0.0032	0.11	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chlordane, gamma	<	0.0029	ND	0.0029	0.097	µg/L	EPA 8081A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chlordane, technical	=	0.17	SPC	0.12	0.12	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chlordane, technical	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chlordane, technical	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chlordane, technical	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chlordane, technical	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chlordane, technical	<	0.25	ND	0.25	0.25	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chlordane, technical	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chlordane, technical	<	0.049	ND	0.049	0.049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chlordane, technical	=	0.082	SPC	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chlordane, technical	<	0.097	ND	0.097	0.097	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chlordane, technical	=	0.074	SPC	0.024	0.024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chlordane, technical	<	0.24	ND	0.24	0.24	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chlordane, technical	=	0.25		0.10	0.10	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chlordane, technical	=	0.13		0.10	0.10	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chlordane, technical	<	0.024	ND	0.024	0.024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chlordane, technical	<	0.26	ND	0.26	0.26	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chlordane, technical	<	0.10	ND	0.10	0.10	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chlordane, technical	=	0.028	SPC	0.024	0.024	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chlordane, technical	<	0.048	ND	0.048	0.097	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chlordane, technical	<	0.030	ND	0.030	0.10	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chloride	=	12		0.1	1	mg/L	EPA 300.0
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chloride	=	18		0.1	1	mg/L	EPA 300.0
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Chloride	=	0.79	J	0.2	1.0	mg/L	EPA 300.0
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Chloride	=	0.83	J	0.2	1.0	mg/L	EPA 300.0
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Chloride	=	22		0.2	1.0	mg/L	EPA 300.0
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Chloride	=	13		0.2	1.0	mg/L	EPA 300.0
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chloride	=	19		0.40	1.0	mg/L	EPA 300.0
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chloride	=	7.3		0.40	2.0	mg/L	EPA 300.0
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chloride	=	1.2	J	0.057	2.0	mg/L	EPA 300.0
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chloride	=	13		0.057	1.0	mg/L	EPA 300.0
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chloride	=	2.7		0.40	2.0	mg/L	EPA 300.0
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chloride	=	2.1		0.072	1.0	mg/L	EPA 300.0
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chloride	=	25		0.72	20	mg/L	EPA 300.0
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chloride	=	22		0.72	10	mg/L	EPA 300.0
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chloride	=	17		0.1	1	mg/L	EPA 300.0
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chloride	=	32		0.1	1	mg/L	EPA 300.0
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chloride	=	9.8		0.1	1	mg/L	EPA 300.0
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Chloride	=	3.8		0.2	1.0	mg/L	EPA 300.0
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Chloride	=	6.1		0.2	1.0	mg/L	EPA 300.0
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Chloride	=	16		0.2	1.0	mg/L	EPA 300.0
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Chloride	=	9.9		0.2	1.0	mg/L	EPA 300.0
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chloride	=	26		8.0	20	mg/L	EPA 300.0
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chloride	=	32		4.0	20	mg/L	EPA 300.0
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chloride	=	14		0.057	2.0	mg/L	EPA 300.0
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chloride	=	4.9		0.057	1.0	mg/L	EPA 300.0
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chloride	=	4.3		0.40	2.0	mg/L	EPA 300.0
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chloride	=	4.2		0.072	1.0	mg/L	EPA 300.0
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chloride	=	5.1		0.072	2.0	mg/L	EPA 300.0
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chloride	=	3.4		0.072	1.0	mg/L	EPA 300.0
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chloride	=	3		0.1	1	mg/L	EPA 300.0
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chloride	=	28		0.1	1	mg/L	EPA 300.0
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chloride	=	21		0.1	1	mg/L	EPA 300.0
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Chloride	=	2.1		0.2	1.0	mg/L	EPA 300.0
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Chloride	=	2.5		0.2	1.0	mg/L	EPA 300.0
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Chloride	=	14		0.2	1.0	mg/L	EPA 300.0
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Chloride	=	17		0.2	1.0	mg/L	EPA 300.0
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chloride	=	25		8.0	20	mg/L	EPA 300.0
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chloride	=	12		0.40	2.0	mg/L	EPA 300.0
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chloride	=	2.5		0.057	2.0	mg/L	EPA 300.0
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chloride	=	7.0		0.057	1.0	mg/L	EPA 300.0
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chloride	=	3.3		0.072	1.0	mg/L	EPA 300.0
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chloride	=	2.5		0.072	1.0	mg/L	EPA 300.0
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chloride	=	6.2		0.072	2.0	mg/L	EPA 300.0
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chloride	=	7.1		0.072	1.0	mg/L	EPA 300.0
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chloride	=	17		0.1	1	mg/L	EPA 300.0
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chloride	=	6.5		0.1	1	mg/L	EPA 300.0
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chloride	=	9.7		0.1	1	mg/L	EPA 300.0
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Chloride	=	45		0.2	1.0	mg/L	EPA 300.0
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Chloride	=	70		0.2	5.0	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Chloride	=	32		0.2	1.0	mg/L	EPA 300.0
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Chloride	=	2.8		0.2	1.0	mg/L	EPA 300.0
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Chloride	=	2.2		0.2	1.0	mg/L	EPA 300.0
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chloride	=	28		8.0	20	mg/L	EPA 300.0
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chloride	=	22		4.0	20	mg/L	EPA 300.0
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chloride	=	4.1		0.057	2.0	mg/L	EPA 300.0
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chloride	=	2.2		0.057	1.0	mg/L	EPA 300.0
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chloride	=	30		0.72	10	mg/L	EPA 300.0
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chloride	=	2.2		0.072	1.0	mg/L	EPA 300.0
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chloride	=	4.3		0.072	2.0	mg/L	EPA 300.0
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chloride	=	2.0		0.072	1.0	mg/L	EPA 300.0
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chloride	=	3.6		0.1	1	mg/L	EPA 300.0
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chloride	=	56		0.1	1	mg/L	EPA 300.0
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chloride	=	74		0.1	1	mg/L	EPA 300.0
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Chloride	=	2.2		0.2	1.0	mg/L	EPA 300.0
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Chloride	=	2.8		0.2	1.0	mg/L	EPA 300.0
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Chloride	=	34		0.2	1.0	mg/L	EPA 300.0
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Chloride	=	93		0.2	5.0	mg/L	EPA 300.0
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chloride	=	23		8.0	20	mg/L	EPA 300.0
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chloride	=	2.6		0.40	2.0	mg/L	EPA 300.0
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chloride	=	2.4		0.057	2.0	mg/L	EPA 300.0
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chloride	=	32		0.57	10	mg/L	EPA 300.0
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chloride	=	3.0		0.40	2.0	mg/L	EPA 300.0
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chloride	=	3.1		0.072	1.0	mg/L	EPA 300.0
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chloride	=	28		0.72	10	mg/L	EPA 300.0
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chloride	=	23		0.72	10	mg/L	EPA 300.0
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chloride	=	4.2		0.1	1	mg/L	EPA 300.0
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chloride	=	9		0.1	1	mg/L	EPA 300.0
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chloride	=	7.7		0.1	1	mg/L	EPA 300.0
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Chloride	=	11		0.2	1.0	mg/L	EPA 300.0
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Chloride	=	18		0.2	1.0	mg/L	EPA 300.0
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Chloride	=	21		0.2	1.0	mg/L	EPA 300.0
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chloride	=	8.5		0.80	2.0	mg/L	EPA 300.0
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chloride	=	3.3		0.40	2.0	mg/L	EPA 300.0
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chloride	=	11		0.057	2.0	mg/L	EPA 300.0
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chloride	=	4.5		0.057	1.0	mg/L	EPA 300.0
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chloride	=	7.4		0.40	2.0	mg/L	EPA 300.0
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chloride	=	13		0.072	1.0	mg/L	EPA 300.0
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chloride	=	10		0.072	2.0	mg/L	EPA 300.0
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chloride	=	3.3		0.072	1.0	mg/L	EPA 300.0
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chloride	=	3		0.1	1	mg/L	EPA 300.0
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chloride	=	52		0.1	1	mg/L	EPA 300.0
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chloride	=	54		0.1	1	mg/L	EPA 300.0
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Chloride	=	1.0		0.2	1.0	mg/L	EPA 300.0
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Chloride	=	1.2		0.2	1.0	mg/L	EPA 300.0
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Chloride	=	44		0.2	1.0	mg/L	EPA 300.0
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Chloride	=	37		0.2	1.0	mg/L	EPA 300.0
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chloride	=	45		8.0	20	mg/L	EPA 300.0
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chloride	=	26		4.0	20	mg/L	EPA 300.0
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chloride	=	57		0.57	20	mg/L	EPA 300.0
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chloride	=	50		0.57	10	mg/L	EPA 300.0
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chloride	=	3.3		0.072	1.0	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chloride	=	8.4		0.072	1.0	mg/L	EPA 300.0
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chloride	=	46		0.72	20	mg/L	EPA 300.0
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chloride	=	54		0.72	10	mg/L	EPA 300.0
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chloride	=	56		0.1	1	mg/L	EPA 300.0
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chloride	=	68		0.1	1	mg/L	EPA 300.0
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chloride	=	64		0.1	1	mg/L	EPA 300.0
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Chloride	=	46		0.2	1.0	mg/L	EPA 300.0
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Chloride	=	76		0.2	2.0	mg/L	EPA 300.0
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Chloride	=	69		0.2	5.0	mg/L	EPA 300.0
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chloride	=	110		8.0	20	mg/L	EPA 300.0
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chloride	=	110		4.0	20	mg/L	EPA 300.0
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chloride	=	39		0.57	20	mg/L	EPA 300.0
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chloride	=	26		0.57	10	mg/L	EPA 300.0
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chloride	=	29		0.72	10	mg/L	EPA 300.0
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chloride	=	5.7		0.072	1.0	mg/L	EPA 300.0
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chloride	=	25		0.72	20	mg/L	EPA 300.0
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chloride	=	24		0.72	10	mg/L	EPA 300.0
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chlorpyrifos	=	0.06		0.01	0.01	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chlorpyrifos	=	0.02		0.01	0.01	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chlorpyrifos	=	0.048	J	0.027	0.05	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chlorpyrifos	=	0.13		0.01	0.01	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chlorpyrifos	=	0.05		0.01	0.01	µg/L	EPA 8141A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chlorpyrifos	<	0.027	ND	0.027	0.05	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chlorpyrifos	<	0.027	ND	0.027	0.050	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chlorpyrifos	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chromium	=	1.1		0.03	0.5	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Chromium	=	0.99		0.03	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chromium	=	3.2		0.03	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Chromium	=	1.1		0.03	0.5	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Chromium	=	0.55		0.027	0.50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chromium	=	2.6		0.027	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Chromium	=	0.91		0.027	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chromium	=	6.7		0.027	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Chromium	=	0.94		0.027	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chromium	=	1.4		0.027	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chromium	=	1.8		0.027	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Chromium	=	1.1		0.027	0.50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chromium	=	2.4		0.13	2.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chromium	=	20		0.13	2.0	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chromium	=	3.7	B3	0.13	2.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chromium	=	8.2		0.13	2.0	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chromium	=	11.9		0.1	0.6	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chromium	=	4.87		0.0713	0.500	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chromium	=	2.15		0.0713	0.500	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chromium	=	8.82		0.0713	0.500	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chromium	=	3.4		0.03	0.5	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Chromium	=	0.87		0.03	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chromium	=	1.1		0.03	0.5	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Chromium	=	0.48	J	0.03	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chromium	=	1.8		0.03	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Chromium	=	0.33	J	0.03	0.5	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Chromium	=	0.63		0.027	0.50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chromium	=	2.2		0.027	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Chromium	=	1.9		0.027	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chromium	=	7.7		0.027	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Chromium	=	1.0		0.027	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chromium	=	2.6		0.027	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chromium	=	2.1		0.027	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Chromium	=	0.55		0.027	0.50	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chromium	=	5.0		0.13	2.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chromium	=	2.8		0.13	2.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chromium	=	26		0.13	2.0	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chromium	=	7.7		0.13	2.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chromium	=	12.9		0.1	0.6	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chromium	=	2.38		0.0713	0.500	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chromium	=	5.36		0.0713	0.500	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chromium	=	0.523		0.0713	0.500	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chromium	=	3		0.03	0.5	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Chromium	=	0.87		0.03	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chromium	=	1.3		0.03	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Chromium	=	0.67		0.03	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chromium	=	2.6		0.03	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Chromium	=	0.82		0.03	0.5	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Chromium	=	0.47	J	0.027	0.50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chromium	=	1.8		0.027	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Chromium	=	1.4		0.027	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chromium	=	5.2		0.027	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Chromium	=	0.86		0.027	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chromium	=	0.40	J	0.027	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chromium	=	1.1		0.027	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Chromium	=	0.62		0.027	0.50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chromium	=	260		0.25	4.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chromium	=	3.6		0.13	2.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chromium	=	2.8	B3	0.13	2.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chromium	=	4.4		0.13	2.0	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chromium	=	8.30		0.0713	0.200	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chromium	=	9.97		0.0713	0.500	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chromium	=	34.0		0.0713	0.500	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chromium	=	0.816		0.0713	0.500	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chromium	=	1.6		0.03	0.5	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Chromium	=	1.1		0.03	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chromium	=	3.3		0.03	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Chromium	=	0.45		0.03	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chromium	=	3.2		0.03	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Chromium	=	0.52		0.03	0.5	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Chromium	=	0.16	J	0.027	0.50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chromium	=	0.89		0.027	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Chromium	=	2.6		0.027	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chromium	=	5.9		0.027	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Chromium	=	1.7		0.027	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chromium	=	3.7		0.027	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Chromium	=	0.48	J	0.027	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chromium	=	1.0		0.027	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chromium	=	1.7		0.027	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Chromium	=	0.47	J	0.027	0.50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chromium	=	2.0		0.13	2.0	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chromium	=	6.9		0.13	2.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chromium	=	6.6	B3	0.13	2.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chromium	=	6.8		0.13	2.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chromium	=	4.75		0.0713	0.200	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chromium	=	20.5		0.0713	0.500	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chromium	=	4.24		0.0713	0.500	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chromium	=	4.98		0.0713	0.500	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chromium	=	0.7		0.03	0.5	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Chromium	=	0.87		0.03	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chromium	=	0.97		0.03	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Chromium	=	1.2		0.03	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chromium	=	1.5		0.03	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Chromium	=	1.7		0.03	0.5	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Chromium	=	0.36	J	0.027	0.50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chromium	=	1.4		0.027	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Chromium	=	1.1		0.027	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chromium	=	3.9		0.027	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Chromium	=	1.9		0.027	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chromium	=	0.69		0.027	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chromium	=	1.1		0.027	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Chromium	=	0.95		0.027	0.50	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chromium	=	1.9	J	0.13	2.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chromium	=	1.7	J	0.13	2.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chromium	=	2.3	B3	0.13	2.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chromium	=	1.6	B3	0.1	0.6	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chromium	=	4.3		0.1	0.6	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chromium	=	1.95		0.0713	0.200	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chromium	=	0.931		0.0713	0.500	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chromium	=	1.07		0.0713	0.500	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chromium	=	2.4		0.03	0.5	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Chromium	=	0.71		0.03	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chromium	=	0.8		0.03	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Chromium	=	0.57		0.03	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chromium	=	1.8		0.03	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Chromium	=	0.32	J	0.03	0.5	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Chromium	=	2.8		0.027	0.50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chromium	=	3.0		0.027	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Chromium	=	0.90		0.027	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chromium	=	0.57		0.027	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chromium	=	3.5		0.027	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Chromium	=	0.58		0.027	0.50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chromium	=	2.4		0.13	2.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chromium	=	2.3		0.13	2.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chromium	=	9.2	B3	0.13	2.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chromium	=	25		0.13	2.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chromium	=	23.3		0.1	0.6	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chromium	=	169		0.0713	0.200	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chromium	=	0.267	Ja	0.0713	0.500	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chromium	=	3.15		0.0713	0.500	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chromium	=	1.8		0.03	0.5	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Chromium	=	1.2		0.03	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chromium	=	1.8		0.03	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Chromium	=	2.2		0.03	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chromium	=	2.1		0.03	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Chromium	=	1.4		0.03	0.5	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Chromium	=	0.44	J	0.027	0.50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chromium	=	2.8		0.027	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Chromium	=	0.85		0.027	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chromium	=	11		0.027	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Chromium	=	1.6		0.027	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chromium	=	1.7		0.027	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chromium	=	1.1		0.027	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Chromium	=	0.93		0.027	0.50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chromium	=	2.0		0.13	2.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chromium	=	7.2		0.13	2.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chromium	=	1.3	MSD1, B3	0.1	0.6	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chromium	=	6.8		0.13	2.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chromium	=	2.36		0.0713	0.200	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chromium	=	20.5		0.0713	0.500	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chromium	=	4.08		0.0713	0.500	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chromium	=	4.46		0.0713	0.500	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chromium	=	3		0.03	0.5	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Chromium	=	0.87		0.03	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chromium	=	1		0.03	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Chromium	=	0.75		0.03	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chromium	=	2		0.03	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Chromium	=	0.088	J	0.03	0.5	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Chromium	=	0.34	J	0.027	0.50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chromium	=	1.2		0.027	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Chromium	=	1.0		0.027	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chromium	=	2.4		0.027	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chromium	=	4.1		0.027	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Chromium	=	0.49	J	0.027	0.50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chromium	=	6.3		0.13	2.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chromium	=	2.1		0.13	2.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chromium	=	3.1	B3	0.13	2.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chromium	=	8.7	B3	0.13	2.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chromium	=	4.30		0.0713	0.200	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chromium	=	3.91		0.0713	0.500	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chromium	=	2.36		0.0713	0.500	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chromium	=	2.34		0.0713	0.500	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chromium VI	=	3.3	J	1	5	µg/L	EPA 7196A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chromium VI	=	9.1	A-01a	1	5	µg/L	EPA 7196A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chromium VI	<	1.0	ND	1.0	5.0	µg/L	EPA 7196A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chromium VI	=	7.6		1.0	5.0	µg/L	EPA 7196A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chromium VI	=	2	J	1	5	µg/L	EPA 7196A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chromium VI	=	2.4	J	1	5	µg/L	EPA 7196A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chromium VI	=	4.5	A-01a, Ja	1	5	µg/L	EPA 7196A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chromium VI	=	2.1	Jb	1.0	5.0	µg/L	EPA 7196A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chromium VI	=	7.6	A-01a	1.0	5.0	µg/L	EPA 7196A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chromium VI	=	1.9	J	1	5	µg/L	EPA 7196A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chromium VI	=	1.1	J	1	5	µg/L	EPA 7196A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chromium VI	=	220	HT-04, A-01a	1.0	5.0	µg/L	EPA 7196A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chromium VI	=	18	A-01a	1	5	µg/L	EPA 7196A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chromium VI	<	1.0	ND	1.0	5.0	µg/L	EPA 7196A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chromium VI	<	1.0	ND	1.0	5.0	µg/L	EPA 7196A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chromium VI	<	1.0	ND, HT-04	1.0	5.0	µg/L	EPA 7196A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chromium VI	=	44	A-01a	1	5	µg/L	EPA 7196A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chromium VI	=	12	A-01	1.0	5.0	µg/L	EPA 7196A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chromium VI	=	5.8	A-01a	1.0	5.0	µg/L	EPA 7196A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chromium VI	=	4.5	J	1	5	µg/L	EPA 7196A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chromium VI	=	2.1	J	1	5	µg/L	EPA 7196A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chromium VI	<	1.0	ND, HT-04	1.0	5.0	µg/L	EPA 7196A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chromium VI	=	5.0	A-01	1.0	5.0	µg/L	EPA 7196A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chromium VI	=	9.1	A-01a	1.0	5.0	µg/L	EPA 7196A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chromium VI	=	6		1	5	µg/L	EPA 7196A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chromium VI	<	1.0	ND, HT-04	1.0	5.0	µg/L	EPA 7196A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chromium VI	<	1.0	ND	1.0	5.0	µg/L	EPA 7196A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chromium VI	=	5.5	A-01a	1.0	5.0	µg/L	EPA 7196A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chromium VI	=	160	HT-04, A-01a	1.0	5.0	µg/L	EPA 7196A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chromium VI	=	13		1.0	5.0	µg/L	EPA 7196A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chromium VI	=	5.5	A-01	1.0	5.0	µg/L	EPA 7196A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chromium VI	=	7.3	A-01a	1.0	5.0	µg/L	EPA 7196A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM3500D
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chromium VI	<	10.0	ND	10.0	10.0	µg/L	SM3500D
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Chromium VI	<	10	ND	10	10	µg/L	SM 3500.D
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chromium VI	<	5	ND	5	5	µg/L	EPA 7196A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chromium VI	<	1	ND	1	5	µg/L	EPA 7196A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chromium VI	<	1.0	ND, HT-04	1.0	5.0	µg/L	EPA 7196A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chromium VI	=	1.6	Jb	1.0	5.0	µg/L	EPA 7196A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chromium VI	<	1.0	ND	1.0	5.0	µg/L	EPA 7196A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chromium VI	=	7.7	A-01a	1.0	5.0	µg/L	EPA 7196A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Chrysene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Chrysene	=	0.067		0.0056	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Chrysene	=	0.030	Ja	0.0056	0.30	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Chrysene	<	0.0056	ND, M2	0.0056	0.30	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Chrysene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Chrysene	<	0.0056	ND	0.0056	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Chrysene	<	0.0056	ND, M2	0.0056	0.30	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Chrysene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Chrysene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Chrysene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Chrysene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Chrysene	=	0.0058	Ja, R-1	0.0056	0.30	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Chrysene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Chrysene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Chrysene	<	0.0056	ND	0.0056	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Chrysene	=	0.011	Jb	0.0056	0.30	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Chrysene	<	0.0056	ND, M2	0.0056	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Chrysene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Chrysene	=	0.034	Jb	0.0056	0.30	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Chrysene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Chrysene	<	0.054	ND	0.054	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Chrysene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Chrysene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Chrysene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Chrysene	=	0.0071	M2, R-1, Jb	0.0056	0.30	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Chrysene	<	0.0056	ND	0.0056	0.30	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Copper	=	3.8		0.04	0.5	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Copper	=	1.1		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Copper	=	11		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Copper	=	0.44	J	0.04	0.5	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Copper	=	3.0		0.036	0.50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Copper	=	13		0.036	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Copper	=	5.7		0.036	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Copper	=	14		0.036	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Copper	=	1.8		0.036	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Copper	=	6.9		0.036	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Copper	=	9.3		0.036	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Copper	=	4.0		0.036	0.50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Copper	=	5.3		0.060	0.50	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Copper	=	73		0.060	0.50	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Copper	=	11		0.060	0.50	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Copper	=	38		0.060	0.50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Copper	=	62		0.12	0.50	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Copper	=	15.1		0.0209	0.500	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Copper	=	34.1		0.0209	0.500	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Copper	=	40.4		0.0209	0.500	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Copper	=	9.3		0.04	0.5	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Copper	=	4.9		0.04	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Copper	=	4		0.04	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Copper	=	2.5		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Copper	=	2.3		0.04	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Copper	=	1.3		0.04	0.5	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Copper	=	3.1		0.036	0.50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Copper	=	7.1		0.036	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Copper	=	4.4		0.036	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Copper	=	9.4		0.036	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Copper	=	3.0		0.036	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Copper	=	5.4		0.036	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Copper	=	6.1		0.036	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Copper	=	3.7		0.036	0.50	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Copper	=	4.9		0.060	0.50	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Copper	=	3.6		0.060	0.50	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Copper	=	11		0.060	0.50	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Copper	=	7.2		0.060	0.50	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Copper	=	22		0.12	0.50	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Copper	=	8.89		0.0209	0.500	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Copper	=	4.03		0.0209	0.500	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Copper	=	2.24		0.0209	0.500	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Copper	=	13		0.04	0.5	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Copper	=	4.9		0.04	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Copper	=	6		0.04	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Copper	=	2.7		0.04	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Copper	=	4.1		0.04	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Copper	=	2	J	0.04	0.5	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Copper	=	2.5		0.036	0.50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Copper	=	5.3		0.036	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Copper	=	2.4		0.036	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Copper	=	11		0.036	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Copper	=	2.9		0.036	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Copper	=	3.5		0.036	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Copper	=	5.2		0.036	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Copper	=	4.6		0.036	0.50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Copper	=	670		0.30	2.5	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Copper	=	12		0.060	0.50	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Copper	=	3.9		0.060	0.50	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Copper	=	14		0.060	0.50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Copper	=	24.7		0.0209	0.0600	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Copper	=	24.0		0.0209	0.500	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Copper	=	211		0.0209	0.500	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Copper	=	3.96		0.0209	0.500	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Copper	=	7.4		0.04	0.5	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Copper	=	5.8		0.04	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Copper	=	4.3		0.04	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Copper	=	2.1		0.04	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Copper	=	3.4		0.04	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Copper	=	1.9		0.04	0.5	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Copper	=	2.0		0.036	0.50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Copper	=	2.8		0.036	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Copper	=	3.0		0.036	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Copper	=	5.4		0.036	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Copper	=	3.9		0.036	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Copper	=	5.8		0.036	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Copper	=	2.4		0.036	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Copper	=	4.2		0.036	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Copper	=	4.1		0.036	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Copper	=	2.3		0.036	0.50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Copper	=	2.9		0.060	0.50	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Copper	=	13		0.060	0.50	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Copper	=	11		0.060	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Copper	=	6.3		0.060	0.50	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Copper	=	10.3		0.0209	0.0600	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Copper	=	28.7		0.0209	0.500	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Copper	=	6.96		0.0209	0.500	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Copper	=	5.82		0.0209	0.500	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Copper	=	4.4		0.04	0.5	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Copper	=	4.9		0.04	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Copper	=	6.9		0.04	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Copper	=	6.8		0.04	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Copper	=	5.5		0.04	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Copper	=	4.6		0.04	0.5	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Copper	=	2.3		0.036	0.50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Copper	=	7.7		0.036	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Copper	=	2.9		0.036	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Copper	=	14		0.036	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Copper	=	2.2		0.036	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Copper	=	2.4		0.036	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Copper	=	2.7		0.036	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Copper	=	1.8		0.036	0.50	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Copper	=	3.4		0.060	0.50	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Copper	=	6.0		0.060	0.50	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Copper	=	5.4		0.060	0.50	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Copper	=	4.8		0.060	0.50	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Copper	=	19		0.12	0.50	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Copper	=	11.9		0.0209	0.0600	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Copper	=	3.24		0.0209	0.500	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Copper	=	5.70		0.0209	0.500	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Copper	=	12		0.04	0.5	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Copper	=	6.3		0.04	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Copper	=	2.4		0.04	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Copper	=	1.7		0.04	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Copper	=	2.2		0.04	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Copper	=	1.1		0.04	0.5	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Copper	=	3.1		0.036	0.50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Copper	=	4.5		0.036	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Copper	=	1.6		0.036	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Copper	=	2.5		0.036	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Copper	=	6.5		0.036	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Copper	=	2.8		0.036	0.50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Copper	=	4.3		0.060	0.50	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Copper	=	9.5		0.060	0.50	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Copper	=	8.4		0.060	0.50	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Copper	=	14		0.060	0.50	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Copper	=	31		0.12	0.50	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Copper	=	68.5		0.0209	0.0600	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Copper	=	2.82		0.0209	0.500	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Copper	=	7.06		0.0209	0.500	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Copper	=	16		0.04	0.5	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Copper	=	10		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Copper	=	2.7		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Copper	=	2		0.04	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Copper	=	2.8		0.04	0.5	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Copper	=	1.8	J	0.04	0.5	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Copper	=	5.5		0.036	0.50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Copper	=	14		0.036	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Copper	=	4.4		0.036	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Copper	=	21		0.036	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Copper	=	2.9		0.036	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Copper	=	6.7		0.036	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Copper	=	5.7		0.036	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Copper	=	4.9		0.036	0.50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Copper	=	4.9		0.060	0.50	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Copper	=	24		0.060	0.50	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Copper	=	3.0		0.060	0.50	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Copper	=	17		0.060	0.50	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Copper	=	10.9		0.0209	0.0600	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Copper	=	56.5		0.0209	0.500	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Copper	=	3.87		0.0209	0.500	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Copper	=	6.19		0.0209	0.500	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Copper	=	11		0.04	0.5	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Copper	=	5.4		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Copper	=	2.9		0.04	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Copper	=	2.2		0.04	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Copper	=	2.5		0.04	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Copper	=	0.89		0.04	0.5	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Copper	=	2.2		0.036	0.50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Copper	=	3.6		0.036	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Copper	=	1.7		0.036	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Copper	=	2.4		0.036	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Copper	=	8.8		0.036	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Copper	=	3.7		0.036	0.50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Copper	=	9.9		0.060	0.50	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Copper	=	4.2		0.060	0.50	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Copper	=	5.5		0.060	0.50	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Copper	=	6.6		0.060	0.50	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Copper	=	0.682		0.0209	0.0600	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Copper	=	5.49		0.0209	0.500	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Copper	=	3.89		0.0209	0.500	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Copper	=	4.57		0.0209	0.500	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Cyanazine (Bladex)	=	2	ND	2	2	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Cyanazine (Bladex)	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Cyanazine (Bladex)	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Cyanazine (Bladex)	<	0.19	ND	0.19	2.0	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 619
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Cyanazine (Bladex)	<	0.2	ND	0.17	2.0	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Cyanazine (Bladex)	<	2	ND	2	2	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Cyanide	<	2.2	ND, C	2.2	5	µg/L	EPA 335.2
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Cyanide	<	2.2	ND, C	2.2	5	µg/L	EPA 335.2
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Cyanide	=	4.2	Ja	2.2	5	µg/L	EPA 335.2
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Cyanide	=	2.2	Jb	2.2	5	µg/L	EPA 335.2
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Cyanide	=	3.5	Jb	2.2	5	µg/L	EPA 335.2
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Cyanide	<	2.2	ND, C	2.2	5	µg/L	EPA 335.2
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Cyanide	=	2.5	Jb	2.2	5	µg/L	EPA 335.2
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Cyanide	<	2.2	ND, C	2.2	5	µg/L	EPA 335.2
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Cyanide	=	2.5	Jb	2.2	5	µg/L	EPA 335.2
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Cyanide	=	8.6		5	5	µg/L	EPA 335.2
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Cyanide	=	2.8	Jb	2.2	5	µg/L	EPA 335.2
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Cyanide	<	5.0	ND	5.0	5.0	µg/L	EPA 335.2
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Cyanide	<	5	ND	5	5	µg/L	EPA 335.2
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Cyanide	=	3.9	Jb	2.2	5	µg/L	EPA 335.2
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Cyanide	<	2.2	ND	2.2	5	µg/L	EPA 335.2
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Diazinon	=	0.29		0.012	0.05	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Diazinon	=	0.16		0.012	0.050	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Diazinon	=	0.58		0.012	0.050	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Diazinon	=	0.063		0.010	0.050	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Diazinon	=	0.02		0.01	0.01	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Diazinon	=	0.07		0.012	0.05	µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Diazinon	=	0.10		0.012	0.050	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Diazinon	=	0.77		0.012	0.050	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Diazinon	=	0.15		0.01	0.05	µg/L	EPA 8141A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Diazinon	=	0.14		0.01	0.01	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Diazinon	<	0.012	ND	0.012	0.050	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Diazinon	<	0.012	ND	0.012	0.050	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Diazinon	=	0.01		0.01	0.01	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Diazinon	=	0.050		0.012	0.050	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Diazinon	=	0.29		0.012	0.050	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Diazinon	=	0.12		0.012	0.050	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Diazinon	=	0.012		0.010	0.050	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Diazinon	=	0.02		0.01	0.01	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Diazinon	=	0.07		0.012	0.05	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Diazinon	=	0.13		0.012	0.05	µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Diazinon	=	0.11		0.012	0.050	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Diazinon	=	0.49		0.012	0.050	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Diazinon	=	0.57		0.010	0.050	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Diazinon	=	0.15		0.010	0.050	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Diazinon	=	0.11		0.01	0.05	µg/L	EPA 8141A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Diazinon	=	0.09		0.01	0.05	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Diazinon	=	0.11		0.012	0.05	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Diazinon	=	0.29		0.012	0.050	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Diazinon	=	0.30		0.010	0.050	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Diazinon	=	0.11		0.01	0.05	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Diazinon	=	0.055		0.012	0.05	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Diazinon	=	0.15		0.012	0.050	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Diazinon	=	0.53		0.012	0.050	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Diazinon	=	0.020		0.010	0.050	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Diazinon	<	0.012	ND	0.012	0.05	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Diazinon	=	0.053		0.012	0.050	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Diazinon	=	0.010		0.010	0.050	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Diazinon	<	0.010	ND	0.010	0.050	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Diazinon	<	0.01	ND	0.01	0.05	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Diazinon	<	0.01	ND	0.01	0.01	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.099	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Dibenzo(a,h)anthracene	<	0.011	ND, M2	0.011	0.10	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Dibenzo(a,h)anthracene	=	0.044	J	0.040	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.095	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Dibenzo(a,h)anthracene	<	0.011	ND, M2	0.011	0.10	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Dibenzo(a,h)anthracene	=	0.074	J	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.095	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.099	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Dibenzo(a,h)anthracene	=	0.055	J	0.040	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.095	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Dibenzo(a,h)anthracene	<	0.046	ND	0.046	0.11	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.095	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.095	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Dibenzo(a,h)anthracene	<	0.011		0.011	0.10	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND, M2	0.011	0.10	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Dibenzo(a,h)anthracene	<	0.011		0.011	0.10	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Dibenzo(a,h)anthracene	=	0.074	J	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Dibenzo(a,h)anthracene	<	0.07	ND	0.07	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Dibenzo(a,h)anthracene	<	0.040	ND	0.040	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Dibenzo(a,h)anthracene	<	0.038	ND	0.038	0.096	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.098	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Dibenzo(a,h)anthracene	<	0.039	ND	0.039	0.097	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Dibenzo(a,h)anthracene	<	0.011	ND, M2	0.011	0.10	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Dibenzo(a,h)anthracene	<	0.011	ND	0.011	0.10	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Dieldrin	=	0.0012	J	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Dieldrin	<	0.016	ND	0.016	0.024	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Dieldrin	=	0.0030	J	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Dieldrin	<	0.00096	ND, A-01	0.00096	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Dieldrin	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
DW06	CR-46R	UR	Grab	6/5/2006	10:15	Total	Dieldrin	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Dieldrin	=	0.004	J	0.0032	0.0049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Dieldrin	<	0.00095	ND, A-01	0.00095	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Dieldrin	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Dieldrin	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Dieldrin	=	0.0025	J	0.0021	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Dieldrin	<	0.016	ND	0.016	0.025	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Dieldrin	<	0.0011	ND, R-10, A-01, H4	0.0011	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Dieldrin	<	0.00094	ND, A-01	0.00094	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Dieldrin	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Dieldrin	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Dieldrin	=	0.0027	J	0.0021	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Dieldrin	<	0.0032	ND	0.0032	0.0049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Dieldrin	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Dieldrin	<	0.0011	ND, A-01	0.0011	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Dieldrin	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8091
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Dieldrin	<	0.0032	ND	0.0032	0.0049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Dieldrin	<	0.00096	ND, A-01, H4	0.00096	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Dieldrin	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Dieldrin	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Dieldrin	<	0.0078	ND	0.0078	0.012	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Dieldrin	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Dieldrin	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Dieldrin	=	0.013		0.0021	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Dieldrin	=	0.0024	J	0.0021	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Dieldrin	=	0.0046		0.0016	0.0024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Dieldrin	<	0.017	ND	0.017	0.026	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Dieldrin	<	0.00097	ND, A-01, H4	0.00097	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Dieldrin	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Dieldrin	=	0.0057		0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Dieldrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Dieldrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Dieldrin	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Dieldrin	<	0.0032	ND	0.0032	0.0048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Dieldrin	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Dieldrin	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Dieldrin	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Dieldrin	<	0.0011	ND	0.0011	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Dieldrin	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Diethyl phthalate	=	0.3		0.25	0.3	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Diethyl phthalate	=	0.43		0.25	0.3	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Diethyl phthalate	=	0.060	J	0.026	0.30	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Diethyl phthalate	=	0.048	J	0.026	0.30	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Diethyl phthalate	=	0.73		0.026	0.30	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Diethyl phthalate	=	0.15	J	0.026	0.30	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Diethyl phthalate	=	0.5	J	0.4	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Diethyl phthalate	=	0.29	J	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Diethyl phthalate	=	1.8	B2, J	0.30	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Diethyl phthalate	=	0.36	J	0.12	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Diethyl phthalate	=	0.25	Ja	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Diethyl phthalate	=	0.10	Jb	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Diethyl phthalate	=	0.63	B, Jb	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Diethyl phthalate	=	0.32		0.25	0.3	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Diethyl phthalate	=	0.051	J	0.026	0.30	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Diethyl phthalate	=	0.099	J	0.026	0.30	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Diethyl phthalate	=	0.20	J	0.026	0.30	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Diethyl phthalate	=	0.15	J	0.026	0.30	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Diethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Diethyl phthalate	=	0.12	J	0.12	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Diethyl phthalate	=	0.43	B2, J	0.12	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Diethyl phthalate	=	0.15	J	0.12	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Diethyl phthalate	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Diethyl phthalate	=	0.19	Jb	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Diethyl phthalate	=	0.59	B, Jb	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Diethyl phthalate	=	0.79		0.25	0.3	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Diethyl phthalate	=	0.057	J	0.026	0.30	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Diethyl phthalate	=	0.044	J	0.026	0.30	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Diethyl phthalate	=	0.14	J	0.026	0.30	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Diethyl phthalate	=	0.17	J	0.026	0.30	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Diethyl phthalate	=	1.0	J	0.4	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Diethyl phthalate	=	0.47	J	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Diethyl phthalate	=	0.81	B2, J	0.12	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Diethyl phthalate	=	0.13	Ja	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Diethyl phthalate	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Diethyl phthalate	=	0.60	B, Jb	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Diethyl phthalate	=	0.034	J	0.026	0.30	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Diethyl phthalate	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Diethyl phthalate	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Diethyl phthalate	=	0.14	J	0.026	0.30	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Diethyl phthalate	=	0.088	J	0.026	0.30	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Diethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Diethyl phthalate	=	0.14	J	0.12	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Diethyl phthalate	=	0.53	B2, J	0.14	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Diethyl phthalate	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Diethyl phthalate	=	0.12	Ja	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Diethyl phthalate	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Diethyl phthalate	=	0.61	B, Jb	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Diethyl phthalate	=	0.43		0.25	0.3	µg/L	EPA 625 / 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Diethyl phthalate	=	0.068	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Diethyl phthalate	=	0.047	J	0.026	0.30	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Diethyl phthalate	=	0.039	J	0.026	0.30	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Diethyl phthalate	=	0.18	J	0.026	0.30	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Diethyl phthalate	=	0.20	J	0.026	0.30	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Diethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Diethyl phthalate	=	0.29	J	0.12	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Diethyl phthalate	=	0.6	B2, J	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Diethyl phthalate	=	0.20	J	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Diethyl phthalate	=	0.19	Jb, A-01, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Diethyl phthalate	=	0.23	Jb	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Diethyl phthalate	=	0.60	B, Jb	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Diethyl phthalate	=	0.029	J	0.026	0.30	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Diethyl phthalate	=	0.74		0.026	0.30	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Diethyl phthalate	=	0.13	J	0.026	0.30	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Diethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Diethyl phthalate	=	0.17	J	0.12	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Diethyl phthalate	=	0.44	B2, J	0.12	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Diethyl phthalate	=	0.16	J	0.12	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Diethyl phthalate	=	0.095	Jb, A-01, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Diethyl phthalate	=	0.095	Jb	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Diethyl phthalate	=	0.55	B, Jb	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Diethyl phthalate	=	0.79		0.25	0.3	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Diethyl phthalate	=	0.82		0.25	0.3	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Diethyl phthalate	=	0.078	J	0.026	0.30	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Diethyl phthalate	=	0.079	J	0.026	0.30	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Diethyl phthalate	=	0.17	J	0.026	0.30	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Diethyl phthalate	=	0.15	J	0.026	0.30	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Diethyl phthalate	=	0.6	J	0.4	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Diethyl phthalate	=	0.62	J	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Diethyl phthalate	=	0.68	B2, J	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Diethyl phthalate	=	0.38	Jb, A-01, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Diethyl phthalate	=	0.26	Jb	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Diethyl phthalate	=	0.71	Jb, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Diethyl phthalate	=	0.61	B, Jb	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Diethyl phthalate	<	0.25	ND	0.25	0.3	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Diethyl phthalate	=	0.027	J	0.026	0.30	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Diethyl phthalate	=	0.11	J	0.026	0.30	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Diethyl phthalate	=	0.087	J	0.026	0.30	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Diethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Diethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Diethyl phthalate	=	0.14	J	0.12	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Diethyl phthalate	=	0.45	B2, J	0.12	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Diethyl phthalate	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Diethyl phthalate	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Diethyl phthalate	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Diethyl phthalate	=	0.62	B, Jb	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Dimethyl phthalate	=	0.042	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Dimethyl phthalate	=	0.06	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Dimethyl phthalate	=	0.17		0.024	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Dimethyl phthalate	=	0.23		0.024	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Dimethyl phthalate	=	0.097	J	0.024	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Dimethyl phthalate	=	0.060	J	0.024	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Dimethyl phthalate	<	0.20	ND	0.20	1.2	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Dimethyl phthalate	<	0.081	ND, L2	0.081	0.50	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Dimethyl phthalate	=	0.18	L2, Jb	0.10	0.50	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Dimethyl phthalate	=	0.27	Jb	0.096	0.48	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Dimethyl phthalate	=	0.19		0.024	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Dimethyl phthalate	=	0.28		0.024	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Dimethyl phthalate	=	0.034	J	0.024	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Dimethyl phthalate	<	0.024	ND	0.024	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Dimethyl phthalate	<	0.078	ND, L2	0.078	0.48	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Dimethyl phthalate	<	0.38	ND	0.38	1.9	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Dimethyl phthalate	<	0.096	ND, L2	0.096	0.48	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Dimethyl phthalate	=	0.19		0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Dimethyl phthalate	=	0.043	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Dimethyl phthalate	=	0.15		0.024	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Dimethyl phthalate	=	0.36		0.024	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Dimethyl phthalate	=	0.050	J	0.024	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Dimethyl phthalate	=	0.040	J	0.024	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Dimethyl phthalate	<	0.47	ND, L2, RL-3	0.47	2.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Dimethyl phthalate	<	0.094	ND	0.094	0.47	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Dimethyl phthalate	=	0.043	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Dimethyl phthalate	=	0.098	J	0.024	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Dimethyl phthalate	=	0.087	J	0.024	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Dimethyl phthalate	=	0.19		0.024	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Dimethyl phthalate	<	0.024	ND	0.024	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Dimethyl phthalate	<	0.024	ND	0.024	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Dimethyl phthalate	<	0.093	ND	0.093	0.57	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Dimethyl phthalate	<	0.096	ND, H4, L2	0.096	0.48	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Dimethyl phthalate	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Dimethyl phthalate	<	0.10	ND, L2	0.10	0.50	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Dimethyl phthalate	=	0.14		0.024	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Dimethyl phthalate	=	0.15		0.024	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Dimethyl phthalate	=	0.042	J	0.024	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Dimethyl phthalate	=	0.031	J	0.024	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Dimethyl phthalate	<	0.080	ND, L2	0.080	0.50	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Dimethyl phthalate	<	0.095	ND, H4	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Dimethyl phthalate	<	0.095	ND, L2	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Dimethyl phthalate	<	0.097	ND	0.097	0.49	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Dimethyl phthalate	=	0.055	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Dimethyl phthalate	=	0.14		0.024	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Dimethyl phthalate	=	0.081	J	0.024	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Dimethyl phthalate	=	0.024	J	0.024	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Dimethyl phthalate	<	0.080	ND, L2	0.080	0.50	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Dimethyl phthalate	<	0.095	ND, H4, L2	0.095	0.48	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Dimethyl phthalate	<	0.095	ND, L2	0.095	0.48	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Dimethyl phthalate	=	0.19		0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Dimethyl phthalate	=	0.059	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Dimethyl phthalate	=	0.16		0.024	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Dimethyl phthalate	=	0.23		0.024	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Dimethyl phthalate	=	0.041	J	0.024	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Dimethyl phthalate	=	0.032	J	0.024	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Dimethyl phthalate	=	0.69	H4, RL-4	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Dimethyl phthalate	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Dimethyl phthalate	<	0.099	ND, H4	0.099	0.50	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Dimethyl phthalate	<	0.095	ND	0.095	0.48	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Dimethyl phthalate	=	0.032	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Dimethyl phthalate	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Dimethyl phthalate	=	0.11		0.024	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Dimethyl phthalate	<	0.024	ND	0.024	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Dimethyl phthalate	<	0.024	ND	0.024	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Dimethyl phthalate	<	0.5	ND	0.5	2	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Dimethyl phthalate	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Dimethyl phthalate	<	0.081	ND	0.081	0.50	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Dimethyl phthalate	<	0.11	ND, H4, RL-4, L2	0.11	0.53	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Dimethyl phthalate	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Dimethyl phthalate	<	0.095	ND, L2	0.095	0.47	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Dimethyl phthalate	<	0.10	ND	0.10	0.50	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	=	7.5		0.4	0.4	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Di-n-butyl phthalate	=	0.38	J	0.094	0.40	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Di-n-butyl phthalate	=	2.1		0.094	0.40	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Di-n-butyl phthalate	=	0.33	J	0.094	0.40	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Di-n-butyl phthalate	=	0.23	J	0.094	0.40	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Di-n-butyl phthalate	=	0.7	J	0.4	10	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Di-n-butyl phthalate	=	0.33	J	0.26	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Di-n-butyl phthalate	<	0.65	ND	0.65	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Di-n-butyl phthalate	=	0.44	J	0.26	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Di-n-butyl phthalate	=	0.40	Ja	0.19	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Di-n-butyl phthalate	<	0.20	ND	0.20	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Di-n-butyl phthalate	<	0.19	ND	0.19	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Di-n-butyl phthalate	=	0.29	J	0.094	0.40	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Di-n-butyl phthalate	=	0.38	J	0.094	0.40	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Di-n-butyl phthalate	=	0.17	J	0.094	0.40	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Di-n-butyl phthalate	=	0.21	J	0.094	0.40	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Di-n-butyl phthalate	<	0.25	ND	0.25	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Di-n-butyl phthalate	<	0.76	ND	0.76	7.6	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Di-n-butyl phthalate	=	0.27	Jb	0.19	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Di-n-butyl phthalate	=	0.21	Jb	0.19	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Di-n-butyl phthalate	=	0.24	J	0.094	0.40	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Di-n-butyl phthalate	=	0.24	J	0.094	0.40	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Di-n-butyl phthalate	=	0.18	J	0.094	0.40	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Di-n-butyl phthalate	=	1.3		0.094	0.40	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Di-n-butyl phthalate	=	1.0	J	0.4	10	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Di-n-butyl phthalate	=	1.8	J	0.26	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Di-n-butyl phthalate	=	0.25	Ja	0.19	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Di-n-butyl phthalate	<	0.94	ND, RL-3	0.94	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Di-n-butyl phthalate	=	0.25	Jb	0.19	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Di-n-butyl phthalate	=	0.11	J	0.094	0.40	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Di-n-butyl phthalate	=	0.56		0.094	0.40	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Di-n-butyl phthalate	=	0.11	J	0.094	0.40	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Di-n-butyl phthalate	=	0.17	J	0.094	0.40	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Di-n-butyl phthalate	=	0.24	J	0.094	0.40	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Di-n-butyl phthalate	<	0.30	ND	0.30	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Di-n-butyl phthalate	<	0.19	ND, H4	0.19	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Di-n-butyl phthalate	=	0.98	Ja	0.20	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Di-n-butyl phthalate	<	0.20	ND	0.20	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Di-n-butyl phthalate	=	0.29	Jb	0.19	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Di-n-butyl phthalate	<	0.094	ND	0.094	0.40	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Di-n-butyl phthalate	=	0.20	J	0.094	0.40	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Di-n-butyl phthalate	=	0.15	J	0.094	0.40	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Di-n-butyl phthalate	=	0.26	J	0.094	0.40	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Di-n-butyl phthalate	=	0.33	J	0.26	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Di-n-butyl phthalate	=	0.28	J	0.26	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Di-n-butyl phthalate	<	0.19	ND, H4	0.19	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Di-n-butyl phthalate	<	0.19	ND	0.19	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Di-n-butyl phthalate	=	0.49	Jb	0.19	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Di-n-butyl phthalate	=	0.18	J	0.094	0.40	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Di-n-butyl phthalate	=	0.32	J	0.094	0.40	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Di-n-butyl phthalate	=	0.31	J	0.094	0.40	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Di-n-butyl phthalate	<	0.19	ND, H4	0.19	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Di-n-butyl phthalate	<	0.19	ND	0.19	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Di-n-butyl phthalate	<	0.19	ND	0.19	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	=	0.61		0.4	0.4	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Di-n-butyl phthalate	=	0.16	J	0.094	0.40	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Di-n-butyl phthalate	=	0.29	J	0.094	0.40	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Di-n-butyl phthalate	=	0.14	J	0.094	0.40	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Di-n-butyl phthalate	=	0.26	J	0.094	0.40	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Di-n-butyl phthalate	=	0.5	J	0.4	10	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Di-n-butyl phthalate	=	0.54	J	0.26	2.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Di-n-butyl phthalate	=	0.27	Jb, A-01, H4, RL-4	0.21	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Di-n-butyl phthalate	<	0.20	ND	0.20	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Di-n-butyl phthalate	<	0.20	ND, H4	0.20	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Di-n-butyl phthalate	<	0.19	ND	0.19	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	0.4	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Di-n-butyl phthalate	=	0.20	J	0.094	0.40	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Di-n-butyl phthalate	=	0.12	J	0.094	0.40	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Di-n-butyl phthalate	=	0.23	J	0.094	0.40	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Di-n-butyl phthalate	<	0.4	ND	0.4	10	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Di-n-butyl phthalate	=	0.33	J	0.26	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Di-n-butyl phthalate	<	0.26	ND	0.26	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Di-n-butyl phthalate	<	0.21	ND, H4, RL-4	0.21	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Di-n-butyl phthalate	<	0.20	ND	0.20	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Di-n-butyl phthalate	=	0.21	Jb	0.19	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Di-n-butyl phthalate	<	0.20	ND	0.20	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Di-n-octyl phthalate	=	0.21		0.092	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Di-n-octyl phthalate	=	0.26		0.092	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Di-n-octyl phthalate	=	0.44		0.092	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Di-n-octyl phthalate	=	1.0	J	0.3	10	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Di-n-octyl phthalate	=	0.31	J	0.17	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Di-n-octyl phthalate	=	0.42	J	0.42	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Di-n-octyl phthalate	=	0.94	J	0.17	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Di-n-octyl phthalate	=	0.86	Ja	0.095	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Di-n-octyl phthalate	=	2.8	Jb	0.10	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Di-n-octyl phthalate	=	3.1	M2, Jb	0.096	4.8	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Di-n-octyl phthalate	=	0.24		0.092	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Di-n-octyl phthalate	=	0.15	J	0.092	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Di-n-octyl phthalate	<	0.3	ND	0.3	10	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Di-n-octyl phthalate	<	0.16	ND	0.16	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Di-n-octyl phthalate	<	0.38	ND	0.38	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Di-n-octyl phthalate	<	0.096	ND	0.096	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Di-n-octyl phthalate	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Di-n-octyl phthalate	=	0.15	J	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Di-n-octyl phthalate	=	0.097	J	0.092	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Di-n-octyl phthalate	=	3.0	J	0.3	10	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Di-n-octyl phthalate	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Di-n-octyl phthalate	<	0.47	ND, RL-3	0.47	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Di-n-octyl phthalate	=	2.6	Jb	0.094	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Di-n-octyl phthalate	<	0.3	ND	0.3	10	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Di-n-octyl phthalate	<	0.19	ND	0.19	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Di-n-octyl phthalate	<	0.096	ND, H4	0.096	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Di-n-octyl phthalate	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Di-n-octyl phthalate	=	2.7	Jb	0.10	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Di-n-octyl phthalate	=	2.6	Jb	0.095	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Di-n-octyl phthalate	=	0.10	J	0.092	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Di-n-octyl phthalate	<	0.3	ND	0.3	10	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Di-n-octyl phthalate	=	0.13	Jb, A-01, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Di-n-octyl phthalate	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Di-n-octyl phthalate	=	2.7	Jb	0.097	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Di-n-octyl phthalate	=	0.12	J	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Di-n-octyl phthalate	=	0.32		0.092	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Di-n-octyl phthalate	<	0.3	ND	0.3	10	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Di-n-octyl phthalate	=	0.11	Jb, A-01, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Di-n-octyl phthalate	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Di-n-octyl phthalate	=	2.6	Jb	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Di-n-octyl phthalate	=	0.15	J	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Di-n-octyl phthalate	=	0.39		0.092	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Di-n-octyl phthalate	=	0.16	J	0.092	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Di-n-octyl phthalate	=	0.8	J	0.3	10	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Di-n-octyl phthalate	=	0.40	Jb, A-01, H4, RL-4	0.11	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Di-n-octyl phthalate	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Di-n-octyl phthalate	<	0.099	ND, H4	0.099	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Di-n-octyl phthalate	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Di-n-octyl phthalate	<	0.1	ND	0.1	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Di-n-octyl phthalate	<	0.092	ND	0.092	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Di-n-octyl phthalate	<	0.4	ND	0.4	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Di-n-octyl phthalate	<	0.3	ND	0.3	10	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Di-n-octyl phthalate	<	0.17	ND	0.17	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Di-n-octyl phthalate	<	0.11	ND, H4, RL-4	0.11	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Di-n-octyl phthalate	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Di-n-octyl phthalate	=	2.6	Jb	0.095	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Di-n-octyl phthalate	=	2.7	Jb	0.10	5.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	-	Dissolved Oxygen	=	2.9				mg/L	

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46	UR	Grab	10/17/2004	23:15	-	Dissolved Oxygen	=	7.8				mg/L	
SE38	CR-46	UR	Grab	2/27/2005	21:00	-	Dissolved Oxygen	=	10.3				mg/L	
DW04	CR-46	UR	Grab	5/16/2005	9:45	-	Dissolved Oxygen	=	2.8				mg/L	
SE39	CR-46	UR	Grab	12/1/2005	23:45	-	Dissolved Oxygen	=	8.0			0.05	mg/L	SM 4500-O G
SE41	CR-46	UR	Grab	3/20/2006	13:31	-	Dissolved Oxygen	=	10.7			0.05	mg/L	SM 4500-O G
DW05	CR-46	UR	Grab	5/10/2006	9:45	-	Dissolved Oxygen	=	2.7			0.05	mg/L	SM 4500-O G
DW06	CR-46	UR	Grab	6/5/2006	10:15	-	Dissolved Oxygen	=	6.3			0.05	mg/L	SM 4500-O G
DW03	CR-46R	RW	Grab	9/1/2004	9:29	-	Dissolved Oxygen	=	7.4				mg/L	
SE36	CR-46R	RW	Grab	10/18/2004	---	-	Dissolved Oxygen	=	8.8				mg/L	
SE38	CR-46R	RW	Grab	2/27/2005	20:50	-	Dissolved Oxygen	=	9.9				mg/L	
DW04	CR-46R	RW	Grab	5/16/2005	8:45	-	Dissolved Oxygen	=	8.2				mg/L	
SE39	CR-46R	RW	Grab	12/1/2005	21:50	-	Dissolved Oxygen	=	18.5			0.05	mg/L	SM 4500-O G
SE41	CR-46R	RW	Grab	3/20/2006	14:00	-	Dissolved Oxygen	=	10.6			0.05	mg/L	SM 4500-O G
DW05	CR-46R	RW	Grab	5/10/2006	10:15	-	Dissolved Oxygen	=	9.0			0.05	mg/L	SM 4500-O G
DW06	CR-46R	RW	Grab	6/5/2006	10:50	-	Dissolved Oxygen	=	8.4			0.05	mg/L	SM 4500-O G
DW03	DC-65	UR	Grab	9/1/2004	8:15	-	Dissolved Oxygen	=	5.0				mg/L	
SE36	DC-65	UR	Grab	10/17/2004	22:30	-	Dissolved Oxygen	=	7.6				mg/L	
SE38	DC-65	UR	Grab	2/27/2005	19:47	-	Dissolved Oxygen	=	7.5				mg/L	
DW04	DC-65	UR	Grab	5/16/2005	11:00	-	Dissolved Oxygen	=	5.8				mg/L	
SE40	DC-65	UR	Grab	2/26/2006	21:00	-	Dissolved Oxygen	=	10.7			0.05	mg/L	SM 4500-O G
SE41	DC-65	UR	Grab	3/20/2006	13:50	-	Dissolved Oxygen	=	10.5			0.05	mg/L	SM 4500-O G
DW05	DC-65	UR	Grab	5/10/2006	8:15	-	Dissolved Oxygen	=	5.5			0.05	mg/L	SM 4500-O G
DW06	DC-65	UR	Grab	6/5/2006	9:15	-	Dissolved Oxygen	=	4.1			0.05	mg/L	SM 4500-O G
DW03	DC-65R	RW	Grab	9/1/2004	9:30	-	Dissolved Oxygen	=	4.2				mg/L	
SE36	DC-65R	RW	Grab	10/17/2004	22:30	-	Dissolved Oxygen	=	5.1				mg/L	
SE38	DC-65R	RW	Grab	2/27/2005	21:45	-	Dissolved Oxygen	=	7.4				mg/L	
DW04	DC-65R	RW	Grab	5/16/2005	9:50	-	Dissolved Oxygen	=	5.6				mg/L	
SE40	DC-65R	RW	Grab	2/26/2006	22:27	-	Dissolved Oxygen	=	7.6			0.05	mg/L	SM 4500-O G
SE41	DC-65R	RW	Grab	3/20/2006	15:03	-	Dissolved Oxygen	=	9.7			0.05	mg/L	SM 4500-O G
DW05	DC-65R	RW	Grab	5/10/2006	10:45	-	Dissolved Oxygen	=	6.3			0.05	mg/L	SM 4500-O G
DW06	DC-65R	RW	Grab	6/5/2006	9:20	-	Dissolved Oxygen	=	6.5			0.05	mg/L	SM 4500-O G
DW03	MS-14	UR	Grab	9/1/2004	8:32	-	Dissolved Oxygen	=	0.9				mg/L	
SE37	MS-14	UR	Grab	10/19/2004	8:13	-	Dissolved Oxygen	=	9.5				mg/L	
SE38	MS-14	UR	Grab	2/27/2005	20:30	-	Dissolved Oxygen	=	7.2				mg/L	
DW04	MS-14	UR	Grab	5/16/2005	8:58	-	Dissolved Oxygen	=	1.5				mg/L	
SE39	MS-14	UR	Grab	12/1/2005	23:00	-	Dissolved Oxygen	=	9.2			0.05	mg/L	SM 4500-O G
SE40	MS-14	UR	Grab	2/26/2006	21:15	-	Dissolved Oxygen	=	18.1			0.05	mg/L	SM 4500-O G
DW05	MS-14	UR	Grab	5/10/2006	8:13	-	Dissolved Oxygen	=	5.2			0.05	mg/L	SM 4500-O G
DW06	MS-14	UR	Grab	6/5/2006	8:43	-	Dissolved Oxygen	=	6.8			0.05	mg/L	SM 4500-O G
DW03	MS-14R	RW	Grab	9/1/2004	9:39	-	Dissolved Oxygen	=	5.6				mg/L	
SE37	MS-14R	RW	Grab	10/19/2004	9:00	-	Dissolved Oxygen	=	7.9				mg/L	
SE38	MS-14R	RW	Grab	2/27/2005	19:40	-	Dissolved Oxygen	=	5.6				mg/L	
DW04	MS-14R	RW	Grab	5/16/2005	9:40	-	Dissolved Oxygen	=	6.2				mg/L	
SE39	MS-14R	RW	Grab	12/1/2005	22:47	-	Dissolved Oxygen	=	14.8			0.05	mg/L	SM 4500-O G
SE40	MS-14R	RW	Grab	2/26/2006	20:50	-	Dissolved Oxygen	=	10.2			0.05	mg/L	SM 4500-O G
DW05	MS-14R	RW	Grab	5/10/2006	9:00	-	Dissolved Oxygen	=	8.4			0.05	mg/L	SM 4500-O G
DW06	MS-14R	RW	Grab	6/5/2006	9:18	-	Dissolved Oxygen	=	6.3			0.05	mg/L	SM 4500-O G
DW03	SC-1	UR	Grab	9/1/2004	8:30	-	Dissolved Oxygen	=	5.4				mg/L	
SE36	SC-1	UR	Grab	10/17/2004	23:20	-	Dissolved Oxygen	=	4.6				mg/L	
SE38	SC-1	UR	Grab	2/27/2005	19:30	-	Dissolved Oxygen	=	9.0				mg/L	
DW04	SC-1	UR	Grab	5/16/2005	10:29	-	Dissolved Oxygen	=	2.6				mg/L	
SE40	SC-1	UR	Grab	2/26/2006	22:41	-	Dissolved Oxygen	=	10.0			0.05	mg/L	SM 4500-O G

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE42	SC-1	UR	Grab	4/12/2006	9:00	-	Dissolved Oxygen	=	8.3			0.05	mg/L	SM 4500-O G
DW05	SC-1	UR	Grab	5/10/2006	9:00	-	Dissolved Oxygen	=	4.6			0.05	mg/L	SM 4500-O G
DW06	SC-1	UR	Grab	6/5/2006	9:40	-	Dissolved Oxygen	=	7.7			0.05	mg/L	SM 4500-O G
DW03	SC-1R	RW	Grab	9/1/2004	10:00	-	Dissolved Oxygen	=	6.0				mg/L	
SE36	SC-1R	RW	Grab	10/18/2004	0:10	-	Dissolved Oxygen	=	8.2				mg/L	
SE38	SC-1R	RW	Grab	2/27/2005	20:58	-	Dissolved Oxygen	=	9.0				mg/L	
DW04	SC-1R	RW	Grab	5/16/2005	10:35	-	Dissolved Oxygen	=	6.8				mg/L	
SE40	SC-1R	RW	Grab	2/26/2006	21:20	-	Dissolved Oxygen	=	9.6			0.05	mg/L	SM 4500-O G
SE42	SC-1R	RW	Grab	4/12/2006	8:45	-	Dissolved Oxygen	=	7.6			0.05	mg/L	SM 4500-O G
DW05	SC-1R	RW	Grab	5/10/2006	9:35	-	Dissolved Oxygen	=	8.6			0.05	mg/L	SM 4500-O G
DW06	SC-1R	RW	Grab	6/5/2006	10:08	-	Dissolved Oxygen	=	6.1			0.05	mg/L	SM 4500-O G
SE31	CR-46	UR	Grab	6/4/2003	---	Total	E. coli	=	8000		200	200	MPN/100mL	40 CFR 141.21
SE32	CR-46	UR	Grab	6/25/2003	---	Total	E. coli	=	2200		200	200	MPN/100mL	40 CFR 141.21
SE33	CR-46	UR	Grab	12/24/2003	10:30	Total	E. Coli	=	2300			200	MPN/100mL	SM 9221A, B, C
DW02	CR-46	UR	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	E. Coli	=	1100			200	MPN/100mL	SM 9221F
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	E. Coli	=	3000			200	MPN/100mL	SM 9221F
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	E. Coli	=	13000			200	MPN/100mL	SM 9221F
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	E. Coli	=	17000			200	MPN/100mL	SM 9221F
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	E. Coli	=	8,000			200	MPN/100mL	SM 9221F
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	E. Coli	=	1,300			200	MPN/100mL	SM 9221F
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	E. Coli	<	20,000	ND		20000	MPN/100mL	SM 9221F
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	E. Coli	=	20,000			200	MPN/100mL	SM 9221F
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	E. coli	=	3400		200	200	MPN/100mL	40 CFR 141.21
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	E. coli	=	1300		200	200	MPN/100mL	40 CFR 141.21
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	E. coli	=	200		200	200	MPN/100mL	40 CFR 141.21
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	E. Coli	=	2300			200	MPN/100mL	SM 9221A, B, C
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	E. Coli	=	200			200	MPN/100mL	SM 9221F
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	E. Coli	=	1000			200	MPN/100mL	SM 9221F
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	E. Coli	=	30000			200	MPN/100mL	SM 9221F
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	E. Coli	<	200	ND		200	MPN/100mL	SM 9221F
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	E. Coli	=	7,000			200	MPN/100mL	SM 9221F
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	E. Coli	=	2,300			200	MPN/100mL	SM 9221F
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	E. Coli	=	700			200	MPN/100mL	SM 9221F
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	E. Coli	=	400			200	MPN/100mL	SM 9221F
SE30	DC-65	UR	Grab	4/12/2003	---	Total	E. coli	=	2300		200	200	MPN/100mL	40 CFR 141.21
SE31	DC-65	UR	Grab	6/4/2003	---	Total	E. coli	=	30000		200	200	MPN/100mL	40 CFR 141.21
SE32	DC-65	UR	Grab	6/25/2003	---	Total	E. coli	=	3000		200	200	MPN/100mL	40 CFR 141.21
SE33	DC-65	UR	Grab	12/24/2003	10:30	Total	E. Coli	=	13000			200	MPN/100mL	SM 9221A, B, C
SE35	DC-65	UR	Grab	2/16/2004	9:11	Total	E. Coli	=	3000			200	MPN/100mL	SM 9221A, B, C
DW02	DC-65	UR	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	E. Coli	=	8000			200	MPN/100mL	SM 9221F
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	E. Coli	=	110000			200	MPN/100mL	SM 9221F
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	E. Coli	=	1100			200	MPN/100mL	SM 9221F
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	E. Coli	<	200,000	ND		200000	MPN/100mL	SM 9221F
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	E. Coli	=	50,000			200	MPN/100mL	SM 9221F
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	E. Coli	=	2,700			200	MPN/100mL	SM 9221F
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	E. Coli	=	5,000			200	MPN/100mL	SM 9221F
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	E. Coli	=	230,000			200	MPN/100mL	SM 9221F
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	E. coli	=	200		200	200	MPN/100mL	40 CFR 141.21
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	E. coli	=	800		200	200	MPN/100mL	40 CFR 141.21

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	E. coli	=	400		200	200	MPN/100mL	40 CFR 141.21
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	E. Coli	=	8000			200	MPN/100mL	SM 9221A, B, C
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	E. Coli	=	400			200	MPN/100mL	SM 9221A, B, C
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	E. Coli	<	200	ND		200	MPN/100mL	SM 9221F
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	E. Coli	=	1700			200	MPN/100mL	SM 9221F
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	E. Coli	=	800			200	MPN/100mL	SM 9221F
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	E. Coli	=	400			200	MPN/100mL	SM 9221F
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	E. Coli	=	200			200	MPN/100mL	SM 9221F
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	E. Coli	=	1,300			200	MPN/100mL	SM 9221F
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	E. Coli	=	200			200	MPN/100mL	SM 9221F
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	E. Coli	=	1,300			200	MPN/100mL	SM 9221F
SE30	MS-14	UR	Grab	4/12/2003	---	Total	E. coli	=	2700		200	200	MPN/100mL	40 CFR 141.21
SE31	MS-14	UR	Grab	6/4/2003	---	Total	E. coli	=	2300		200	200	MPN/100mL	40 CFR 141.21
SE32	MS-14	UR	Grab	6/25/2003	---	Total	E. coli	=	4000		200	200	MPN/100mL	40 CFR 141.21
SE33	MS-14	UR	Grab	12/24/2003	10:30	Total	E. Coli	=	8000			200	MPN/100mL	SM 9221A, B, C
DW02	MS-14	UR	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	E. Coli	=	130000			200	MPN/100mL	SM 9221F
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	E. Coli	=	17000			200	MPN/100mL	SM 9221F
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	E. Coli	=	11000			200	MPN/100mL	SM 9221F
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	E. Coli	=	8000			200	MPN/100mL	SM 9221F
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	E. Coli	=	8,000			200	MPN/100mL	SM 9221F
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	E. Coli	=	23,000			200	MPN/100mL	SM 9221F
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	E. Coli	=	1,700			200	MPN/100mL	SM 9221F
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	E. Coli	=	200			200	MPN/100mL	SM 9221F
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	E. coli	=	40000		200	200	MPN/100mL	40 CFR 141.21
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	E. coli	=	800		200	200	MPN/100mL	40 CFR 141.21
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	E. coli	=	400		200	200	MPN/100mL	40 CFR 141.21
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	E. Coli	=	13000			200	MPN/100mL	SM 9221F
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	E. Coli	=	500000			200	MPN/100mL	SM 9221F
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	E. Coli	<	200	ND		200	MPN/100mL	SM 9221F
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	E. Coli	=	400			200	MPN/100mL	SM 9221F
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	E. Coli	=	13,000			200	MPN/100mL	SM 9221F
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	E. Coli	=	5,000			200	MPN/100mL	SM 9221F
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	E. Coli	<	200	ND		200	MPN/100mL	SM 9221F
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	E. Coli	=	700			200	MPN/100mL	SM 9221F
SE30	SC-1	UR	Grab	4/12/2003	---	Total	E. coli	=	80000		200	200	MPN/100mL	40 CFR 141.21
SE31	SC-1	UR	Grab	6/4/2003	---	Total	E. coli	=	2100		200	200	MPN/100mL	40 CFR 141.21
SE32	SC-1	UR	Grab	6/25/2003	---	Total	E. coli	=	270000		200	200	MPN/100mL	40 CFR 141.21
SE33	SC-1	UR	Grab	12/24/2003	10:30	Total	E. Coli	=	50000			200	MPN/100mL	SM 9221A, B, C
DW02	SC-1	UR	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	E. Coli	=	13000			200	MPN/100mL	SM 9221F
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	E. Coli	=	30000			200	MPN/100mL	SM 9221F
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	E. Coli	=	80000			200	MPN/100mL	SM 9221F
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	E. Coli	=	5000000			200	MPN/100mL	SM 9221F
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	E. Coli	=	1,700			200	MPN/100mL	SM 9221F
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	E. Coli	=	17,000			200	MPN/100mL	SM 9221F
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	E. Coli	=	3,000			200	MPN/100mL	SM 9221F
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	E. Coli	=	1,700			200	MPN/100mL	SM 9221F
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	E. coli	=	70000		200	200	MPN/100mL	40 CFR 141.21
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	E. coli	=	200		200	200	MPN/100mL	40 CFR 141.21

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	E. coli	<	200	ND	200	200	MPN/100mL	40 CFR 141.21
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	E. Coli	=	5000			200	MPN/100mL	SM 9221A, B, C
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	E. Coli	=	-	NR		200	MPN/100mL	SM 9221A, B, C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	E. Coli	<	200	ND		200	MPN/100mL	SM 9221F
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	E. Coli	=	800			200	MPN/100mL	SM 9221F
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	E. Coli	=	800			200	MPN/100mL	SM 9221F
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	E. Coli	=	400			200	MPN/100mL	SM 9221F
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	E. Coli	=	1,300			200	MPN/100mL	SM 9221F
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	E. Coli	=	400			200	MPN/100mL	SM 9221F
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	E. Coli	=	200			200	MPN/100mL	SM 9221F
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	E. Coli	=	800			200	MPN/100mL	SM 9221F
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endosulfan I	=	0.0021	J	0.0012	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endosulfan I	=	0.0036		0.0015	0.0024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endosulfan I	<	0.015	ND	0.015	0.024	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Endosulfan I	<	0.00096	ND, A-01	0.00096	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Endosulfan I	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Endosulfan I	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endosulfan I	<	0.0015	ND	0.0015	0.0024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endosulfan I	=	0.0043	J	0.0030	0.0049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Endosulfan I	<	0.00095	ND, A-01	0.00095	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Endosulfan I	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Endosulfan I	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endosulfan I	<	0.0015	ND	0.0015	0.0024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endosulfan I	<	0.015	ND	0.015	0.025	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Endosulfan I	<	0.0011	ND, R-10, A-01, H4	0.0011	0.0056	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Endosulfan I	<	0.00094	ND, A-01	0.00094	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Endosulfan I	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Endosulfan I	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endosulfan I	=	0.0012	J	0.0012	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endosulfan I	<	0.0015	ND	0.0015	0.0024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endosulfan I	<	0.0030	ND	0.0030	0.0049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Endosulfan I	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Endosulfan I	<	0.0011	ND, A-01	0.0011	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Endosulfan I	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8092
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endosulfan I	=	0.0024	J	0.0012	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endosulfan I	=	0.0017	J	0.0015	0.0024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endosulfan I	<	0.0030	ND	0.0030	0.0049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Endosulfan I	<	0.00096	ND, A-01, H4	0.00096	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Endosulfan I	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Endosulfan I	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endosulfan I	<	0.0015	ND	0.0015	0.0024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endosulfan I	<	0.0073	ND	0.0073	0.012	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Endosulfan I	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Endosulfan I	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endosulfan I	=	0.004		0.0015	0.0024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endosulfan I	=	0.016	J	0.016	0.026	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Endosulfan I	<	0.00097	ND, A-01, H4	0.00097	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Endosulfan I	<	0.00095	ND	0.00095	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Endosulfan I	<	0.00094	ND	0.00094	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Endosulfan I	<	0.0008	ND	0.0008	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endosulfan I	<	0.0012	ND	0.0012	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endosulfan I	=	0.0016	J	0.0015	0.0024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endosulfan I	<	0.0030	ND	0.0030	0.0048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endosulfan I	<	0.0010	ND	0.0010	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Endosulfan I	<	0.00095	ND, A-01, H4	0.00095	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Endosulfan I	<	0.00096	ND	0.00096	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Endosulfan I	<	0.0011	ND	0.0011	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Endosulfan I	<	0.00097	ND	0.00097	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Endosulfan II	=	0.0032	J	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endosulfan II	<	0.021	ND	0.021	0.024	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Endosulfan II	<	0.0019	ND, A-01	0.0019	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endosulfan II	<	0.0042	ND	0.0042	0.0049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Endosulfan II	<	0.0019	ND, A-01	0.0019	0.0048	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endosulfan II	<	0.021	ND	0.021	0.025	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Endosulfan II	<	0.0022	ND, R-10, A-01, H4	0.0022	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Endosulfan II	<	0.0019	ND, A-01	0.0019	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endosulfan II	<	0.0042	ND	0.0042	0.0049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Endosulfan II	<	0.0019	ND, A-01, H4	0.0019	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Endosulfan II	<	0.0021	ND, A-01	0.0021	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8093
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endosulfan II	<	0.0021	ND	0.0021	0.0024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endosulfan II	<	0.0042	ND	0.0042	0.0049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Endosulfan II	<	0.0019	ND, A-01, H4	0.0019	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endosulfan II	<	0.0021	ND	0.0021	0.0024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endosulfan II	<	0.010	ND	0.010	0.012	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Endosulfan II	<	0.0020	ND, M2	0.0020	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Endosulfan II	<	0.0019	ND, A-01, H4	0.0019	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endosulfan II	=	0.024		0.0014	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endosulfan II	<	0.022	ND	0.022	0.026	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Endosulfan II	<	0.0019	ND, A-01, H4	0.0019	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Endosulfan II	<	0.0018	ND	0.0018	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endosulfan II	<	0.0014	ND	0.0014	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endosulfan II	<	0.0042	ND	0.0042	0.0048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endosulfan II	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Endosulfan II	<	0.0019	ND, A-01, H4	0.0019	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Endosulfan II	<	0.0021	ND	0.0021	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Endosulfan II	<	0.0019	ND	0.0019	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endosulfan sulfate	=	0.0020	J	0.0020	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endosulfan sulfate	<	0.0060	ND	0.0060	0.0071	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endosulfan sulfate	<	0.061	ND	0.061	0.073	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Endosulfan sulfate	<	0.0029	ND, A-01	0.0029	0.0096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Endosulfan sulfate	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endosulfan sulfate	<	0.0059	ND	0.0059	0.0071	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endosulfan sulfate	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Endosulfan sulfate	<	0.0029	ND, A-01	0.0029	0.0095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Endosulfan sulfate	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endosulfan sulfate	=	0.0048	J	0.0020	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endosulfan sulfate	<	0.0060	ND	0.0060	0.0071	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endosulfan sulfate	<	0.062	ND	0.062	0.074	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Endosulfan sulfate	<	0.0033	ND, R-10, A-01, H4	0.0033	0.011	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Endosulfan sulfate	<	0.0028	ND, A-01	0.0028	0.0094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endosulfan sulfate	=	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endosulfan sulfate	<	0.0059	ND	0.0059	0.0071	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endosulfan sulfate	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Endosulfan sulfate	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Endosulfan sulfate	<	0.0032	ND, A-01	0.0032	0.011	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8094
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endosulfan sulfate	<	0.0061	ND	0.0061	0.0072	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endosulfan sulfate	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Endosulfan sulfate	<	0.0029	ND, A-01, H4	0.0029	0.0096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endosulfan sulfate	<	0.0061	ND	0.0061	0.0072	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endosulfan sulfate	<	0.030	ND	0.030	0.035	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Endosulfan sulfate	<	0.0030	ND, M2	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Endosulfan sulfate	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Endosulfan sulfate	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endosulfan sulfate	<	0.0059	ND	0.0059	0.0071	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endosulfan sulfate	<	0.066	ND	0.066	0.078	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Endosulfan sulfate	<	0.0029	ND, A-01, H4	0.0029	0.0097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Endosulfan sulfate	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Endosulfan sulfate	<	0.003	ND	0.003	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endosulfan sulfate	<	0.0020	ND	0.0020	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endosulfan sulfate	<	0.0059	ND	0.0059	0.0071	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endosulfan sulfate	<	0.012	ND	0.012	0.014	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endosulfan sulfate	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Endosulfan sulfate	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Endosulfan sulfate	<	0.0032	ND	0.0032	0.011	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Endosulfan sulfate	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 8260
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endrin	=	0.0038		0.0021	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endrin	=	0.0036	J	0.0021	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endrin	=	0.0081		0.0013	0.0024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endrin	<	0.014	ND	0.014	0.024	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Endrin	<	0.0038	ND, A-01	0.0038	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Endrin	<	0.0038	ND, C-1a	0.0038	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Endrin	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endrin	<	0.0027	ND	0.0027	0.0049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Endrin	<	0.0038	ND, A-01	0.0038	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Endrin	<	0.0038	ND, C-1b	0.0038	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Endrin	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endrin	<	0.014	ND	0.014	0.025	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Endrin	<	0.0044	ND, R-10, A-01, H4	0.0044	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Endrin	<	0.0038	ND, A-01	0.0038	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Endrin	<	0.0038	ND, C-1a	0.0038	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Endrin	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endrin	<	0.0027	ND	0.0027	0.0049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Endrin	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Endrin	<	0.0042	ND, A-01	0.0042	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Endrin	<	0.0040	ND, C-1b	0.0040	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Endrin	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8095
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endrin	<	0.0027	ND	0.0027	0.0049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Endrin	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Endrin	<	0.0038	ND, C-1a	0.0038	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Endrin	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endrin	<	0.0066	ND	0.0066	0.012	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Endrin	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Endrin	<	0.0040	ND, C-1a	0.0040	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Endrin	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Endrin	=	0.0018	J	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Endrin	=	0.0015	J	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endrin	=	0.0036	J	0.0021	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endrin	=	0.0034	J	0.0021	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endrin	<	0.015	ND	0.015	0.026	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Endrin	<	0.0039	ND, A-01, H4	0.0039	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Endrin	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Endrin	<	0.0040	ND, C-1a	0.0040	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Endrin	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Endrin	=	0.0015	J	0.0012	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Endrin	<	0.0012	ND	0.0012	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endrin	<	0.0021	ND	0.0021	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endrin	<	0.0013	ND	0.0013	0.0024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endrin	<	0.0027	ND	0.0027	0.0048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endrin	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Endrin	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Endrin	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Endrin	<	0.0042	ND, C-1b	0.0042	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Endrin	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 8260
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endrin aldehyde	<	0.060	ND	0.060	0.073	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Endrin aldehyde	<	0.0067	ND, A-01	0.0067	0.0096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Endrin aldehyde	<	0.0066	ND	0.0066	0.0094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endrin aldehyde	=	0.0053	J	0.0019	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endrin aldehyde	<	0.0019	ND, J	0.0019	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endrin aldehyde	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Endrin aldehyde	<	0.0067	ND, A-01, C-2a	0.0067	0.0095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Endrin aldehyde	<	0.0066	ND	0.0066	0.0094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endrin aldehyde	<	0.060	ND	0.060	0.074	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Endrin aldehyde	<	0.0078	ND, R-10, A-01, H4	0.0078	0.011	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Endrin aldehyde	<	0.0066	ND, A-01, C-2a	0.0066	0.0094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Endrin aldehyde	<	0.0068	ND	0.0068	0.0097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endrin aldehyde	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Endrin aldehyde	<	0.0067	ND, A-01, H4	0.0067	0.0095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Endrin aldehyde	<	0.0074	ND, A-01, C-2a	0.0074	0.011	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Endrin aldehyde	<	0.0068	ND	0.0068	0.0097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8096
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endrin aldehyde	<	0.0059	ND	0.0059	0.0072	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endrin aldehyde	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Endrin aldehyde	<	0.0067	ND, A-01, H4	0.0067	0.0096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endrin aldehyde	<	0.0059	ND	0.0059	0.0072	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endrin aldehyde	<	0.029	ND	0.029	0.035	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Endrin aldehyde	<	0.0070	ND, M2	0.0070	0.010	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Endrin aldehyde	<	0.0067	ND, A-01, H4	0.0067	0.0095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Endrin aldehyde	<	0.0066	ND	0.0066	0.0094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endrin aldehyde	=	0.0079	J	0.0019	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endrin aldehyde	<	0.064	ND	0.064	0.078	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Endrin aldehyde	<	0.0068	ND, A-01, H4	0.0068	0.0097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Endrin aldehyde	<	0.0066	ND	0.0066	0.0094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Endrin aldehyde	<	0.0031	ND	0.0031	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endrin aldehyde	<	0.0019	ND	0.0019	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endrin aldehyde	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endrin aldehyde	<	0.012	ND	0.012	0.014	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endrin aldehyde	<	0.0070	ND	0.0070	0.010	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Endrin aldehyde	<	0.0067	ND, A-01, H4	0.0067	0.0095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Endrin aldehyde	<	0.0067	ND	0.0067	0.0096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Endrin aldehyde	<	0.0074	ND	0.0074	0.011	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Endrin aldehyde	<	0.0068	ND	0.0068	0.0097	µg/L	EPA 8081A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Endrin ketone	<	0.0023	ND, J	0.0023	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Endrin ketone	<	0.060	ND	0.060	0.073	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Endrin ketone	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Endrin ketone	=	0.0028	J	0.0023	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Endrin ketone	=	0.0054	J	0.0023	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Endrin ketone	<	0.060	ND	0.060	0.074	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Endrin ketone	=	0.0035	J	0.0023	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Endrin ketone	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Endrin ketone	<	0.0059	ND	0.0059	0.0072	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Endrin ketone	<	0.012	ND	0.012	0.015	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Endrin ketone	<	0.0059	ND	0.0059	0.0072	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Endrin ketone	<	0.029	ND	0.029	0.035	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Endrin ketone	<	0.064	ND	0.064	0.078	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Endrin ketone	<	0.0023	ND	0.0023	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Endrin ketone	<	0.0058	ND	0.0058	0.0071	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Endrin ketone	<	0.012	ND	0.012	0.014	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Endrin ketone	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Fecal Coliform	=	8000		200	200	MPN/100mL	SM9221C, E
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Fecal Coliform	=	8000		200	200	MPN/100mL	SM9221C, E
SE33	CR-46	UR	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	2300			200	MPN/100mL	SM 9221C, E
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	3000			200	MPN/100mL	SM 9221C, E
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Fecal Coliform	=	2200			200	MPN/100mL	SM 9221C, E
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Fecal Coliform	=	1300			200	MPN/100mL	SM 9221C, E
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Fecal Coliform	=	1100			200	MPN/100mL	SM 9221F
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Fecal Coliform	=	3000	NA		200	MPN/100mL	SM 9221F
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Fecal Coliform	=	13000			200	MPN/100mL	SM 9221E
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Fecal Coliform	=	17000			200	MPN/100mL	SM 9221E
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Fecal Coliform	=	8,000			200	MPN/100mL	SM 9221E
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Fecal Coliform	=	2,300			200	MPN/100mL	SM 9221E
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Fecal Coliform	<	20,000	ND		20000	MPN/100mL	SM 9221E
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Fecal Coliform	=	20,000			200	MPN/100mL	SM 9221E

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Fecal Coliform	=	3400		200	200	MPN/100mL	SM9221C, E
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Fecal Coliform	=	1300		200	200	MPN/100mL	SM9221C, E
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Fecal Coliform	=	200		200	200	MPN/100mL	SM9221C, E
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	2300			200	MPN/100mL	SM 9221C, E
SE34	CR-46R	RW	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	1700			200	MPN/100mL	SM 9221C, E
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221C, E
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221C, E
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221F
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Fecal Coliform	=	1000	NA		200	MPN/100mL	SM 9221F
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Fecal Coliform	=	30000			200	MPN/100mL	SM 9221E
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Fecal Coliform	<	200	ND		200	MPN/100mL	SM 9221E
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Fecal Coliform	=	7,000			200	MPN/100mL	SM 9221E
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Fecal Coliform	=	3,000			200	MPN/100mL	SM 9221E
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Fecal Coliform	=	700			200	MPN/100mL	SM 9221E
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221E
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Fecal Coliform	=	2300		200	200	MPN/100mL	SM9221C, E
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Fecal Coliform	=	30000		200	200	MPN/100mL	SM9221C, E
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Fecal Coliform	=	3000		200	200	MPN/100mL	SM9221C, E
SE33	DC-65	UR	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	13000			200	MPN/100mL	SM 9221C, E
SE34	DC-65	UR	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	5000			200	MPN/100mL	SM 9221C, E
SE35	DC-65	UR	Grab	2/16/2004	9:11	Total	Fecal Coliform	=	3000			200	MPN/100mL	SM 9221C, E
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Fecal Coliform	=	300000			200	MPN/100mL	SM 9221C, E
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Fecal Coliform	=	30000			200	MPN/100mL	SM 9221C, E
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Fecal Coliform	=	8000			200	MPN/100mL	SM 9221F
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Fecal Coliform	=	110000	NA		200	MPN/100mL	SM 9221F
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Fecal Coliform	=	1100			200	MPN/100mL	SM 9221E
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Fecal Coliform	<	200,000	ND		200000	MPN/100mL	SM 9221E
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Fecal Coliform	=	50,000			200	MPN/100mL	SM 9221E
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Fecal Coliform	=	3,400			200	MPN/100mL	SM 9221E
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Fecal Coliform	=	8,000			200	MPN/100mL	SM 9221E
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Fecal Coliform	=	230,000			200	MPN/100mL	SM 9221E
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Fecal Coliform	=	200		200	200	MPN/100mL	SM9221C, E
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Fecal Coliform	=	800		200	200	MPN/100mL	SM9221C, E
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Fecal Coliform	=	400		200	200	MPN/100mL	SM9221C, E
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	8000			200	MPN/100mL	SM 9221C, E
SE34	DC-65R	RW	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	700			200	MPN/100mL	SM 9221C, E
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221C, E
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Fecal Coliform	=	1100			200	MPN/100mL	SM 9221C, E
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Fecal Coliform	<	200			200	MPN/100mL	SM 9221C, E
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221F
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Fecal Coliform	=	1700	NA		200	MPN/100mL	SM 9221F
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Fecal Coliform	=	1100			200	MPN/100mL	SM 9221E
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221E
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221E
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Fecal Coliform	=	1,300			200	MPN/100mL	SM 9221E
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221E
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Fecal Coliform	=	1,300			200	MPN/100mL	SM 9221E
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Fecal Coliform	=	2700		200	200	MPN/100mL	SM9221C, E
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Fecal Coliform	=	3000		200	200	MPN/100mL	SM9221C, E
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Fecal Coliform	=	17000		200	200	MPN/100mL	SM9221C, E
SE33	MS-14	UR	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	8000			200	MPN/100mL	SM 9221C, E
SE34	MS-14	UR	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	1700			200	MPN/100mL	SM 9221C, E

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Fecal Coliform	=	700			200	MPN/100mL	SM 9221C, E
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Fecal Coliform	=	17000			200	MPN/100mL	SM 9221C, E
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Fecal Coliform	=	130000			200	MPN/100mL	SM 9221F
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Fecal Coliform	=	17000	NA		200	MPN/100mL	SM 9221F
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Fecal Coliform	=	11000			200	MPN/100mL	SM 9221E
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Fecal Coliform	=	8000			200	MPN/100mL	SM 9221E
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Fecal Coliform	=	8,000			200	MPN/100mL	SM 9221E
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	Fecal Coliform	=	23,000			200	MPN/100mL	SM 9221E
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Fecal Coliform	=	1,700			200	MPN/100mL	SM 9221E
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221E
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Fecal Coliform	=	40000		200	200	MPN/100mL	SM9221C, E
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Fecal Coliform	=	800		200	200	MPN/100mL	SM9221C, E
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Fecal Coliform	=	400		200	200	MPN/100mL	SM9221C, E
SE34	MS-14R	RW	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	13000			200	MPN/100mL	SM 9221C, E
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221C, E
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Fecal Coliform	=	9000			200	MPN/100mL	SM 9221C, E
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Fecal Coliform	=	13000			200	MPN/100mL	SM 9221F
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Fecal Coliform	=	500000	NA		200	MPN/100mL	SM 9221F
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Fecal Coliform	<	200	ND		200	MPN/100mL	SM 9221E
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221E
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Fecal Coliform	=	23,000			200	MPN/100mL	SM 9221E
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Fecal Coliform	=	23,000			200	MPN/100mL	SM 9221E
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Fecal Coliform	<	200	ND		200	MPN/100mL	SM 9221E
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Fecal Coliform	=	700			200	MPN/100mL	SM 9221E
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Fecal Coliform	=	80000		200	200	MPN/100mL	SM9221C, E
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Fecal Coliform	=	2100		200	200	MPN/100mL	SM9221C, E
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Fecal Coliform	=	800000		200	200	MPN/100mL	SM9221C, E
SE33	SC-1	UR	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	50000			200	MPN/100mL	SM 9221C, E
SE34	SC-1	UR	Grab	2/2/2004	12:05	Total	Fecal Coliform	=	23000			200	MPN/100mL	SM 9221C, E
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Fecal Coliform	=	22000			200	MPN/100mL	SM 9221C, E
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Fecal Coliform	=	60000			200	MPN/100mL	SM 9221C, E
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Fecal Coliform	=	13000			200	MPN/100mL	SM 9221F
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Fecal Coliform	=	30000	NA		200	MPN/100mL	SM 9221F
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Fecal Coliform	=	80000			200	MPN/100mL	SM 9221E
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Fecal Coliform	=	5000000			200	MPN/100mL	SM 9221E
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	Fecal Coliform	=	1,700			200	MPN/100mL	SM 9221E
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Fecal Coliform	=	17,000			200	MPN/100mL	SM 9221E
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Fecal Coliform	=	3,000			200	MPN/100mL	SM 9221E
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Fecal Coliform	=	1,700			200	MPN/100mL	SM 9221E
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Fecal Coliform	=	110000		200	200	MPN/100mL	SM9221C, E
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Fecal Coliform	=	200		200	200	MPN/100mL	SM9221C, E
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Fecal Coliform	=	400		200	200	MPN/100mL	SM9221C, E
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	Fecal Coliform	=	5000			200	MPN/100mL	SM 9221C, E
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Fecal Coliform	<	200	ND		200	MPN/100mL	SM 9221C, E
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Fecal Coliform	=	1100			200	MPN/100mL	SM 9221C, E
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Fecal Coliform	<	200	ND		200	MPN/100mL	SM 9221F
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Fecal Coliform	=	800	NA		200	MPN/100mL	SM 9221F
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Fecal Coliform	=	800			200	MPN/100mL	SM 9221E
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221E
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Fecal Coliform	=	3,000			200	MPN/100mL	SM 9221E
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Fecal Coliform	=	400			200	MPN/100mL	SM 9221E
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Fecal Coliform	=	200			200	MPN/100mL	SM 9221E

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	Fecal Coliform	=	800			200	MPN/100mL	SM 9221E
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Fluoranthene	=	0.08		0.03	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Fluoranthene	=	0.13		0.026	0.050	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Fluoranthene	=	0.10		0.026	0.050	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Fluoranthene	<	0.030	ND	0.030	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Fluoranthene	=	0.17	R-1	0.031	0.050	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Fluoranthene	<	0.031	ND, M2	0.031	0.050	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Fluoranthene	=	0.072		0.026	0.050	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Fluoranthene	=	0.042	J	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Fluoranthene	<	0.030	ND	0.030	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Fluoranthene	=	0.12	R-1	0.031	0.050	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Fluoranthene	=	0.082	R-1	0.031	0.050	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Fluoranthene	<	0.034	ND	0.034	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Fluoranthene	=	0.031	J	0.03	0.05	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Fluoranthene	=	0.028	J	0.026	0.050	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Fluoranthene	<	0.031	ND, M2	0.031	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Fluoranthene	<	0.031		0.031	0.050	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Fluoranthene	=	0.13		0.026	0.050	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Fluoranthene	=	0.17		0.026	0.050	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Fluoranthene	<	0.030	ND	0.030	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Fluoranthene	=	0.059	R-1	0.031	0.050	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Fluoranthene	=	0.25	R-1	0.031	0.050	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Fluoranthene	=	0.071		0.03	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Fluoranthene	<	0.03	ND	0.03	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Fluoranthene	=	0.04	J	0.03	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Fluoranthene	<	0.026	ND	0.026	0.050	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Fluoranthene	<	0.029	ND	0.029	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Fluoranthene	<	0.029	ND	0.029	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Fluoranthene	<	0.031	ND	0.031	0.050	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Fluorene	=	0.042	J	0.027	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Fluorene	<	0.050	ND	0.050	0.099	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Fluorene	<	0.048	ND	0.048	0.095	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Fluorene	=	0.16		0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Fluorene	=	0.059	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Fluorene	<	0.048	ND	0.048	0.095	µg/L	EPA 610

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Fluorene	<	0.050	ND	0.050	0.099	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Fluorene	<	0.048	ND	0.048	0.095	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Fluorene	<	0.057	ND	0.057	0.11	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Fluorene	<	0.048	ND	0.048	0.095	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Fluorene	<	0.048	ND	0.048	0.095	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Fluorene	=	0.032	J	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Fluorene	<	0.050	ND	0.050	0.10	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Fluorene	<	0.03	ND	0.03	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Fluorene	<	0.027	ND	0.027	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Fluorene	<	0.048	ND	0.048	0.096	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Fluorene	<	0.049	ND	0.049	0.098	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Fluorene	<	0.049	ND	0.049	0.097	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Fluorene	<	0.028	ND, M2	0.028	0.10	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Fluorene	<	0.028	ND	0.028	0.10	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Fluoride	=	0.12		0.05	0.1	mg/L	EPA 300.0
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Fluoride	=	0.40		0.05	0.10	mg/L	EPA 300.0
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Fluoride	=	0.16		0.05	0.10	mg/L	EPA 300.0
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Fluoride	=	0.36		0.010	0.10	mg/L	EPA 300.0
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Fluoride	=	0.25		0.010	0.10	mg/L	EPA 300.0
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Fluoride	=	0.45		0.014	0.10	mg/L	EPA 300.0
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Fluoride	=	6.3		0.014	0.10	mg/L	EPA 300.0
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Fluoride	=	0.29		0.014	0.10	mg/L	EPA 300.0
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Fluoride	=	0.16		0.017	0.10	mg/L	EPA 300.0
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Fluoride	=	11		0.17	1.0	mg/L	EPA 300.0
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Fluoride	=	5.0		0.017	0.10	mg/L	EPA 300.0
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Fluoride	=	0.2		0.05	0.1	mg/L	EPA 300.0
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Fluoride	=	0.14		0.05	0.1	mg/L	EPA 300.0
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Fluoride	=	0.092	J	0.05	0.10	mg/L	EPA 300.0
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Fluoride	=	0.33		0.010	0.10	mg/L	EPA 300.0
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Fluoride	=	0.28		0.010	0.10	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Fluoride	=	0.19		0.014	0.10	mg/L	EPA 300.0
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Fluoride	=	0.12		0.014	0.10	mg/L	EPA 300.0
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Fluoride	=	0.16		0.017	0.10	mg/L	EPA 300.0
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Fluoride	=	0.21		0.017	0.10	mg/L	EPA 300.0
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Fluoride	=	0.13		0.017	0.10	mg/L	EPA 300.0
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Fluoride	=	0.66		0.05	0.1	mg/L	EPA 300.0
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Fluoride	=	2.3		0.05	0.1	mg/L	EPA 300.0
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Fluoride	=	0.28		0.05	0.10	mg/L	EPA 300.0
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Fluoride	=	0.25		0.05	0.10	mg/L	EPA 300.0
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Fluoride	=	0.66		0.05	0.10	mg/L	EPA 300.0
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Fluoride	=	0.36		0.05	0.10	mg/L	EPA 300.0
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Fluoride	=	0.42		0.010	0.10	mg/L	EPA 300.0
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Fluoride	=	0.38		0.010	0.10	mg/L	EPA 300.0
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Fluoride	=	0.26		0.014	0.10	mg/L	EPA 300.0
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Fluoride	=	0.45		0.014	0.10	mg/L	EPA 300.0
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Fluoride	=	0.25		0.017	0.10	mg/L	EPA 300.0
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Fluoride	=	0.25		0.017	0.10	mg/L	EPA 300.0
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Fluoride	=	0.33		0.017	0.10	mg/L	EPA 300.0
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Fluoride	=	0.22		0.017	0.10	mg/L	EPA 300.0
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Fluoride	=	0.11		0.05	0.1	mg/L	EPA 300.0
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Fluoride	=	0.11		0.05	0.1	mg/L	EPA 300.0
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Fluoride	=	0.10		0.05	0.10	mg/L	EPA 300.0
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Fluoride	=	0.050	J	0.05	0.10	mg/L	EPA 300.0
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Fluoride	=	0.07	J	0.05	0.10	mg/L	EPA 300.0
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Fluoride	=	0.36		0.010	0.10	mg/L	EPA 300.0
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Fluoride	=	0.25		0.010	0.10	mg/L	EPA 300.0
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Fluoride	=	0.15		0.017	0.10	mg/L	EPA 300.0
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Fluoride	=	0.19		0.017	0.10	mg/L	EPA 300.0
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Fluoride	=	0.22		0.017	0.10	mg/L	EPA 300.0
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Fluoride	=	0.12		0.017	0.10	mg/L	EPA 300.0
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Fluoride	=	0.16		0.05	0.1	mg/L	EPA 300.0
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Fluoride	=	0.14		0.05	0.10	mg/L	EPA 300.0
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Fluoride	=	0.19		0.05	0.10	mg/L	EPA 300.0
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Fluoride	=	0.41		0.010	0.10	mg/L	EPA 300.0
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Fluoride	=	0.24		0.010	0.10	mg/L	EPA 300.0
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Fluoride	<	0.014	ND	0.014	0.10	mg/L	EPA 300.0
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Fluoride	=	0.2		0.014	0.10	mg/L	EPA 300.0
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Fluoride	=	0.20		0.014	0.10	mg/L	EPA 300.0
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Fluoride	<	0.017		0.017	0.10	mg/L	EPA 300.0
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Fluoride	=	0.22		0.017	0.10	mg/L	EPA 300.0
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Fluoride	=	0.14		0.017	0.10	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Fluoride	=	0.13		0.05	0.1	mg/L	EPA 300.0
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Fluoride	=	0.10		0.05	0.10	mg/L	EPA 300.0
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Fluoride	=	0.17		0.05	0.10	mg/L	EPA 300.0
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Fluoride	=	0.37		0.010	0.10	mg/L	EPA 300.0
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Fluoride	=	0.24		0.010	0.10	mg/L	EPA 300.0
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Fluoride	=	0.19		0.014	0.10	mg/L	EPA 300.0
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Fluoride	=	0.17		0.014	0.10	mg/L	EPA 300.0
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Fluoride	=	0.16		0.014	0.10	mg/L	EPA 300.0
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Fluoride	<	0.017		0.017	0.10	mg/L	EPA 300.0
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Fluoride	=	0.23		0.017	0.10	mg/L	EPA 300.0
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Fluoride	=	0.13		0.017	0.10	mg/L	EPA 300.0
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Fluoride	=	0.66		0.05	0.1	mg/L	EPA 300.0
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Fluoride	=	0.14		0.05	0.1	mg/L	EPA 300.0
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Fluoride	=	0.11		0.05	0.10	mg/L	EPA 300.0
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Fluoride	=	0.34		0.010	0.10	mg/L	EPA 300.0
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Fluoride	=	0.25		0.010	0.10	mg/L	EPA 300.0
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Fluoride	=	0.17		0.014	0.10	mg/L	EPA 300.0
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Fluoride	<	0.017	ND	0.017	0.10	mg/L	EPA 300.0
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Fluoride	=	0.12		0.017	0.10	mg/L	EPA 300.0
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Fluoride	=	0.21		0.017	0.10	mg/L	EPA 300.0
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Fluoride	=	0.12		0.017	0.10	mg/L	EPA 300.0
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Fluoride	=	0.12		0.05	0.1	mg/L	EPA 300.0
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.1	mg/L	EPA 300.0
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Fluoride	=	0.065	J	0.05	0.10	mg/L	EPA 300.0
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Fluoride	<	0.05	ND	0.05	0.10	mg/L	EPA 300.0
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Fluoride	=	0.36		0.010	0.10	mg/L	EPA 300.0
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Fluoride	=	0.28		0.010	0.10	mg/L	EPA 300.0
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Fluoride	=	0.18		0.014	0.10	mg/L	EPA 300.0
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Fluoride	<	0.017	ND	0.017	0.10	mg/L	EPA 300.0
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Fluoride	<	0.017	ND	0.017	0.10	mg/L	EPA 300.0
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Fluoride	<	0.017	ND	0.017	0.10	mg/L	EPA 300.0
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Fluoride	=	0.10		0.017	0.10	mg/L	EPA 300.0
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Glyphosate	=	6.9		5	5	µg/L	EPA 547
SE33	CR-46	UR	Composite	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	CR-46	UR	Composite	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Glyphosate	=	11		1.4	5	µg/L	EPA 547
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Glyphosate	=	22		1.4	5.0	µg/L	EPA 547
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Glyphosate	=	10		1.2	5.0	µg/L	EPA 547
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Glyphosate	=	8.7	MR	1.2	5.0	µg/L	EPA 547
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Glyphosate	=	10		1.2	5.0	µg/L	EPA 547

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Glyphosate	=	5.0		1.2	5.0	µg/L	EPA 547
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Glyphosate	=	11		1.2	5.0	µg/L	EPA 547
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Glyphosate	=	12		1.2	5.0	µg/L	EPA 547
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	CR-46R	RW	Grab	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5	µg/L	EPA 547
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Glyphosate	=	6.9		1.2	5.0	µg/L	EPA 547
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	DC-65	UR	Composite	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	DC-65	UR	Composite	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE35	DC-65	UR	Composite	2/16/2004	9:11	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5	µg/L	EPA 547
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Glyphosate	=	2.6	J	1.2	5.0	µg/L	EPA 547
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Glyphosate	=	16		1.2	5.0	µg/L	EPA 547
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Glyphosate	=	15		1.2	5.0	µg/L	EPA 547
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Glyphosate	=	9.7		1.2	5.0	µg/L	EPA 547
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	DC-65R	RW	Grab	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5	µg/L	EPA 547
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Glyphosate	=	8.9		1.2	5.0	µg/L	EPA 547
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	MS-14	UR	Composite	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	MS-14	UR	Composite	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Glyphosate	=	6.5		1.4	5	µg/L	EPA 547
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Glyphosate	=	8.5		1.4	5.0	µg/L	EPA 547
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Glyphosate	=	7.4		1.2	5.0	µg/L	EPA 547
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Glyphosate	=	6.3	MR	1.2	5.0	µg/L	EPA 547
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Glyphosate	=	13		1.2	5.0	µg/L	EPA 547
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Glyphosate	=	7.0		1.2	5.0	µg/L	EPA 547
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Glyphosate	=	8.9		1.2	5.0	µg/L	EPA 547
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE34	MS-14R	RW	Grab	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5	µg/L	EPA 547
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Glyphosate	=	8.5	MR	1.2	5.0	µg/L	EPA 547
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Glyphosate	=	3.0	J	1.2	5.0	µg/L	EPA 547
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Glyphosate	<	1.2		1.2	5.0	µg/L	EPA 547
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Glyphosate	=	4	J	5	5	µg/L	EPA 547
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	SC-1	UR	Composite	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
SE34	SC-1	UR	Composite	2/2/2004	12:05	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Glyphosate	=	4	J	1.4	5	µg/L	EPA 547
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Glyphosate	=	6.3		1.2	5.0	µg/L	EPA 547
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Glyphosate	=	12		1.2	5.0	µg/L	EPA 547
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Glyphosate	=	9.4		1.2	5.0	µg/L	EPA 547
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Glyphosate	=	11		1.2	5.0	µg/L	EPA 547
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Glyphosate	<	5	ND	5	5	µg/L	EPA 547
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	Glyphosate	<	3.5	ND	3.5	5	µg/L	EPA 547
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5	µg/L	EPA 547
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Glyphosate	<	1.4	ND	1.4	5.0	µg/L	EPA 547
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Glyphosate	<	1.2	ND	1.2	5.0	µg/L	EPA 547
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Hardness	=	132		1	2	mg/L	EPA 130.2
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Hardness	=	173		1	2	mg/L	EPA 130.2
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Hardness	=	19		1.0	1.0	mg/L	EPA 130.2
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Hardness	=	20		1.0	1.0	mg/L	EPA 130.2
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Hardness	=	190		1.0	1.0	mg/L	EPA 130.2
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Hardness	=	150		1.0	5.0	mg/L	EPA 130.2
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Hardness	=	160		1.0	1.0	mg/L	SM2340B
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Hardness	=	71		1.0	1.0	mg/L	SM2340B
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Hardness	=	12		1.0	1.0	mg/L	SM2340B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Hardness	=	100		1.0	1.0	mg/L	SM2340B
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Hardness	=	23		1.0	1.0	mg/L	SM2340B
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Hardness	=	15		1.0	1.0	mg/L	SM2340B
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Hardness	=	180		1.0	1.0	mg/L	SM2340B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Hardness	=	180		1.0	1.0	mg/L	SM2340B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Hardness	=	51.5		1	2	mg/L	EPA 130.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Hardness	=	112		1	2	mg/L	EPA 130.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Hardness	=	95.4		1	2	mg/L	EPA 130.2
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Hardness	=	31		1.0	1.0	mg/L	EPA 130.2
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Hardness	=	23		1.0	1.0	mg/L	EPA 130.2
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Hardness	=	140		1.0	1.0	mg/L	EPA 130.2
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Hardness	=	100		1.0	5.0	mg/L	EPA 130.2
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Hardness	=	120		1.0	1.0	mg/L	SM2340B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Hardness	=	120		1.0	1.0	mg/L	SM2340B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Hardness	=	97		1.0	1.0	mg/L	SM2340B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Hardness	=	54		1.0	1.0	mg/L	SM2340B
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Hardness	=	37		1.0	1.0	mg/L	SM2340B
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Hardness	=	64		1.0	1.0	mg/L	SM2340B
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Hardness	=	84		1.0	1.0	mg/L	SM2340B
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Hardness	=	60		1.0	1.0	mg/L	SM2340B
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Hardness	=	45.4		1	2	mg/L	EPA 130.2
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Hardness	=	116		1	2	mg/L	EPA 130.2
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Hardness	=	91.4		1	2	mg/L	EPA 130.2
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Hardness	=	45		1.0	1.0	mg/L	EPA 130.2
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Hardness	=	63		1.0	1.0	mg/L	EPA 130.2
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Hardness	=	71		1.0	1.0	mg/L	EPA 130.2
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Hardness	=	88		1.0	5.0	mg/L	EPA 130.2
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Hardness	=	480		1.0	1.0	mg/L	SM2340B
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Hardness	=	55		1.0	1.0	mg/L	SM2340B
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Hardness	=	19		1.0	1.0	mg/L	SM2340B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Hardness	=	60		1.0	1.0	mg/L	SM2340B
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Hardness	=	42		1.0	1.0	mg/L	SM2340B
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Hardness	=	46		1.0	1.0	mg/L	SM2340B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Hardness	=	72		1.0	1.0	mg/L	SM2340B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Hardness	=	72		1.0	1.0	mg/L	SM2340B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Hardness	=	66.7		1	2	mg/L	EPA 130.2
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Hardness	=	62		1	2	mg/L	EPA 130.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Hardness	=	77.2		1	2	mg/L	EPA 130.2
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Hardness	=	170		1.0	1.0	mg/L	EPA 130.2
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Hardness	=	140		1.0	1.0	mg/L	EPA 130.2
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Hardness	=	95		1.0	1.0	mg/L	EPA 130.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Hardness	=	51		1.0	1.0	mg/L	EPA 130.2
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Hardness	=	51		1.0	5.0	mg/L	EPA 130.2
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Hardness	=	64		1.0	1.0	mg/L	SM2340B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Hardness	=	72		1.0	1.0	mg/L	SM2340B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Hardness	=	62		1.0	1.0	mg/L	SM2340B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Hardness	=	47		1.0	1.0	mg/L	SM2340B
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Hardness	=	81		1.0	1.0	mg/L	SM2340B
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Hardness	=	61		1.0	1.0	mg/L	SM2340B
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Hardness	=	53		1.0	1.0	mg/L	SM2340B
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Hardness	=	32		1.0	1.0	mg/L	SM2340B
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Hardness	=	51.5		1	2	mg/L	EPA 130.2
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Hardness	=	218		1	2	mg/L	EPA 130.2
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Hardness	=	201		1	2	mg/L	EPA 130.2
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Hardness	=	28		1.0	1.0	mg/L	EPA 130.2
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Hardness	=	22		1.0	1.0	mg/L	EPA 130.2
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Hardness	=	180		1.0	1.0	mg/L	EPA 130.2
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Hardness	=	240		1.0	5.0	mg/L	EPA 130.2
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Hardness	=	150		1.0	1.0	mg/L	SM2340B
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Hardness	=	21		1.0	1.0	mg/L	SM2340B
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Hardness	=	18		1.0	1.0	mg/L	SM2340B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Hardness	=	170		1.0	1.0	mg/L	SM2340B
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Hardness	=	43		1.0	1.0	mg/L	SM2340B
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Hardness	=	28		1.0	1.0	mg/L	SM2340B
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Hardness	=	200		1.0	1.0	mg/L	SM2340B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Hardness	=	180		1.0	1.0	mg/L	SM2340B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Hardness	=	29.3		1	2	mg/L	EPA 130.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Hardness	=	96		1	2	mg/L	EPA 130.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Hardness	=	97.5		1	2	mg/L	EPA 130.2
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Hardness	=	81		1.0	1.0	mg/L	EPA 130.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Hardness	=	130		1.0	1.0	mg/L	EPA 130.2
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Hardness	=	110		1.0	5.0	mg/L	EPA 130.2
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Hardness	=	88		1.0	1.0	mg/L	SM2340B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Hardness	=	27		1.0	1.0	mg/L	SM2340B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Hardness	=	76		1.0	1.0	mg/L	SM2340B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Hardness	=	45		1.0	1.0	mg/L	SM2340B
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Hardness	=	48		1.0	1.0	mg/L	SM2340B
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Hardness	=	87		1.0	1.0	mg/L	SM2340B
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Hardness	=	110		1.0	1.0	mg/L	SM2340B
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Hardness	=	59		1.0	1.0	mg/L	SM2340B
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Hardness	=	25.2		1	2	mg/L	EPA 130.2
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Hardness	=	188		1	2	mg/L	EPA 130.2
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Hardness	=	162		1	2	mg/L	EPA 130.2
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Hardness	=	40		1.0	1.0	mg/L	EPA 130.2
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Hardness	=	32		1.0	1.0	mg/L	EPA 130.2
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Hardness	=	180		1.0	1.0	mg/L	EPA 130.2
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Hardness	=	170		1.0	5.0	mg/L	EPA 130.2
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Hardness	=	150		1.0	1.0	mg/L	SM2340B
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Hardness	=	83		1.0	1.0	mg/L	SM2340B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Hardness	=	120		1.0	1.0	mg/L	SM2340B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Hardness	=	230		1.0	1.0	mg/L	SM2340B
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Hardness	=	25		1.0	1.0	mg/L	SM2340B
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Hardness	=	85		1.0	1.0	mg/L	SM2340B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Hardness	=	280		1.0	1.0	mg/L	SM2340B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Hardness	=	280		1.0	1.0	mg/L	SM2340B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Hardness	=	244		1	2	mg/L	EPA 130.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Hardness	=	128		1	2	mg/L	EPA 130.2
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Hardness	=	146		1	2	mg/L	EPA 130.2
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Hardness	=	100		1.0	1.0	mg/L	EPA 130.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Hardness	=	130		1.0	1.0	mg/L	EPA 130.2
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Hardness	=	150		1.0	5.0	mg/L	EPA 130.2
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Hardness	=	180		1.0	1.0	mg/L	SM2340B
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Hardness	=	170		1.0	1.0	mg/L	SM2340B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Hardness	=	68		1.0	1.0	mg/L	SM2340B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Hardness	=	68		1.0	1.0	mg/L	SM2340B
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Hardness	=	58		1.0	1.0	mg/L	SM2340B
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Hardness	=	34		1.0	1.0	mg/L	SM2340B
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Hardness	=	80		1.0	1.0	mg/L	SM2340B
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Hardness	=	72		1.0	1.0	mg/L	SM2340B
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 8260
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Heptachlor	=	0.0053		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Heptachlor	=	0.023		0.0049	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Heptachlor	<	0.0029	ND, A-01	0.0029	0.0096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Heptachlor	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Heptachlor	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Heptachlor	=	0.0037		0.00047	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Heptachlor	=	0.0078		0.00097	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Heptachlor	<	0.0029	ND, A-01	0.0029	0.0095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Heptachlor	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Heptachlor	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Heptachlor	=	0.0024		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Heptachlor	=	0.056		0.0050	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Heptachlor	<	0.0033	ND, R-10, A-01, H4	0.0033	0.011	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Heptachlor	<	0.0028	ND, A-01	0.0028	0.0094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Heptachlor	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Heptachlor	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Heptachlor	=	0.014		0.00047	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Heptachlor	=	0.0037		0.00097	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Heptachlor	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Heptachlor	<	0.0032	ND, A-01	0.0032	0.011	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Heptachlor	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8097
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Heptachlor	=	0.0059		0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Heptachlor	=	0.0026		0.00097	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Heptachlor	<	0.0029	ND, A-01, H4	0.0029	0.0096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Heptachlor	<	0.0029	ND	0.0029	0.0095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Heptachlor	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Heptachlor	=	0.0005	J	0.00048	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Heptachlor	=	0.0031	J	0.0024	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Heptachlor	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Heptachlor	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Heptachlor	=	0.0036		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Heptachlor	=	0.06		0.0052	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Heptachlor	<	0.0029	ND, A-01, H4	0.0029	0.0097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Heptachlor	<	0.0029	ND	0.0029	0.0095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Heptachlor	<	0.0028	ND	0.0028	0.0094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Heptachlor	<	0.0098	ND	0.0098	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Heptachlor	=	0.0061	J	0.0025	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Heptachlor	<	0.0025	ND	0.0025	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Heptachlor	=	0.0056		0.00047	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Heptachlor	=	0.002	J	0.00097	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Heptachlor	<	0.0030	ND	0.0030	0.010	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Heptachlor	<	0.0029	ND, A-01, H4	0.0029	0.0095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Heptachlor	<	0.0029	ND	0.0029	0.0096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Heptachlor	<	0.0032	ND	0.0032	0.011	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Heptachlor	<	0.0029	ND	0.0029	0.0097	µg/L	EPA 8081A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 8260
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Heptachlor Epoxide	<	0.00076	ND	0.00076	0.0012	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Heptachlor Epoxide	=	0.014		0.0078	0.012	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Heptachlor Epoxide	<	0.0038	ND, A-01	0.0038	0.0048	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Heptachlor Epoxide	<	0.00075	ND	0.00075	0.0012	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Heptachlor Epoxide	=	0.0046		0.0016	0.0024	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Heptachlor Epoxide	<	0.0038	ND, A-01	0.0038	0.0048	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Heptachlor Epoxide	<	0.00076	ND	0.00076	0.0012	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Heptachlor Epoxide	=	0.038		0.0079	0.012	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Heptachlor Epoxide	<	0.0044	ND, R-10, A-01, H4	0.0044	0.0056	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Heptachlor Epoxide	<	0.0038	ND, A-01	0.0038	0.0047	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Heptachlor Epoxide	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Heptachlor Epoxide	<	0.00075	ND	0.00075	0.0012	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Heptachlor Epoxide	<	0.0016	ND	0.0016	0.0024	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Heptachlor Epoxide	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Heptachlor Epoxide	<	0.0042	ND, A-01	0.0042	0.0053	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Heptachlor Epoxide	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8098
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Heptachlor Epoxide	<	0.00077	ND	0.00077	0.0012	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Heptachlor Epoxide	=	0.0043		0.0016	0.0024	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Heptachlor Epoxide	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Heptachlor Epoxide	<	0.00077	ND	0.00077	0.0012	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0059	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Heptachlor Epoxide	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Heptachlor Epoxide	=	0.0036		0.00075	0.0012	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Heptachlor Epoxide	=	0.033		0.0083	0.013	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Heptachlor Epoxide	<	0.0039	ND, A-01, H4	0.0039	0.0049	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0047	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Heptachlor Epoxide	<	0.001	ND	0.001	0.01	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Heptachlor Epoxide	<	0.00055	ND	0.00055	0.010	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Heptachlor Epoxide	=	0.0014		0.00075	0.0012	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Heptachlor Epoxide	<	0.0015	ND	0.0015	0.0024	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Heptachlor Epoxide	<	0.0040	ND	0.0040	0.0050	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Heptachlor Epoxide	<	0.0038	ND, A-01, H4	0.0038	0.0048	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Heptachlor Epoxide	<	0.0038	ND	0.0038	0.0048	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Heptachlor Epoxide	<	0.0042	ND	0.0042	0.0053	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Heptachlor Epoxide	<	0.0039	ND	0.0039	0.0049	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Hexachlorobenzene	<	0.32	ND	0.32	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Hexachlorobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Hexachlorobenzene	<	0.12	ND	0.12	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Hexachlorobenzene	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Hexachlorobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Hexachlorobenzene	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Hexachlorobenzene	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Hexachlorobenzene	<	0.15	ND	0.15	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Hexachlorobenzene	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Hexachlorobenzene	<	0.13	ND	0.13	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Hexachlorobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Hexachlorobenzene	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Hexachlorobenzene	<	0.13	ND	0.13	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Hexachlorobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Hexachlorobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Hexachlorobenzene	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Hexachlorobenzene	<	0.04	ND	0.04	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Hexachlorobenzene	<	0.047	ND	0.047	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Hexachlorobenzene	<	0.5	ND	0.5	1	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Hexachlorobenzene	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Hexachlorobenzene	<	0.13	ND	0.13	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Hexachlorobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Hexachlorobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Hexachlorobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Hexachlorobutadiene	=	0.31	J	0.22	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	Hexachlorobutadiene	=	0.20	B, J	0.18	1.0	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Hexachlorobutadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Hexachlorobutadiene	<	0.044	ND	0.044	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Hexachlorobutadiene	<	0.3	ND	0.3	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Hexachlorobutadiene	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Hexachlorobutadiene	<	0.22	ND	0.22	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Hexachlorobutadiene	<	0.50	ND	0.50	1.0	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	Hexachlorobutadiene	<	0.18	ND	0.18	1.0	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Hexachlorocyclopentadiene	<	4.5	ND	4.5	12	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Hexachlorocyclopentadiene	<	0.096	ND	0.096	4.8	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Hexachlorocyclopentadiene	<	1.7	ND	1.7	4.8	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Hexachlorocyclopentadiene	<	0.38	ND	0.38	19	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Hexachlorocyclopentadiene	<	0.096	ND	0.096	4.8	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Hexachlorocyclopentadiene	<	0.47	ND, RL-3	0.47	24	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Hexachlorocyclopentadiene	<	0.094	ND	0.094	4.7	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Hexachlorocyclopentadiene	<	2.1	ND	2.1	5.7	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Hexachlorocyclopentadiene	<	0.096	ND, H4	0.096	4.8	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Hexachlorocyclopentadiene	<	0.095	ND, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Hexachlorocyclopentadiene	<	0.097	ND	0.097	4.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Hexachlorocyclopentadiene	<	0.095	ND, H4	0.095	4.8	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Hexachlorocyclopentadiene	<	0.11	ND, H4, RL-4	0.11	5.3	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Hexachlorocyclopentadiene	=	0.22	Jb, H4	0.099	5.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.8	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Hexachlorocyclopentadiene	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Hexachlorocyclopentadiene	<	0.062	ND	0.062	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Hexachlorocyclopentadiene	<	0.1	ND	0.1	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Hexachlorocyclopentadiene	<	0.4	ND	0.4	2	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Hexachlorocyclopentadiene	<	1.8	ND	1.8	5.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Hexachlorocyclopentadiene	<	0.11	ND, H4, RL-4	0.11	5.3	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Hexachlorocyclopentadiene	<	0.095	ND	0.095	4.7	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Hexachlorocyclopentadiene	<	0.10	ND	0.10	5.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Hexachloroethane	<	1.3	ND	1.3	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Hexachloroethane	<	0.19	ND, L2	0.19	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Hexachloroethane	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Hexachloroethane	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Hexachloroethane	<	0.49	ND	0.49	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Hexachloroethane	<	0.76	ND, L2	0.76	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Hexachloroethane	<	0.19	ND	0.19	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Hexachloroethane	<	0.19	ND, L2	0.19	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Hexachloroethane	<	0.94	ND, RL-3	0.94	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Hexachloroethane	<	0.19	ND	0.19	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Hexachloroethane	<	0.58	ND	0.58	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Hexachloroethane	<	0.19	ND, H4	0.19	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Hexachloroethane	<	0.20	ND, L2	0.20	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Hexachloroethane	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Hexachloroethane	<	0.50	ND	0.50	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Hexachloroethane	<	0.19	ND, H4	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Hexachloroethane	<	0.19	ND	0.19	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Hexachloroethane	<	0.50	ND	0.50	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Hexachloroethane	<	0.19	ND, H4	0.19	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Hexachloroethane	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Hexachloroethane	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Hexachloroethane	<	0.20	ND, H4	0.20	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Hexachloroethane	<	0.01	ND	0.01	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Hexachloroethane	<	0.053	ND	0.053	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Hexachloroethane	<	0.6	ND	0.6	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Hexachloroethane	<	0.5	ND	0.5	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Hexachloroethane	<	0.51	ND	0.51	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Hexachloroethane	<	0.21	ND, H4, RL-4	0.21	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Hexachloroethane	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Hexachloroethane	<	0.19	ND	0.19	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Hexachloroethane	<	0.20	ND	0.20	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Indeno(1,2,3-cd)pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Indeno(1,2,3-cd)pyrene	=	0.024	Ja	0.021	0.050	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND, M2	0.021	0.050	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Indeno(1,2,3-cd)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND, M2	0.021	0.050	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Indeno(1,2,3-cd)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Indeno(1,2,3-cd)pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<---	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Indeno(1,2,3-cd)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Indeno(1,2,3-cd)pyrene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Indeno(1,2,3-cd)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Indeno(1,2,3-cd)pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND, M2	0.021	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Indeno(1,2,3-cd)pyrene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Indeno(1,2,3-cd)pyrene	<	0.05	ND	0.05	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Indeno(1,2,3-cd)pyrene	<	0.046	ND	0.046	0.050	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Indeno(1,2,3-cd)pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Indeno(1,2,3-cd)pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Indeno(1,2,3-cd)pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND, M2	0.021	0.050	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Indeno(1,2,3-cd)pyrene	<	0.021	ND	0.021	0.050	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Iron	=	1200		50	100	µg/L	EPA 236.1
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Iron	=	170		50	100	µg/L	EPA 236.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Iron	=	2000		50	100	µg/L	EPA 236.1
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Iron	=	400		50	100	µg/L	EPA 236.1
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Iron	<	50.0	ND	50.0	100	µg/L	EPA 200.7
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Iron	=	903		50.0	100	µg/L	EPA 200.7
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Iron	=	138		50.0	100	µg/L	EPA 200.7
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Iron	=	468		50.0	100	µg/L	EPA 200.7
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Iron	=	1400		1.5	25	µg/L	EPA 200.7
DW01	CR-46	UR	Grab	5/16/2004	---	Dissolved	Iron	=	180		1.5	25	µg/L	EPA 200.7
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Iron	=	1200		1.5	25	µg/L	EPA 200.7
DW02	CR-46	UR	Grab	6/13/2004	---	Dissolved	Iron	=	320		1.5	25	µg/L	EPA 200.7
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Iron	=	1500		3	100	µg/L	EPA 6010B
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Iron	=	10000		3	100	µg/L	EPA 200.7
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Iron	=	1500		3	100	µg/L	EPA 200.7
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Iron	=	2500		11	100	µg/L	EPA 200.7
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Iron	=	5700		0.011	0.10	µg/L	EPA 200.7
SE39	CR-46	UR	Composite	12/2/2005	11:10	Dissolved	Iron	=	150		0.011	0.10	µg/L	EPA 200.7
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Iron	=	2900		11	100	µg/L	EPA 200.7
SE41	CR-46	UR	Composite	3/20/2006	14:25	Dissolved	Iron	=	180		11	100	µg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Iron	=	1100		11	100	µg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Dissolved	Iron	=	96	Jb	11	100	µg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Iron	=	1500		11	100	µg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Dissolved	Iron	=	70	Jb	11	100	µg/L	EPA 200.7
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Iron	=	1400		50	100	µg/L	EPA 236.1
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Iron	=	58		50	100	µg/L	EPA 236.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Iron	=	600		50	100	µg/L	EPA 236.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Iron	=	16	J	50	100	µg/L	EPA 236.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Iron	=	360		50	100	µg/L	EPA 236.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Iron	=	510		50	100	µg/L	EPA 236.1
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Iron	=	75.6	J	50.0	100	µg/L	EPA 200.7
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Iron	=	720		50.0	100	µg/L	EPA 200.7
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Iron	=	830		1.5	25	µg/L	EPA 200.7
DW01	CR-46R	RW	Grab	5/16/2004	---	Dissolved	Iron	=	8.1	J	1.5	25	µg/L	EPA 200.7
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Iron	=	920		1.5	25	µg/L	EPA 200.7
DW02	CR-46R	RW	Grab	6/13/2004	---	Dissolved	Iron	<	1.5	ND	1.5	25	µg/L	EPA 200.7
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Iron	=	1900		3	100	µg/L	EPA 6010B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Iron	=	420		3	100	µg/L	EPA 200.7
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Iron	=	1200		3	100	µg/L	EPA 200.7
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Iron	=	890		11	100	µg/L	EPA 200.7
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Iron	=	57	J	0.011	0.10	µg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Dissolved	Iron	=	68	J	0.011	0.10	µg/L	EPA 200.7
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Iron	=	1600		11	100	µg/L	EPA 200.7
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Dissolved	Iron	=	120		11	100	µg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Iron	=	1000		11	100	µg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Dissolved	Iron	=	56	Jb	11	100	µg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Iron	=	320		11	100	µg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Dissolved	Iron	=	60	Jb	11	100	µg/L	EPA 200.7
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Iron	=	2400		50	100	µg/L	EPA 236.1
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Iron	=	61		50	100	µg/L	EPA 236.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Iron	=	1400		50	100	µg/L	EPA 236.1
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Iron	=	330		50	100	µg/L	EPA 236.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Iron	=	780		50	100	µg/L	EPA 236.1
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Iron	=	160		50	100	µg/L	EPA 236.1
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Iron	<	50.0	ND	50.0	100	µg/L	EPA 200.7
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Iron	=	831		50.0	100	µg/L	EPA 200.7
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Iron	<	50	ND	50	50	µg/L	EPA 236.1
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Iron	=	1400		50	50	µg/L	EPA 236.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Iron	=	720		1.5	25	µg/L	EPA 200.7
DW01	DC-65	UR	Grab	5/16/2004	---	Dissolved	Iron	=	270		1.5	25	µg/L	EPA 200.7
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Iron	=	1100		1.5	25	µg/L	EPA 200.7
DW02	DC-65	UR	Grab	6/13/2004	---	Dissolved	Iron	=	240		1.5	25	µg/L	EPA 200.7
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Iron	=	190000		3	100	µg/L	EPA 6010B
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Iron	=	2200		3	100	µg/L	EPA 200.7
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Iron	=	1000		3	100	µg/L	EPA 200.7
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Iron	=	1600		11	100	µg/L	EPA 200.7
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Iron	=	5100		11	100	µg/L	EPA 200.7
SE40	DC-65	UR	Composite	2/26/2006	23:45	Dissolved	Iron	=	160		11	100	µg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Iron	=	10000		11	100	µg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Dissolved	Iron	=	370		11	100	µg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Iron	=	1300		11	100	µg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Dissolved	Iron	=	400		11	100	µg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Iron	=	900		11	100	µg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Dissolved	Iron	=	670		11	100	µg/L	EPA 200.7
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Iron	=	3200		50	100	µg/L	EPA 236.1
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Iron	=	210		50	100	µg/L	EPA 236.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Iron	=	2600		50	100	µg/L	EPA 236.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Iron	=	200	J	50	100	µg/L	EPA 236.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Iron	=	2200		50	100	µg/L	EPA 236.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Iron	=	290		50	100	µg/L	EPA 236.1
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Iron	<	50.0	ND	50.0	100	µg/L	EPA 200.7
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Iron	=	275		50.0	100	µg/L	EPA 200.7
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Iron	=	55.2	J	50.0	100	µg/L	EPA 200.7
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Iron	=	370		50.0	100	µg/L	EPA 200.7
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Iron	=	120		50	50	µg/L	EPA 236.1
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Iron	=	740		50	50	µg/L	EPA 236.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Iron	=	4000		1.5	25	µg/L	EPA 200.7
DW01	DC-65R	RW	Grab	5/16/2004	---	Dissolved	Iron	=	130		1.5	25	µg/L	EPA 200.7
DW02	DC-65R	RW	Grab	6/13/2004	---	Dissolved	Iron	=	140		1.5	25	µg/L	EPA 200.7
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Iron	=	5200		1.5	25	µg/L	EPA 200.7
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Iron	=	5500		3	100	µg/L	EPA 6010B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Iron	=	7500		3	100	µg/L	EPA 200.7
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Iron	=	4400		3	100	µg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Iron	=	3000		11	100	µg/L	EPA 200.7
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Iron	=	1800		11	100	µg/L	EPA 200.7
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Dissolved	Iron	=	350		11	100	µg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Iron	=	15000		11	100	µg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Dissolved	Iron	=	800		11	100	µg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Iron	=	500		11	100	µg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Dissolved	Iron	=	180		11	100	µg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Iron	=	3500		11	100	µg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Dissolved	Iron	=	540		11	100	µg/L	EPA 200.7
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Iron	=	900		50	100	µg/L	EPA 236.1
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Iron	=	47		50	100	µg/L	EPA 236.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Iron	=	40		50	100	µg/L	EPA 236.1
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Iron	=	50		50	100	µg/L	EPA 236.1
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Iron	=	310		50	100	µg/L	EPA 236.1
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Iron	<	50.0	ND	50.0	100	µg/L	EPA 200.7
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Iron	=	464		50.0	100	µg/L	EPA 200.7
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Iron	=	40		1.5	25	µg/L	EPA 200.7
DW01	MS-14	UR	Grab	5/16/2004	---	Dissolved	Iron	=	16	J	1.5	25	µg/L	EPA 200.7
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Iron	=	190		1.5	25	µg/L	EPA 200.7
DW02	MS-14	UR	Grab	6/13/2004	---	Dissolved	Iron	=	77		1.5	25	µg/L	EPA 200.7
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Iron	=	3000		3	100	µg/L	EPA 6010B
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Iron	=	610		3	100	µg/L	EPA 200.7
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Iron	=	890		3	100	µg/L	EPA 200.7
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Iron	=	280		11	100	µg/L	EPA 200.7
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Iron	=	2200		0.011	0.10	µg/L	EPA 200.7
SE39	MS-14	UR	Composite	12/2/2005	1:00	Dissolved	Iron	=	790		0.011	0.10	µg/L	EPA 200.7
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Iron	=	1100		11	100	µg/L	EPA 200.7
SE40	MS-14	UR	Composite	2/26/2006	23:40	Dissolved	Iron	=	26	Jb	11	100	µg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Iron	=	14	Jb	11	100	µg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Dissolved	Iron	<	11	ND	11	100	µg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Iron	=	94	Jb	11	100	µg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Dissolved	Iron	=	11	Jb	11	100	µg/L	EPA 200.7
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Iron	=	1200		50	100	µg/L	EPA 236.1
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Iron	=	160		50	100	µg/L	EPA 236.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Iron	=	630		50	100	µg/L	EPA 236.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Iron	=	99		50	100	µg/L	EPA 236.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Iron	=	850		50	100	µg/L	EPA 236.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Iron	=	79		50	100	µg/L	EPA 236.1
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Iron	=	103		50.0	100	µg/L	EPA 200.7
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Iron	=	359		50.0	100	µg/L	EPA 200.7
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Iron	=	1000		1.5	25	µg/L	EPA 200.7
DW01	MS-14R	RW	Grab	5/16/2004	---	Dissolved	Iron	=	28		1.5	25	µg/L	EPA 200.7
DW02	MS-14R	RW	Grab	6/13/2004	---	Dissolved	Iron	=	150		1.5	25	µg/L	EPA 200.7
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Iron	=	2100		1.5	25	µg/L	EPA 200.7
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Iron	=	490		3	100	µg/L	EPA 6010B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Iron	=	770		3	100	µg/L	EPA 200.7
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Iron	=	3700		3	100	µg/L	EPA 200.7
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Iron	=	1400		11	100	µg/L	EPA 200.7
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Iron	=	4500		0.011	0.10	µg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Dissolved	Iron	=	220		0.011	0.10	µg/L	EPA 200.7
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Iron	=	400		11	100	µg/L	EPA 200.7
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Dissolved	Iron	=	94	Jb	11	100	µg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Iron	=	340		11	100	µg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Dissolved	Iron	=	75	Jb	11	100	µg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Iron	=	750		11	100	µg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Dissolved	Iron	=	310		11	100	µg/L	EPA 200.7
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Iron	=	2400		50	100	µg/L	EPA 236.1
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Iron	=	61		50	100	µg/L	EPA 236.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Iron	=	83		50	100	µg/L	EPA 236.1
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Iron	=	31		50	100	µg/L	EPA 236.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Iron	=	110		50	100	µg/L	EPA 236.1
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Iron	=	52		50	100	µg/L	EPA 236.1
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Iron	=	740		50	100	µg/L	EPA 236.1
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Iron	=	74.9	J	50.0	100	µg/L	EPA 200.7
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Iron	=	866		50.0	100	µg/L	EPA 200.7
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Iron	=	540		1.5	25	µg/L	EPA 200.7
DW01	SC-1	UR	Grab	5/16/2004	---	Dissolved	Iron	=	56		1.5	25	µg/L	EPA 200.7
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Iron	=	1300		1.5	25	µg/L	EPA 200.7
DW02	SC-1	UR	Grab	6/13/2004	---	Dissolved	Iron	=	59		1.5	25	µg/L	EPA 200.7
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Iron	=	2500		3	100	µg/L	EPA 6010B
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Iron	=	3600		3	100	µg/L	EPA 200.7
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Iron	=	2900		3	100	µg/L	EPA 200.7
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Iron	=	4300		11	100	µg/L	EPA 200.7
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Iron	=	1400		11	100	µg/L	EPA 200.7
SE40	SC-1	UR	Composite	2/27/2006	6:45	Dissolved	Iron	=	88	Jb	11	100	µg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Iron	=	9400		11	100	µg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Dissolved	Iron	=	280		11	100	µg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Iron	=	160		11	100	µg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Dissolved	Iron	=	19	Jb	11	100	µg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Iron	=	87	Jb	11	100	µg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Dissolved	Iron	=	20	Jb	11	100	µg/L	EPA 200.7
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Iron	=	2000		50	100	µg/L	EPA 236.1
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Iron	=	75		50	100	µg/L	EPA 236.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Iron	=	600		50	100	µg/L	EPA 236.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Iron	=	140	J	50	100	µg/L	EPA 236.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Iron	=	1100		50	100	µg/L	EPA 236.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Iron	<	50	ND	50	100	µg/L	EPA 236.1
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Iron	=	59.2	J	50.0	100	µg/L	EPA 200.7
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Iron	=	340		50.0	100	µg/L	EPA 200.7
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Iron	=	650		1.5	25	µg/L	EPA 200.7
DW01	SC-1R	RW	Grab	5/16/2004	---	Dissolved	Iron	=	8.6	J	1.5	25	µg/L	EPA 200.7
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Iron	=	1900		1.5	25	µg/L	EPA 200.7
DW02	SC-1R	RW	Grab	6/13/2004	---	Dissolved	Iron	<	1.5	ND	1.5	25	µg/L	EPA 200.7
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Iron	=	5400		3	100	µg/L	EPA 6010B
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Iron	=	1000		3	100	µg/L	EPA 200.7
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Iron	=	1100		3	100	µg/L	EPA 200.7
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Iron	=	1800		11	100	µg/L	EPA 200.7
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Iron	=	850		11	100	µg/L	EPA 200.7
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Dissolved	Iron	=	140		11	100	µg/L	EPA 200.7
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Iron	=	790		11	100	µg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Dissolved	Iron	=	78	Jb	11	100	µg/L	EPA 200.7
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Iron	=	390		11	100	µg/L	EPA 200.7
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Dissolved	Iron	=	75	Jb	11	100	µg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Iron	=	580		11	100	µg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Dissolved	Iron	=	150		11	100	µg/L	EPA 200.7
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Isophorone	=	0.11	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Isophorone	=	0.044	J	0.022	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Isophorone	=	0.068	J	0.022	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Isophorone	=	0.062	J	0.022	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Isophorone	=	0.082	J	0.022	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Isophorone	<	0.15	ND	0.15	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Isophorone	=	0.14	J	0.059	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Isophorone	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Isophorone	=	0.1	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Isophorone	=	0.95		0.022	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Isophorone	=	0.063	J	0.022	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Isophorone	=	0.71		0.022	0.50	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Isophorone	=	1.9		0.022	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Isophorone	<	0.057	ND	0.057	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Isophorone	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Isophorone	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Isophorone	=	0.095	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Isophorone	=	0.18	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Isophorone	=	0.086	J	0.022	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Isophorone	=	0.086	J	0.022	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Isophorone	=	0.035	J	0.022	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Isophorone	=	0.075	J	0.022	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Isophorone	=	0.28	J	0.059	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Isophorone	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Isophorone	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Isophorone	=	0.025	J	0.022	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Isophorone	=	0.60		0.022	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Isophorone	<	0.022	ND	0.022	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Isophorone	<	0.022	ND	0.022	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Isophorone	=	2.4		0.022	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Isophorone	<	0.067	ND	0.067	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Isophorone	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Isophorone	=	0.077	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Isophorone	=	0.087	J	0.022	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Isophorone	=	0.030	J	0.022	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Isophorone	<	0.022	ND	0.022	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Isophorone	=	0.032	J	0.022	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Isophorone	=	0.18	J	0.058	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Isophorone	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Isophorone	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Isophorone	=	1.2		0.022	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Isophorone	=	0.065	J	0.022	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Isophorone	=	1.0		0.022	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Isophorone	=	0.096	J	0.059	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Isophorone	<	0.058	ND	0.058	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Isophorone	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Isophorone	=	0.11	Jb	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Isophorone	=	0.095	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Isophorone	=	0.098	J	0.022	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Isophorone	=	0.051	J	0.022	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Isophorone	<	0.022	ND	0.022	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Isophorone	=	0.038	J	0.022	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Isophorone	=	0.17	J	0.059	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Isophorone	=	0.13	J	0.059	1.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Isophorone	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Isophorone	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Isophorone	=	0.073	J	0.07	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Isophorone	<	0.07	ND	0.07	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Isophorone	=	3.0		0.022	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Isophorone	<	0.022	ND	0.022	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Isophorone	=	1.5		0.022	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Isophorone	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Isophorone	<	0.4	ND	0.4	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Isophorone	<	0.059	ND	0.059	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Isophorone	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Isophorone	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Isophorone	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Lead	=	1.7		0.02	0.5	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Lead	=	0.24	J	0.02	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Lead	=	6.4		0.02	0.5	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Lead	=	0.21	J	0.02	0.5	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Lead	=	0.35	J	0.024	0.50	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Lead	=	13		0.024	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Lead	=	1.1		0.024	0.50	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Lead	=	11		0.024	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Lead	=	0.49		0.024	0.50	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Lead	=	4.2		0.024	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Lead	=	6.6		0.024	0.50	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Lead	=	2.0		0.024	0.50	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Lead	=	2.3		0.012	0.50	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Lead	=	65		0.012	0.50	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Lead	=	4.9		0.012	0.50	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Lead	=	8.9		0.012	0.50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Lead	=	34		0.025	0.50	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Lead	=	12.7		0.0553	0.500	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Lead	=	2.30		0.0553	0.500	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Lead	=	11.8		0.0553	0.500	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Lead	=	3.5		0.02	0.5	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Lead	=	0.031	J	0.02	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Lead	=	1.3		0.02	0.5	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Lead	=	0.16	J	0.02	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Lead	=	0.56		0.02	0.5	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Lead	=	0.13	J	0.02	0.5	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Lead	=	0.47	J	0.024	0.50	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Lead	=	6.1		0.024	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Lead	=	0.24	J	0.024	0.50	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Lead	=	4.6		0.024	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Lead	=	0.090		0.024	0.50	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Lead	=	2.0		0.024	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Lead	=	0.90		0.024	0.50	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Lead	=	0.13	J	0.024	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Lead	=	1.5		0.012	0.50	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Lead	=	1.1		0.012	0.50	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Lead	=	2.5		0.012	0.50	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Lead	=	1.2		0.012	0.50	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Lead	=	9.9		0.025	0.50	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Lead	=	2.08		0.0553	0.500	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Lead	=	0.685		0.0553	0.500	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Lead	=	0.235	Ja	0.0553	0.500	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Lead	=	4.3		0.02	0.5	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Lead	=	0.031	J	0.02	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Lead	=	1.1		0.02	0.5	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Lead	=	0.22	J	0.02	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Lead	=	0.77		0.02	0.5	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Lead	=	0.19	J	0.02	0.5	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Lead	=	0.078	J	0.024	0.50	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Lead	=	2.5		0.024	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Lead	=	0.15	J	0.024	0.50	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Lead	=	4.8		0.024	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Lead	=	0.44		0.024	0.50	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Lead	=	0.83		0.024	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Lead	=	0.92		0.024	0.50	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Lead	=	0.24	J	0.024	0.50	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Lead	=	270		0.024	1.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Lead	=	3.7		0.012	0.50	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Lead	=	0.94		0.012	0.50	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Lead	=	3.0		0.012	0.50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Lead	=	8.92		0.0553	0.500	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Lead	=	15.7		0.0553	0.500	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Lead	=	61.8		0.0553	0.500	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Lead	=	0.388	Ja	0.0553	0.500	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Lead	=	2.7		0.02	0.5	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Lead	=	0.34	J	0.02	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Lead	=	1.7		0.02	0.5	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Lead	=	0.15	J	0.02	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Lead	=	1.2		0.02	0.5	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Lead	=	0.9		0.02	0.5	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Lead	=	0.092	J	0.024	0.50	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Lead	=	1.1		0.024	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Lead	=	0.17	J	0.024	0.50	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Lead	=	2.4		0.024	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Lead	=	0.33	J	0.024	0.50	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Lead	=	4.5		0.024	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Lead	=	0.16		0.024	0.50	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Lead	=	1.6		0.024	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Lead	=	1.2		0.024	0.50	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Lead	=	0.16	J	0.024	0.50	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Lead	=	1.0		0.012	0.50	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Lead	=	6.5		0.012	0.50	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Lead	=	3.9		0.012	0.50	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Lead	=	1.7		0.012	0.50	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Lead	=	1.82		0.0553	0.500	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Lead	=	8.11		0.0553	0.500	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Lead	=	1.53		0.0553	0.500	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Lead	=	1.52		0.0553	0.500	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Lead	=	0.15		0.02	0.5	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Lead	=	0.031		0.02	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Lead	=	0.15	J	0.02	0.5	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Lead	=	0.54	J	0.02	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Lead	=	1.7		0.02	0.5	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Lead	=	0.94		0.02	0.5	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Lead	=	0.12	J	0.024	0.50	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Lead	=	3.7		0.024	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Lead	=	0.085	J	0.024	0.50	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Lead	=	4.8		0.024	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Lead	=	0.084		0.024	0.50	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Lead	=	0.25		0.024	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Lead	=	0.38	J	0.024	0.50	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Lead	=	0.21	J	0.024	0.50	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Lead	=	0.28	J	0.012	0.50	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Lead	=	1.2		0.012	0.50	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Lead	=	1.6		0.012	0.50	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Lead	=	0.51		0.012	0.50	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Lead	=	5.5		0.025	0.50	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Lead	=	3.13		0.0553	0.500	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Lead	=	0.208	Ja	0.0553	0.500	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Lead	=	1.00		0.0553	0.500	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Lead	=	3.6		0.02	0.5	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Lead	=	0.44	J	0.02	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Lead	=	1.3		0.02	0.5	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Lead	=	0.33	J	0.02	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Lead	=	1.4	J	0.02	0.5	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Lead	=	0.33	J	0.02	0.5	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Lead	=	0.30	J	0.024	0.50	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Lead	=	1.4		0.024	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Lead	=	0.15		0.024	0.50	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Lead	=	1.4		0.024	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Lead	=	2.4		0.024	0.50	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Lead	=	0.59		0.024	0.50	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Lead	=	1.7		0.012	0.50	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Lead	=	1.9		0.012	0.50	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Lead	=	4.0		0.012	0.50	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Lead	=	1.8		0.012	0.50	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Lead	=	8.0		0.025	0.50	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Lead	=	17.4		0.0553	0.500	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Lead	=	0.305	Ja	0.0553	0.500	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Lead	=	2.71		0.0553	0.500	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Lead	=	7.9		0.02	0.5	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Lead	=	1		0.02	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Lead	=	0.55		0.02	0.5	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Lead	=	0.28	J	0.02	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Lead	=	0.62		0.02	0.5	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Lead	=	0.27	J	0.02	0.5	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Lead	=	0.96		0.024	0.50	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Lead	=	24		0.024	0.50	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Lead	=	0.65		0.024	0.50	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Lead	=	31		0.024	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Lead	=	0.21		0.024	0.50	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Lead	=	3.7		0.024	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Lead	=	2.4		0.024	0.50	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Lead	=	0.36	J	0.024	0.50	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Lead	=	1.1		0.012	0.50	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Lead	=	16		0.012	0.50	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Lead	=	1.6		0.012	0.50	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Lead	=	19		0.012	0.50	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Lead	=	5.96		0.0553	0.500	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Lead	=	82.9		0.0553	0.500	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Lead	=	0.771		0.0553	0.500	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Lead	=	0.526		0.0553	0.500	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Lead	=	12		0.02	0.5	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Lead	=	0.19	J	0.02	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Lead	=	2.1		0.02	0.5	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Lead	=	1.3		0.02	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Lead	=	2.9		0.02	0.5	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Lead	=	0.071	J	0.02	0.5	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Lead	=	0.28	J	0.024	0.50	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Lead	=	2.6		0.024	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Lead	=	0.094		0.024	0.50	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Lead	=	2.1		0.024	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Lead	=	4.6		0.024	0.50	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Lead	=	0.067	J	0.024	0.50	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Lead	=	7.5		0.012	0.50	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Lead	=	3.2		0.012	0.50	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Lead	=	2.4		0.012	0.50	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Lead	=	3.5		0.012	0.50	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Lead	=	0.0800	Ja	0.0553	0.500	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Lead	=	3.82		0.0553	0.500	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Lead	=	1.52		0.0553	0.500	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Lead	=	3.15		0.0553	0.500	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Magnesium	=	17		0.035	0.10	mg/L	EPA 200.7
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Magnesium	=	6.4		0.035	0.10	mg/L	EPA 200.7
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Magnesium	=	0.8		0.018	0.10	mg/L	EPA 200.7
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Magnesium	=	7.5		0.015	0.10	mg/L	EPA 200.7
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Magnesium	=	2.1		0.015	0.10	mg/L	EPA 200.7
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Magnesium	=	1.3		0.015	0.10	mg/L	EPA 200.7
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Magnesium	=	16		0.015	0.10	mg/L	EPA 200.7
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Magnesium	=	20		0.015	0.10	mg/L	EPA 200.7
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Magnesium	=	13		0.035	0.10	mg/L	EPA 200.7
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Magnesium	=	13		0.035	0.10	mg/L	EPA 200.7
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Magnesium	=	11		0.018	0.10	mg/L	EPA 200.7
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Magnesium	=	5.7		0.015	0.10	mg/L	EPA 200.7
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Magnesium	=	3.1		0.015	0.10	mg/L	EPA 200.7
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Magnesium	=	6.6		0.015	0.10	mg/L	EPA 200.7
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Magnesium	=	8.6		0.015	0.10	mg/L	EPA 200.7
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Magnesium	=	6.0		0.015	0.10	mg/L	EPA 200.7
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Magnesium	=	68		0.035	0.10	mg/L	EPA 200.7
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Magnesium	=	3.3		0.035	0.10	mg/L	EPA 200.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Magnesium	=	0.95		0.018	0.10	mg/L	EPA 200.7
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Magnesium	=	3.4		0.015	0.10	mg/L	EPA 200.7
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Magnesium	=	2.5		0.015	0.10	mg/L	EPA 200.7
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Magnesium	=	3.8		0.015	0.10	mg/L	EPA 200.7
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Magnesium	=	4.5		0.015	0.10	mg/L	EPA 200.7
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Magnesium	=	4.9		0.015	0.10	mg/L	EPA 200.7
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Magnesium	=	6.2		0.035	0.10	mg/L	EPA 200.7
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Magnesium	=	7.5		0.035	0.10	mg/L	EPA 200.7
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Magnesium	=	6.6		0.018	0.10	mg/L	EPA 200.7
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Magnesium	=	5.4		0.015	0.10	mg/L	EPA 200.7
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Magnesium	=	8.9		0.015	0.10	mg/L	EPA 200.7
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Magnesium	=	6.9		0.015	0.10	mg/L	EPA 200.7
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Magnesium	=	5.6		0.015	0.10	mg/L	EPA 200.7
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Magnesium	=	3.6		0.015	0.10	mg/L	EPA 200.7
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Magnesium	=	13		0.035	0.10	mg/L	EPA 200.7
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Magnesium	=	1.4		0.035	0.10	mg/L	EPA 200.7
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Magnesium	=	1.1		0.018	0.10	mg/L	EPA 200.7
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Magnesium	=	15		0.015	0.10	mg/L	EPA 200.7
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Magnesium	=	3.3		0.015	0.10	mg/L	EPA 200.7
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Magnesium	=	2.1		0.015	0.10	mg/L	EPA 200.7
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Magnesium	=	18		0.015	0.10	mg/L	EPA 200.7
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Magnesium	=	18		0.015	0.10	mg/L	EPA 200.7
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Magnesium	=	8.6		0.035	0.10	mg/L	EPA 200.7
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Magnesium	=	1.9		0.035	0.10	mg/L	EPA 200.7
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Magnesium	=	7.7		0.018	0.10	mg/L	EPA 200.7
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Magnesium	=	4.4		0.015	0.10	mg/L	EPA 200.7
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Magnesium	=	4.4		0.015	0.10	mg/L	EPA 200.7
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Magnesium	=	8.6		0.015	0.10	mg/L	EPA 200.7
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Magnesium	=	10		0.015	0.10	mg/L	EPA 200.7
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Magnesium	=	6.0		0.015	0.10	mg/L	EPA 200.7
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Magnesium	=	16		0.035	0.10	mg/L	EPA 200.7
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Magnesium	=	6.5		0.035	0.10	mg/L	EPA 200.7
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Magnesium	=	7.0		0.018	0.10	mg/L	EPA 200.7
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Magnesium	=	20		0.015	0.10	mg/L	EPA 200.7
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Magnesium	=	1.8		0.015	0.10	mg/L	EPA 200.7
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Magnesium	=	7.3		0.015	0.10	mg/L	EPA 200.7
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Magnesium	=	25		0.015	0.10	mg/L	EPA 200.7
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Magnesium	=	26		0.015	0.10	mg/L	EPA 200.7
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Magnesium	=	20		0.035	0.10	mg/L	EPA 200.7
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Magnesium	=	18		0.035	0.10	mg/L	EPA 200.7
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Magnesium	=	6.8		0.018	0.10	mg/L	EPA 200.7
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Magnesium	=	6.9		0.015	0.10	mg/L	EPA 200.7
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Magnesium	=	5.5		0.015	0.10	mg/L	EPA 200.7
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Magnesium	=	2.7		0.015	0.10	mg/L	EPA 200.7
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Magnesium	=	6.9		0.015	0.10	mg/L	EPA 200.7
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Magnesium	=	6.6		0.015	0.10	mg/L	EPA 200.7
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Malathion	=	1	ND	1	1	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Malathion	<	0.083	ND	0.083		µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Malathion	<	0.083	ND	0.083	1.0	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 619

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Malathion	<	0.2	ND	0.17	1.0	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Malathion	<	1	ND	1	1	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Malathion	<	2	ND	2	2	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Mercury	=	0.014		0.001	0.005	µg/L	EPA 245.7
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Mercury	=	0.012		0.001	0.005	µg/L	EPA 245.7
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Mercury	=	0.0095		0.001	0.005	µg/L	EPA 245.7
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0074	J	0.001	0.005	µg/L	EPA 245.7
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Mercury	=	0.0054		0.0010	0.0050	µg/L	EPA 245.7
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Mercury	=	0.0040	J	0.0010	0.0050	µg/L	EPA 245.7
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Mercury	=	0.0053		0.0010	0.0050	µg/L	EPA 245.7
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Mercury	=	0.0065		0.0010	0.0050	µg/L	EPA 245.7
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Mercury	=	0.0012	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Mercury	=	0.0025	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Mercury	=	0.011		0.0010	0.0050	µg/L	EPA 245.7
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Mercury	=	0.0094		0.0010	0.0050	µg/L	EPA 245.7
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Mercury	<	0.022	ND	0.022	0.20	µg/L	EPA 245.2
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Mercury	=	0.04	HT, J	0.025	0.20	µg/L	EPA 7470A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Mercury	=	0.3		0.025	0.20	µg/L	EPA 245.2
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Mercury	=	0.038	J	0.025	0.20	µg/L	EPA 245.2
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Mercury	=	0.012		0.001	0.005	µg/L	EPA 245.7
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Mercury	=	0.008		0.001	0.005	µg/L	EPA 245.7
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Mercury	=	0.001		0.001	0.005	µg/L	EPA 245.7
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Mercury	=	0.0081		0.001	0.005	µg/L	EPA 245.7
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Mercury	=	0.004	J	0.001	0.005	µg/L	EPA 245.7
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0037	J	0.001	0.005	µg/L	EPA 245.7
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Mercury	=	0.0051		0.0010	0.0050	µg/L	EPA 245.7
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Mercury	=	0.0044	J	0.0010	0.0050	µg/L	EPA 245.7
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Mercury	=	0.082		0.0010	0.0050	µg/L	EPA 245.7
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Mercury	=	0.13		0.0040	0.020	µg/L	EPA 245.7
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Mercury	=	0.089		0.0040	0.020	µg/L	EPA 245.7
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Mercury	=	0.26		0.0040	0.020	µg/L	EPA 245.7
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Mercury	=	1.4		0.020	0.10	µg/L	EPA 245.7
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Mercury	=	0.57		0.020	0.10	µg/L	EPA 245.7
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Mercury	=	2.1		0.022	0.20	µg/L	EPA 245.2
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Mercury	=	0.34	HT	0.025	0.20	µg/L	EPA 7470A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Mercury	=	2.2		0.025	0.20	µg/L	EPA 245.2
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Mercury	=	1.8		0.025	0.20	µg/L	EPA 245.2
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Mercury	=	0.074	J	0.032	0.20	µg/L	EPA 245.2
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Mercury	=	0.29		0.032	0.20	µg/L	EPA 245.2
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Mercury	=	2.6		0.032	0.20	µg/L	EPA 245.2
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Mercury	=	0.074	Jb	0.032	0.20	µg/L	EPA 245.2
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Mercury	=	0.011		0.001	0.005	µg/L	EPA 245.7
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Mercury	=	0.007		0.001	0.005	µg/L	EPA 245.7
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Mercury	=	0.0029	J	0.001	0.005	µg/L	EPA 245.7
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Mercury	=	0.0018	J	0.001	0.005	µg/L	EPA 245.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Mercury	=	0.0014	J	0.001	0.005	µg/L	EPA 245.7
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0016	J	0.001	0.005	µg/L	EPA 245.7
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Mercury	=	0.0036	J	0.0010	0.0050	µg/L	EPA 245.7
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Mercury	=	0.0032	J	0.0010	0.0050	µg/L	EPA 245.7
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Mercury	=	0.0051		0.0010	0.0050	µg/L	EPA 245.7
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Mercury	=	0.0026	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Mercury	=	0.0026	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Mercury	=	0.0023	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Mercury	=	0.0042	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Mercury	=	0.0041	J	0.0010	0.0050	µg/L	EPA 245.7
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Mercury	=	0.54		0.022	0.20	µg/L	EPA 245.2
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 7470A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Mercury	=	0.033	Jb	0.032	0.20	µg/L	EPA 245.2
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Mercury	=	0.001	J	0.001	0.005	µg/L	EPA 245.7
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Mercury	=	0.005		0.001	0.005	µg/L	EPA 245.7
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Mercury	=	0.0045	J	0.001	0.005	µg/L	EPA 245.7
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Mercury	=	0.0021	J	0.001	0.005	µg/L	EPA 245.7
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Mercury	=	0.005		0.001	0.005	µg/L	EPA 245.7
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0043	J	0.001	0.005	µg/L	EPA 245.7
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Mercury	=	0.17		0.0020	0.0050	µg/L	EPA 245.7
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Mercury	=	0.31		0.0040	0.0050	µg/L	EPA 245.7
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Mercury	=	0.043		0.0010	0.0050	µg/L	EPA 245.7
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Mercury	=	0.071		0.0010	0.0050	µg/L	EPA 245.7
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Mercury	=	0.0052		0.0010	0.0050	µg/L	EPA 245.7
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Mercury	=	0.0030	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Mercury	=	0.20		0.0040	0.020	µg/L	EPA 245.7
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Mercury	=	0.35		0.0040	0.020	µg/L	EPA 245.7
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Mercury	=	0.47		0.0040	0.020	µg/L	EPA 245.7
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Mercury	=	0.23		0.0040	0.020	µg/L	EPA 245.7
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Mercury	=	0.68		0.022	0.20	µg/L	EPA 245.2
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Mercury	=	0.58	HT	0.025	0.20	µg/L	EPA 7470A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Mercury	=	0.55		0.025	0.20	µg/L	EPA 245.2
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Mercury	=	1.1		0.025	0.20	µg/L	EPA 245.2
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Mercury	=	0.77		0.032	0.20	µg/L	EPA 245.2
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Mercury	=	0.37		0.032	0.20	µg/L	EPA 245.2
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Mercury	=	1.3		0.032	0.20	µg/L	EPA 245.2
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Mercury	=	0.29		0.032	0.20	µg/L	EPA 245.2
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Mercury	=	0.012		0.001	0.005	µg/L	EPA 245.7
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Mercury	=	0.008		0.001	0.005	µg/L	EPA 245.7
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Mercury	=	0.0016	J	0.001	0.005	µg/L	EPA 245.7
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Mercury	=	0.002	J	0.001	0.005	µg/L	EPA 245.7
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Mercury	=	0.0076		0.001	0.005	µg/L	EPA 245.7
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Mercury	=	0.003	J	0.001	0.005	µg/L	EPA 245.7
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Mercury	=	0.0064		0.0010	0.0050	µg/L	EPA 245.7
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Mercury	=	0.0049	J	0.0010	0.0050	µg/L	EPA 245.7
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Mercury	=	0.0058		0.0010	0.0050	µg/L	EPA 245.7
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Mercury	=	0.0033	J	0.0010	0.0050	µg/L	EPA 245.7

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Mercury	=	0.0020	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Mercury	=	0.0021	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Mercury	=	0.0033	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Mercury	=	0.0026	J	0.0010	0.0050	µg/L	EPA 245.7
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Mercury	<	0.022	ND	0.025	0.20	µg/L	EPA 245.2
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 7470A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Mercury	<	0.032		0.032	0.20	µg/L	EPA 245.2
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Mercury	=	0.021		0.001	0.005	µg/L	EPA 245.7
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Mercury	=	0.008		0.001	0.005	µg/L	EPA 245.7
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Mercury	=	0.0034	J	0.001	0.005	µg/L	EPA 245.7
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Mercury	=	0.003	J	0.001	0.005	µg/L	EPA 245.7
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Mercury	=	0.0057		0.001	0.005	µg/L	EPA 245.7
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Mercury	=	0.001	J	0.001	0.005	µg/L	EPA 245.7
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Mercury	=	0.21		0.0040	0.020	µg/L	EPA 245.7
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Mercury	=	0.24		0.0040	0.020	µg/L	EPA 245.7
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Mercury	=	0.20		0.0040	0.020	µg/L	EPA 245.7
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Mercury	=	0.38		0.0040	0.020	µg/L	EPA 245.7
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Mercury	=	0.54		0.010	0.050	µg/L	EPA 245.7
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Mercury	=	0.34		0.010	0.050	µg/L	EPA 245.7
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Mercury	=	0.56		0.022	0.20	µg/L	EPA 245.2
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 7470A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Mercury	=	0.97		0.025	0.20	µg/L	EPA 245.2
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Mercury	=	1.9		0.025	0.20	µg/L	EPA 245.2
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Mercury	=	0.076	J	0.025	0.20	µg/L	EPA 245.2
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Mercury	=	0.47		0.032	0.20	µg/L	EPA 245.2
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Mercury	=	0.056	Jb	0.032	0.20	µg/L	EPA 245.2
WQO of	MS-14R	RW	Grab	6/5/2006	9:31	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Mercury	=	0.012		0.001	0.005	µg/L	EPA 245.7
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Mercury	=	0.017		0.001	0.005	µg/L	EPA 245.7
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Mercury	=	0.0028	J	0.001	0.005	µg/L	EPA 245.7
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Mercury	=	0.0036	J	0.001	0.005	µg/L	EPA 245.7
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Mercury	=	0.0046	J	0.001	0.005	µg/L	EPA 245.7
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0033	J	0.001	0.005	µg/L	EPA 245.7
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Mercury	=	0.0067		0.0010	0.0050	µg/L	EPA 245.7
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Mercury	=	0.0045	J	0.0010	0.0050	µg/L	EPA 245.7
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Mercury	=	0.0064		0.0010	0.0050	µg/L	EPA 245.7
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Mercury	=	0.0040	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Mercury	=	0.0028	J	0.0010	0.0050	µg/L	EPA 245.7
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Mercury	=	0.0023	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Mercury	=	0.0042	J	0.0010	0.0050	µg/L	EPA 245.7
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Mercury	=	0.0033	J	0.0010	0.0050	µg/L	EPA 245.7
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Mercury	<	0.022	ND	0.022	0.20	µg/L	EPA 245.2
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Mercury	<	0.042	ND	0.042	0.33	µg/L	EPA 7470A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Mercury	<	0.025	ND	0.025	0.20	µg/L	EPA 245.2
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Mercury	=	0.087	Jb	0.032	0.20	µg/L	EPA 245.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Mercury	<	0.032	ND	0.032	0.20	µg/L	EPA 245.2
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Mercury	=	0.008		0.001	0.005	µg/L	EPA 245.7
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Mercury	=	0.005		0.001	0.005	µg/L	EPA 245.7
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Mercury	=	0.0041	J	0.001	0.005	µg/L	EPA 245.7
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Mercury	=	0.0031	J	0.001	0.005	µg/L	EPA 245.7
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Mercury	=	0.0031	J	0.001	0.005	µg/L	EPA 245.7
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Mercury	=	0.0036	J	0.001	0.005	µg/L	EPA 245.7
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Mercury	=	0.26		0.0040	0.0050	µg/L	EPA 245.7
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Mercury	=	0.44		0.0040	0.0050	µg/L	EPA 245.7
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Mercury	=	0.065		0.0010	0.0050	µg/L	EPA 245.7
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Mercury	=	0.19		0.0040	0.020	µg/L	EPA 245.7
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Mercury	=	0.98		0.020	0.10	µg/L	EPA 245.7
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Mercury	=	0.21		0.0050	0.025	µg/L	EPA 245.7
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Mercury	=	1.1		0.022	0.20	µg/L	EPA 245.2
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Mercury	=	0.44	HT	0.025	0.20	µg/L	EPA 7470A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Mercury	=	1.2		0.025	0.20	µg/L	EPA 245.2
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Mercury	=	0.75		0.025	0.20	µg/L	EPA 245.2
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Mercury	=	0.25		0.032	0.20	µg/L	EPA 245.2
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Mercury	=	0.64		0.032	0.20	µg/L	EPA 245.2
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Mercury	=	0.76		0.032	0.20	µg/L	EPA 245.2
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Mercury	=	0.41		0.032	0.20	µg/L	EPA 245.2
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Methoxychlor	=	0.0057	J	0.0047	0.024	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Methoxychlor	=	0.073	J	0.049	0.24	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Methoxychlor	<	0.0047	ND	0.0047	0.024	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Methoxychlor	<	0.0097	ND	0.0097	0.049	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Methoxychlor	<	0.0047	ND	0.0047	0.024	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Methoxychlor	<	0.050	ND	0.050	0.25	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Methoxychlor	=	0.0052	J	0.0047	0.024	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Methoxychlor	<	0.0097	ND	0.0097	0.049	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Methoxychlor	=	0.0059	J	0.0048	0.024	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Methoxychlor	<	0.0097	ND	0.0097	0.049	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Methoxychlor	=	0.0092	J	0.0048	0.024	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Methoxychlor	<	0.024	ND	0.024	0.12	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Methoxychlor	<	0.0047	ND	0.0047	0.024	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Methoxychlor	<	0.052	ND	0.052	0.26	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Methoxychlor	<	0.015	ND	0.015	0.050	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Methoxychlor	=	0.0059	J	0.0047	0.024	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Methoxychlor	=	0.016	J	0.0097	0.048	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Methoxychlor	<	0.0020	ND	0.0020	0.0050	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	CR-46	UR	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	CR-46R	RW	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	DC-65	UR	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	DC-65	UR	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE35	DC-65	UR	Grab	2/16/2004	9:11	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	DC-65R	RW	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	MS-14	UR	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	MS-14	UR	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE34	MS-14R	RW	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	SC-1	UR	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
SE34	SC-1	UR	Grab	2/2/2004	12:05	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	0.5	µg/L	EPA 8260
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Methyl tert-butyl ether (MTBE)	<	1	ND	1	1	µg/L	EPA 8260
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	Methyl tert-butyl ether (MTBE)	<	0.5	ND		0.5	µg/L	EPA 8260
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Methyl tert-butyl ether (MTBE)	=	0.98		0.42	0.5	µg/L	EPA 8260
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Methyl tert-butyl ether (MTBE)	<	0.42	ND	0.42	1.0	µg/L	EPA 8260
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	1.0	µg/L	EPA 8260B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Methyl tert-butyl ether (MTBE)	<	0.080	ND	0.080	1.0	µg/L	EPA 8260B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Methyl tert-butyl ether (MTBE)	<	0.36	ND	0.36	0.50	µg/L	EPA 8260B
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	Methyl tert-butyl ether (MTBE)	<	0.12	ND	0.12	0.50	µg/L	EPA 8260B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	=	0.11		0.01	0.02	mg/L	EPA 425.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.29		0.01	0.02	mg/L	EPA 425.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	=	0.058		0.01	0.025	mg/L	EPA 425.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	=	0.083		0.01	0.025	mg/L	EPA 425.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Methylene Blue Active Substances	=	0.093		0.021	0.050	mg/L	SM 5540C
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Methylene Blue Active Substances	=	0.071		0.015	0.050	mg/L	SM 5540C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Methylene Blue Active Substances	=	0.78		0.015	0.050	mg/L	SM 5540C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Methylene Blue Active Substances	=	0.15	HT-04	0.030	0.10	mg/L	SM 5540C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Methylene Blue Active Substances	=	0.077		0.016	0.050	mg/L	SM 5540C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Methylene Blue Active Substances	=	0.43		0.016	0.050	mg/L	SM 5540C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Methylene Blue Active Substances	=	0.47		0.016	0.050	mg/L	SM 5540C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.079		0.01	0.02	mg/L	EPA 425.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.02		0.01	0.02	mg/L	EPA 425.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Methylene Blue Active Substances	=	0.014	J	0.01	0.02	mg/L	EPA 425.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Methylene Blue Active Substances	=	0.10	HT-04, J	0.060	0.20	mg/L	SM 5540C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Methylene Blue Active Substances	=	0.020	Ja	0.016	0.050	mg/L	SM 5540C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Methylene Blue Active Substances	=	0.028	Jb	0.016	0.050	mg/L	SM 5540C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.15		0.01	0.02	mg/L	EPA 425.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	=	0.1		0.01	0.02	mg/L	EPA 425.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.053		0.01	0.02	mg/L	EPA 425.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Methylene Blue Active Substances	=	0.010	J	0.01	0.025	mg/L	EPA 425.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	=	0.046		0.01	0.025	mg/L	EPA 425.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	=	0.014	J	0.01	0.025	mg/L	EPA 425.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Methylene Blue Active Substances	=	0.035	J	0.021	0.050	mg/L	SM 5540C
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Methylene Blue Active Substances	=	0.064		0.021	0.050	mg/L	SM 5540C
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Methylene Blue Active Substances	=	0.24		0.015	0.050	mg/L	SM 5540C
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Methylene Blue Active Substances	=	0.022	Jb	0.016	0.050	mg/L	SM 5540C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Methylene Blue Active Substances	=	0.065		0.016	0.050	mg/L	SM 5540C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Methylene Blue Active Substances	=	0.15		0.016	0.050	mg/L	SM 5540C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Methylene Blue Active Substances	=	0.26		0.016	0.050	mg/L	SM 5540C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.066		0.01	0.02	mg/L	EPA 425.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	=	0.027		0.01	0.02	mg/L	EPA 425.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.023		0.01	0.02	mg/L	EPA 425.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	=	0.016	J	0.01	0.025	mg/L	EPA 425.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Methylene Blue Active Substances	=	0.06		0.021	0.050	mg/L	SM 5540C
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Methylene Blue Active Substances	=	0.053		0.015	0.050	mg/L	SM 5540C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Methylene Blue Active Substances	=	0.056		0.015	0.050	mg/L	SM 5540C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Methylene Blue Active Substances	=	0.14	HT-04	0.030	0.10	mg/L	SM 5540C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Methylene Blue Active Substances	=	0.031	Jb	0.016	0.050	mg/L	SM 5540C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Methylene Blue Active Substances	=	0.065		0.016	0.050	mg/L	SM 5540C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Methylene Blue Active Substances	=	0.044	Jb	0.016	0.050	mg/L	SM 5540C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.11		0.01	0.02	mg/L	EPA 425.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	=	0.03		0.01	0.02	mg/L	EPA 425.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.023		0.01	0.02	mg/L	EPA 425.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Methylene Blue Active Substances	=	0.088		0.021	0.050	mg/L	SM 5540C
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Methylene Blue Active Substances	=	0.017	J	0.015	0.050	mg/L	SM 5540C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Methylene Blue Active Substances	<	0.015	ND	0.015	0.050	mg/L	SM 5540C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Methylene Blue Active Substances	=	0.14	HT-04	0.030	0.10	mg/L	SM 5540C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Methylene Blue Active Substances	=	0.021	Jb	0.016	0.050	mg/L	SM 5540C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Methylene Blue Active Substances	=	0.21		0.016	0.050	mg/L	SM 5540C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Methylene Blue Active Substances	=	0.035	Jb	0.016	0.050	mg/L	SM 5540C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.15		0.01	0.02	mg/L	EPA 425.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	=	0.022		0.01	0.02	mg/L	EPA 425.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.073		0.01	0.02	mg/L	EPA 425.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	=	0.011	J	0.01	0.025	mg/L	EPA 425.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Methylene Blue Active Substances	=	0.037	J	0.021	0.050	mg/L	SM 5540C
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Methylene Blue Active Substances	=	0.11		0.015	0.050	mg/L	SM 5540C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Methylene Blue Active Substances	=	0.029	J	0.015	0.050	mg/L	SM 5540C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Methylene Blue Active Substances	=	0.022	Jb	0.016	0.050	mg/L	SM 5540C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Methylene Blue Active Substances	=	0.095		0.016	0.050	mg/L	SM 5540C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Methylene Blue Active Substances	=	0.071		0.016	0.050	mg/L	SM 5540C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Methylene Blue Active Substances	=	0.054		0.016	0.050	mg/L	SM 5540C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Methylene Blue Active Substances	=	0.066		0.01	0.02	mg/L	EPA 425.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.02	mg/L	EPA 425.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Methylene Blue Active Substances	=	0.023		0.01	0.02	mg/L	EPA 425.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Methylene Blue Active Substances	=	0.017	J	0.01	0.02	mg/L	EPA 425.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Methylene Blue Active Substances	<	0.01	ND	0.01	0.025	mg/L	EPA 425.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Methylene Blue Active Substances	<	0.021	ND	0.021	0.050	mg/L	SM 5540C
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Methylene Blue Active Substances	=	0.02	J	0.015	0.050	mg/L	SM 5540C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Methylene Blue Active Substances	=	0.051		0.015	0.050	mg/L	SM 5540C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Methylene Blue Active Substances	<	0.016	ND	0.016	0.050	mg/L	SM 5540C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Methylene Blue Active Substances	=	0.042	Jb	0.016	0.050	mg/L	SM 5540C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Methylene Blue Active Substances	=	0.079		0.016	0.050	mg/L	SM 5540C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Methylene Blue Active Substances	=	0.050		0.016	0.050	mg/L	SM 5540C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Naphthalene	=	0.031	J	0.029	0.10	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Naphthalene	<	0.13	ND	0.13	0.50	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Naphthalene	<	0.13	ND	0.13	0.20	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Naphthalene	<	0.12	ND	0.12	0.19	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Naphthalene	=	0.29		0.032	0.20	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Naphthalene	=	0.042	J	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Naphthalene	=	0.050	J	0.029	0.10	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Naphthalene	<	0.13	ND	0.13	0.20	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Naphthalene	<	0.15	ND	0.15	0.23	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Naphthalene	=	0.029	J	0.029	0.10	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Naphthalene	=	0.035	J	0.029	0.10	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Naphthalene	<	0.13	ND	0.13	0.20	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Naphthalene	<	0.12	ND	0.12	0.19	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Naphthalene	<	0.032		0.032	0.20	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Naphthalene	<	0.032		0.032	0.20	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Naphthalene	=	0.034	J	0.029	0.10	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Naphthalene	=	0.042	J	0.029	0.10	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Naphthalene	=	0.031	J	0.029	0.10	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Naphthalene	<	0.13	ND	0.13	0.20	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Naphthalene	<	0.02	ND	0.02	0.1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Naphthalene	<	0.029	ND	0.029	0.10	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Naphthalene	<	0.12	ND	0.12	0.48	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Naphthalene	<	0.13	ND	0.13	0.49	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Naphthalene	<	0.13	ND	0.13	0.19	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Naphthalene	<	0.032	ND, M2	0.032	0.20	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Naphthalene	<	0.032	ND	0.032	0.20	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Nickel	=	3.9		0.04	1	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Nickel	=	3.7		0.04	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Nickel	=	5.7		0.04	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Nickel	=	4.7		0.04	1	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Nickel	=	1.1		0.037	1.0	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Nickel	=	11		0.037	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Nickel	=	1.0		0.037	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Nickel	=	6.3		0.037	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Nickel	=	3.9	J	0.037	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Nickel	=	4.3		0.037	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Nickel	=	5.9		0.037	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Nickel	=	5.2		0.037	1.0	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Nickel	=	3.7		0.035	1.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Nickel	=	34		0.035	1.0	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Nickel	=	4.3		0.035	1.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Nickel	=	17		0.035	1.0	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Nickel	=	28		0.010	1.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Nickel	=	7.29		0.0298	1.00	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Nickel	=	22.3		0.0298	1.00	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Nickel	=	12.7		0.0298	1.00	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Nickel	=	5.5		0.04	1	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Nickel	=	3.7		0.04	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Nickel	=	2.1		0.04	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Nickel	=	1.8		0.04	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Nickel	=	1.1		0.04	1	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Nickel	=	1.5		0.037	1.0	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Nickel	=	3.2		0.037	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Nickel	=	0.92	J	0.037	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Nickel	=	4.6		0.037	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Nickel	=	2.3	J	0.037	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Nickel	=	2.7		0.037	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Nickel	=	5.0		0.037	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Nickel	=	3.5		0.037	1.0	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Nickel	=	4.3		0.035	1.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Nickel	=	3.0		0.035	1.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Nickel	=	16		0.035	1.0	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Nickel	=	19		0.035	1.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Nickel	=	15		0.010	1.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Nickel	=	2.96		0.0298	1.00	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Nickel	=	5.59		0.0298	1.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Nickel	=	1.32		0.0298	1.00	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Nickel	=	5.2		0.04	1	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Nickel	=	9.5		0.04	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Nickel	=	4.4		0.04	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Nickel	=	3.5		0.04	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Nickel	=	2.8		0.04	1	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Nickel	=	1.4		0.037	1.0	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Nickel	=	3.6		0.037	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Nickel	=	3.7		0.037	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Nickel	=	23		0.037	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Nickel	=	3.3	J	0.037	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Nickel	=	3.2		0.037	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Nickel	=	4.6		0.037	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Nickel	=	4.5		0.037	1.0	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Nickel	=	310		0.070	2.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Nickel	=	9.8		0.035	1.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Nickel	=	2.2		0.035	1.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Nickel	=	5.8		0.035	1.0	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Nickel	=	11.6		0.0298	0.0900	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Nickel	=	16.1		0.0298	1.00	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Nickel	=	59.5		0.0298	1.00	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Nickel	=	3.29		0.0298	1.00	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Nickel	=	5		0.04	1	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Nickel	=	4.3		0.04	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Nickel	=	3.9		0.04	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Nickel	=	1.6		0.04	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Nickel	=	3		0.04	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Nickel	=	1.8		0.04	1	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Nickel	=	1.8		0.037	1.0	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Nickel	=	2.6		0.037	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Nickel	=	1.4		0.037	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Nickel	=	3.4		0.037	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Nickel	=	2.5		0.037	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Nickel	=	5.0		0.037	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Nickel	=	1.7	J	0.037	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Nickel	=	2.7		0.037	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Nickel	=	2.7		0.037	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Nickel	=	1.3		0.037	1.0	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Nickel	=	2.2		0.035	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Nickel	=	6.1		0.035	1.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Nickel	=	6.8		0.035	1.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Nickel	=	14		0.035	1.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Nickel	=	4.76		0.0298	0.0900	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Nickel	=	21.8		0.0298	1.00	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Nickel	=	5.82		0.0298	1.00	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Nickel	=	3.46		0.0298	1.00	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Nickel	=	2.9		0.04	1	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Nickel	=	1.8		0.04	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Nickel	=	1.8		0.04	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Nickel	=	1.8		0.04	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Nickel	=	1.6		0.04	1	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Nickel	=	0.74	J	0.037	1.0	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Nickel	=	2.9		0.037	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Nickel	=	0.20	J	0.037	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Nickel	=	3.1		0.037	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Nickel	=	1.8	J	0.037	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Nickel	=	1.9	J	0.037	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Nickel	=	2.8		0.037	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Nickel	=	2.4		0.037	1.0	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Nickel	=	1.9		0.035	1.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Nickel	=	1.9		0.035	1.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Nickel	=	1.5		0.035	1.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Nickel	=	2.3		0.035	1.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Nickel	=	5.0		0.010	1.0	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Nickel	=	3.16		0.0298	0.0900	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Nickel	=	2.55		0.0298	1.00	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Nickel	=	0.891	Ja	0.0298	1.00	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Nickel	=	3.6		0.04	1	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Nickel	=	2.1		0.04	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Nickel	=	2.9		0.04	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Nickel	=	2		0.04	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Nickel	=	1.9		0.04	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Nickel	=	1.3		0.037	1.0	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Nickel	=	2.1		0.037	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Nickel	=	1.6	J	0.037	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Nickel	=	2.0		0.037	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Nickel	=	5.2		0.037	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Nickel	=	3.0		0.037	1.0	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Nickel	=	2.6		0.035	1.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Nickel	=	3.5		0.035	1.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Nickel	=	8.5		0.035	1.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Nickel	=	11		0.035	1.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Nickel	=	21		0.010	1.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Nickel	=	143		0.0298	0.0900	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Nickel	=	2.83		0.0298	1.00	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Nickel	=	3.06		0.0298	1.00	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Nickel	=	3.9		0.04	1	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Nickel	=	2.8		0.04	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Nickel	=	1.9		0.04	1	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Nickel	=	1.6		0.04	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Nickel	=	0.96	J	0.037	1.0	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Nickel	=	4.6		0.037	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Nickel	=	0.46	J	0.037	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Nickel	=	9.3		0.037	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Nickel	=	2.4	J	0.037	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Nickel	=	3.4		0.037	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Nickel	=	2.5		0.037	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Nickel	=	2.5		0.037	1.0	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Nickel	=	2.1		0.035	1.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Nickel	=	14		0.035	1.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Nickel	=	3.2		0.035	1.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Nickel	=	7.2		0.035	1.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Nickel	=	3.66		0.0298	0.0900	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Nickel	=	22.2		0.0298	1.00	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Nickel	=	3.23		0.0298	1.00	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Nickel	=	0.906	Ja	0.0298	1.00	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Nickel	=	4.6		0.04	1	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Nickel	=	2.6		0.04	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Nickel	=	2.7		0.04	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Nickel	=	1.7		0.04	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Nickel	=	2.4		0.04	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Nickel	=	1.3		0.04	1	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Nickel	=	1.6		0.037	1.0	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Nickel	=	2.3		0.037	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Nickel	=	1.9	J	0.037	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Nickel	=	2.4		0.037	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Nickel	=	7.6		0.037	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Nickel	=	4.5		0.037	1.0	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Nickel	=	6.9		0.035	1.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Nickel	=	3.5		0.035	1.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Nickel	=	3.5		0.035	1.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Nickel	=	4.0		0.035	1.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Nickel	=	3.32		0.0298	0.0900	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Nickel	=	3.25		0.0298	1.00	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Nickel	=	3.56		0.0298	1.00	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Nickel	=	2.82		0.0298	1.00	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Nitrate as N	=	0.36		0.00768	0.10	mg/L	EPA 300.0
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Nitrate as N	=	0.45		0.00768	0.10	mg/L	EPA 300.0
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Nitrate as N	=	0.21		0.00768	0.10	mg/L	EPA 300.0
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Nitrate as N	<	0.00768	ND	0.00768	0.10	mg/L	EPA 300.0
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Nitrate as N	=	0.28		0.00768	0.10	mg/L	EPA 300.0
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Nitrate as N	=	0.64		0.00768	0.10	mg/L	EPA 300.0
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Nitrate as N	=	0.48		0.00768	0.10	mg/L	EPA 300.0
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Nitrate as N	<	0.00768	ND	0.00768	0.10	mg/L	EPA 300.0
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Nitrate as N	=	0.35		0.00768	0.10	mg/L	EPA 300.0
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Nitrate as N	=	0.54		0.00768	0.10	mg/L	EPA 300.0
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Nitrate as N	=	0.18		0.00768	0.10	mg/L	EPA 300.0
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Nitrate as N	<	0.00768	ND	0.00768	0.10	mg/L	EPA 300.0
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Nitrate as N	=	4.3		0.00768	0.10	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Nitrate as N	=	2.2		0.00768	0.10	mg/L	EPA 300.0
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Nitrate as N	=	0.51		0.00768	0.10	mg/L	EPA 300.0
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Nitrate as N	=	0.34		0.00768	0.10	mg/L	EPA 300.0
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Nitrate as N	=	0.32		0.00768	0.10	mg/L	EPA 300.0
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Nitrate as N	=	0.42		0.00768	0.10	mg/L	EPA 300.0
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Nitrate as N	=	0.75		0.00768	0.10	mg/L	EPA 300.0
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Nitrate as N	=	2.2		0.00768	0.10	mg/L	EPA 300.0
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Nitrate as N	=	0.79		0.00768	0.10	mg/L	EPA 300.0
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Nitrate as N	=	1.2		0.00768	0.10	mg/L	EPA 300.0
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Nitrate as N	=	0.78		0.00768	0.10	mg/L	EPA 300.0
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Nitrate as N	=	0.19		0.00768	0.10	mg/L	EPA 300.0
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Nitrate as N	=	0.19		0.00768	0.10	mg/L	EPA 300.0
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Nitrate as N	=	0.40		0.00768	0.10	mg/L	EPA 300.0
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Nitrate as N	=	1.4		0.00768	0.10	mg/L	EPA 300.0
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Nitrate as N	=	1.1		0.00768	0.10	mg/L	EPA 300.0
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Nitrate as N	=	0.58		0.00768	0.10	mg/L	EPA 300.0
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Nitrate as N	<	0.00768	ND	0.00768	0.10	mg/L	EPA 300.0
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Nitrate as N	<	0.00768	ND	0.00768	0.10	mg/L	EPA 300.0
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	0.012	J	0.0077	0.1	mg/L	EPA 300.0
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	<	0.0077	ND	0.0077	0.1	mg/L	EPA 300.0
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Nitrite + Nitrate as N	=	0.67		0.050	0.10	mg/L	EPA 300.0
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Nitrite + Nitrate as N	=	2.2		0.050	0.10	mg/L	EPA 300.0
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Nitrite + Nitrate as N	=	0.38		0.050	0.10	mg/L	EPA 300.0
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Nitrite + Nitrate as N	=	0.78		0.050	0.10	mg/L	EPA 300.0
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Nitrite + Nitrate as N	=	0.53		0.050	0.10	mg/L	EPA 300.0
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Nitrite + Nitrate as N	=	0.17		0.050	0.10	mg/L	EPA 300.0
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Nitrite + Nitrate as N	=	2.8		0.050	0.10	mg/L	EPA 300.0
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.51		0.0077	0.1	mg/L	EPA 300.0
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	0.011	J	0.0077	0.1	mg/L	EPA 300.0
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	0.11		0.0077	0.1	mg/L	EPA 300.0
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Nitrite + Nitrate as N	=	0.24		0.050	0.10	mg/L	EPA 300.0
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Nitrite + Nitrate as N	=	0.68		0.050	0.10	mg/L	EPA 300.0
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Nitrite + Nitrate as N	=	0.5		0.050	0.10	mg/L	EPA 300.0
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Nitrite + Nitrate as N	=	0.17		0.050	0.10	mg/L	EPA 300.0
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Nitrite + Nitrate as N	=	0.49		0.050	0.10	mg/L	EPA 300.0
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Nitrite + Nitrate as N	=	0.48		0.050	0.10	mg/L	EPA 300.0
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Nitrite + Nitrate as N	=	0.089	Jb	0.050	0.10	mg/L	EPA 300.0
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.64		0.0077	0.1	mg/L	EPA 300.0
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	0.058	J	0.0077	0.1	mg/L	EPA 300.0
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	0.3		0.0077	0.1	mg/L	EPA 300.0
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Nitrite + Nitrate as N	=	0.67		0.050	0.10	mg/L	EPA 300.0
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Nitrite + Nitrate as N	=	2.1		0.050	0.10	mg/L	EPA 300.0
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Nitrite + Nitrate as N	=	0.45		0.050	0.10	mg/L	EPA 300.0
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Nitrite + Nitrate as N	=	0.6		0.050	0.10	mg/L	EPA 300.0
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Nitrite + Nitrate as N	=	0.70		0.050	0.10	mg/L	EPA 300.0
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Nitrite + Nitrate as N	=	0.46		0.050	0.10	mg/L	EPA 300.0
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Nitrite + Nitrate as N	=	0.29		0.050	0.10	mg/L	EPA 300.0
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Nitrite + Nitrate as N	=	0.39		0.050	0.10	mg/L	EPA 300.0
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.35		0.0077	0.1	mg/L	EPA 300.0
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	1.095		0.0077	0.1	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	0.83		0.0077	0.1	mg/L	EPA 300.0
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Nitrite + Nitrate as N	=	0.37		0.050	0.10	mg/L	EPA 300.0
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Nitrite + Nitrate as N	=	0.36		0.050	0.10	mg/L	EPA 300.0
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Nitrite + Nitrate as N	=	0.54		0.050	0.10	mg/L	EPA 300.0
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Nitrite + Nitrate as N	=	0.46		0.050	0.10	mg/L	EPA 300.0
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Nitrite + Nitrate as N	=	0.28		0.050	0.10	mg/L	EPA 300.0
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Nitrite + Nitrate as N	=	0.098	Jb	0.050	0.10	mg/L	EPA 300.0
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.53		0.0077	0.1	mg/L	EPA 300.0
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	3.9		0.0077	0.1	mg/L	EPA 300.0
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	5.2		0.0077	0.1	mg/L	EPA 300.0
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Nitrite + Nitrate as N	=	1.2		0.050	0.10	mg/L	EPA 300.0
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Nitrite + Nitrate as N	=	0.51		0.050	0.10	mg/L	EPA 300.0
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Nitrite + Nitrate as N	=	0.22		0.050	0.10	mg/L	EPA 300.0
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Nitrite + Nitrate as N	=	4.5		0.050	0.10	mg/L	EPA 300.0
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Nitrite + Nitrate as N	=	0.77		0.050	0.10	mg/L	EPA 300.0
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Nitrite + Nitrate as N	=	0.69		0.050	0.10	mg/L	EPA 300.0
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Nitrite + Nitrate as N	=	5.7		0.050	0.10	mg/L	EPA 300.0
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Nitrite + Nitrate as N	=	5.6		0.050	0.10	mg/L	EPA 300.0
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.51		0.0077	0.1	mg/L	EPA 300.0
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	0.26		0.0077	0.1	mg/L	EPA 300.0
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	0.13		0.0077	0.1	mg/L	EPA 300.0
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Nitrite + Nitrate as N	=	0.33		0.050	0.10	mg/L	EPA 300.0
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Nitrite + Nitrate as N	=	0.65		0.050	0.10	mg/L	EPA 300.0
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Nitrite + Nitrate as N	=	1.1		0.050	0.10	mg/L	EPA 300.0
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Nitrite + Nitrate as N	=	0.25		0.050	0.10	mg/L	EPA 300.0
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Nitrite + Nitrate as N	=	0.62		0.050	0.10	mg/L	EPA 300.0
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Nitrite + Nitrate as N	=	0.63		0.050	0.10	mg/L	EPA 300.0
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Nitrite + Nitrate as N	=	0.46		0.050	0.10	mg/L	EPA 300.0
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Nitrite + Nitrate as N	=	0.17		0.050	0.10	mg/L	EPA 300.0
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Nitrite + Nitrate as N	=	0.64		0.0077	0.1	mg/L	EPA 300.0
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	=	2.2		0.0077	0.1	mg/L	EPA 300.0
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	=	1.7		0.0077	0.1	mg/L	EPA 300.0
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Nitrite + Nitrate as N	=	1.1		0.050	0.10	mg/L	EPA 300.0
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Nitrite + Nitrate as N	=	2.8		0.050	0.10	mg/L	EPA 300.0
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Nitrite + Nitrate as N	=	0.11		0.050	0.10	mg/L	EPA 300.0
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Nitrite + Nitrate as N	=	0.1		0.050	0.10	mg/L	EPA 300.0
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Nitrite + Nitrate as N	=	0.58		0.050	0.10	mg/L	EPA 300.0
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Nitrite + Nitrate as N	=	0.79		0.050	0.10	mg/L	EPA 300.0
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Nitrite + Nitrate as N	=	4.6		0.050	0.10	mg/L	EPA 300.0
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Nitrite + Nitrate as N	=	5.1		0.050	0.10	mg/L	EPA 300.0
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Nitrite + Nitrate as N	<	0.0077	ND	0.0077	0.1	mg/L	EPA 300.0
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Nitrite + Nitrate as N	<	0.0077	ND	0.0077	0.1	mg/L	EPA 300.0
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Nitrite + Nitrate as N	<	0.0077	ND	0.0077	0.1	mg/L	EPA 300.0
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Nitrite + Nitrate as N	=	0.32		0.050	0.10	mg/L	EPA 300.0
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Nitrite + Nitrate as N	=	0.65		0.050	0.10	mg/L	EPA 300.0
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Nitrite + Nitrate as N	=	0.098	J	0.050	0.10	mg/L	EPA 300.0
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Nitrite + Nitrate as N	=	0.52		0.050	0.10	mg/L	EPA 300.0
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Nitrite + Nitrate as N	=	0.38		0.050	0.10	mg/L	EPA 300.0
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Nitrite + Nitrate as N	<	0.050	ND	0.050	0.10	mg/L	EPA 300.0

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Nitrite + Nitrate as N	=	0.10		0.050	0.10	mg/L	EPA 300.0
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Nitrite as N	=	0.85		0.005	0.10	mg/L	EPA 300.0
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Nitrite as N	=	0.29		0.005	0.10	mg/L	EPA 300.0
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Nitrite as N	<	0.005	ND	0.005	0.10	mg/L	EPA 300.0
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Nitrobenzene	<	0.25	ND	0.25	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Nitrobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Nitrobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Nitrobenzene	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Nitrobenzene	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Nitrobenzene	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Nitrobenzene	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Nitrobenzene	<	0.11	ND	0.11	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Nitrobenzene	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Nitrobenzene	<	0.099	ND	0.099	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Nitrobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Nitrobenzene	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Nitrobenzene	<	0.099	ND	0.099	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Nitrobenzene	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	J	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Nitrobenzene	=	0.14	J	0.10	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Nitrobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Nitrobenzene	=	0.16	Jb, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Nitrobenzene	<	0.04	ND	0.04	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Nitrobenzene	<	0.026	ND	0.026	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Nitrobenzene	<	0.8	ND	0.8	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Nitrobenzene	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Nitrobenzene	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Nitrobenzene	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Nitrobenzene	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	N-Nitrosodimethylamine	<	0.55	ND	0.55	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	N-Nitrosodimethylamine	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	N-Nitrosodimethylamine	<	0.21	ND	0.21	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	N-Nitrosodimethylamine	<	0.38	ND	0.38	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	N-Nitrosodimethylamine	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	N-Nitrosodimethylamine	<	0.47	ND, RL-3	0.47	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	N-Nitrosodimethylamine	<	0.094	ND	0.094	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	N-Nitrosodimethylamine	<	0.25	ND	0.25	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	N-Nitrosodimethylamine	<	0.096	ND, H4	0.096	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14	UR	Composite	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	N-Nitrosodimethylamine	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	N-Nitrosodimethylamine	<	0.097	ND	0.097	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	N-Nitrosodimethylamine	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	N-Nitrosodimethylamine	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	N-Nitrosodimethylamine	<	0.099	ND, H4	0.099	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	N-Nitrosodimethylamine	<	1	ND	NE	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	N-Nitrosodimethylamine	<	1.0	ND	1.0	1.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	N-Nitrosodimethylamine	<	2.0	ND	2	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	N-Nitrosodimethylamine	<	0.5	ND	0.5	2	µg/L	EPA 8270

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	N-Nitrosodimethylamine	<	0.22	ND	0.22	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	N-Nitrosodimethylamine	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	N-Nitrosodimethylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	N-Nitrosodimethylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	N-Nitroso-di-n-propylamine	<	0.45	ND	0.45	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	N-Nitroso-di-n-propylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	N-Nitroso-di-n-propylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	N-Nitroso-di-n-propylamine	<	0.096	ND, C2	0.096	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	N-Nitroso-di-n-propylamine	<	0.17	ND	0.17	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	N-Nitroso-di-n-propylamine	<	0.38	ND	0.38	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	N-Nitroso-di-n-propylamine	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, C2	0.095	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	N-Nitroso-di-n-propylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	N-Nitroso-di-n-propylamine	<	0.47	ND, RL-3	0.47	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	N-Nitroso-di-n-propylamine	<	0.094	ND, C2	0.094	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	N-Nitroso-di-n-propylamine	<	0.21	ND	0.21	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	N-Nitroso-di-n-propylamine	<	0.096	ND, H4	0.096	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	N-Nitroso-di-n-propylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	N-Nitroso-di-n-propylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, C2	0.095	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	N-Nitroso-di-n-propylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	N-Nitroso-di-n-propylamine	<	0.097	ND, C-2	0.097	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	N-Nitroso-di-n-propylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, C-2	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	N-Nitroso-di-n-propylamine	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	N-Nitroso-di-n-propylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	N-Nitroso-di-n-propylamine	<	0.099	ND, H4	0.099	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	N-Nitroso-di-n-propylamine	<	0.095	ND, C2	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	N-Nitroso-di-n-propylamine	<	0.03	ND	0.03	1	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	N-Nitroso-di-n-propylamine	<	0.090	ND	0.090	1.0	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	N-Nitroso-di-n-propylamine	<	0.3	ND	0.3	5	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	N-Nitroso-di-n-propylamine	<	0.7	ND	0.7	5	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	N-Nitroso-di-n-propylamine	<	0.18	ND	0.18	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	N-Nitroso-di-n-propylamine	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	N-Nitroso-di-n-propylamine	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	N-Nitroso-di-n-propylamine	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	N-Nitroso-di-n-propylamine	<	0.10	ND, C2	0.10	2.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	N-Nitrosodiphenylamine	<	0.19	ND	0.19	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	N-Nitrosodiphenylamine	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	N-Nitrosodiphenylamine	<	0.074	ND	0.074	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	N-Nitrosodiphenylamine	<	0.38	ND	0.38	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	N-Nitrosodiphenylamine	<	0.096	ND	0.096	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	N-Nitrosodiphenylamine	<	0.47	ND, RL-3	0.47	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	N-Nitrosodiphenylamine	<	0.094	ND	0.094	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	N-Nitrosodiphenylamine	<	0.088	ND	0.088	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	N-Nitrosodiphenylamine	<	0.096	ND, H4	0.096	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	N-Nitrosodiphenylamine	<	0.076	ND	0.076	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	N-Nitrosodiphenylamine	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	N-Nitrosodiphenylamine	<	0.097	ND	0.097	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	N-Nitrosodiphenylamine	<	0.076	ND	0.076	0.99	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	N-Nitrosodiphenylamine	<	0.095	ND, H4	0.095	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	N-Nitrosodiphenylamine	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	N-Nitrosodiphenylamine	<	0.099	ND, H4	0.099	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	N-Nitrosodiphenylamine	<	0.05	ND	0.05	0.2	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	N-Nitrosodiphenylamine	<	0.14	ND	0.14	0.20	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	N-Nitrosodiphenylamine	<	0.5	ND	0.5	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	N-Nitrosodiphenylamine	<	0.3	ND	0.3	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	N-Nitrosodiphenylamine	<	0.077	ND	0.077	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	N-Nitrosodiphenylamine	<	0.11	ND, H4, RL-4	0.11	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	N-Nitrosodiphenylamine	<	0.095	ND	0.095	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	N-Nitrosodiphenylamine	<	0.10	ND	0.10	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	CR-46	UR	Grab	12/24/2003	8:40	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Oil & Grease	=	1.7	J	0.75	4.9	mg/L	EPA 1664A
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Oil & Grease	=	4.5	J	0.41	5.1	mg/L	EPA 1664A
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Oil & Grease	=	2.4	J	0.41	5.0	mg/L	EPA 1664A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Oil & Grease	=	5.6		0.41	5.0	mg/L	EPA 1664A
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Oil & Grease	=	2.9	J	0.39	4.8	mg/L	EPA 1664A
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Oil & Grease	=	3.9	J	0.39	4.8	mg/L	EPA 1664A
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Oil & Grease	=	2.9	J	0.42	5.2	mg/L	EPA 1664A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Oil & Grease	=	2.1	J	0.39	4.8	mg/L	EPA 1664A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	CR-46R	RW	Grab	2/2/2004	14:33	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Oil & Grease	<	0.78	ND	0.78	5.1	mg/L	EPA 1664A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Oil & Grease	=	0.5	J	0.41	5.0	mg/L	EPA 1664A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Oil & Grease	=	0.6	J	0.41	5.0	mg/L	EPA 1664A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Oil & Grease	=	0.96	J	0.49	6.0	mg/L	EPA 1664A
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Oil & Grease	=	3.6	J	0.41	5.0	mg/L	EPA 1664A
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Oil & Grease	=	1.1	J	0.43	5.3	mg/L	EPA 1664A
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Oil & Grease	=	1.0	J	0.51	6.2	mg/L	EPA 1664A
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Oil & Grease	=	1.0	J	0.41	5.0	mg/L	EPA 1664A
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	DC-65	UR	Grab	12/24/2003	7:20	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	DC-65	UR	Grab	2/2/2004	13:05	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE35	DC-65	UR	Grab	2/16/2004	9:40	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Oil & Grease	=	2.2	J	0.80	5.2	mg/L	EPA 1664A
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Oil & Grease	=	2.0	J	0.45	5.6	mg/L	EPA 1664A
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Oil & Grease	=	7.7		0.40	5.0	mg/L	EPA 1664A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Oil & Grease	=	4.0	J	0.40	5.0	mg/L	EPA 1664A
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Oil & Grease	=	2.1	J	0.39	4.8	mg/L	EPA 1664A
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Oil & Grease	=	3.2	J	0.39	4.8	mg/L	EPA 1664A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Oil & Grease	=	27		0.40	4.9	mg/L	EPA 1664A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Oil & Grease	=	1.8	J	0.39	4.9	mg/L	EPA 1664A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	DC-65R	RW	Grab	2/2/2004	13:00	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Oil & Grease	<	0.77	ND	0.77	5.1	mg/L	EPA 1664A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Oil & Grease	=	0.42	J	0.42	5.2	mg/L	EPA 1664A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Oil & Grease	=	6.0		0.40	4.9	mg/L	EPA 1664A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Oil & Grease	=	2.2	J	0.43	5.2	mg/L	EPA 1664A
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Oil & Grease	=	0.72	J	0.49	6.0	mg/L	EPA 1664A
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Oil & Grease	=	4.1	J	0.40	4.9	mg/L	EPA 1664A
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Oil & Grease	=	4.3	J	0.42	5.2	mg/L	EPA 1664A
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Oil & Grease	=	0.76	J	0.39	4.8	mg/L	EPA 1664A
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	MS-14	UR	Grab	2/2/2004	13:10	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Oil & Grease	=	1.1	J	0.73	4.8	mg/L	EPA 1664A
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Oil & Grease	=	2.2	J	0.43	5.3	mg/L	EPA 1664A
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Oil & Grease	=	3.0	J	0.39	4.9	mg/L	EPA 1664A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Oil & Grease	=	6.8		0.39	4.8	mg/L	EPA 1664A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Oil & Grease	=	1.7	J	0.39	4.8	mg/L	EPA 1664A
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	Oil & Grease	=	1.9	J	0.39	4.8	mg/L	EPA 1664A
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Oil & Grease	=	0.51	J	0.41	5.1	mg/L	EPA 1664A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Oil & Grease	=	1.3	J	0.41	5.0	mg/L	EPA 1664A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE34	MS-14R	RW	Grab	2/2/2004	13:56	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Oil & Grease	<	0.73	ND	0.73	4.8	mg/L	EPA 1664A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Oil & Grease	=	1.8	J	0.39	4.8	mg/L	EPA 1664A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Oil & Grease	=	0.9	J	0.41	5.0	mg/L	EPA 1664A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Oil & Grease	=	2.6	J	0.41	5.0	mg/L	EPA 1664A
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Oil & Grease	=	2.3	J	0.41	5.0	mg/L	EPA 1664A
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Oil & Grease	=	1.2	J	0.43	5.3	mg/L	EPA 1664A
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Oil & Grease	=	0.89	J	0.45	5.6	mg/L	EPA 1664A
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Oil & Grease	=	0.78	J	0.40	4.9	mg/L	EPA 1664A
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	SC-1	UR	Grab	12/24/2003	7:15	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	SC-1	UR	Grab	2/2/2004	12:00	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Oil & Grease	=	0.86	J	0.73	4.8	mg/L	EPA 1664A
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Oil & Grease	=	3.2	J	0.39	4.9	mg/L	EPA 1664A
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Oil & Grease	=	12		0.39	4.9	mg/L	EPA 1664A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Oil & Grease	=	4.1	J	0.39	4.9	mg/L	EPA 1664A
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	Oil & Grease	=	2.7	J	0.40	4.9	mg/L	EPA 1664A
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Oil & Grease	=	2.8	J	0.44	5.4	mg/L	EPA 1664A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Oil & Grease	=	1.7	J	0.40	4.9	mg/L	EPA 1664A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Oil & Grease	=	0.49	J	0.40	4.9	mg/L	EPA 1664A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Oil & Grease	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Oil & Grease	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Oil & Grease	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Oil & Grease	=	1.8	J	0.82	5.3	mg/L	EPA 1664A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Oil & Grease	=	0.92	J	0.41	5.1	mg/L	EPA 1664A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Oil & Grease	=	1.5	J	0.41	5.0	mg/L	EPA 1664A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Oil & Grease	=	3.2	J	0.39	4.8	mg/L	EPA 1664A
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Oil & Grease	=	1.5	J	0.47	5.8	mg/L	EPA 1664A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Oil & Grease	=	1.0	J	0.42	5.2	mg/L	EPA 1664A
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Oil & Grease	=	2.9	J	0.43	5.3	mg/L	EPA 1664A
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	Oil & Grease	=	1.8	J	0.41	5.0	mg/L	EPA 1664A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1016	<	0.085	ND	0.085	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1016	<	0.083	ND	0.083	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1016	<	0.11	ND	0.11	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1016	<	0.17	ND	0.17	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1016	=	0.094	J	0.021	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1016	=	0.052	J	0.021	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1016	<	0.083	ND	0.083	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1016	<	0.082	ND	0.082	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1016	<	0.11	ND	0.11	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1016	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1016	<	0.020	ND	0.020	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1016	<	0.085	ND	0.085	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1016	<	0.084	ND	0.084	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1016	<	0.16	ND, R-02	0.16	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1016	<	0.11	ND	0.11	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1016	<	0.16	ND	0.16	0.47	µg/L	EPA 8082
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1016	=	0.079	J	0.021	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1016	<	0.084	ND	0.084	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1016	<	0.082	ND	0.082	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1016	<	0.11	ND	0.11	0.50	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1016	<	0.11	ND	0.11	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1016	<	0.17	ND	0.17	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1016	<	0.084	ND	0.084	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1016	<	0.081	ND	0.081	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1016	<	0.11		0.11	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1016	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1016	<	0.082	ND	0.082	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1016	<	0.083	ND	0.083	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1016	<	0.11		0.11	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1016	<	0.16	ND	0.16	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1016	<	0.021	ND	0.021	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1016	<	0.085	ND	0.085	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1016	<	0.084	ND	0.084	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1016	<	0.13	ND, R-02	0.13	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1016	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1016	<	0.077	ND	0.077	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1016	<	0.023	ND	0.023	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1016	<	0.020	ND	0.020	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1016	=	0.05	J	0.021	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1016	<	0.083	ND	0.083	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1016	<	0.083	ND	0.083	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1016	<	0.11	ND	0.11	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1016	<	0.11	ND, C-06	0.11	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1016	<	0.18	ND	0.18	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1221	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1221	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1221	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1221	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1221	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1221	<	0.72	ND, R-02	0.72	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1221	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1221	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1221	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1221	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1221	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1221	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1221	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1221	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1221	<	0.60	ND, R-02	0.60	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1221	<	0.47	ND, C-06	0.47	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1221	<	0.13	ND	0.13	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1221	<	0.095	ND	0.095	0.20	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1221	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1221	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1221	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1221	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1221	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1232	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1232	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1232	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1232	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1232	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1232	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1232	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1232	<	0.72	ND, R-02	0.72	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1232	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1232	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1232	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1232	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1232	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1232	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1232	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1232	<	0.50		0.50	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1232	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1232	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1232	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1232	<	0.60	ND, R-02	0.60	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1232	<	0.47	ND, C-06	0.47	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1232	<	0.087	ND	0.087	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1232	<	0.18	ND	0.18	0.20	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1232	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1232	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1232	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1232	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1232	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1242	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1242	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1242	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1242	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1242	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1242	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1242	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1242	<	0.72	ND, R-02	0.72	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1242	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1242	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1242	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1242	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1242	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1242	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1242	<	0.49		0.49	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1242	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1242	<	0.50		0.50	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1242	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1242	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1242	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1242	<	0.60	ND, R-02	0.60	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1242	<	0.47	ND, C-06	0.47	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1242	<	0.075	ND	0.075	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1242	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1242	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1242	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1242	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1242	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1242	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1248	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1248	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1248	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1248	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1248	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1248	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1248	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1248	<	0.72	ND, R-02	0.72	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1248	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1248	<	0.50	ND	0.50	0.50	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1248	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1248	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1248	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1248	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1248	<	0.49		0.49	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1248	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1248	<	0.50		0.50	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1248	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1248	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1248	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1248	<	0.60	ND, R-02	0.60	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1248	<	0.47	ND, C-06	0.47	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1248	<	0.054	ND	0.054	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1248	<	0.067	ND	0.067	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1248	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1248	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1248	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1248	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1248	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1254	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1254	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1254	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1254	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1254	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1254	<	0.72	ND, R-02	0.72	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1254	<	0.033	ND, J	0.033	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1254	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1254	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1254	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1254	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1254	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1254	<	0.50	ND, C-06	0.50	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1254	<	0.49	ND, C-06	0.49	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1254	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1254	<	0.033	ND, J	0.033	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1254	<	0.60	ND, R-02	0.60	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1254	<	0.47	ND, C-06	0.47	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1254	<	0.024	ND	0.024	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1254	<	0.033	ND, J	0.033	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1254	<	0.033	ND	0.033	0.20	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1254	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1254	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1254	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1254	<	0.48	ND, C-06	0.48	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1254	<	0.51	ND	0.51	0.51	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	CR-46	UR	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1260	<	0.0041	ND	0.0041	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1260	<	0.0042	ND	0.0042	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1260	<	0.017	ND	0.017	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1260	<	0.016	ND	0.016	0.48	µg/L	EPA 8082
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	PCB-1260	<	0.10	ND, C-06	0.10	0.50	µg/L	EPA 8082
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	PCB-1260	<	0.096	ND	0.096	0.48	µg/L	EPA 8082
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	PCB-1260	<	0.096	ND, C-06	0.096	0.48	µg/L	EPA 8082
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	PCB-1260	<	0.16	ND	0.16	0.48	µg/L	EPA 8082
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1260	=	0.058	J	0.0041	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1260	<	0.0042	ND	0.0042	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1260	<	0.016	ND	0.016	0.47	µg/L	EPA 8082
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	PCB-1260	<	0.10	ND, C-06	0.10	0.50	µg/L	EPA 8082
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	PCB-1260	<	0.095	ND	0.095	0.47	µg/L	EPA 8082
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	PCB-1260	<	0.096	ND, C-06	0.096	0.48	µg/L	EPA 8082
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	PCB-1260	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	DC-65	UR	Composite	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	DC-65	UR	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	DC-65	UR	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1260	=	0.057	J	0.0040	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1260	<	0.0041	ND	0.0041	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1260	<	0.017	ND	0.017	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	PCB-1260	<	0.14	ND, R-02	0.14	0.72	µg/L	EPA 8082
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	PCB-1260	<	0.094	ND	0.094	0.47	µg/L	EPA 8082
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	PCB-1260	<	0.096	ND, C-06	0.096	0.48	µg/L	EPA 8082
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	PCB-1260	<	0.16	ND	0.16	0.47	µg/L	EPA 8082
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1260	=	0.05	J	0.0041	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1260	<	0.0041	ND	0.0041	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1260	<	0.016	ND	0.016	0.48	µg/L	EPA 8082
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	PCB-1260	<	0.099	ND	0.099	0.50	µg/L	EPA 8082
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	PCB-1260	<	0.10	ND	0.10	0.51	µg/L	EPA 8082
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	PCB-1260	<	0.097	ND, C-06	0.097	0.49	µg/L	EPA 8082
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	PCB-1260	<	0.17	ND	0.17	0.48	µg/L	EPA 8082
SE30	MS-14	UR	Composite	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	MS-14	UR	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	MS-14	UR	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1260	=	0.094	J	0.0041	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1260	<	0.0042	ND	0.0042	0.12	µg/L	EPA 8082
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1260	<	0.016	ND	0.016	0.47	µg/L	EPA 8082
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	PCB-1260	<	0.10	ND, C-06	0.10	0.50	µg/L	EPA 8082
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	PCB-1260	<	0.098	ND	0.098	0.49	µg/L	EPA 8082
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	PCB-1260	<	0.096	ND, C-06	0.096	0.48	µg/L	EPA 8082
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	PCB-1260	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1260	=	0.062	J	0.0041	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1260	<	0.0042	ND	0.0042	0.12	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1260	<	0.016	ND	0.016	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	PCB-1260	<	0.10	ND, C-06	0.10	0.50	µg/L	EPA 8082
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	PCB-1260	<	0.099		0.099	0.50	µg/L	EPA 8082
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	PCB-1260	<	0.097	ND, C-06	0.097	0.49	µg/L	EPA 8082
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	PCB-1260	<	0.16	ND	0.16	0.47	µg/L	EPA 8082
SE30	SC-1	UR	Composite	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	SC-1	UR	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	SC-1	UR	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1260	=	0.097	J	0.0042	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1260	<	0.017	ND	0.017	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	PCB-1260	<	0.12	ND, R-02	0.12	0.60	µg/L	EPA 8082
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	PCB-1260	<	0.096	ND, C-06	0.096	0.48	µg/L	EPA 8082
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	PCB-1260	<	0.094	ND, C-06	0.094	0.47	µg/L	EPA 8082
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	PCB-1260	<	0.17	ND	0.17	0.49	µg/L	EPA 8082
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	PCB-1260	<	0.17	ND	0.17	0.2	µg/L	EPA 8082
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	PCB-1260	<	0.025	ND	0.025	0.20	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1260	=	0.057	J	0.0040	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1260	=	0.029	J	0.0041	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1260	<	0.017	ND	0.017	0.49	µg/L	EPA 8082
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	PCB-1260	<	0.10	ND	0.10	0.50	µg/L	EPA 8082
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	PCB-1260	<	0.097	ND, C-06	0.097	0.48	µg/L	EPA 8082
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	PCB-1260	<	0.095	ND, C-06	0.095	0.48	µg/L	EPA 8082
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	PCB-1260	<	0.17	ND	0.17	0.51	µg/L	EPA 8082
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	PCB-1268	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	PCB-1268	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	PCB-1268	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	PCB-1268	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	PCB-1268	<	0.48	ND	0.48	0.48	µg/L	EPA 8082
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	PCB-1268	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	PCB-1268	<	0.47	ND	0.47	0.47	µg/L	EPA 8082
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	PCB-1268	<	0.50	ND	0.50	0.50	µg/L	EPA 8082
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	PCB-1268	<	0.12	ND	0.12	0.12	µg/L	EPA 8082
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	PCB-1268	<	0.49	ND	0.49	0.49	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Pentachlorophenol	=	0.56	J	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Pentachlorophenol	=	0.26		0.14	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Pentachlorophenol	=	2.6		0.062	0.50	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Pentachlorophenol	=	3.2		0.062	0.50	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Pentachlorophenol	=	0.21	J	0.062	0.50	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Pentachlorophenol	=	2.4		0.78	2.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Pentachlorophenol	<	2.0	ND	2.0	5.0	µg/L	EPA 8270C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Pentachlorophenol	=	3.6		0.78	2.0	µg/L	EPA 8270C
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Pentachlorophenol	=	1.4	Ja	0.095	1.9	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Pentachlorophenol	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Pentachlorophenol	=	0.10	J	0.062	0.50	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Pentachlorophenol	=	0.34	J	0.062	0.50	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Pentachlorophenol	<	0.75	ND	0.75	1.9	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Pentachlorophenol	<	0.38	ND	0.38	7.6	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Pentachlorophenol	<	0.096	ND	0.096	1.9	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Pentachlorophenol	=	-	NR	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Pentachlorophenol	=	0.065	J	0.062	0.50	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Pentachlorophenol	<	0.47	ND, RL-3	0.47	9.4	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Pentachlorophenol	<	0.094	ND	0.094	1.9	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Pentachlorophenol	=	0.085	J	0.062	0.50	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Pentachlorophenol	<	0.89	ND	0.89	2.3	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Pentachlorophenol	<	0.096	ND, H4	0.096	1.9	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Pentachlorophenol	=	0.55		0.14	0.5	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Pentachlorophenol	=	0.11	J	0.062	0.50	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Pentachlorophenol	=	0.11	J	0.062	0.50	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Pentachlorophenol	<	0.77	ND	0.77	2.0	µg/L	EPA 8270C
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Pentachlorophenol	<	0.095	ND, H4, L2	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Pentachlorophenol	<	0.097	ND	0.097	1.9	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Pentachlorophenol	=	0.21	J	0.062	0.50	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Pentachlorophenol	<	0.77	ND	0.77	2.0	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Pentachlorophenol	<	0.095	ND, H4	0.095	1.9	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Pentachlorophenol	=	0.36	J	0.062	0.50	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Pentachlorophenol	=	0.19	J	0.062	0.50	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Pentachlorophenol	=	0.098	J	0.062	0.50	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Pentachlorophenol	=	0.21	Jb, A-01, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Pentachlorophenol	<	0.099	ND, H4	0.099	2.0	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Pentachlorophenol	<	0.14	ND	0.14	0.5	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Pentachlorophenol	<	0.062	ND	0.062	0.50	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Pentachlorophenol	<	1.0	ND	1	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Pentachlorophenol	<	0.7	ND	0.7	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Pentachlorophenol	<	0.78	ND	0.78	2.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Pentachlorophenol	<	0.11	ND, H4, RL-4	0.11	2.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Pentachlorophenol	<	0.095	ND	0.095	1.9	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Pentachlorophenol	<	0.10	ND	0.10	2.0	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	-	pH	=	7.37				std. units	
SE36	CR-46	UR	Grab	10/17/2004	23:15	-	pH	=	7.20				std. units	
SE38	CR-46	UR	Grab	2/27/2005	21:00	-	pH	=	6.88				std. units	
DW04	CR-46	UR	Grab	5/16/2005	9:45	-	pH	=	5.97				std. units	
SE39	CR-46	UR	Grab	12/1/2005	23:45	-	pH	=	6.94				std. units	SM 4500-H+B
SE41	CR-46	UR	Grab	3/20/2006	13:31	-	pH	=	7.41				std. units	SM 4500-H+B
DW05	CR-46	UR	Grab	5/10/2006	9:45	-	pH	=	6.97				std. units	SM 4500-H+B
DW06	CR-46	UR	Grab	6/5/2006	10:15	-	pH	=	6.94				std. units	SM 4500-H+B
DW03	CR-46R	RW	Grab	9/1/2004	9:29	-	pH	=	7.42				std. units	
SE36	CR-46R	RW	Grab	10/18/2004	---	-	pH	=	6.90				std. units	
SE38	CR-46R	RW	Grab	2/27/2005	20:50	-	pH	=	7.12				std. units	
DW04	CR-46R	RW	Grab	5/16/2005	8:45	-	pH	=	6.57				std. units	
SE39	CR-46R	RW	Grab	12/1/2005	21:50	-	pH	=	7.18				std. units	SM 4500-H+B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	-	pH	=	7.83				std. units	SM 4500-H+B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	-	pH	=	7.72				std. units	SM 4500-H+B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	-	pH	=	7.95				std. units	SM 4500-H+B
DW03	DC-65	UR	Grab	9/1/2004	8:15	-	pH	=	6.90				std. units	
SE36	DC-65	UR	Grab	10/17/2004	22:30	-	pH	=	7.20				std. units	
SE38	DC-65	UR	Grab	2/27/2005	19:47	-	pH	=	7.29				std. units	
DW04	DC-65	UR	Grab	5/16/2005	11:00	-	pH	=	6.92				std. units	
SE40	DC-65	UR	Grab	2/26/2006	21:00	-	pH	=	7.4				std. units	SM 4500-H+B
SE41	DC-65	UR	Grab	3/20/2006	13:50	-	pH	=	7.8				std. units	SM 4500-H+B
DW05	DC-65	UR	Grab	5/10/2006	8:15	-	pH	=	6.92				std. units	SM 4500-H+B
DW06	DC-65	UR	Grab	6/5/2006	9:15	-	pH	=	6.85				std. units	SM 4500-H+B
DW03	DC-65R	RW	Grab	9/1/2004	9:30	-	pH	=	6.65				std. units	
SE36	DC-65R	RW	Grab	10/17/2004	22:30	-	pH	=	6.60				std. units	

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	DC-65R	RW	Grab	2/27/2005	21:45	-	pH	=	6.89				std. units	
DW04	DC-65R	RW	Grab	5/16/2005	9:50	-	pH	=	7.13				std. units	
SE40	DC-65R	RW	Grab	2/26/2006	22:27	-	pH	=	7.2				std. units	SM 4500-H+B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	-	pH	=	7.96				std. units	SM 4500-H+B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	-	pH	=	7.18				std. units	SM 4500-H+B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	-	pH	=	7.13				std. units	SM 4500-H+B
DW03	MS-14	UR	Grab	9/1/2004	8:32	-	pH	=	7.31				std. units	
SE37	MS-14	UR	Grab	10/19/2004	8:13	-	pH	=	7.10				std. units	
SE38	MS-14	UR	Grab	2/27/2005	20:30	-	pH	=	5.80				std. units	
DW04	MS-14	UR	Grab	5/16/2005	8:58	-	pH	=	7.26				std. units	
SE39	MS-14	UR	Grab	12/1/2005	23:00	-	pH	=	7.26				std. units	SM 4500-H+B
SE40	MS-14	UR	Grab	2/26/2006	21:15	-	pH	=	6.7				std. units	SM 4500-H+B
DW05	MS-14	UR	Grab	5/10/2006	8:13	-	pH	=	7.3				std. units	SM 4500-H+B
DW06	MS-14	UR	Grab	6/5/2006	8:43	-	pH	=	7.34				std. units	SM 4500-H+B
DW03	MS-14R	RW	Grab	9/1/2004	9:39	-	pH	=	7.56				std. units	
SE37	MS-14R	RW	Grab	10/19/2004	9:00	-	pH	=	6.90				std. units	
SE38	MS-14R	RW	Grab	2/27/2005	19:40	-	pH	=	7.16				std. units	
DW04	MS-14R	RW	Grab	5/16/2005	9:40	-	pH	=	6.10				std. units	
SE39	MS-14R	RW	Grab	12/1/2005	22:47	-	pH	=	7.18				std. units	SM 4500-H+B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	-	pH	=	7.9				std. units	SM 4500-H+B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	-	pH	=	7.29				std. units	SM 4500-H+B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	-	pH	=	7.27				std. units	SM 4500-H+B
DW03	SC-1	UR	Grab	9/1/2004	8:30	-	pH	=	7.54				std. units	
SE36	SC-1	UR	Grab	10/17/2004	23:20	-	pH	=	6.80				std. units	
SE38	SC-1	UR	Grab	2/27/2005	19:30	-	pH	=	6.90				std. units	
DW04	SC-1	UR	Grab	5/16/2005	10:29	-	pH	=	7.51				std. units	
SE40	SC-1	UR	Grab	2/26/2006	22:41	-	pH	=	6.2				std. units	SM 4500-H+B
SE42	SC-1	UR	Grab	4/12/2006	9:00	-	pH	=	6.68				std. units	SM 4500-H+B
DW05	SC-1	UR	Grab	5/10/2006	9:00	-	pH	=	7.90				std. units	SM 4500-H+B
DW06	SC-1	UR	Grab	6/5/2006	9:40	-	pH	=	7.64				std. units	SM 4500-H+B
DW03	SC-1R	RW	Grab	9/1/2004	10:00	-	pH	=	7.78				std. units	
SE36	SC-1R	RW	Grab	10/18/2004	0:10	-	pH	=	7.40				std. units	
SE38	SC-1R	RW	Grab	2/27/2005	20:58	-	pH	=	7.68				std. units	
DW04	SC-1R	RW	Grab	5/16/2005	10:35	-	pH	=	7.12				std. units	
SE40	SC-1R	RW	Grab	2/26/2006	21:20	-	pH	=	7.6				std. units	SM 4500-H+B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	-	pH	=	6.69				std. units	SM 4500-H+B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	-	pH	=	6.63				std. units	SM 4500-H+B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	-	pH	=	7.32				std. units	SM 4500-H+B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Phenanthrene	=	0.093		0.019	0.050	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Phenanthrene	=	0.12		0.019	0.050	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Phenanthrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Phenanthrene	=	0.12		0.020	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Phenanthrene	=	0.061		0.020	0.050	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Phenanthrene	=	0.079		0.019	0.050	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Phenanthrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Phenanthrene	=	0.027	Ja	0.020	0.050	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Phenanthrene	=	0.11		0.02	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Phenanthrene	=	0.18		0.019	0.050	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Phenanthrene	=	0.14		0.019	0.050	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Phenanthrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Phenanthrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Phenanthrene	=	0.11	R-1	0.020	0.050	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Phenanthrene	=	0.068		0.020	0.050	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Phenanthrene	=	0.046	Jb	0.020	0.050	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Phenanthrene	=	0.036	Jb	0.020	0.050	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Phenanthrene	=	0.035	J	0.019	0.050	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Phenanthrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Phenanthrene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Phenanthrene	=	0.034	Ja	0.020	0.050	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Phenanthrene	=	0.045	J	0.019	0.050	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Phenanthrene	=	0.041	J	0.019	0.050	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Phenanthrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Phenanthrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Phenanthrene	<	0.020		0.020	0.050	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Phenanthrene	=	0.037	J	0.02	0.05	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Phenanthrene	<	0.020		0.020	0.050	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Phenanthrene	=	0.12		0.019	0.050	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Phenanthrene	=	0.082		0.019	0.050	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Phenanthrene	=	0.038	J	0.019	0.050	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Phenanthrene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Phenanthrene	=	0.042	R-1, Jb	0.020	0.050	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Phenanthrene	=	0.068	R-1	0.020	0.050	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Phenanthrene	<	0.02	ND	0.02	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Phenanthrene	<	0.019	ND	0.019	0.050	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Phenanthrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Phenanthrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Phenanthrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Phenanthrene	=	0.030	Jb	0.020	0.050	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Phenanthrene	<	0.020	ND	0.020	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Phenol	=	6.4		0.3	0.3	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Grab	12/24/2003	14:47	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
SE34	CR-46	UR	Grab	2/2/2004	14:00	Total	Phenol	=	0.87		0.026	0.30	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Phenol	<	0.35	ND	0.35	2.5	µg/L	EPA 8270C
SE39	CR-46	UR	Grab	12/2/2005	11:10	Total	Phenol	=	0.44	J	0.14	1.0	µg/L	EPA 8270C
SE41	CR-46	UR	Grab	3/20/2006	14:25	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Phenol	=	0.32	Jb	0.30	1.0	µg/L	EPA 8270C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Phenol	<	0.29	ND	0.29	0.96	µg/L	EPA 8270C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Phenol	=	0.063	J	0.026	0.30	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Phenol	=	0.52		0.026	0.30	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Phenol	<	0.13	ND	0.13	0.96	µg/L	EPA 8270C
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Phenol	<	1.1	ND	1.1	3.8	µg/L	EPA 8270C
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Phenol	<	0.29	ND	0.29	0.96	µg/L	EPA 8270C
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Grab	12/24/2003	15:10	Total	Phenol	=	0.052	J	0.026	0.30	µg/L	EPA 8270C
SE35	DC-65	UR	Grab	2/16/2004	13:40	Total	Phenol	=	0.58		0.026	0.30	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Phenol	=	0.21	J	0.14	1.0	µg/L	EPA 8270C
SE41	DC-65	UR	Grab	3/20/2006	14:35	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Phenol	<	1.4	ND, RL-3	1.4	4.7	µg/L	EPA 8270C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Phenol	=	2.2		0.28	0.94	µg/L	EPA 8270C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Phenol	=	0.053	J	0.026	0.30	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Phenol	=	0.029	J	0.026	0.30	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Phenol	<	0.16	ND	0.16	1.1	µg/L	EPA 8270C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Phenol	<	0.29	ND, H4	0.29	0.96	µg/L	EPA 8270C
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Phenol	<	0.30	ND	0.30	1.0	µg/L	EPA 8270C
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Phenol	<	0.30	ND	0.30	1.0	µg/L	EPA 8270C
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	Phenol	=	0.066	J	0.026	0.30	µg/L	EPA 8270C
SE34	MS-14	UR	Grab	2/2/2004	15:20	Total	Phenol	=	0.35		0.026	0.30	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Phenol	=	0.13	J	0.026	0.30	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
SE39	MS-14	UR	Grab	12/2/2005	1:00	Total	Phenol	=	0.24	J	0.14	0.99	µg/L	EPA 8270C
SE40	MS-14	UR	Grab	2/26/2006	23:40	Total	Phenol	<	0.29	ND, H4, L2	0.29	0.95	µg/L	EPA 8270C
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Phenol	=	0.34	Jb	0.29	0.95	µg/L	EPA 8270C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Phenol	<	0.29	ND	0.29	0.97	µg/L	EPA 8270C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Phenol	=	0.34	J	0.14	0.99	µg/L	EPA 8270C
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Phenol	<	0.29	ND, H4	0.29	0.95	µg/L	EPA 8270C
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Grab	12/24/2003	11:55	Total	Phenol	=	0.11	J	0.026	0.30	µg/L	EPA 8270C
SE34	SC-1	UR	Grab	2/2/2004	15:40	Total	Phenol	=	0.18	J	0.026	0.30	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
SE40	SC-1	UR	Grab	2/27/2006	6:45	Total	Phenol	=	0.55	Jb, A-01, H4, RL-4	0.32	1.1	µg/L	EPA 8270C
SE42	SC-1	UR	Grab	4/12/2006	10:15	Total	Phenol	<	0.30	ND	0.30	1.0	µg/L	EPA 8270C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Phenol	<	0.30	ND, H4	0.30	0.99	µg/L	EPA 8270C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Phenol	<	0.29	ND	0.29	0.95	µg/L	EPA 8270C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Phenol	<	0.3	ND	0.3	0.3	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Phenol	=	0.11	J	0.026	0.30	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Phenol	<	0.026	ND	0.026	0.30	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Phenol	<	0.4	ND	0.4	1	µg/L	EPA 625
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Phenol	<	0.2	ND	0.2	1	µg/L	EPA 8270
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Phenol	<	0.14	ND	0.14	1.0	µg/L	EPA 8270C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Phenol	<	0.32	ND, H4, RL-4	0.32	1.1	µg/L	EPA 8270C
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Phenol	<	0.30	ND	0.30	1.0	µg/L	EPA 8270C
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Phenol	<	0.28	ND	0.28	0.95	µg/L	EPA 8270C
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Phenol	<	0.30	ND	0.30	1.0	µg/L	EPA 8270C
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Phosphorus	=	0.26		0.00096	0.01	mg/L	EPA 365.2
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Phosphorus	=	0.65		0.002	0.01	mg/L	EPA 365.2
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.43		0.00096	0.01	mg/L	EPA 365.2
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Phosphorus	=	1.3		0.002	0.01	mg/L	EPA 365.2
SE33	CR-46	UR	Composite	12/24/2003	---	Dissolved	Phosphorus	=	0.065		0.00096	0.01	mg/L	EPA 365.2
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
SE34	CR-46	UR	Composite	2/2/2004	---	Dissolved	Phosphorus	=	0.084		0.00096	0.01	mg/L	EPA 365.2
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Phosphorus	=	0.16		0.00096	0.01	mg/L	EPA 365.2
DW01	CR-46	UR	Grab	5/16/2004	---	Dissolved	Phosphorus	=	1.6		0.00096	0.10	mg/L	EPA 365.2
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Phosphorus	=	1.9		0.00096	0.10	mg/L	EPA 365.2
DW02	CR-46	UR	Grab	6/13/2004	---	Dissolved	Phosphorus	=	1.0		0.00096	0.10	mg/L	EPA 365.2
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Phosphorus	=	1.2		0.00096	0.10	mg/L	EPA 365.2
DW03	CR-46	UR	Grab	9/1/2004	8:34	Dissolved	Phosphorus	=	2.3		0.0020	0.010	mg/L	EPA 365.3
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Phosphorus	=	2.4		0.012	0.060	mg/L	EPA 365.3
SE36	CR-46	UR	Composite	10/17/2004	23:15	Dissolved	Phosphorus	=	0.33		0.0020	0.010	mg/L	EPA 365.3
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Phosphorus	=	1.3		0.0060	0.030	mg/L	EPA 365.3
SE38	CR-46	UR	Composite	2/27/2005	21:00	Dissolved	Phosphorus	=	0.093		0.016	0.050	mg/L	EPA 365.3
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Phosphorus	=	0.13		0.0036	0.050	mg/L	EPA 365.3
DW04	CR-46	UR	Grab	5/16/2005	9:45	Dissolved	Phosphorus	=	0.38		0.080	0.25	mg/L	EPA 365.3
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Phosphorus	=	1.0		0.018	0.25	mg/L	EPA 365.3
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Phosphorus	=	0.69		0.032	0.050	mg/L	EPA 365.3
SE39	CR-46	UR	Composite	12/2/2005	11:10	Dissolved	Phosphorus	=	0.23		0.032	0.050	mg/L	EPA 365.3
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Phosphorus	=	0.15		0.014	0.050	mg/L	EPA 365.3
SE41	CR-46	UR	Composite	3/20/2006	14:25	Dissolved	Phosphorus	=	0.061		0.014	0.050	mg/L	EPA 365.3
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Phosphorus	=	4.7		0.070	0.25	mg/L	EPA 365.3
DW05	CR-46	UR	Grab	5/10/2006	10:01	Dissolved	Phosphorus	=	3.7	H	0.070	0.25	mg/L	EPA 365.3
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Phosphorus	=	2.9		0.070	0.25	mg/L	EPA 365.3
DW06	CR-46	UR	Grab	6/5/2006	10:15	Dissolved	Phosphorus	=	2.0		0.070	0.25	mg/L	EPA 365.3
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Phosphorus	=	0.2		0.00096	0.01	mg/L	EPA 365.2
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Phosphorus	=	0.28		0.002	0.01	mg/L	EPA 365.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Phosphorus	<	0.00096	ND	0.00096	0.01	mg/L	EPA 365.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Phosphorus	=	0.032		0.002	0.01	mg/L	EPA 365.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Phosphorus	<	0.00096	ND	0.00096	0.01	mg/L	EPA 365.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Phosphorus	=	0.067		0.002	0.01	mg/L	EPA 365.2
SE33	CR-46R	RW	Grab	12/24/2003	---	Dissolved	Phosphorus	=	0.14		0.00096	0.01	mg/L	EPA 365.2
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Phosphorus	=	0.23		0.00096	0.01	mg/L	EPA 365.2
SE34	CR-46R	RW	Grab	2/2/2004	---	Dissolved	Phosphorus	=	0.11		0.00096	0.01	mg/L	EPA 365.2
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
DW01	CR-46R	RW	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.013		0.00096	0.01	mg/L	EPA 365.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Phosphorus	=	0.077		0.00096	0.01	mg/L	EPA 365.2
DW02	CR-46R	RW	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.050		0.00096	0.01	mg/L	EPA 365.2
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Phosphorus	=	0.083		0.00096	0.01	mg/L	EPA 365.2
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Dissolved	Phosphorus	=	0.054		0.0020	0.010	mg/L	EPA 365.3
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Phosphorus	=	0.055		0.0020	0.010	mg/L	EPA 365.3
SE36	CR-46R	RW	Grab	10/17/2004	---	Dissolved	Phosphorus	=	0.075		0.0020	0.010	mg/L	EPA 365.3
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Phosphorus	=	0.074		0.0020	0.010	mg/L	EPA 365.3
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Dissolved	Phosphorus	=	0.06		0.016	0.050	mg/L	EPA 365.3
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Phosphorus	=	0.079		0.0036	0.050	mg/L	EPA 365.3
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Dissolved	Phosphorus	=	0.024	J	0.016	0.050	mg/L	EPA 365.3
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Phosphorus	=	0.034	J	0.0036	0.050	mg/L	EPA 365.3
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Phosphorus	=	0.23		0.032	0.050	mg/L	EPA 365.3
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Dissolved	Phosphorus	=	0.11		0.032	0.050	mg/L	EPA 365.3
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Phosphorus	=	0.042	Ja	0.014	0.050	mg/L	EPA 365.3
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Dissolved	Phosphorus	<	0.014	ND	0.014	0.050	mg/L	EPA 365.3
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Phosphorus	=	0.017	Jb	0.014	0.050	mg/L	EPA 365.3
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Dissolved	Phosphorus	=	0.021	Jb, H	0.014	0.050	mg/L	EPA 365.3
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Phosphorus	=	0.029	Jb	0.014	0.050	mg/L	EPA 365.3
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Dissolved	Phosphorus	=	0.026	Jb	0.014	0.050	mg/L	EPA 365.3
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Phosphorus	=	0.21		0.00096	0.01	mg/L	EPA 365.2
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Phosphorus	=	0.57		0.002	0.01	mg/L	EPA 365.2
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Phosphorus	=	2.3		0.00096	0.01	mg/L	EPA 365.2
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Phosphorus	=	2.6		0.002	0.01	mg/L	EPA 365.2
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.94		0.00096	0.01	mg/L	EPA 365.2
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Phosphorus	=	1		0.002	0.01	mg/L	EPA 365.2
SE33	DC-65	UR	Composite	12/24/2003	---	Dissolved	Phosphorus	=	0.14		0.00096	0.01	mg/L	EPA 365.2
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Phosphorus	=	0.22		0.00096	0.01	mg/L	EPA 365.2
SE35	DC-65	UR	Composite	2/16/2004	---	Dissolved	Phosphorus	=	0.16		0.00096	0.01	mg/L	EPA 365.2
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Phosphorus	=	0.52		0.00096	0.05	mg/L	EPA 365.2
DW01	DC-65	UR	Grab	5/16/2004	---	Dissolved	Phosphorus	=	1.3		0.00096	0.10	mg/L	EPA 365.2
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Phosphorus	=	1.6		0.00096	0.10	mg/L	EPA 365.2
DW02	DC-65	UR	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.78		0.00096	0.10	mg/L	EPA 365.2
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Phosphorus	=	0.92		0.00096	0.10	mg/L	EPA 365.2
DW03	DC-65	UR	Grab	9/1/2004	8:15	Dissolved	Phosphorus	=	0.64		0.0020	0.010	mg/L	EPA 365.3
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Phosphorus	=	0.65		0.0040	0.020	mg/L	EPA 365.3
SE36	DC-65	UR	Composite	10/17/2004	22:30	Dissolved	Phosphorus	=	1.0		0.014	0.070	mg/L	EPA 365.3
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Phosphorus	=	1.8		0.014	0.070	mg/L	EPA 365.3
SE38	DC-65	UR	Composite	2/27/2005	19:47	Dissolved	Phosphorus	=	0.14		0.016	0.050	mg/L	EPA 365.3
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Phosphorus	=	0.16		0.0036	0.050	mg/L	EPA 365.3
DW04	DC-65	UR	Grab	5/16/2005	11:00	Dissolved	Phosphorus	=	0.26		0.016	0.050	mg/L	EPA 365.3
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Phosphorus	=	0.37		0.0036	0.050	mg/L	EPA 365.3
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Phosphorus	=	0.53		0.032	0.050	mg/L	EPA 365.3
SE40	DC-65	UR	Composite	2/26/2006	23:45	Dissolved	Phosphorus	=	0.22		0.032	0.050	mg/L	EPA 365.3
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Phosphorus	=	0.73		0.070	0.25	mg/L	EPA 365.3
SE41	DC-65	UR	Composite	3/20/2006	14:35	Dissolved	Phosphorus	=	0.20		0.014	0.050	mg/L	EPA 365.3
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Phosphorus	=	2.5		0.070	0.25	mg/L	EPA 365.3
DW05	DC-65	UR	Grab	5/10/2006	8:15	Dissolved	Phosphorus	=	0.96	H	0.014	0.050	mg/L	EPA 365.3
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Phosphorus	=	1.0		0.014	0.050	mg/L	EPA 365.3
DW06	DC-65	UR	Grab	6/5/2006	9:15	Dissolved	Phosphorus	=	0.75		0.014	0.050	mg/L	EPA 365.3
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Phosphorus	=	0.016		0.00096	0.01	mg/L	EPA 365.2
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Phosphorus	=	0.32		0.002	0.01	mg/L	EPA 365.2
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Phosphorus	=	0.2		0.00096	0.01	mg/L	EPA 365.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Phosphorus	=	0.14		0.002	0.01	mg/L	EPA 365.2
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Phosphorus	=	0.28		0.002	0.01	mg/L	EPA 365.2
SE33	DC-65R	RW	Grab	12/24/2003	---	Dissolved	Phosphorus	=	0.30		0.00096	0.01	mg/L	EPA 365.2
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Phosphorus	=	0.32		0.00096	0.05	mg/L	EPA 365.2
SE34	DC-65R	RW	Grab	2/2/2004	---	Dissolved	Phosphorus	=	0.44		0.00096	0.10	mg/L	EPA 365.2
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Phosphorus	=	0.43		0.00096	0.10	mg/L	EPA 365.2
SE35	DC-65R	RW	Grab	2/16/2004	---	Dissolved	Phosphorus	=	0.21		0.00096	0.01	mg/L	EPA 365.2
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Phosphorus	=	0.30		0.00096	0.05	mg/L	EPA 365.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.069		0.00096	0.01	mg/L	EPA 365.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Phosphorus	=	0.28		0.00096	0.01	mg/L	EPA 365.2
DW02	DC-65R	RW	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.13		0.00096	0.01	mg/L	EPA 365.2
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Phosphorus	=	0.21		0.00096	0.01	mg/L	EPA 365.2
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Dissolved	Phosphorus	=	0.28		0.0020	0.010	mg/L	EPA 365.3
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Phosphorus	=	0.28		0.0020	0.010	mg/L	EPA 365.3
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Dissolved	Phosphorus	=	0.13		0.0020	0.010	mg/L	EPA 365.3
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Phosphorus	=	0.64		0.0060	0.030	mg/L	EPA 365.3
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Dissolved	Phosphorus	=	0.062		0.016	0.050	mg/L	EPA 365.3
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Phosphorus	=	0.33		0.0036	0.050	mg/L	EPA 365.3
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Dissolved	Phosphorus	=	0.1		0.016	0.050	mg/L	EPA 365.3
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Phosphorus	=	0.12		0.0036	0.050	mg/L	EPA 365.3
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Phosphorus	=	0.22		0.032	0.050	mg/L	EPA 365.3
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Dissolved	Phosphorus	=	0.17		0.032	0.050	mg/L	EPA 365.3
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Phosphorus	=	0.40		0.014	0.050	mg/L	EPA 365.3
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Dissolved	Phosphorus	=	0.18		0.014	0.050	mg/L	EPA 365.3
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Phosphorus	=	0.12		0.014	0.050	mg/L	EPA 365.3
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Dissolved	Phosphorus	=	0.11	H	0.014	0.050	mg/L	EPA 365.3
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Phosphorus	=	0.13		0.014	0.050	mg/L	EPA 365.3
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Dissolved	Phosphorus	=	0.086		0.014	0.050	mg/L	EPA 365.3
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Phosphorus	=	0.11		0.00096	0.01	mg/L	EPA 365.2
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Phosphorus	=	0.44		0.002	0.01	mg/L	EPA 365.2
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Phosphorus	=	0.28		0.00096	0.01	mg/L	EPA 365.2
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Phosphorus	=	0.47		0.002	0.01	mg/L	EPA 365.2
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.21		0.00096	0.01	mg/L	EPA 365.2
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Phosphorus	=	0.49		0.002	0.01	mg/L	EPA 365.2
SE33	MS-14	UR	Composite	12/24/2003	---	Dissolved	Phosphorus	=	0.20		0.00096	0.01	mg/L	EPA 365.2
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Phosphorus	=	0.25		0.00096	0.01	mg/L	EPA 365.2
SE34	MS-14	UR	Composite	2/2/2004	---	Dissolved	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Phosphorus	=	0.26		0.00096	0.01	mg/L	EPA 365.2
DW01	MS-14	UR	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.42		0.00096	0.10	mg/L	EPA 365.2
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Phosphorus	=	0.33		0.00096	0.10	mg/L	EPA 365.2
DW02	MS-14	UR	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.59		0.00096	0.10	mg/L	EPA 365.2
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Phosphorus	=	0.60		0.00096	0.10	mg/L	EPA 365.2
DW03	MS-14	UR	Grab	9/1/2004	8:32	Dissolved	Phosphorus	=	0.53		0.0020	0.010	mg/L	EPA 365.3
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Phosphorus	=	0.51		0.0040	0.020	mg/L	EPA 365.3
SE37	MS-14	UR	Composite	10/19/2004	8:13	Dissolved	Phosphorus	=	0.3		0.0020	0.010	mg/L	EPA 365.3
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Phosphorus	=	0.42		0.0020	0.010	mg/L	EPA 365.3
SE38	MS-14	UR	Composite	2/27/2005	20:30	Dissolved	Phosphorus	=	0.13		0.016	0.050	mg/L	EPA 365.3
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Phosphorus	=	0.15		0.0036	0.050	mg/L	EPA 365.3
DW04	MS-14	UR	Grab	5/16/2005	9:56	Dissolved	Phosphorus	=	0.18		0.016	0.050	mg/L	EPA 365.3
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Phosphorus	=	0.23		0.0036	0.050	mg/L	EPA 365.3
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Phosphorus	=	0.37		0.032	0.050	mg/L	EPA 365.3

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE39	MS-14	UR	Composite	12/2/2005	1:00	Dissolved	Phosphorus	=	0.30		0.032	0.050	mg/L	EPA 365.3
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Phosphorus	=	0.26		0.032	0.050	mg/L	EPA 365.3
SE40	MS-14	UR	Composite	2/26/2006	23:40	Dissolved	Phosphorus	=	0.13		0.032	0.050	mg/L	EPA 365.3
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Phosphorus	=	0.27		0.014	0.050	mg/L	EPA 365.3
DW05	MS-14	UR	Grab	5/10/2006	9:00	Dissolved	Phosphorus	=	0.25	H	0.014	0.050	mg/L	EPA 365.3
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Phosphorus	=	0.28		0.014	0.050	mg/L	EPA 365.3
DW06	MS-14	UR	Grab	6/5/2006	8:43	Dissolved	Phosphorus	=	0.27		0.014	0.050	mg/L	EPA 365.3
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Phosphorus	=	0.11		0.00096	0.01	mg/L	EPA 365.2
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Phosphorus	=	0.34		0.002	0.01	mg/L	EPA 365.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Phosphorus	=	0.15		0.00096	0.01	mg/L	EPA 365.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Phosphorus	=	0.22		0.002	0.01	mg/L	EPA 365.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.079		0.00096	0.01	mg/L	EPA 365.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Phosphorus	=	0.16		0.002	0.01	mg/L	EPA 365.2
SE34	MS-14R	RW	Grab	2/2/2004	---	Dissolved	Phosphorus	=	0.16		0.00096	0.01	mg/L	EPA 365.2
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Phosphorus	=	0.18		0.00096	0.01	mg/L	EPA 365.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.16		0.00096	0.01	mg/L	EPA 365.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Phosphorus	=	0.23		0.00096	0.01	mg/L	EPA 365.2
DW02	MS-14R	RW	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.15		0.00096	0.01	mg/L	EPA 365.2
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Dissolved	Phosphorus	=	0.091		0.0020	0.010	mg/L	EPA 365.3
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Phosphorus	=	0.09		0.0020	0.010	mg/L	EPA 365.3
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Dissolved	Phosphorus	=	0.35		0.0020	0.010	mg/L	EPA 365.3
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Phosphorus	=	0.48		0.0020	0.010	mg/L	EPA 365.3
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Dissolved	Phosphorus	=	0.095		0.016	0.050	mg/L	EPA 365.3
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Phosphorus	=	0.095		0.0036	0.050	mg/L	EPA 365.3
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Dissolved	Phosphorus	=	0.034	J	0.016	0.050	mg/L	EPA 365.3
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Phosphorus	=	0.065		0.0036	0.050	mg/L	EPA 365.3
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Phosphorus	=	0.66		0.032	0.050	mg/L	EPA 365.3
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Dissolved	Phosphorus	=	0.21		0.032	0.050	mg/L	EPA 365.3
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Phosphorus	=	0.099		0.032	0.050	mg/L	EPA 365.3
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Dissolved	Phosphorus	=	0.072		0.032	0.050	mg/L	EPA 365.3
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Phosphorus	=	0.24		0.014	0.050	mg/L	EPA 365.3
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Dissolved	Phosphorus	=	0.21	H	0.014	0.050	mg/L	EPA 365.3
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Phosphorus	=	0.12		0.014	0.050	mg/L	EPA 365.3
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Dissolved	Phosphorus	=	0.080		0.014	0.050	mg/L	EPA 365.3
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Phosphorus	=	0.21		0.00096	0.01	mg/L	EPA 365.2
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Phosphorus	=	0.57		0.002	0.01	mg/L	EPA 365.2
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Phosphorus	=	0.28		0.00096	0.01	mg/L	EPA 365.2
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Phosphorus	=	0.41		0.002	0.01	mg/L	EPA 365.2
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.41		0.00096	0.01	mg/L	EPA 365.2
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Phosphorus	=	0.64		0.002	0.01	mg/L	EPA 365.2
SE33	SC-1	UR	Composite	12/24/2003	---	Dissolved	Phosphorus	=	0.18		0.00096	0.01	mg/L	EPA 365.2
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Phosphorus	=	0.28		0.00096	0.01	mg/L	EPA 365.2
SE34	SC-1	UR	Composite	2/2/2004	---	Dissolved	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Phosphorus	=	0.32		0.00096	0.10	mg/L	EPA 365.2
DW01	SC-1	UR	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.58		0.00096	0.10	mg/L	EPA 365.2
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Phosphorus	=	0.49		0.00096	0.10	mg/L	EPA 365.2
DW02	SC-1	UR	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.57		0.00096	0.10	mg/L	EPA 365.2
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Phosphorus	=	0.77		0.00096	0.10	mg/L	EPA 365.2
DW03	SC-1	UR	Grab	9/1/2004	8:30	Dissolved	Phosphorus	=	0.62		0.0020	0.010	mg/L	EPA 365.3
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Phosphorus	=	0.63		0.0040	0.020	mg/L	EPA 365.3
SE36	SC-1	UR	Composite	10/18/2004	22:20	Dissolved	Phosphorus	=	2.5		0.026	0.13	mg/L	EPA 365.3

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Phosphorus	=	6.6		0.032	0.16	mg/L	EPA 365.3
SE38	SC-1	UR	Composite	2/27/2005	19:30	Dissolved	Phosphorus	=	0.43		0.016	0.050	mg/L	EPA 365.3
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Phosphorus	=	0.58		0.0036	0.050	mg/L	EPA 365.3
DW04	SC-1	UR	Grab	5/16/2005	10:29	Dissolved	Phosphorus	=	0.56		0.016	0.050	mg/L	EPA 365.3
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Phosphorus	=	0.81		0.0036	0.050	mg/L	EPA 365.3
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Phosphorus	=	0.16		0.032	0.050	mg/L	EPA 365.3
SE40	SC-1	UR	Composite	2/27/2006	6:45	Dissolved	Phosphorus	=	0.12		0.032	0.050	mg/L	EPA 365.3
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Phosphorus	=	0.34		0.014	0.050	mg/L	EPA 365.3
SE42	SC-1	UR	Composite	4/12/2006	10:15	Dissolved	Phosphorus	=	0.22		0.014	0.050	mg/L	EPA 365.3
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Phosphorus	=	0.20		0.014	0.050	mg/L	EPA 365.3
DW05	SC-1	UR	Grab	5/10/2006	9:00	Dissolved	Phosphorus	=	0.20	H	0.014	0.050	mg/L	EPA 365.3
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Phosphorus	=	0.48		0.014	0.050	mg/L	EPA 365.3
DW06	SC-1	UR	Grab	6/5/2006	9:40	Dissolved	Phosphorus	=	0.31		0.014	0.050	mg/L	EPA 365.3
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Phosphorus	=	0.007	J	0.00096	0.01	mg/L	EPA 365.2
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Phosphorus	=	0.36		0.002	0.01	mg/L	EPA 365.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Phosphorus	<	0.00096	ND	0.00096	0.01	mg/L	EPA 365.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Phosphorus	=	0.049		0.002	0.01	mg/L	EPA 365.2
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Phosphorus	=	0.17		0.00096	0.01	mg/L	EPA 365.2
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Phosphorus	=	0.25		0.002	0.01	mg/L	EPA 365.2
SE33	SC-1R	RW	Grab	12/24/2003	---	Dissolved	Phosphorus	=	0.20		0.00096	0.01	mg/L	EPA 365.2
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Phosphorus	=	0.20		0.00096	0.01	mg/L	EPA 365.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Dissolved	Phosphorus	=	0.016		0.00096	0.01	mg/L	EPA 365.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Phosphorus	=	0.16		0.00096	0.01	mg/L	EPA 365.2
DW02	SC-1R	RW	Grab	6/13/2004	---	Dissolved	Phosphorus	=	0.048		0.00096	0.01	mg/L	EPA 365.2
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Phosphorus	=	0.25		0.00096	0.01	mg/L	EPA 365.2
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Dissolved	Phosphorus	=	0.11		0.0020	0.010	mg/L	EPA 365.3
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Phosphorus	=	0.14		0.0020	0.010	mg/L	EPA 365.3
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Dissolved	Phosphorus	=	0.1		0.0020	0.010	mg/L	EPA 365.3
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Phosphorus	=	0.45		0.0020	0.010	mg/L	EPA 365.3
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Dissolved	Phosphorus	=	0.044	J	0.016	0.050	mg/L	EPA 365.3
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Phosphorus	=	0.093		0.0036	0.050	mg/L	EPA 365.3
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Dissolved	Phosphorus	=	0.017	J	0.016	0.050	mg/L	EPA 365.3
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Phosphorus	=	0.07		0.0036	0.050	mg/L	EPA 365.3
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Phosphorus	=	0.063		0.032	0.050	mg/L	EPA 365.3
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Dissolved	Phosphorus	=	0.035	Jb	0.032	0.050	mg/L	EPA 365.3
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Phosphorus	=	0.10		0.014	0.050	mg/L	EPA 365.3
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Dissolved	Phosphorus	=	0.091		0.014	0.050	mg/L	EPA 365.3
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Phosphorus	=	0.070		0.014	0.050	mg/L	EPA 365.3
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Dissolved	Phosphorus	=	0.036	Jb, H	0.014	0.050	mg/L	EPA 365.3
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Phosphorus	=	0.15		0.014	0.050	mg/L	EPA 365.3
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Dissolved	Phosphorus	=	0.098		0.014	0.050	mg/L	EPA 365.3
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Prometryn	=	2	ND	2	2	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Prometryn	=	2	ND	2	2	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Prometryn	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Prometryn	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Prometryn	<	0.10	ND	0.10	2.0	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 619
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Prometryn	<	0.1	ND	0.08	2.0	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Prometryn	<	2	ND	2	2	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Pyrene	=	0.11		0.04	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Pyrene	=	0.10		0.033	0.050	µg/L	EPA 8270C
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Pyrene	=	0.17		0.033	0.050	µg/L	EPA 8270C
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Pyrene	=	0.15	R-1	0.025	0.050	µg/L	EPA 8310
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Pyrene	=	0.075		0.025	0.050	µg/L	EPA 8310
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Pyrene	=	0.026	M2, Jb	0.025	0.050	µg/L	EPA 8310
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Pyrene	=	0.057		0.033	0.050	µg/L	EPA 8270C
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Pyrene	=	0.045	J	0.033	0.050	µg/L	EPA 8270C
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Pyrene	<	0.0099	ND	0.0099	0.050	µg/L	EPA 610
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Pyrene	=	0.042	Jb, R-10	0.025	0.050	µg/L	EPA 8310
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Pyrene	=	0.066	R-1	0.025	0.050	µg/L	EPA 8310
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Pyrene	<	0.011	ND	0.011	0.057	µg/L	EPA 610
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Pyrene	=	0.041	R-1, Ja	0.025	0.050	µg/L	EPA 8310
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Pyrene	=	0.053		0.033	0.050	µg/L	EPA 8270C
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Pyrene	<	0.0095	ND	0.0095	0.048	µg/L	EPA 610
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Pyrene	=	0.041	Jb, R-1	0.025	0.050	µg/L	EPA 8310
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Pyrene	<	0.025	ND, M2	0.025	0.050	µg/L	EPA 8310
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Pyrene	<	0.025		0.025	0.050	µg/L	EPA 8310
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Pyrene	=	0.11		0.033	0.050	µg/L	EPA 8270C
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Pyrene	=	0.16		0.033	0.050	µg/L	EPA 8270C
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Pyrene	<	0.010	ND	0.010	0.050	µg/L	EPA 610
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Pyrene	=	0.052		0.025	0.050	µg/L	EPA 8310
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Pyrene	=	0.11		0.025	0.050	µg/L	EPA 8310
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Pyrene	<	0.04	ND	0.04	0.05	µg/L	EPA 625 / 8270C
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Pyrene	<	0.033	ND	0.033	0.050	µg/L	EPA 8270C
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Pyrene	<	0.0096	ND	0.0096	0.048	µg/L	EPA 610
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Pyrene	<	0.0098	ND	0.0098	0.049	µg/L	EPA 610
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Pyrene	<	0.0097	ND	0.0097	0.049	µg/L	EPA 610
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Pyrene	<	0.025	ND, M2	0.025	0.050	µg/L	EPA 8310
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Pyrene	<	0.025	ND	0.025	0.050	µg/L	EPA 8310
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Selenium	=	0.51	J	0.14	2	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Selenium	=	0.6	J	0.1	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Selenium	=	1.1	J	0.14	2	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Selenium	=	0.47	J	0.1	1	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Selenium	=	0.19	J	0.14	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Selenium	=	0.85	J	0.14	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Selenium	=	0.71	J	0.14	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Selenium	=	0.38	J	0.14	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Selenium	=	0.36	J	0.14	1.0	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Selenium	=	0.88	J	0.30	1.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Selenium	=	1.3	J	0.30	1.0	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Selenium	=	0.92	J	0.30	1.0	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Selenium	=	0.52	J	0.18	1.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Selenium	=	0.130	J	0.0286	1.00	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Selenium	=	0.631	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Selenium	=	1.03	J	0.0286	1.00	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Selenium	=	0.4	J	0.1	1	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Selenium	=	0.37	J	0.1	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Selenium	=	0.24	J	0.14	2	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Selenium	=	0.59	J	0.1	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Selenium	<	0.14	ND	0.14	2	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Selenium	=	0.29	J	0.1	1	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Selenium	=	0.20	J	0.14	1.0	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Selenium	=	0.22	J	0.14	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Selenium	=	0.35	J	0.14	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Selenium	<	0.14	ND, J	0.14	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Selenium	=	0.31	J	0.14	1.0	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Selenium	=	0.71	J	0.30	1.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Selenium	=	0.89	J	0.30	1.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Selenium	=	0.48	J	0.30	1.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Selenium	=	0.39	J	0.18	1.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Selenium	=	0.120	J	0.0286	1.00	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Selenium	=	0.161	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Selenium	=	0.132	Ja	0.0286	1.00	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Selenium	=	0.37	J	0.14	2	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Selenium	=	0.37	J	0.1	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Selenium	<	0.14	ND	0.14	2	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Selenium	=	0.33	J	0.1	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Selenium	<	0.14	ND	0.14	2	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Selenium	=	0.47	J	0.1	1	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Selenium	=	0.18	J	0.14	1.0	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Selenium	=	0.29	J	0.14	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Selenium	=	1.5		0.14	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Selenium	=	0.33	J	0.14	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Selenium	=	0.33	J	0.14	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Selenium	=	0.55	J	0.14	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Selenium	=	0.35	J	0.14	1.0	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Selenium	=	5.7		0.30	1.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Selenium	=	1.0		0.30	1.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Selenium	=	0.91	J	0.30	1.0	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Selenium	=	0.210		0.0286	0.0900	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Selenium	=	0.170	J	0.0286	1.00	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Selenium	=	1.22		0.0286	1.00	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Selenium	=	0.214	Ja	0.0286	1.00	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Selenium	=	0.22	J	0.14	2	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Selenium	=	0.18	J	0.1	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Selenium	=	0.17	J	0.14	2	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Selenium	=	0.3	J	0.1	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Selenium	<	0.14	ND	0.14	2	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Selenium	=	0.36	J	0.1	1	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Selenium	=	1.7		0.14	1.0	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Selenium	=	1.0		0.14	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Selenium	=	1.5		0.14	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Selenium	=	0.44	J	0.14	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Selenium	=	0.64	J	0.14	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Selenium	=	1.2		0.14	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Selenium	=	0.25	J	0.14	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Selenium	<	0.14	ND, J	0.14	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Selenium	=	0.21	J	0.14	1.0	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Selenium	=	0.47	J	0.30	1.0	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Selenium	=	0.53	J	0.30	1.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Selenium	=	0.48	J	0.30	1.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Selenium	=	0.150		0.0286	0.0900	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Selenium	=	0.110	J	0.0286	1.00	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Selenium	=	0.0826	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Selenium	=	0.0731	Ja	0.0286	1.00	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Selenium	=	0.27		0.1	1	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Selenium	=	0.37		0.1	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Selenium	=	0.37	J	0.14	2	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Selenium	=	0.99	J	0.1	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Selenium	=	1.1		0.14	2	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Selenium	=	2		0.1	1	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Selenium	=	0.23	J	0.14	1.0	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Selenium	=	0.28	J	0.14	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Selenium	=	1.3	J	0.14	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Selenium	=	0.91	J	0.14	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Selenium	=	0.78	J	0.14	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Selenium	=	0.59	J	0.14	1.0	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Selenium	=	0.79	J	0.30	1.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Selenium	=	0.59	J	0.30	1.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Selenium	=	1.9		0.30	1.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Selenium	=	0.76	J	0.18	1.0	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Selenium	=	0.180		0.0286	0.0900	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Selenium	=	1.15		0.0286	1.00	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Selenium	=	1.33		0.0286	1.00	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Selenium	=	0.38	J	0.14	2	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Selenium	=	0.19	J	0.1	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Selenium	=	0.22	J	0.14	2	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Selenium	=	0.43	J	0.1	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Selenium	=	1.1		0.14	2	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Selenium	=	0.33	J	0.1	1	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Selenium	=	0.36	J	0.14	1.0	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Selenium	=	0.64	J	0.14	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Selenium	=	0.42	J	0.14	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Selenium	=	0.5	J	0.30	1.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Selenium	=	0.91	J	0.30	1.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Selenium	=	1.5		0.30	1.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Selenium	=	0.57	J	0.30	1.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Selenium	=	0.51	J	0.18	1.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Selenium	=	0.960		0.0286	0.0900	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Selenium	=	0.188	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Selenium	=	0.146	Ja	0.0286	1.00	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Selenium	=	0.24	J	0.14	2	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Selenium	=	0.36	J	0.1	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Selenium	=	0.25	J	0.14	2	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Selenium	=	0.99	J	0.1	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Selenium	=	0.17	J	0.14	2	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Selenium	=	0.84	J	0.1	1	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Selenium	=	0.22	J	0.14	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Selenium	<	0.14	ND	0.14	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Selenium	=	0.76	J	0.14	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Selenium	=	0.71	J	0.14	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Selenium	=	0.77	J	0.14	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Selenium	=	0.65	J	0.14	1.0	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Selenium	=	0.78	J	0.30	1.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Selenium	=	1.2		0.30	1.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Selenium	<	0.30	ND	0.30	1.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Selenium	=	1.1		0.30	1.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Selenium	=	0.0900		0.0286	0.0900	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Selenium	=	0.548	Ja	0.0286	1.00	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Selenium	=	0.914	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Selenium	=	0.976	Ja	0.0286	1.00	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Selenium	=	1	J	0.14	2	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Selenium	=	0.92	J	0.1	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Selenium	=	0.76	J	0.14	2	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Selenium	=	0.99	J	0.1	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Selenium	=	0.42	J	0.14	2	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Selenium	=	1.2		0.1	1	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Selenium	=	0.68	J	0.14	1.0	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Selenium	=	0.14	J	0.14	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Selenium	=	1.2	J	0.14	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Selenium	=	0.87	J	0.14	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Selenium	=	1.2		0.14	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Selenium	=	0.51	J	0.14	1.0	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Selenium	=	1.2		0.30	1.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Selenium	=	1.2		0.30	1.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Selenium	=	0.56	J	0.30	1.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Selenium	=	0.99	J	0.30	1.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Selenium	=	5.76		0.0286	0.0900	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Selenium	=	0.186	Ja	0.0286	1.00	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Selenium	=	0.244	Ja	0.0286	1.00	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Selenium	=	0.283	Ja	0.0286	1.00	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Silver	=	0.25		0.02	0.2	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Silver	=	0.025	J	0.018	0.20	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Silver	=	0.068	J	0.018	0.20	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Silver	=	0.019	J	0.018	0.20	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Silver	=	0.020	J	0.018	0.20	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Silver	=	0.037	J	0.018	0.20	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Silver	=	0.25		0.030	0.25	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Silver	=	0.045	J	0.030	0.25	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Silver	=	0.1	J	0.030	0.25	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Silver	=	0.69		0.016	0.25	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Silver	=	0.140	J	0.0117	0.250	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Silver	=	0.0183	Ja	0.0117	0.250	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Silver	=	0.195	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Silver	=	0.078		0.02	0.2	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Silver	=	0.065	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Silver	=	0.079	J	0.02	0.2	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Silver	=	0.043	J	0.018	0.20	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Silver	=	0.035	J	0.018	0.20	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Silver	=	0.046		0.018	0.20	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Silver	=	0.14	J	0.018	0.20	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Silver	=	0.026	J	0.018	0.20	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Silver	=	0.085	J	0.030	0.25	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Silver	=	0.22	J	0.030	0.25	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Silver	=	0.15	J	0.016	0.25	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Silver	=	0.0200	J	0.0117	0.250	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Silver	=	0.0133	Ja	0.0117	0.250	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Silver	=	0.078		0.02	0.2	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Silver	=	0.16	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Silver	=	0.018	J	0.018	0.20	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Silver	=	0.029	J	0.018	0.20	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Silver	=	2.8		0.030	0.25	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Silver	=	0.032	J	0.030	0.25	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Silver	=	0.120		0.0117	0.100	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Silver	=	0.110	J	0.0117	0.250	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Silver	=	2.56		0.0117	0.250	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Silver	=	0.0164	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Silver	=	0.062	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Silver	=	0.07	J	0.02	0.2	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Silver	=	0.022	J	0.018	0.20	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Silver	=	0.018	J	0.018	0.20	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Silver	=	0.041	J	0.018	0.20	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Silver	=	0.025	J	0.018	0.20	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Silver	=	0.085	J	0.030	0.25	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Silver	=	0.035	J	0.030	0.25	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Silver	=	0.0200	Ja	0.0117	0.100	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Silver	=	0.0200	J	0.0117	0.250	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Silver	=	0.0133	Ja	0.0117	0.250	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Silver	=	0.0141	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Silver	=	0.078		0.02	0.2	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Silver	=	0.019	J	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Silver	=	0.37		0.02	0.2	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Silver	=	0.024	J	0.018	0.20	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Silver	=	0.022	J	0.018	0.20	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Silver	=	0.059	J	0.018	0.20	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Silver	=	0.023	J	0.018	0.20	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Silver	=	0.10	J	0.016	0.25	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Silver	=	0.0300	Ja	0.0117	0.100	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Silver	=	0.0175	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Silver	=	0.13	J	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Silver	=	0.027	J	0.018	0.20	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Silver	=	0.018	J	0.018	0.20	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Silver	=	0.023		0.018	0.20	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Silver	=	0.053	J	0.018	0.20	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Silver	=	0.031	J	0.018	0.20	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Silver	=	0.053	J	0.030	0.25	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Silver	=	0.033	J	0.030	0.25	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Silver	=	0.059	J	0.016	0.25	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Silver	=	0.0900	Ja	0.0117	0.100	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Silver	=	0.0144	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Silver	=	0.053	J	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Silver	=	0.11	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Silver	=	0.024	J	0.018	0.20	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Silver	=	0.076	J	0.018	0.20	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Silver	<	0.018	ND, J	0.018	0.20	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Silver	=	0.019	J	0.018	0.20	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Silver	=	0.071	J	0.030	0.25	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Silver	=	0.066	J	0.030	0.25	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Silver	=	0.048	J	0.030	0.25	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Silver	=	0.0200	Ja	0.0117	0.100	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Silver	=	0.252		0.0117	0.250	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Silver	=	0.0122	Ja	0.0117	0.250	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Silver	=	0.02	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Silver	=	0.11	J	0.02	0.2	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Silver	<	0.02	ND	0.02	0.2	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Silver	=	0.020	J	0.018	0.20	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Silver	=	0.030		0.018	0.20	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Silver	<	0.018	ND	0.018	0.20	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Silver	=	0.062	J	0.018	0.20	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Silver	=	0.17	J	0.030	0.25	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Silver	<	0.030	ND	0.030	0.25	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Silver	<	0.0117	ND	0.0117	0.100	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Silver	<	0.0117	ND	0.0117	0.250	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Silver	=	0.0181	Ja	0.0117	0.250	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Simazine	=	5.52		0.11	2.0	µg/L	EPA 8141A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Simazine	=	5.52		0.11	2.0	µg/L	EPA 8141A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Simazine	=	8.25		2	2	µg/L	EPA 8141A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Simazine	=	2.22		2	2	µg/L	EPA 8141A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1	UR	Composite	4/12/2006	9:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Simazine	<	2	ND	NE	2	µg/L	EPA 8141A
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Simazine	<	2.0	ND	2.0	2.0	µg/L	EPA 8141A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Simazine	<	0.23	ND	0.23	2.0	µg/L	EPA 8141A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 619
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Simazine	<	0.1	ND	0.11	2.0	µg/L	EPA 8141A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Simazine	<	2	ND	2	2	µg/L	EPA 8141A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Specific Conductivity	=	284		0.22	1	umhos/cm	EPA 120.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Specific Conductivity	=	439		0.22	1	umhos/cm	EPA 120.1
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Specific Conductivity	=	34.1		1.00	1.00	umhos/cm	EPA 120.1
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Specific Conductivity	=	30.9		1.00	1.00	umhos/cm	EPA 120.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Specific Conductivity	=	520		1.0	1.0	umhos/cm	EPA 120.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Specific Conductivity	=	400		1.0	1.0	umhos/cm	EPA 120.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Specific Conductivity	=	430		1.0	1.0	umhos/cm	SM 2510B
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Specific Conductivity	=	180		1.0	1.0	umhos/cm	SM 2510B
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Specific Conductivity	=	33		1.0	1.0	umhos/cm	SM 2510B
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Specific Conductivity	=	290		1.0	1.0	umhos/cm	SM 2510B
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Specific Conductivity	=	85		1.0	1.0	umhos/cm	SM 2510B
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Specific Conductivity	=	52		1.0	1.0	umhos/cm	SM 2510B
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Specific Conductivity	=	650		1.0	1.0	umhos/cm	SM 2510B
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Specific Conductivity	=	550		1.0	1.0	umhos/cm	SM 2510B
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Specific Conductivity	=	152		0.22	1	umhos/cm	EPA 120.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Specific Conductivity	=	308		0.22	1	umhos/cm	EPA 120.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Specific Conductivity	=	223		0.22	1	umhos/cm	EPA 120.1
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Specific Conductivity	=	71.2		1.00	1.00	umhos/cm	EPA 120.1
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Specific Conductivity	=	69.8		1.00	1.00	umhos/cm	EPA 120.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Specific Conductivity	=	360		1.0	1.0	umhos/cm	EPA 120.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Specific Conductivity	=	250		1.0	1.0	umhos/cm	EPA 120.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Specific Conductivity	=	360		1.0	1.0	umhos/cm	SM 2510B
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Specific Conductivity	=	370		1.0	1.0	umhos/cm	SM 2510B
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Specific Conductivity	=	230		1.0	1.0	umhos/cm	SM 2510B
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Specific Conductivity	=	140		1.0	1.0	umhos/cm	SM 2510B
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Specific Conductivity	=	140		1.0	1.0	umhos/cm	SM 2510B
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Specific Conductivity	=	190		1.0	1.0	umhos/cm	SM 2510B
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Specific Conductivity	=	260		1.0	1.0	umhos/cm	SM 2510B
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Specific Conductivity	=	150		1.0	1.0	umhos/cm	SM 2510B
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Specific Conductivity	=	66.7		0.22	1	umhos/cm	EPA 120.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Specific Conductivity	=	284		0.22	1	umhos/cm	EPA 120.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Specific Conductivity	=	375		0.22	1	umhos/cm	EPA 120.1
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Specific Conductivity	=	91.7		1.00	1.00	umhos/cm	EPA 120.1
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Specific Conductivity	=	92.1		1.00	1.00	umhos/cm	EPA 120.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Specific Conductivity	=	270		1.0	1.0	umhos/cm	EPA 120.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Specific Conductivity	=	380		1.0	1.0	umhos/cm	EPA 120.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Specific Conductivity	=	350		1.0	1.0	umhos/cm	SM 2510B
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Specific Conductivity	=	200		1.0	1.0	umhos/cm	SM 2510B
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Specific Conductivity	=	54		1.0	1.0	umhos/cm	SM 2510B
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Specific Conductivity	=	200		1.0	1.0	umhos/cm	SM 2510B
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Specific Conductivity	=	430		1.0	1.0	umhos/cm	SM 2510B
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Specific Conductivity	=	91		1.0	1.0	umhos/cm	SM 2510B
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Specific Conductivity	=	350		1.0	1.0	umhos/cm	SM 2510B
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Specific Conductivity	=	240		1.0	1.0	umhos/cm	SM 2510B
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Specific Conductivity	=	196		0.22	1	umhos/cm	EPA 120.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Specific Conductivity	=	131		0.22	1	umhos/cm	EPA 120.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Specific Conductivity	=	182		0.22	1	umhos/cm	EPA 120.1
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Specific Conductivity	=	521		1.00	1.00	umhos/cm	EPA 120.1
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Specific Conductivity	=	586		1.00	1.00	umhos/cm	EPA 120.1
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Specific Conductivity	=	341		1.00	1.00	umhos/cm	EPA 120.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Specific Conductivity	=	110		1.0	1.0	umhos/cm	EPA 120.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Specific Conductivity	=	96		1.0	1.0	umhos/cm	EPA 120.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Specific Conductivity	=	240		1.0	1.0	umhos/cm	SM 2510B
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Specific Conductivity	=	220		1.0	1.0	umhos/cm	SM 2510B
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Specific Conductivity	=	150		1.0	1.0	umhos/cm	SM 2510B
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Specific Conductivity	=	120		1.0	1.0	umhos/cm	SM 2510B
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Specific Conductivity	=	430		1.0	1.0	umhos/cm	SM 2510B
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Specific Conductivity	=	120		1.0	1.0	umhos/cm	SM 2510B
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Specific Conductivity	=	190		1.0	1.0	umhos/cm	SM 2510B
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Specific Conductivity	=	89	HT-RC	1.0	1.0	umhos/cm	SM 2510B
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Specific Conductivity	=	152		0.22	1	umhos/cm	EPA 120.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Specific Conductivity	=	638		0.22	1	umhos/cm	EPA 120.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Specific Conductivity	=	849		0.22	1	umhos/cm	EPA 120.1
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Specific Conductivity	=	73.3		1.00	1.00	umhos/cm	EPA 120.1
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Specific Conductivity	=	72.5		1.00	1.00	umhos/cm	EPA 120.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Specific Conductivity	=	550		1.0	1.0	umhos/cm	EPA 120.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Specific Conductivity	=	780		1.0	1.0	umhos/cm	EPA 120.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Specific Conductivity	=	420		1.0	1.0	umhos/cm	SM 2510B
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Specific Conductivity	=	67		1.0	1.0	umhos/cm	SM 2510B
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Specific Conductivity	=	57		1.0	1.0	umhos/cm	SM 2510B
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Specific Conductivity	=	660		1.0	1.0	umhos/cm	SM 2510B
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Specific Conductivity	=	160		1.0	1.0	umhos/cm	SM 2510B
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Specific Conductivity	=	140		1.0	1.0	umhos/cm	SM 2510B
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Specific Conductivity	=	660		1.0	1.0	umhos/cm	SM 2510B
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Specific Conductivity	=	840		1.0	1.0	umhos/cm	SM 2510B
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Specific Conductivity	=	76.6		0.22	1	umhos/cm	EPA 120.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Specific Conductivity	=	206		0.22	1	umhos/cm	EPA 120.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Specific Conductivity	=	226		0.22	1	umhos/cm	EPA 120.1
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Specific Conductivity	=	219		1.00	1.00	umhos/cm	EPA 120.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Specific Conductivity	=	340		1.0	1.0	umhos/cm	EPA 120.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Specific Conductivity	=	280		1.0	1.0	umhos/cm	EPA 120.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Specific Conductivity	=	230		1.0	1.0	umhos/cm	SM 2510B
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Specific Conductivity	=	80		1.0	1.0	umhos/cm	SM 2510B
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Specific Conductivity	=	230		1.0	1.0	umhos/cm	SM 2510B
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Specific Conductivity	=	130		1.0	1.0	umhos/cm	SM 2510B
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Specific Conductivity	=	81		1.0	1.0	umhos/cm	SM 2510B
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Specific Conductivity	=	390		1.0	1.0	umhos/cm	SM 2510B
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Specific Conductivity	=	380		1.0	1.0	umhos/cm	SM 2510B
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Specific Conductivity	=	200		1.0	1.0	umhos/cm	SM 2510B
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Specific Conductivity	=	69.7		0.22	1	umhos/cm	EPA 120.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Specific Conductivity	=	517		0.22	1	umhos/cm	EPA 120.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Specific Conductivity	=	548		0.22	1	umhos/cm	EPA 120.1
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Specific Conductivity	=	44.7		1.00	1.00	umhos/cm	EPA 120.1
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Specific Conductivity	=	38.6		1.00	1.00	umhos/cm	EPA 120.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Specific Conductivity	=	520		1.0	1.0	umhos/cm	EPA 120.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Specific Conductivity	=	510		1.0	1.0	umhos/cm	EPA 120.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Specific Conductivity	=	450		1.0	1.0	umhos/cm	SM 2510B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Specific Conductivity	=	460		1.0	1.0	umhos/cm	SM 2510B
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Specific Conductivity	=	720		1.0	1.0	umhos/cm	SM 2510B
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Specific Conductivity	=	120		1.0	1.0	umhos/cm	SM 2510B
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Specific Conductivity	=	230		1.0	1.0	umhos/cm	SM 2510B
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Specific Conductivity	=	1000		1.0	1.0	umhos/cm	SM 2510B
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Specific Conductivity	=	440		1.0	1.0	umhos/cm	SM 2510B
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Specific Conductivity	=	385		0.22	1	umhos/cm	EPA 120.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Specific Conductivity	=	472		0.22	1	umhos/cm	EPA 120.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Specific Conductivity	=	595		0.22	1	umhos/cm	EPA 120.1
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Specific Conductivity	=	385		1.00	1.00	umhos/cm	EPA 120.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Specific Conductivity	=	550		1.0	1.0	umhos/cm	EPA 120.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Specific Conductivity	=	570		1.0	1.0	umhos/cm	EPA 120.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Specific Conductivity	=	750		1.0	1.0	umhos/cm	SM 2510B
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Specific Conductivity	=	760		1.0	1.0	umhos/cm	SM 2510B
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Specific Conductivity	=	280		1.0	1.0	umhos/cm	SM 2510B
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Specific Conductivity	=	260		1.0	1.0	umhos/cm	SM 2510B
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Specific Conductivity	=	350		1.0	1.0	umhos/cm	SM 2510B
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Specific Conductivity	=	120		1.0	1.0	umhos/cm	SM 2510B
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Specific Conductivity	=	360		1.0	1.0	umhos/cm	SM 2510B
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Specific Conductivity	=	260	HT-RC	1.0	1.0	umhos/cm	SM 2510B
DW03	CR-46	UR	Grab	9/1/2004	8:34	-	Temperature	=	23.6				deg C	
SE36	CR-46	UR	Grab	10/17/2004	23:15	-	Temperature	=	17.8				deg C	
SE38	CR-46	UR	Grab	2/27/2005	21:00	-	Temperature	=	13.5				deg C	
DW04	CR-46	UR	Grab	5/16/2005	9:45	-	Temperature	=	19.6				deg C	
SE39	CR-46	UR	Grab	12/1/2005	23:45	-	Temperature	=	-	NR			deg C	SM 2550B
SE41	CR-46	UR	Grab	3/20/2006	13:31	-	Temperature	=	11.9				deg C	SM 2550B
DW05	CR-46	UR	Grab	5/10/2006	9:45	-	Temperature	=	17.0				deg C	SM 2550B
DW06	CR-46	UR	Grab	6/5/2006	10:15	-	Temperature	=	20.3				deg C	SM 2550B
DW03	CR-46R	RW	Grab	9/1/2004	9:29	-	Temperature	=	25.9				deg C	
SE36	CR-46R	RW	Grab	10/18/2004	---	-	Temperature	=	17.6				deg C	
SE38	CR-46R	RW	Grab	2/27/2005	20:50	-	Temperature	=	14.4				deg C	
DW04	CR-46R	RW	Grab	5/16/2005	8:45	-	Temperature	=	18.3				deg C	
SE39	CR-46R	RW	Grab	12/1/2005	21:50	-	Temperature	=	-	NR			deg C	SM 2550B
SE41	CR-46R	RW	Grab	3/20/2006	14:00	-	Temperature	=	12.1				deg C	SM 2550B
DW05	CR-46R	RW	Grab	5/10/2006	10:15	-	Temperature	=	22.4				deg C	SM 2550B
DW06	CR-46R	RW	Grab	6/5/2006	10:50	-	Temperature	=	23.5				deg C	SM 2550B
DW03	DC-65	UR	Grab	9/1/2004	8:15	-	Temperature	=	21.9				deg C	
SE36	DC-65	UR	Grab	10/17/2004	22:30	-	Temperature	=	18.6				deg C	
SE38	DC-65	UR	Grab	2/27/2005	19:47	-	Temperature	=	14.3				deg C	
DW04	DC-65	UR	Grab	5/16/2005	11:00	-	Temperature	=	18.1				deg C	
SE40	DC-65	UR	Grab	2/26/2006	21:00	-	Temperature	=	11.8				deg C	SM 2550B
SE41	DC-65	UR	Grab	3/20/2006	13:50	-	Temperature	=	10.4				deg C	SM 2550B
DW05	DC-65	UR	Grab	5/10/2006	8:15	-	Temperature	=	16.4				deg C	SM 2550B
DW06	DC-65	UR	Grab	6/5/2006	9:15	-	Temperature	=	19.6				deg C	SM 2550B
DW03	DC-65R	RW	Grab	9/1/2004	9:30	-	Temperature	=	23.5				deg C	
SE36	DC-65R	RW	Grab	10/17/2004	22:30	-	Temperature	=	17.9				deg C	
SE38	DC-65R	RW	Grab	2/27/2005	21:45	-	Temperature	=	12.8				deg C	
DW04	DC-65R	RW	Grab	5/16/2005	9:50	-	Temperature	=	21.2				deg C	
SE40	DC-65R	RW	Grab	2/26/2006	22:27	-	Temperature	=	10.8				deg C	SM 2550B
SE41	DC-65R	RW	Grab	3/20/2006	15:03	-	Temperature	=	12.3				deg C	SM 2550B
DW05	DC-65R	RW	Grab	5/10/2006	10:45	-	Temperature	=	25.8				deg C	SM 2550B
DW06	DC-65R	RW	Grab	6/5/2006	9:20	-	Temperature	=	24.1				deg C	SM 2550B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14	UR	Grab	9/1/2004	8:32	-	Temperature	=	25.7				deg C	
SE37	MS-14	UR	Grab	10/19/2004	8:13	-	Temperature	=	15.6				deg C	
SE38	MS-14	UR	Grab	2/27/2005	20:30	-	Temperature	=	14.2				deg C	
DW04	MS-14	UR	Grab	5/16/2005	8:58	-	Temperature	=	19.6				deg C	
SE39	MS-14	UR	Grab	12/1/2005	23:00	-	Temperature	=	-	NR			deg C	SM 2550B
SE40	MS-14	UR	Grab	2/26/2006	21:15	-	Temperature	=	13.1				deg C	SM 2550B
DW05	MS-14	UR	Grab	5/10/2006	8:13	-	Temperature	=	19.3				deg C	SM 2550B
DW06	MS-14	UR	Grab	6/5/2006	8:43	-	Temperature	=	22.3				deg C	SM 2550B
DW03	MS-14R	RW	Grab	9/1/2004	9:39	-	Temperature	=	24.6				deg C	
SE37	MS-14R	RW	Grab	10/19/2004	9:00	-	Temperature	=	15.4				deg C	
SE38	MS-14R	RW	Grab	2/27/2005	19:40	-	Temperature	=	16.1				deg C	
DW04	MS-14R	RW	Grab	5/16/2005	9:40	-	Temperature	=	20.6				deg C	
SE39	MS-14R	RW	Grab	12/1/2005	22:47	-	Temperature	=	-	NR			deg C	SM 2550B
SE40	MS-14R	RW	Grab	2/26/2006	20:50	-	Temperature	=	12.4				deg C	SM 2550B
DW05	MS-14R	RW	Grab	5/10/2006	9:00	-	Temperature	=	22.3				deg C	SM 2550B
DW06	MS-14R	RW	Grab	6/5/2006	9:18	-	Temperature	=	21.8				deg C	SM 2550B
DW03	SC-1	UR	Grab	9/1/2004	8:30	-	Temperature	=	22.7				deg C	
SE36	SC-1	UR	Grab	10/17/2004	23:20	-	Temperature	=	21.3				deg C	
SE38	SC-1	UR	Grab	2/27/2005	19:30	-	Temperature	=	15.8				deg C	
DW04	SC-1	UR	Grab	5/16/2005	10:29	-	Temperature	=	19.5				deg C	
SE40	SC-1	UR	Grab	2/26/2006	22:41	-	Temperature	=	14.4				deg C	SM 2550B
SE42	SC-1	UR	Grab	4/12/2006	9:00	-	Temperature	=	15.4				deg C	SM 2550B
DW05	SC-1	UR	Grab	5/10/2006	9:00	-	Temperature	=	20.0				deg C	SM 2550B
DW06	SC-1	UR	Grab	6/5/2006	9:40	-	Temperature	=	21.0				deg C	SM 2550B
DW03	SC-1R	RW	Grab	9/1/2004	10:00	-	Temperature	=	26.2				deg C	
SE36	SC-1R	RW	Grab	10/18/2004	0:10	-	Temperature	=	18.1				deg C	
SE38	SC-1R	RW	Grab	2/27/2005	20:58	-	Temperature	=	16.6				deg C	
DW04	SC-1R	RW	Grab	5/16/2005	10:35	-	Temperature	=	23.3				deg C	
SE40	SC-1R	RW	Grab	2/26/2006	21:20	-	Temperature	=	12.0				deg C	SM 2550B
SE42	SC-1R	RW	Grab	4/12/2006	8:45	-	Temperature	=	17.2				deg C	SM 2550B
DW05	SC-1R	RW	Grab	5/10/2006	9:35	-	Temperature	=	24.4				deg C	SM 2550B
DW06	SC-1R	RW	Grab	6/5/2006	10:08	-	Temperature	=	24.4				deg C	SM 2550B
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Thallium	=	0.014	J	0.0020	1.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Thallium	=	0.076	J	0.0020	1.0	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Thallium	<	0.011	ND	0.011	1.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Thallium	=	0.0500	J	0.0181	1.00	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Thallium	=	0.0284	Ja	0.0181	1.00	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Thallium	=	0.08	J	0.0020	1.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Thallium	=	0.009	J	0.0020	1.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Thallium	<	0.011	ND	0.011	1.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Thallium	=	0.63	J	0.0020	1.0	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Thallium	=	0.018	J	0.0020	1.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Thallium	=	0.0400	J	0.0181	1.00	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Thallium	=	0.0983	Ja	0.0181	1.00	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Thallium	=	0.0557	Ja	0.0181	1.00	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Thallium	=	0.057	J	0.0020	1.0	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Thallium	=	0.044	J	0.0020	1.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Thallium	=	0.0700	J	0.0181	1.00	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Thallium	=	0.0187	Ja	0.0181	1.00	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Thallium	=	0.021	J	0.0020	1.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Thallium	=	0.01	J	0.0020	1.0	µg/L	EPA 200.8
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Thallium	<	0.011	ND	0.011	1.0	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Thallium	<	0.0181		0.0181	1.00	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Thallium	=	0.0222	Ja	0.0181	1.00	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Thallium	=	0.0433	Ja	0.0181	1.00	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Thallium	=	0.11	J	0.0020	1.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Thallium	=	0.053	J	0.0020	1.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Thallium	=	0.005	J	0.0020	1.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Thallium	=	0.089	J	0.011	1.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Thallium	=	0.130	Ja	0.0181	1.00	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Thallium	=	0.0236	Ja	0.0181	1.00	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Thallium	=	0.007	J	0.0020	1.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Thallium	=	0.03	J	0.0020	1.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Thallium	=	0.004	J	0.0020	1.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Thallium	=	0.139	Ja	0.0181	1.00	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Thallium	<	0.05	ND	0.05	1	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Thallium	<	0.045	ND	0.045	1.0	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Thallium	=	0.057	J	0.0020	1.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Thallium	=	0.014	J	0.0020	1.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Thallium	<	0.0020	ND	0.0020	1.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Thallium	<	0.0181	ND	0.0181	1.00	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Coliform	=	23000		200	200	MPN/100mL	SM 9221B
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Coliform	=	3000000		200	200	MPN/100mL	SM 9221B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	CR-46	UR	Grab	12/24/2003	10:30	Total	Total Coliform	=	50000			200	MPN/100mL	SM 9221B
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	Total Coliform	=	28000			200	MPN/100mL	SM 9221B
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Coliform	=	800000			200	MPN/100mL	SM 9221B
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Coliform	=	23000			200	MPN/100mL	SM 9221B
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Coliform	=	80000			200	MPN/100mL	SM 9221B, C
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Total Coliform	=	80000			200	MPN/100mL	SM 9221B, C
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Total Coliform	=	30000			200	MPN/100mL	SM 9221B, C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Coliform	=	110000			200	MPN/100mL	SM 9221B, C
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Total Coliform	=	50,000			200	MPN/100mL	SM 9221B, C
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Total Coliform	=	17,000			200	MPN/100mL	SM 9221B, C
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Total Coliform	=	8,000,000			200	MPN/100mL	SM 9221B, C
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Coliform	=	1,700,000			200	MPN/100mL	SM 9221B, C
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Coliform	=	80000		200	200	MPN/100mL	SM 9221B
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Coliform	=	8000		200	200	MPN/100mL	SM 9221B
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Coliform	=	1700		200	200	MPN/100mL	SM 9221B
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Total Coliform	=	22000			200	MPN/100mL	SM 9221B
SE34	CR-46R	RW	Grab	2/2/2004	12:05	Total	Total Coliform	=	13000			200	MPN/100mL	SM 9221B
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Coliform	=	3000			200	MPN/100mL	SM 9221B
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Coliform	=	11000			200	MPN/100mL	SM 9221B
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Coliform	=	2300			200	MPN/100mL	SM 9221B, C
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Coliform	=	170000			200	MPN/100mL	SM 9221B, C
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Coliform	=	30000			200	MPN/100mL	SM 9221B, C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Coliform	=	6000			200	MPN/100mL	SM 9221B, C
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Total Coliform	=	170,000			200	MPN/100mL	SM 9221B, C
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Total Coliform	=	8,000			200	MPN/100mL	SM 9221B, C
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Total Coliform	=	5,000			200	MPN/100mL	SM 9221B, C
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Total Coliform	=	1,300			200	MPN/100mL	SM 9221B, C
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Total Coliform	=	30000		200	200	MPN/100mL	SM 9221B
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Coliform	=	300000		200	200	MPN/100mL	SM 9221B
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Coliform	=	8000		200	200	MPN/100mL	SM 9221B
SE33	DC-65	UR	Grab	12/24/2003	10:30	Total	Total Coliform	=	130000			200	MPN/100mL	SM 9221B
SE34	DC-65	UR	Grab	2/2/2004	12:05	Total	Total Coliform	=	30000			200	MPN/100mL	SM 9221B
SE35	DC-65	UR	Grab	2/16/2004	9:11	Total	Total Coliform	=	50000			200	MPN/100mL	SM 9221B
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Coliform	=	300000			200	MPN/100mL	SM 9221B
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Coliform	=	500000			200	MPN/100mL	SM 9221B
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Coliform	=	80000			200	MPN/100mL	SM 9221B, C
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Total Coliform	=	900000			200	MPN/100mL	SM 9221B, C
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Total Coliform	=	30000			200	MPN/100mL	SM 9221B, C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Coliform	=	3000000			200	MPN/100mL	SM 9221B, C
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Total Coliform	=	80,000			200	MPN/100mL	SM 9221B, C
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Total Coliform	=	30,000			200	MPN/100mL	SM 9221B, C
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Coliform	=	110,000			200	MPN/100mL	SM 9221B, C
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Coliform	=	300,000			200	MPN/100mL	SM 9221B, C
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Coliform	=	8000		200	200	MPN/100mL	SM 9221B
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Coliform	=	1700		200	200	MPN/100mL	SM 9221B
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Coliform	=	5000		200	200	MPN/100mL	SM 9221B
SE33	DC-65R	RW	Grab	12/24/2003	10:30	Total	Total Coliform	=	230000			200	MPN/100mL	SM 9221B
SE34	DC-65R	RW	Grab	2/2/2004	12:05	Total	Total Coliform	=	3600			200	MPN/100mL	SM 9221B
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Total Coliform	=	5000			200	MPN/100mL	SM 9221B
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Coliform	=	5000			200	MPN/100mL	SM 9221B
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Coliform	=	2300			200	MPN/100mL	SM 9221B
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Coliform	=	1700			200	MPN/100mL	SM 9221B, C

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Coliform	=	13000			200	MPN/100mL	SM 9221B, C
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Coliform	=	14000			200	MPN/100mL	SM 9221B, C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Coliform	=	3000			200	MPN/100mL	SM 9221B, C
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Total Coliform	=	14,000			200	MPN/100mL	SM 9221B, C
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Total Coliform	=	1,300			200	MPN/100mL	SM 9221B, C
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Total Coliform	=	1,700			200	MPN/100mL	SM 9221B, C
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Total Coliform	=	1,700			200	MPN/100mL	SM 9221B, C
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Total Coliform	=	30000		200	200	MPN/100mL	SM 9221B
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Coliform	=	17000			200	MPN/100mL	SM 9221B
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Coliform	=	80000		200	200	MPN/100mL	SM 9221B
SE33	MS-14	UR	Grab	12/24/2003	10:30	Total	Total Coliform	=	80000			200	MPN/100mL	SM 9221B
SE34	MS-14	UR	Grab	2/2/2004	12:05	Total	Total Coliform	=	22000			200	MPN/100mL	SM 9221B
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Coliform	=	23000			200	MPN/100mL	SM 9221B
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Coliform	=	500000			200	MPN/100mL	SM 9221B
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Coliform	=	130000			200	MPN/100mL	SM 9221B, C
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Total Coliform	=	300000			200	MPN/100mL	SM 9221B, C
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Total Coliform	=	28000			200	MPN/100mL	SM 9221B, C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Coliform	=	80000			200	MPN/100mL	SM 9221B, C
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Total Coliform	=	80,000			200	MPN/100mL	SM 9221B, C
SE40	MS-14	UR	Grab	2/26/2006	21:15	Total	Total Coliform	=	80,000			200	MPN/100mL	SM 9221B, C
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Total Coliform	=	130,000			200	MPN/100mL	SM 9221B, C
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Coliform	=	22,000			200	MPN/100mL	SM 9221B, C
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Coliform	=	1100000		200	200	MPN/100mL	SM 9221B
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Coliform	=	5000		200	200	MPN/100mL	SM 9221B
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Coliform	=	1400		200	200	MPN/100mL	SM 9221B
SE34	MS-14R	RW	Grab	2/2/2004	12:05	Total	Total Coliform	=	70000			200	MPN/100mL	SM 9221B
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Coliform	=	1700			200	MPN/100mL	SM 9221B
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Coliform	=	230000			200	MPN/100mL	SM 9221B
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Coliform	=	13000			200	MPN/100mL	SM 9221B, C
SE37	MS-14R	RW	Grab	10/19/2004	8:13	Total	Total Coliform	>	1600000			200	MPN/100mL	SM 9221B, C
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Coliform	=	2300			200	MPN/100mL	SM 9221B, C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Coliform	=	5000			200	MPN/100mL	SM 9221B, C
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Total Coliform	=	500,000			200	MPN/100mL	SM 9221B, C
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Total Coliform	=	50,000			200	MPN/100mL	SM 9221B, C
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Total Coliform	=	800			200	MPN/100mL	SM 9221B, C
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Total Coliform	=	3,000			200	MPN/100mL	SM 9221B, C
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Total Coliform	=	700000		200	200	MPN/100mL	SM 9221B
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Coliform	=	9000			200	MPN/100mL	SM 9221B
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Coliform	=	1300000		200	200	MPN/100mL	SM 9221B
SE33	SC-1	UR	Grab	12/24/2003	10:30	Total	Total Coliform	=	1300000			200	MPN/100mL	SM 9221B
SE34	SC-1	UR	Grab	2/2/2004	12:05	Total	Total Coliform	=	50000			200	MPN/100mL	SM 9221B
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Coliform	=	5000000			200	MPN/100mL	SM 9221B
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Coliform	=	500000			200	MPN/100mL	SM 9221B
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Coliform	=	170000			200	MPN/100mL	SM 9221B, C
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Total Coliform	=	300000			200	MPN/100mL	SM 9221B, C
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Total Coliform	=	1300000			200	MPN/100mL	SM 9221B, C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Coliform	=	5000000			200	MPN/100mL	SM 9221B, C
SE40	SC-1	UR	Grab	2/26/2006	22:41	Total	Total Coliform	=	30,000			200	MPN/100mL	SM 9221B, C
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Total Coliform	=	280,000			200	MPN/100mL	SM 9221B, C
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Coliform	=	13,000			200	MPN/100mL	SM 9221B, C
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Coliform	=	23,000			200	MPN/100mL	SM 9221B, C
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Coliform	=	220000		200	200	MPN/100mL	SM 9221B

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Coliform	=	700		200	200	MPN/100mL	SM 9221B
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Coliform	=	400		200	200	MPN/100mL	SM 9221B
SE33	SC-1R	RW	Grab	12/24/2003	10:30	Total	Total Coliform	=	28000			200	MPN/100mL	SM 9221B
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Coliform	=	400			200	MPN/100mL	SM 9221B
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Coliform	=	9000			200	MPN/100mL	SM 9221B
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Coliform	=	200			200	MPN/100mL	SM 9221B, C
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Coliform	=	1300			200	MPN/100mL	SM 9221B, C
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Coliform	=	3000			200	MPN/100mL	SM 9221B, C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Coliform	=	400			200	MPN/100mL	SM 9221B, C
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Total Coliform	=	30,000			200	MPN/100mL	SM 9221B, C
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Total Coliform	=	80,000			200	MPN/100mL	SM 9221B, C
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Total Coliform	=	200			200	MPN/100mL	SM 9221B, C
DW06	SC-1R	RW	Grab	6/5/2006	10:08	Total	Total Coliform	=	1,300			200	MPN/100mL	SM 9221B, C
SE31	CR-46	UR	Grab	6/4/2003	---	-	Total Dissolved Solids	=	190		1	2	mg/L	EPA 160.1
SE32	CR-46	UR	Grab	6/25/2003	---	-	Total Dissolved Solids	=	348		1	2	mg/L	EPA 160.1
SE33	CR-46	UR	Composite	12/24/2003	14:47	-	Total Dissolved Solids	=	18.0		0.220	1.00	mg/L	EPA 160.1
SE34	CR-46	UR	Composite	2/2/2004	14:00	-	Total Dissolved Solids	=	20.0		0.220	1.00	mg/L	EPA 160.1
DW01	CR-46	UR	Grab	5/16/2004	---	-	Total Dissolved Solids	=	330		1.0	10	mg/L	EPA 160.1
DW02	CR-46	UR	Grab	6/13/2004	---	-	Total Dissolved Solids	=	230		1.0	10	mg/L	EPA 160.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	-	Total Dissolved Solids	=	310		3.6	10	mg/L	EPA 160.1
SE36	CR-46	UR	Composite	10/17/2004	23:15	-	Total Dissolved Solids	=	170		3.6	10	mg/L	EPA 160.1
SE38	CR-46	UR	Composite	2/27/2005	21:00	-	Total Dissolved Solids	=	12		10	10	mg/L	EPA 160.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	-	Total Dissolved Solids	=	200		3.6	10	mg/L	EPA 160.1
SE39	CR-46	UR	Composite	12/2/2005	11:10	-	Total Dissolved Solids	=	78		3.6	10	mg/L	EPA 160.1
SE41	CR-46	UR	Composite	3/20/2006	14:25	-	Total Dissolved Solids	=	46		3.6	10	mg/L	EPA 160.1
DW05	CR-46	UR	Grab	5/10/2006	10:01	-	Total Dissolved Solids	<	3.6	ND	3.6	10	mg/L	EPA 160.1
DW06	CR-46	UR	Grab	6/5/2006	10:15	-	Total Dissolved Solids	=	320		3.6	10	mg/L	EPA 160.1
SE30	CR-46R	RW	Grab	4/12/2003	---	-	Total Dissolved Solids	=	102		1	2	mg/L	EPA 160.1
SE31	CR-46R	RW	Grab	6/4/2003	---	-	Total Dissolved Solids	=	190		1	2	mg/L	EPA 160.1
SE32	CR-46R	RW	Grab	6/25/2003	---	-	Total Dissolved Solids	=	144		1	2	mg/L	EPA 160.1
SE33	CR-46R	RW	Grab	12/24/2003	11:40	-	Total Dissolved Solids	=	40.0		0.220	1.00	mg/L	EPA 160.1
SE34	CR-46R	RW	Grab	2/2/2004	13:45	-	Total Dissolved Solids	=	42.0		0.220	1.00	mg/L	EPA 160.1
DW01	CR-46R	RW	Grab	5/16/2004	---	-	Total Dissolved Solids	=	200		1.0	10	mg/L	EPA 160.1
DW02	CR-46R	RW	Grab	6/13/2004	---	-	Total Dissolved Solids	=	130		1.0	10	mg/L	EPA 160.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	-	Total Dissolved Solids	=	260		3.6	10	mg/L	EPA 160.1
SE36	CR-46R	RW	Grab	10/17/2004	---	-	Total Dissolved Solids	=	250		3.6	10	mg/L	EPA 160.1
SE38	CR-46R	RW	Grab	2/27/2005	20:50	-	Total Dissolved Solids	=	170		10	10	mg/L	EPA 160.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	-	Total Dissolved Solids	=	62		3.6	10	mg/L	EPA 160.1
SE39	CR-46R	RW	Grab	12/1/2005	22:45	-	Total Dissolved Solids	=	100		3.6	10	mg/L	EPA 160.1
SE41	CR-46R	RW	Grab	3/20/2006	13:30	-	Total Dissolved Solids	=	120		3.6	10	mg/L	EPA 160.1
DW05	CR-46R	RW	Grab	5/10/2006	11:30	-	Total Dissolved Solids	=	150		3.6	10	mg/L	EPA 160.1
DW06	CR-46R	RW	Grab	6/5/2006	12:30	-	Total Dissolved Solids	=	100		3.6	10	mg/L	EPA 160.1
SE30	DC-65	UR	Composite	4/12/2003	---	-	Total Dissolved Solids	=	62		1	2	mg/L	EPA 160.1
SE31	DC-65	UR	Grab	6/4/2003	---	-	Total Dissolved Solids	=	260		1	2	mg/L	EPA 160.1
SE32	DC-65	UR	Grab	6/25/2003	---	-	Total Dissolved Solids	=	352		1	2	mg/L	EPA 160.1
SE33	DC-65	UR	Composite	12/24/2003	15:10	-	Total Dissolved Solids	=	56.0		0.220	1.00	mg/L	EPA 160.1
SE35	DC-65	UR	Composite	2/16/2004	13:40	-	Total Dissolved Solids	=	48.0		0.220	1.00	mg/L	EPA 160.1
DW01	DC-65	UR	Grab	5/16/2004	---	-	Total Dissolved Solids	=	170		1.0	10	mg/L	EPA 160.1
DW02	DC-65	UR	Grab	6/13/2004	---	-	Total Dissolved Solids	=	260		1.0	10	mg/L	EPA 160.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	-	Total Dissolved Solids	=	250		3.6	10	mg/L	EPA 160.1
SE36	DC-65	UR	Composite	10/17/2004	22:30	-	Total Dissolved Solids	=	180		3.6	10	mg/L	EPA 160.1
SE38	DC-65	UR	Composite	2/27/2005	19:47	-	Total Dissolved Solids	=	37		10	10	mg/L	EPA 160.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW04	DC-65	UR	Grab	5/16/2005	11:00	-	Total Dissolved Solids	=	120		3.6	10	mg/L	EPA 160.1
SE40	DC-65	UR	Composite	2/26/2006	23:45	-	Total Dissolved Solids	=	98		3.6	10	mg/L	EPA 160.1
SE41	DC-65	UR	Composite	3/20/2006	14:35	-	Total Dissolved Solids	=	66		3.6	10	mg/L	EPA 160.1
DW05	DC-65	UR	Grab	5/10/2006	8:15	-	Total Dissolved Solids	=	94		3.6	10	mg/L	EPA 160.1
DW06	DC-65	UR	Grab	6/5/2006	9:15	-	Total Dissolved Solids	=	160		3.6	10	mg/L	EPA 160.1
SE30	DC-65R	RW	Grab	4/12/2003	---	-	Total Dissolved Solids	=	158		1	2	mg/L	EPA 160.1
SE31	DC-65R	RW	Grab	6/4/2003	---	-	Total Dissolved Solids	=	104		1	2	mg/L	EPA 160.1
SE32	DC-65R	RW	Grab	6/25/2003	---	-	Total Dissolved Solids	=	150		1	2	mg/L	EPA 160.1
SE33	DC-65R	RW	Grab	12/24/2003	14:00	-	Total Dissolved Solids	=	302		0.220	1.00	mg/L	EPA 160.1
SE34	DC-65R	RW	Grab	2/2/2004	14:05	-	Total Dissolved Solids	=	350		0.220	1.00	mg/L	EPA 160.1
SE35	DC-65R	RW	Grab	2/16/2004	10:30	-	Total Dissolved Solids	=	198		0.220	1.00	mg/L	EPA 160.1
DW01	DC-65R	RW	Grab	5/16/2004	---	-	Total Dissolved Solids	=	82		1.0	10	mg/L	EPA 160.1
DW02	DC-65R	RW	Grab	6/13/2004	---	-	Total Dissolved Solids	=	61		1.0	10	mg/L	EPA 160.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	-	Total Dissolved Solids	=	170		3.6	10	mg/L	EPA 160.1
SE36	DC-65R	RW	Grab	10/17/2004	22:30	-	Total Dissolved Solids	=	140		3.6	10	mg/L	EPA 160.1
SE38	DC-65R	RW	Grab	2/27/2005	21:45	-	Total Dissolved Solids	=	150		10	10	mg/L	EPA 160.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	-	Total Dissolved Solids	=	60		3.6	10	mg/L	EPA 160.1
SE40	DC-65R	RW	Grab	2/26/2006	23:30	-	Total Dissolved Solids	=	200		3.6	10	mg/L	EPA 160.1
SE41	DC-65R	RW	Grab	3/20/2006	13:57	-	Total Dissolved Solids	=	160		3.6	10	mg/L	EPA 160.1
DW05	DC-65R	RW	Grab	5/10/2006	12:05	-	Total Dissolved Solids	=	96		3.6	10	mg/L	EPA 160.1
DW06	DC-65R	RW	Grab	6/5/2006	10:00	-	Total Dissolved Solids	=	78		3.6	10	mg/L	EPA 160.1
SE30	MS-14	UR	Composite	4/12/2003	---	-	Total Dissolved Solids	=	56		1	2	mg/L	EPA 160.1
SE31	MS-14	UR	Grab	6/4/2003	---	-	Total Dissolved Solids	=	432		1	2	mg/L	EPA 160.1
SE32	MS-14	UR	Grab	6/25/2003	---	-	Total Dissolved Solids	=	588		1	2	mg/L	EPA 160.1
SE33	MS-14	UR	Composite	12/24/2003	8:10	-	Total Dissolved Solids	=	54.0		0.220	1.00	mg/L	EPA 160.1
SE34	MS-14	UR	Composite	2/2/2004	15:20	-	Total Dissolved Solids	=	38.0		0.220	1.00	mg/L	EPA 160.1
DW01	MS-14	UR	Grab	5/16/2004	---	-	Total Dissolved Solids	=	340		1.0	10	mg/L	EPA 160.1
DW02	MS-14	UR	Grab	6/13/2004	---	-	Total Dissolved Solids	=	510		1.0	10	mg/L	EPA 160.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	-	Total Dissolved Solids	=	280		3.6	10	mg/L	EPA 160.1
SE37	MS-14	UR	Composite	10/19/2004	8:13	-	Total Dissolved Solids	=	50		3.6	10	mg/L	EPA 160.1
SE38	MS-14	UR	Composite	2/27/2005	20:30	-	Total Dissolved Solids	=	37		10	10	mg/L	EPA 160.1
DW04	MS-14	UR	Grab	5/16/2005	9:56	-	Total Dissolved Solids	=	360		3.6	10	mg/L	EPA 160.1
SE39	MS-14	UR	Composite	12/2/2005	1:00	-	Total Dissolved Solids	=	50		3.6	10	mg/L	EPA 160.1
SE40	MS-14	UR	Composite	2/26/2006	23:40	-	Total Dissolved Solids	=	90		3.6	10	mg/L	EPA 160.1
DW05	MS-14	UR	Grab	5/10/2006	9:00	-	Total Dissolved Solids	=	440		3.6	10	mg/L	EPA 160.1
DW06	MS-14	UR	Grab	6/5/2006	8:43	-	Total Dissolved Solids	=	410		3.6	10	mg/L	EPA 160.1
SE30	MS-14R	RW	Grab	4/12/2003	---	-	Total Dissolved Solids	=	62		1	2	mg/L	EPA 160.1
SE31	MS-14R	RW	Grab	6/4/2003	---	-	Total Dissolved Solids	=	132		1	2	mg/L	EPA 160.1
SE32	MS-14R	RW	Grab	6/25/2003	---	-	Total Dissolved Solids	=	164		1	2	mg/L	EPA 160.1
SE34	MS-14R	RW	Grab	2/2/2004	14:00	-	Total Dissolved Solids	=	126		0.220	1.00	mg/L	EPA 160.1
DW01	MS-14R	RW	Grab	5/16/2004	---	-	Total Dissolved Solids	=	190		1.0	10	mg/L	EPA 160.1
DW02	MS-14R	RW	Grab	6/13/2004	---	-	Total Dissolved Solids	=	160		1.0	10	mg/L	EPA 160.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	-	Total Dissolved Solids	=	150		3.6	10	mg/L	EPA 160.1
SE37	MS-14R	RW	Grab	10/19/2004	9:00	-	Total Dissolved Solids	=	70		3.6	10	mg/L	EPA 160.1
SE38	MS-14R	RW	Grab	2/27/2005	19:40	-	Total Dissolved Solids	=	150		10	10	mg/L	EPA 160.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	-	Total Dissolved Solids	=	70		3.6	10	mg/L	EPA 160.1
SE39	MS-14R	RW	Grab	12/1/2005	22:00	-	Total Dissolved Solids	=	110		3.6	10	mg/L	EPA 160.1
SE40	MS-14R	RW	Grab	2/26/2006	20:33	-	Total Dissolved Solids	=	170		3.6	10	mg/L	EPA 160.1
DW05	MS-14R	RW	Grab	5/10/2006	10:23	-	Total Dissolved Solids	=	170		3.6	10	mg/L	EPA 160.1
DW06	MS-14R	RW	Grab	6/5/2006	9:31	-	Total Dissolved Solids	=	110		3.6	10	mg/L	EPA 160.1
SE30	SC-1	UR	Composite	4/12/2003	---	-	Total Dissolved Solids	=	62		1	2	mg/L	EPA 160.1
SE31	SC-1	UR	Grab	6/4/2003	---	-	Total Dissolved Solids	=	348		1	2	mg/L	EPA 160.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1	UR	Grab	6/25/2003	---	-	Total Dissolved Solids	=	346		1	2	mg/L	EPA 160.1
SE33	SC-1	UR	Composite	12/24/2003	11:55	-	Total Dissolved Solids	=	36.0		0.220	1.00	mg/L	EPA 160.1
SE34	SC-1	UR	Composite	2/2/2004	15:40	-	Total Dissolved Solids	=	28.0		0.220	1.00	mg/L	EPA 160.1
DW01	SC-1	UR	Grab	5/16/2004	---	-	Total Dissolved Solids	=	320		1.0	10	mg/L	EPA 160.1
DW02	SC-1	UR	Grab	6/13/2004	---	-	Total Dissolved Solids	=	290		1.0	10	mg/L	EPA 160.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	-	Total Dissolved Solids	=	320		3.6	10	mg/L	EPA 160.1
SE38	SC-1	UR	Composite	2/27/2005	19:30	-	Total Dissolved Solids	=	260		10	10	mg/L	EPA 160.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	-	Total Dissolved Solids	=	350		3.6	10	mg/L	EPA 160.1
SE40	SC-1	UR	Composite	2/27/2006	6:45	-	Total Dissolved Solids	=	72		3.6	10	mg/L	EPA 160.1
SE42	SC-1	UR	Composite	4/12/2006	10:15	-	Total Dissolved Solids	=	150		3.6	10	mg/L	EPA 160.1
DW05	SC-1	UR	Grab	5/10/2006	9:00	-	Total Dissolved Solids	=	480		3.6	10	mg/L	EPA 160.1
DW06	SC-1	UR	Grab	6/5/2006	9:40	-	Total Dissolved Solids	=	490		3.6	10	mg/L	EPA 160.1
SE30	SC-1R	RW	Grab	4/12/2003	---	-	Total Dissolved Solids	=	158		1	2	mg/L	EPA 160.1
SE31	SC-1R	RW	Grab	6/4/2003	---	-	Total Dissolved Solids	=	284		1	2	mg/L	EPA 160.1
SE32	SC-1R	RW	Grab	6/25/2003	---	-	Total Dissolved Solids	<	1	ND	1	2	mg/L	EPA 160.1
SE33	SC-1R	RW	Grab	12/24/2003	9:05	-	Total Dissolved Solids	=	218		0.220	1.00	mg/L	EPA 160.1
DW01	SC-1R	RW	Grab	5/16/2004	---	-	Total Dissolved Solids	=	300		1.0	10	mg/L	EPA 160.1
DW02	SC-1R	RW	Grab	6/13/2004	---	-	Total Dissolved Solids	=	310		1.0	10	mg/L	EPA 160.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	-	Total Dissolved Solids	=	450		3.6	10	mg/L	EPA 160.1
SE36	SC-1R	RW	Grab	10/18/2004	0:10	-	Total Dissolved Solids	=	450		3.6	10	mg/L	EPA 160.1
SE38	SC-1R	RW	Grab	2/27/2005	20:58	-	Total Dissolved Solids	=	210		10	10	mg/L	EPA 160.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	-	Total Dissolved Solids	=	98		3.6	10	mg/L	EPA 160.1
SE40	SC-1R	RW	Grab	2/26/2006	22:35	-	Total Dissolved Solids	=	200		3.6	10	mg/L	EPA 160.1
SE42	SC-1R	RW	Grab	4/12/2006	8:25	-	Total Dissolved Solids	=	82		3.6	10	mg/L	EPA 160.1
DW05	SC-1R	RW	Grab	5/10/2006	9:30	-	Total Dissolved Solids	=	160		3.6	10	mg/L	EPA 160.1
DW06	SC-1R	RW	Grab	6/5/2006	11:00	-	Total Dissolved Solids	=	150		3.6	10	mg/L	EPA 160.1
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	1.9		0.018	0.1	mg/L	EPA 351.3
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	2.7		0.018	0.1	mg/L	EPA 351.3
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.2		0.018	0.10	mg/L	EPA 351.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.10	mg/L	EPA 351.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	7.2		0.018	1.0	mg/L	EPA 351.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	3.6		0.018	0.50	mg/L	EPA 351.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Kjeldahl Nitrogen	=	0.62		0.11	0.50	mg/L	EPA 351.2
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Total Kjeldahl Nitrogen	=	7.1		0.11	0.50	mg/L	EPA 351.2
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Total Kjeldahl Nitrogen	=	0.56	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Kjeldahl Nitrogen	=	1.1		0.43	0.50	mg/L	SM4500-NORG, C
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Total Kjeldahl Nitrogen	=	5.12		0.0700	0.100	mg/L	EPA 351.2
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Total Kjeldahl Nitrogen	=	1.40		0.0700	0.100	mg/L	EPA 351.2
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Total Kjeldahl Nitrogen	=	0.632		0.0500	0.100	mg/L	EPA 351.2
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Kjeldahl Nitrogen	<	0.0500	ND	0.0500	0.100	mg/L	EPA 351.2
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1.7		0.018	0.1	mg/L	EPA 351.3
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	1.6		0.018	0.1	mg/L	EPA 351.3
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	0.32		0.018	0.1	mg/L	EPA 351.3
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.10	mg/L	EPA 351.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	1.5		0.018	0.10	mg/L	EPA 351.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	1.0		0.018	0.10	mg/L	EPA 351.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	0.98		0.018	0.10	mg/L	EPA 351.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Kjeldahl Nitrogen	=	0.19	J	0.11	0.50	mg/L	EPA 351.2
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Kjeldahl Nitrogen	=	2.8		0.11	0.50	mg/L	EPA 351.2
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Kjeldahl Nitrogen	=	0.84	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Kjeldahl Nitrogen	=	0.56		0.43	0.50	mg/L	SM4500-NORG, C
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Total Kjeldahl Nitrogen	=	1.73		0.0700	0.100	mg/L	EPA 351.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Total Kjeldahl Nitrogen	=	0.394		0.0700	0.100	mg/L	EPA 351.2
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Total Kjeldahl Nitrogen	=	0.391		0.0500	0.100	mg/L	EPA 351.2
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Total Kjeldahl Nitrogen	=	0.336		0.0500	0.100	mg/L	EPA 351.2
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1.7		0.018	0.1	mg/L	EPA 351.3
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	2.8		0.018	0.1	mg/L	EPA 351.3
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	1.7		0.018	0.1	mg/L	EPA 351.3
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.6		0.018	0.10	mg/L	EPA 351.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Total Kjeldahl Nitrogen	=	1.8		0.018	0.10	mg/L	EPA 351.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	2.6		0.018	0.50	mg/L	EPA 351.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	2.4		0.018	0.50	mg/L	EPA 351.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Kjeldahl Nitrogen	=	0.66		0.11	0.50	mg/L	EPA 351.2
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Total Kjeldahl Nitrogen	=	9.3		0.11	0.50	mg/L	EPA 351.2
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Total Kjeldahl Nitrogen	<	0.43	ND, B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Kjeldahl Nitrogen	=	1.1		0.43	0.50	mg/L	SM4500-NORG, C
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Total Kjeldahl Nitrogen	=	3.13		0.0700	0.100	mg/L	EPA 351.2
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Total Kjeldahl Nitrogen	=	1.88		0.0700	0.100	mg/L	EPA 351.2
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Kjeldahl Nitrogen	=	34.5		0.200	0.400	mg/L	EPA 351.2
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Kjeldahl Nitrogen	=	3.41		0.0500	0.100	mg/L	EPA 351.2
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1		0.018	0.1	mg/L	EPA 351.3
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	1		0.018	0.1	mg/L	EPA 351.3
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	0.33		0.018	0.1	mg/L	EPA 351.3
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.10	mg/L	EPA 351.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	1.4		0.018	0.10	mg/L	EPA 351.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.10	mg/L	EPA 351.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.20	mg/L	EPA 351.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	0.96		0.018	0.10	mg/L	EPA 351.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Kjeldahl Nitrogen	<	0.11	ND	0.11	0.50	mg/L	EPA 351.2
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Kjeldahl Nitrogen	=	1.3		0.11	0.50	mg/L	EPA 351.2
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Kjeldahl Nitrogen	<	0.43	ND	0.43	0.50	mg/L	SM4500-NORG, C
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Kjeldahl Nitrogen	=	0.56		0.43	0.50	mg/L	SM4500-NORG, C
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Total Kjeldahl Nitrogen	=	0.780		0.0700	0.100	mg/L	EPA 351.2
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Total Kjeldahl Nitrogen	=	1.71		0.0700	0.100	mg/L	EPA 351.2
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Total Kjeldahl Nitrogen	=	0.976		0.0500	0.100	mg/L	EPA 351.2
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Total Kjeldahl Nitrogen	=	0.303		0.0500	0.100	mg/L	EPA 351.2
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	2.1		0.018	0.1	mg/L	EPA 351.3
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	1.2		0.018	0.1	mg/L	EPA 351.3
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	1.2		0.018	0.1	mg/L	EPA 351.3
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.2		0.018	0.10	mg/L	EPA 351.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	1.4		0.018	0.10	mg/L	EPA 351.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	0.66		0.018	0.10	mg/L	EPA 351.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	26		0.018	1.0	mg/L	EPA 351.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Kjeldahl Nitrogen	=	0.44	J	0.11	0.50	mg/L	EPA 351.2
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Total Kjeldahl Nitrogen	=	1.0		0.11	0.50	mg/L	EPA 351.2
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Total Kjeldahl Nitrogen	=	2.0	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Kjeldahl Nitrogen	<	0.43	ND	0.43	0.50	mg/L	SM4500-NORG, C
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Total Kjeldahl Nitrogen	=	2.25		0.0700	0.100	mg/L	EPA 351.2
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Total Kjeldahl Nitrogen	=	1.76		0.0700	0.100	mg/L	EPA 351.2
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Total Kjeldahl Nitrogen	=	0.432		0.0500	0.100	mg/L	EPA 351.2
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Kjeldahl Nitrogen	<	0.0500	ND	0.0500	0.100	mg/L	EPA 351.2
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1.5		0.018	0.1	mg/L	EPA 351.3
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	0.78		0.018	0.1	mg/L	EPA 351.3
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	0.6		0.018	0.1	mg/L	EPA 351.3

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	0.80		0.018	0.10	mg/L	EPA 351.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	0.98		0.018	0.10	mg/L	EPA 351.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	5.1		0.018	0.50	mg/L	EPA 351.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Kjeldahl Nitrogen	<	0.11	ND	0.11	0.50	mg/L	EPA 351.2
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Kjeldahl Nitrogen	=	1.4		0.11	0.50	mg/L	EPA 351.2
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Kjeldahl Nitrogen	=	0.84	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Kjeldahl Nitrogen	=	0.84		0.43	0.50	mg/L	SM4500-NORG, C
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Total Kjeldahl Nitrogen	=	3.41		0.0700	0.100	mg/L	EPA 351.2
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Total Kjeldahl Nitrogen	=	0.797		0.0700	0.100	mg/L	EPA 351.2
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Total Kjeldahl Nitrogen	=	0.771		0.0500	0.100	mg/L	EPA 351.2
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Total Kjeldahl Nitrogen	=	0.443		0.0500	0.100	mg/L	EPA 351.2
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1.7		0.018	0.1	mg/L	EPA 351.3
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	0.86		0.018	0.1	mg/L	EPA 351.3
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	1.2		0.018	0.1	mg/L	EPA 351.3
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.3		0.018	0.10	mg/L	EPA 351.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Total Kjeldahl Nitrogen	=	1.8		0.018	0.10	mg/L	EPA 351.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	2.0		0.018	0.50	mg/L	EPA 351.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	2.0		0.018	0.50	mg/L	EPA 351.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Kjeldahl Nitrogen	=	0.48	J	0.11	0.50	mg/L	EPA 351.2
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Total Kjeldahl Nitrogen	=	10		0.11	0.50	mg/L	EPA 351.2
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Total Kjeldahl Nitrogen	=	7.3	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Kjeldahl Nitrogen	=	3.9		0.43	0.50	mg/L	SM4500-NORG, C
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Total Kjeldahl Nitrogen	=	1.62		0.0700	0.100	mg/L	EPA 351.2
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Total Kjeldahl Nitrogen	=	3.19		0.0500	0.100	mg/L	EPA 351.2
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Kjeldahl Nitrogen	=	0.155		0.0500	0.100	mg/L	EPA 351.2
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Kjeldahl Nitrogen	=	0.989		0.0500	0.100	mg/L	EPA 351.2
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Kjeldahl Nitrogen	=	1.9		0.018	0.1	mg/L	EPA 351.3
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Kjeldahl Nitrogen	=	1.9		0.018	0.1	mg/L	EPA 351.3
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Kjeldahl Nitrogen	=	1.6		0.018	0.1	mg/L	EPA 351.3
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Total Kjeldahl Nitrogen	=	1.6		0.018	0.10	mg/L	EPA 351.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Kjeldahl Nitrogen	=	1.3		0.018	0.20	mg/L	EPA 351.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Kjeldahl Nitrogen	=	1.1		0.018	0.20	mg/L	EPA 351.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Kjeldahl Nitrogen	=	0.83		0.11	0.50	mg/L	EPA 351.2
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Kjeldahl Nitrogen	=	2.1		0.11	0.50	mg/L	EPA 351.2
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Kjeldahl Nitrogen	=	0.84	B3	0.43	0.50	mg/L	SM4500-NORG, C
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Kjeldahl Nitrogen	=	0.56		0.43	0.50	mg/L	SM4500-NORG, C
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Total Kjeldahl Nitrogen	=	0.743		0.0700	0.100	mg/L	EPA 351.2
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Total Kjeldahl Nitrogen	=	0.780		0.0500	0.100	mg/L	EPA 351.2
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Total Kjeldahl Nitrogen	=	0.896		0.0500	0.100	mg/L	EPA 351.2
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Total Kjeldahl Nitrogen	=	0.566		0.0500	0.100	mg/L	EPA 351.2
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Organic Carbon	=	11		0.072	1	mg/L	EPA 415.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Organic Carbon	=	35		0.072	1	mg/L	EPA 415.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Total Organic Carbon	=	7.3		0.072	1.0	mg/L	EPA 415.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Total Organic Carbon	=	7.8		0.072	1.0	mg/L	EPA 415.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Organic Carbon	=	15		0.072	1.0	mg/L	EPA 415.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Organic Carbon	=	21		0.072	1.0	mg/L	EPA 415.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Organic Carbon	=	7.2		0.23	2.0	mg/L	EPA 415.1
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Total Organic Carbon	=	42		0.23	0.80	mg/L	EPA 415.1
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Total Organic Carbon	=	4.4		0.15	0.80	mg/L	EPA 415.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Organic Carbon	=	29		0.25	1.0	mg/L	EPA 415.1
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Total Organic Carbon	=	14		0.25	1.0	mg/L	EPA 415.1
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Total Organic Carbon	=	6.3		0.25	1.0	mg/L	EPA 415.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Total Organic Carbon	=	9.7		0.25	1.0	mg/L	EPA 415.1
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Organic Carbon	=	5.9		0.25	1.0	mg/L	EPA 415.1
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Organic Carbon	=	12		0.072	1	mg/L	EPA 415.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Organic Carbon	=	7.9		0.072	1	mg/L	EPA 415.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Organic Carbon	=	3.6		0.072	1	mg/L	EPA 415.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Total Organic Carbon	=	7.7		0.072	1.0	mg/L	EPA 415.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Total Organic Carbon	=	8.5		0.072	1.0	mg/L	EPA 415.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Organic Carbon	=	10		0.072	1.0	mg/L	EPA 415.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Organic Carbon	=	7.0		0.072	1.0	mg/L	EPA 415.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Organic Carbon	=	3.6		0.23	2.0	mg/L	EPA 415.1
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Organic Carbon	=	9.6		0.23	0.80	mg/L	EPA 415.1
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Organic Carbon	=	6.1		0.15	0.80	mg/L	EPA 415.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Organic Carbon	=	4.3		0.25	1.0	mg/L	EPA 415.1
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Total Organic Carbon	=	6.5		0.25	1.0	mg/L	EPA 415.1
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Total Organic Carbon	=	4.9		0.25	1.0	mg/L	EPA 415.1
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Total Organic Carbon	=	4.1		0.25	1.0	mg/L	EPA 415.1
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Total Organic Carbon	=	3.3		0.25	1.0	mg/L	EPA 415.1
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Total Organic Carbon	=	16		0.072	1	mg/L	EPA 415.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Organic Carbon	=	19		0.072	1	mg/L	EPA 415.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Organic Carbon	=	14		0.072	1	mg/L	EPA 415.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Total Organic Carbon	=	14		0.072	1.0	mg/L	EPA 415.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Total Organic Carbon	=	14		0.072	1.0	mg/L	EPA 415.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Organic Carbon	=	13		0.072	1.0	mg/L	EPA 415.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Organic Carbon	=	21		0.072	1.0	mg/L	EPA 415.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Organic Carbon	=	8.2		0.23	2.0	mg/L	EPA 415.1
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Total Organic Carbon	=	54		0.23	0.80	mg/L	EPA 415.1
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Total Organic Carbon	=	6.3		0.15	0.80	mg/L	EPA 415.1
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Organic Carbon	=	21		0.25	1.0	mg/L	EPA 415.1
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Total Organic Carbon	=	14		0.25	1.0	mg/L	EPA 415.1
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Total Organic Carbon	=	9.4		0.25	1.0	mg/L	EPA 415.1
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Organic Carbon	=	17		0.25	1.0	mg/L	EPA 415.1
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Organic Carbon	=	17		0.25	1.0	mg/L	EPA 415.1
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Organic Carbon	=	8.9		0.072	1	mg/L	EPA 415.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Organic Carbon	=	5.1		0.072	1	mg/L	EPA 415.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Organic Carbon	=	3.9		0.072	1	mg/L	EPA 415.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Total Organic Carbon	=	4.7		0.072	1.0	mg/L	EPA 415.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Total Organic Carbon	=	6.0		0.072	1.0	mg/L	EPA 415.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Total Organic Carbon	=	11		0.072	1.0	mg/L	EPA 415.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Organic Carbon	=	6.9		0.072	1.0	mg/L	EPA 415.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Organic Carbon	=	5.4		0.072	1.0	mg/L	EPA 415.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Organic Carbon	=	3.0		0.23	2.0	mg/L	EPA 415.1
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Organic Carbon	=	3.2		0.23	0.80	mg/L	EPA 415.1
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Organic Carbon	=	12		0.15	0.80	mg/L	EPA 415.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Organic Carbon	=	4.3		0.25	1.0	mg/L	EPA 415.1
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Total Organic Carbon	=	6.8		0.25	1.0	mg/L	EPA 415.1
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Total Organic Carbon	=	9.7		0.25	1.0	mg/L	EPA 415.1
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Total Organic Carbon	=	5.3		0.25	1.0	mg/L	EPA 415.1
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Total Organic Carbon	=	2.8		0.25	1.0	mg/L	EPA 415.1
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Total Organic Carbon	=	13		0.072	1	mg/L	EPA 415.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Organic Carbon	=	6.4		0.072	1	mg/L	EPA 415.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Organic Carbon	=	7.5		0.072	1	mg/L	EPA 415.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Total Organic Carbon	=	8.2		0.072	1.0	mg/L	EPA 415.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Total Organic Carbon	=	7.2		0.072	1.0	mg/L	EPA 415.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Organic Carbon	=	5.5		0.072	1.0	mg/L	EPA 415.1
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Organic Carbon	=	24		0.072	1.0	mg/L	EPA 415.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Organic Carbon	=	4.6		0.23	2.0	mg/L	EPA 415.1
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Total Organic Carbon	=	12		0.23	0.80	mg/L	EPA 415.1
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Total Organic Carbon	=	4.7		0.15	0.80	mg/L	EPA 415.1
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Organic Carbon	=	6.6		0.25	1.0	mg/L	EPA 415.1
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Total Organic Carbon	=	15		0.25	1.0	mg/L	EPA 415.1
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Total Organic Carbon	=	8.8		0.25	1.0	mg/L	EPA 415.1
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Total Organic Carbon	=	3.7		0.25	1.0	mg/L	EPA 415.1
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Organic Carbon	=	3.0		0.25	1.0	mg/L	EPA 415.1
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Organic Carbon	=	14		0.072	1	mg/L	EPA 415.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Organic Carbon	=	5.5		0.072	1	mg/L	EPA 415.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Organic Carbon	=	3.9		0.072	1	mg/L	EPA 415.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Total Organic Carbon	=	7.9		0.072	1.0	mg/L	EPA 415.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Organic Carbon	=	8.0		0.072	1.0	mg/L	EPA 415.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Organic Carbon	=	10		0.072	1.0	mg/L	EPA 415.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Organic Carbon	=	3.3		0.23	2.0	mg/L	EPA 415.1
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Organic Carbon	=	20		0.23	0.80	mg/L	EPA 415.1
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Organic Carbon	=	7.5		0.15	0.80	mg/L	EPA 415.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Organic Carbon	=	4.7		0.25	1.0	mg/L	EPA 415.1
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Total Organic Carbon	=	20	M2	0.25	1.0	mg/L	EPA 415.1
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Total Organic Carbon	=	7.3		0.25	1.0	mg/L	EPA 415.1
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Total Organic Carbon	=	7.4		0.25	1.0	mg/L	EPA 415.1
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Total Organic Carbon	=	4.1		0.25	1.0	mg/L	EPA 415.1
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Total Organic Carbon	=	16		0.072	1	mg/L	EPA 415.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Organic Carbon	=	4		0.072	1	mg/L	EPA 415.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Organic Carbon	=	4.9		0.072	1	mg/L	EPA 415.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Total Organic Carbon	=	11		0.072	1.0	mg/L	EPA 415.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Total Organic Carbon	=	12		0.072	1.0	mg/L	EPA 415.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Organic Carbon	=	7.8		0.072	1.0	mg/L	EPA 415.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Organic Carbon	=	8.4		0.072	1.0	mg/L	EPA 415.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Organic Carbon	=	5.7		0.23	2.0	mg/L	EPA 415.1
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Total Organic Carbon	=	110		0.46	1.6	mg/L	EPA 415.1
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Total Organic Carbon	=	10		0.15	0.80	mg/L	EPA 415.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Organic Carbon	=	12		0.25	1.0	mg/L	EPA 415.1
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Total Organic Carbon	=	8.6		0.25	1.0	mg/L	EPA 415.1
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Total Organic Carbon	=	14		0.25	1.0	mg/L	EPA 415.1
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Organic Carbon	=	3.8		0.25	1.0	mg/L	EPA 415.1
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Organic Carbon	=	3.1		0.25	1.0	mg/L	EPA 415.1
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Organic Carbon	=	15		0.072	1	mg/L	EPA 415.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Organic Carbon	=	9.3		0.072	1	mg/L	EPA 415.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Organic Carbon	=	7		0.072	1	mg/L	EPA 415.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Total Organic Carbon	=	6.5		0.072	1.0	mg/L	EPA 415.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Organic Carbon	=	6.5		0.072	1.0	mg/L	EPA 415.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Organic Carbon	=	12		0.072	1.0	mg/L	EPA 415.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Organic Carbon	=	5.0		0.23	2.0	mg/L	EPA 415.1
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Organic Carbon	=	4.5		0.23	0.80	mg/L	EPA 415.1
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Organic Carbon	=	4.8		0.15	0.80	mg/L	EPA 415.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Organic Carbon	=	6.1		0.25	1.0	mg/L	EPA 415.1
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Total Organic Carbon	=	5.7		0.25	1.0	mg/L	EPA 415.1
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Total Organic Carbon	=	3.9		0.25	1.0	mg/L	EPA 415.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Total Organic Carbon	=	5.8		0.25	1.0	mg/L	EPA 415.1
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Total Organic Carbon	=	6.0		0.25	1.0	mg/L	EPA 415.1
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Total PCBs	<	0.023	ND	0.023	0.20	µg/L	EPA 8082
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	CR-46	UR	Grab	12/24/2003	8:40	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	CR-46	UR	Grab	2/2/2004	12:05	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.4	mg/L	EPA 1664A
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Total Petroleum Hydrocarbons	=	2.3	J	0.99	2.5	mg/L	EPA 1664A
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Petroleum Hydrocarbons	=	2.9		0.98	2.5	mg/L	EPA 1664A
SE39	CR-46	UR	Grab	12/1/2005	23:45	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A
SE41	CR-46	UR	Grab	3/20/2006	13:31	Total	Total Petroleum Hydrocarbons	=	1.3	J	0.99	2.5	mg/L	EPA 1664A
DW05	CR-46	UR	Grab	5/10/2006	9:45	Total	Total Petroleum Hydrocarbons	=	1.5	J	1.0	2.6	mg/L	EPA 1664A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	CR-46R	RW	Grab	12/24/2003	10:30	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	CR-46R	RW	Grab	2/2/2004	14:33	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.4	mg/L	EPA 1664A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.7	mg/L	EPA 1664A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A
SE39	CR-46R	RW	Grab	12/1/2005	21:50	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE41	CR-46R	RW	Grab	3/20/2006	14:00	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
DW05	CR-46R	RW	Grab	5/10/2006	10:15	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.9	mg/L	EPA 1664A
DW06	CR-46R	RW	Grab	6/5/2006	10:50	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	DC-65	UR	Grab	12/24/2003	7:20	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	DC-65	UR	Grab	2/2/2004	13:05	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE35	DC-65	UR	Grab	2/16/2004	9:40	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Petroleum Hydrocarbons	=	11		3.0	6.0	mg/L	EPA 1664A
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Total Petroleum Hydrocarbons	=	1.2	J	1.0	2.6	mg/L	EPA 1664A
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Total Petroleum Hydrocarbons	=	1.0	J	0.99	2.5	mg/L	EPA 1664A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Petroleum Hydrocarbons	=	3.4		0.97	2.5	mg/L	EPA 1664A
SE40	DC-65	UR	Grab	2/26/2006	21:00	Total	Total Petroleum Hydrocarbons	<	0.97	ND	0.97	2.5	mg/L	EPA 1664A
SE41	DC-65	UR	Grab	3/20/2006	13:50	Total	Total Petroleum Hydrocarbons	<	0.96	ND	0.96	2.4	mg/L	EPA 1664A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Petroleum Hydrocarbons	=	14		0.97	2.5	mg/L	EPA 1664A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	DC-65R	RW	Grab	2/2/2004	13:00	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE35	DC-65R	RW	Grab	2/16/2004	9:11	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Petroleum Hydrocarbons	=	1.3	J	1.2	2.4	mg/L	EPA 1664A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.8	mg/L	EPA 1664A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Petroleum Hydrocarbons	=	1.9	J	1.0	2.5	mg/L	EPA 1664A
SE40	DC-65R	RW	Grab	2/26/2006	22:27	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	3.1	mg/L	EPA 1664A
SE41	DC-65R	RW	Grab	3/20/2006	15:03	Total	Total Petroleum Hydrocarbons	=	2.4	J	1.1	2.7	mg/L	EPA 1664A
DW05	DC-65R	RW	Grab	5/10/2006	10:45	Total	Total Petroleum Hydrocarbons	=	1.7	J	0.99	2.5	mg/L	EPA 1664A
DW06	DC-65R	RW	Grab	6/5/2006	9:20	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	MS-14	UR	Grab	12/24/2003	8:10	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	MS-14	UR	Grab	2/2/2004	13:10	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.4	mg/L	EPA 1664A
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Total Petroleum Hydrocarbons	=	1.0	J	1.0	2.6	mg/L	EPA 1664A
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Total Petroleum Hydrocarbons	=	1.4	J	0.95	2.4	mg/L	EPA 1664A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Petroleum Hydrocarbons	=	4.5		1.1	2.8	mg/L	EPA 1664A
SE39	MS-14	UR	Grab	12/1/2005	23:00	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.5	mg/L	EPA 1664A
DW05	MS-14	UR	Grab	5/10/2006	8:13	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE34	MS-14R	RW	Grab	2/2/2004	13:56	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Petroleum Hydrocarbons	=	1.5	J	1.2	2.4	mg/L	EPA 1664A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Petroleum Hydrocarbons	<	0.96	ND	0.96	2.4	mg/L	EPA 1664A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.7	mg/L	EPA 1664A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE39	MS-14R	RW	Grab	12/1/2005	22:47	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A
SE40	MS-14R	RW	Grab	2/26/2006	20:50	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.8	mg/L	EPA 1664A
DW05	MS-14R	RW	Grab	5/10/2006	9:00	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.9	mg/L	EPA 1664A
DW06	MS-14R	RW	Grab	6/5/2006	9:18	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	SC-1	UR	Grab	12/24/2003	7:15	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
SE34	SC-1	UR	Grab	2/2/2004	12:00	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.4	mg/L	EPA 1664A
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Total Petroleum Hydrocarbons	=	1.3	J	0.97	2.5	mg/L	EPA 1664A
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Total Petroleum Hydrocarbons	=	8.3		0.96	2.4	mg/L	EPA 1664A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Petroleum Hydrocarbons	=	2.8		0.96	2.4	mg/L	EPA 1664A
SE42	SC-1	UR	Grab	4/12/2006	9:00	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	3.0	mg/L	EPA 1664A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Petroleum Hydrocarbons	<	0.98	ND	0.98	2.5	mg/L	EPA 1664A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Petroleum Hydrocarbons	<	2.5	ND	2.5	5	mg/L	EPA 1664
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Total Petroleum Hydrocarbons	<	5.00	ND	5.00	5.00	mg/L	EPA 1664
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Petroleum Hydrocarbons	<	5.0	ND	5.0	5.0	mg/L	EPA 1664
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Petroleum Hydrocarbons	<	1.2	ND	1.2	2.4	mg/L	EPA 1664A
SE36	SC-1R	RW	Grab	10/17/2004	0:10	Total	Total Petroleum Hydrocarbons	<	0.99	ND	0.99	2.5	mg/L	EPA 1664A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.8	mg/L	EPA 1664A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Petroleum Hydrocarbons	=	1.8	J	0.95	2.4	mg/L	EPA 1664A
SE40	SC-1R	RW	Grab	2/26/2006	21:20	Total	Total Petroleum Hydrocarbons	<	1.1	ND	1.1	2.8	mg/L	EPA 1664A
SE42	SC-1R	RW	Grab	4/12/2006	8:45	Total	Total Petroleum Hydrocarbons	<	1.0	ND	1.0	2.6	mg/L	EPA 1664A
DW05	SC-1R	RW	Grab	5/10/2006	9:35	Total	Total Petroleum Hydrocarbons	=	2.5		0.98	2.5	mg/L	EPA 1664A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	CR-46	UR	Grab	12/24/2003	---	Total	Total Phenols	=	0.054	J	0.05	0.10	mg/L	EPA 420.1
SE34	CR-46	UR	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Phenols	=	0.025		0.00080	0.010	mg/L	SM 5530C
SE36	CR-46	UR	Grab	10/17/2004	23:15	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	CR-46	UR	Grab	2/27/2005	21:00	Total	Total Phenols	=	0.0007	J	0.00040	0.0050	mg/L	EPA 420.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Phenols	=	0.0005	J	0.00040	0.0050	mg/L	EPA 420.1
SE39	CR-46	UR	Grab	12/2/2005	11:10	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE41	CR-46	UR	Grab	3/20/2006	14:25	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Phenols	=	0.0019	J	0.00040	0.0050	mg/L	SM 5530C
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Phenols	=	0.0012	J	0.00040	0.0050	mg/L	SM 5530C
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Phenols	=	0.0008	J	0.00040	0.0050	mg/L	EPA 420.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Total Phenols	<	0.081	ND, H	0.081	0.10	mg/L	EPA 420.1
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	DC-65	UR	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	DC-65	UR	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE35	DC-65	UR	Grab	2/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Phenols	=	0.0073		0.00040	0.0050	mg/L	SM 5530C
SE36	DC-65	UR	Grab	10/17/2004	22:30	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	DC-65	UR	Grab	2/27/2005	19:47	Total	Total Phenols	=	0.0008	J	0.00040	0.0050	mg/L	EPA 420.1
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Phenols	=	0.0007	J	0.00040	0.0050	mg/L	EPA 420.1
SE40	DC-65	UR	Grab	2/26/2006	23:45	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE41	DC-65	UR	Grab	3/20/2006	14:35	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Phenols	<	0.081	ND, H	0.081	0.10	mg/L	EPA 420.1
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Phenols	=	0.0085		0.00040	0.0050	mg/L	SM 5530C
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Phenols	=	0.0006	J	0.00040	0.0050	mg/L	EPA 420.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Total Phenols	<	0.081	ND, H	0.081	0.10	mg/L	EPA 420.1
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	MS-14	UR	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	MS-14	UR	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE34	MS-14	UR	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Phenols	=	0.1		0.00040	0.0050	mg/L	SM 5530C
SE37	MS-14	UR	Grab	10/19/2004	8:13	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	MS-14	UR	Grab	2/27/2005	20:30	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
SE39	MS-14	UR	Grab	12/2/2005	1:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE40	MS-14	UR	Grab	2/26/2006	23:40	Total	Total Phenols	<	0.081		0.081	0.10	mg/L	EPA 420.1
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Phenols	=	0.0031	J	0.00040	0.0050	mg/L	SM 5530C
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Phenols	=	0.0004	J	0.00040	0.0050	mg/L	EPA 420.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Phenols	=	0.0008	J	0.00040	0.0050	mg/L	EPA 420.1
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	SC-1	UR	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	SC-1	UR	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
SE34	SC-1	UR	Grab	2/2/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE36	SC-1	UR	Grab	10/18/2004	22:20	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	SC-1	UR	Grab	2/27/2005	19:30	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Phenols	=	0.0004	J	0.00040	0.0050	mg/L	EPA 420.1
SE40	SC-1	UR	Grab	2/27/2006	6:45	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE42	SC-1	UR	Grab	4/12/2006	10:15	Total	Total Phenols	=	0.081	Jb	0.081	0.10	mg/L	EPA 420.1
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.1	mg/L	EPA 420.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Phenols	<	0.05	ND	0.05	0.10	mg/L	EPA 420.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Phenols	=	0.006		0.00040	0.0050	mg/L	SM 5530C
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	SM 5530C
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Phenols	<	0.00040	ND	0.00040	0.0050	mg/L	EPA 420.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Phenols	=	0.0004	J	0.00040	0.0050	mg/L	EPA 420.1
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Total Phenols	<	0.081	ND, H	0.081	0.10	mg/L	EPA 420.1
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Total Phenols	<	0.081	ND	0.081	0.10	mg/L	EPA 420.1
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Suspended Solids	=	8		1	2	mg/L	EPA 160.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Suspended Solids	=	22		1	2	mg/L	EPA 160.2
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Total Suspended Solids	=	52.0		1.00	1.00	mg/L	EPA 160.2
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Total Suspended Solids	=	46.0		1.00	1.00	mg/L	EPA 160.2
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Suspended Solids	=	14		1.0	4.0	mg/L	EPA 160.2
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Suspended Solids	=	6.8		1.0	2.0	mg/L	EPA 160.2
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Suspended Solids	=	4.0		1.3	2.0	mg/L	EPA 160.2
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Total Suspended Solids	=	71		2.0	2.0	mg/L	EPA 160.2
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Total Suspended Solids	=	26		10	10	mg/L	EPA 160.2
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Suspended Solids	=	9.0	J	4.0	10	mg/L	EPA 160.2
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Total Suspended Solids	=	210		4.0	10	mg/L	EPA 160.2
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Total Suspended Solids	=	110		4.0	10	mg/L	EPA 160.2
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Total Suspended Solids	=	18		4.0	5.0	mg/L	EPA 160.2
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Suspended Solids	=	74		4.0	5.0	mg/L	EPA 160.2
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Suspended Solids	=	54		1	2	mg/L	EPA 160.2
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Suspended Solids	=	24		1	2	mg/L	EPA 160.2
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Suspended Solids	=	6		1	2	mg/L	EPA 160.2
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Total Suspended Solids	=	20.0		1.00	1.00	mg/L	EPA 160.2
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Total Suspended Solids	=	32.0		1.00	1.00	mg/L	EPA 160.2
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Suspended Solids	=	15		1.0	2.5	mg/L	EPA 160.2
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Suspended Solids	=	22		1.0	2.0	mg/L	EPA 160.2
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Suspended Solids	=	16		1.3	2.0	mg/L	EPA 160.2
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Suspended Solids	=	9.5		2.0	2.0	mg/L	EPA 160.2
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Suspended Solids	=	20		10	10	mg/L	EPA 160.2
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Suspended Solids	<	4.0	ND	4.0	10	mg/L	EPA 160.2
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Total Suspended Solids	=	230		4.0	10	mg/L	EPA 160.2
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Total Suspended Solids	=	23		4.0	10	mg/L	EPA 160.2
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Total Suspended Solids	=	69		4.0	5.0	mg/L	EPA 160.2
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Total Suspended Solids	=	12		4.0	5.0	mg/L	EPA 160.2
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Total Suspended Solids	=	106		1	2	mg/L	EPA 160.2
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Suspended Solids	=	18		1	2	mg/L	EPA 160.2
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Suspended Solids	=	8		1	2	mg/L	EPA 160.2
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Total Suspended Solids	=	42.0		1.00	1.00	mg/L	EPA 160.2
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Total Suspended Solids	=	68.0		1.00	1.00	mg/L	EPA 160.2
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Suspended Solids	=	47		1.0	2.5	mg/L	EPA 160.2
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Suspended Solids	=	16		1.0	2.0	mg/L	EPA 160.2
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Suspended Solids	=	32		1.3	2.0	mg/L	EPA 160.2
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Total Suspended Solids	=	72		2.0	2.0	mg/L	EPA 160.2
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Total Suspended Solids	=	15		10	10	mg/L	EPA 160.2
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Suspended Solids	=	24		4.0	10	mg/L	EPA 160.2
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Total Suspended Solids	=	300		4.0	10	mg/L	EPA 160.2
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Total Suspended Solids	=	340		4.0	10	mg/L	EPA 160.2
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Suspended Solids	=	62	HT-RC	4.0	5.0	mg/L	EPA 160.2
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Suspended Solids	=	20		4.0	5.0	mg/L	EPA 160.2
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Suspended Solids	=	40		1	2	mg/L	EPA 160.2
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Suspended Solids	=	36		1	2	mg/L	EPA 160.2
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Suspended Solids	=	26		1	2	mg/L	EPA 160.2
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Total Suspended Solids	=	2.00		1.00	1.00	mg/L	EPA 160.2
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Total Suspended Solids	=	6.00		1.00	1.00	mg/L	EPA 160.2
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Total Suspended Solids	=	26.0		1.00	1.00	mg/L	EPA 160.2
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Suspended Solids	=	52		1.0	2.5	mg/L	EPA 160.2
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Suspended Solids	=	53		1.0	2.0	mg/L	EPA 160.2
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Suspended Solids	=	16		1.3	2.0	mg/L	EPA 160.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Suspended Solids	=	26		2.0	2.0	mg/L	EPA 160.2
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Suspended Solids	=	42		10	10	mg/L	EPA 160.2
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Suspended Solids	=	5.3	J	4.0	10	mg/L	EPA 160.2
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Total Suspended Solids	=	34		4.0	5.0	mg/L	EPA 160.2
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Total Suspended Solids	=	440		4.0	10	mg/L	EPA 160.2
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Total Suspended Solids	=	73		4.0	5.0	mg/L	EPA 160.2
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Total Suspended Solids	=	48		4.0	5.0	mg/L	EPA 160.2
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Total Suspended Solids	=	68		1	2	mg/L	EPA 160.2
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Suspended Solids	=	76		1	2	mg/L	EPA 160.2
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Suspended Solids	=	4		1	2	mg/L	EPA 160.2
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Total Suspended Solids	=	18.0		1.00	1.00	mg/L	EPA 160.2
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Total Suspended Solids	=	28.0		1.00	1.00	mg/L	EPA 160.2
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Suspended Solids	<	1.0	ND	1.0	2.5	mg/L	EPA 160.2
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Suspended Solids	=	4.8		1.0	2.0	mg/L	EPA 160.2
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Suspended Solids	=	5.0		1.3	2.0	mg/L	EPA 160.2
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Total Suspended Solids	=	30		2.0	2.0	mg/L	EPA 160.2
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Total Suspended Solids	=	17		10	10	mg/L	EPA 160.2
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Suspended Solids	<	4.0	ND	4.0	10	mg/L	EPA 160.2
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Total Suspended Solids	=	82		4.0	10	mg/L	EPA 160.2
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Total Suspended Solids	=	49		4.0	10	mg/L	EPA 160.2
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Total Suspended Solids	=	53	HT-RC	4.0	5.0	mg/L	EPA 160.2
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Suspended Solids	=	4.0	Jb	4.0	5.0	mg/L	EPA 160.2
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Suspended Solids	=	30		1	2	mg/L	EPA 160.2
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Suspended Solids	=	10		1	2	mg/L	EPA 160.2
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Suspended Solids	=	12		1	2	mg/L	EPA 160.2
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Total Suspended Solids	=	10.0		1.00	1.00	mg/L	EPA 160.2
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Suspended Solids	=	12		1.0	2.5	mg/L	EPA 160.2
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Suspended Solids	=	35		1.0	2.0	mg/L	EPA 160.2
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Suspended Solids	=	21		1.3	2.0	mg/L	EPA 160.2
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Suspended Solids	=	33		2.0	2.0	mg/L	EPA 160.2
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Suspended Solids	=	37		10	10	mg/L	EPA 160.2
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Suspended Solids	<	4.0	ND	4.0	10	mg/L	EPA 160.2
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Total Suspended Solids	=	51		4.0	10	mg/L	EPA 160.2
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Total Suspended Solids	=	9.8		4.0	5.0	mg/L	EPA 160.2
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Total Suspended Solids	=	6.7		4.0	5.0	mg/L	EPA 160.2
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Total Suspended Solids	=	37		4.0	5.0	mg/L	EPA 160.2
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Total Suspended Solids	=	106		1	2	mg/L	EPA 160.2
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Suspended Solids	<	1	ND	1	2	mg/L	EPA 160.2
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Suspended Solids	<	1	ND	1	2	mg/L	EPA 160.2
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Total Suspended Solids	=	66.0		1.00	1.00	mg/L	EPA 160.2
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Total Suspended Solids	=	74.0		1.00	1.00	mg/L	EPA 160.2
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Suspended Solids	=	16		1.0	2.5	mg/L	EPA 160.2
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Suspended Solids	=	10		1.0	2.0	mg/L	EPA 160.2
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Suspended Solids	<	1.3	ND	1.3	2.0	mg/L	EPA 160.2
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Total Suspended Solids	=	20		10	10	mg/L	EPA 160.2
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Suspended Solids	=	110		4.0	10	mg/L	EPA 160.2
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Total Suspended Solids	=	15		4.0	5.0	mg/L	EPA 160.2
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Total Suspended Solids	=	530		4.0	10	mg/L	EPA 160.2
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Suspended Solids	=	6.7		4.0	5.0	mg/L	EPA 160.2
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Suspended Solids	=	11		4.0	5.0	mg/L	EPA 160.2
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Suspended Solids	=	48		1	2	mg/L	EPA 160.2
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Suspended Solids	=	40		1	2	mg/L	EPA 160.2

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Suspended Solids	=	20		1	2	mg/L	EPA 160.2
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Total Suspended Solids	=	2.00		1.00	1.00	mg/L	EPA 160.2
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Suspended Solids	=	17		1.0	2.5	mg/L	EPA 160.2
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Suspended Solids	=	48		1.0	2.0	mg/L	EPA 160.2
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Suspended Solids	=	78		1.3	2.0	mg/L	EPA 160.2
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Suspended Solids	=	20		2.0	2.0	mg/L	EPA 160.2
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Suspended Solids	=	26		10	10	mg/L	EPA 160.2
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Suspended Solids	=	9.4	J	4.0	10	mg/L	EPA 160.2
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Total Suspended Solids	=	21		4.0	5.0	mg/L	EPA 160.2
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Total Suspended Solids	=	25		4.0	10	mg/L	EPA 160.2
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Total Suspended Solids	=	33		4.0	5.0	mg/L	EPA 160.2
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Total Suspended Solids	=	31		4.0	5.0	mg/L	EPA 160.2
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Total Volatile Solids	=	36		1	2	mg/L	EPA 160.4
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Total Volatile Solids	=	96		1	2	mg/L	EPA 160.4
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Total Volatile Solids	=	6.0		1.0	4.0	mg/L	EPA 160.4
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Total Volatile Solids	=	4.0		1.0	2.0	mg/L	EPA 160.4
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Total Volatile Solids	=	3.0			2.0	mg/L	EPA 160.4
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Total Volatile Solids	=	26			2.0	mg/L	EPA 160.4
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Total Volatile Solids	=	3.3		2.0	2.0	mg/L	EPA 160.4
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Total Volatile Solids	=	10		2.0	2.0	mg/L	EPA 160.4
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Total Volatile Solids	=	53		2.0	2.0	mg/L	EPA 160.4
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Total Volatile Solids	=	35		2.0	2.0	mg/L	EPA 160.4
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Total Volatile Solids	=	11	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Total Volatile Solids	=	31		5.0	5.0	mg/L	EPA 160.4
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Total Volatile Solids	=	59		1	2	mg/L	EPA 160.4
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Total Volatile Solids	=	42		1	2	mg/L	EPA 160.4
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Total Volatile Solids	=	18		1	2	mg/L	EPA 160.4
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Total Volatile Solids	=	3.8		1.0	2.5	mg/L	EPA 160.4
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Total Volatile Solids	=	6.8		1.0	2.0	mg/L	EPA 160.4
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Total Volatile Solids	=	3.6			2.0	mg/L	EPA 160.4
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Total Volatile Solids	=	5.5			2.0	mg/L	EPA 160.4
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Total Volatile Solids	=	2.0		2.0	2.0	mg/L	EPA 160.4
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Total Volatile Solids	<	2.0	ND	2.0	2.0	mg/L	EPA 160.4
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Total Volatile Solids	=	34		2.0	2.0	mg/L	EPA 160.4
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Total Volatile Solids	=	13		2.0	2.0	mg/L	EPA 160.4
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Total Volatile Solids	=	14	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Total Volatile Solids	=	8.3		5.0	5.0	mg/L	EPA 160.4
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Total Volatile Solids	=	52		1	2	mg/L	EPA 160.4
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Total Volatile Solids	=	58		1	2	mg/L	EPA 160.4
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Total Volatile Solids	=	72		1	2	mg/L	EPA 160.4
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Total Volatile Solids	=	12		1.0	2.5	mg/L	EPA 160.4
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Total Volatile Solids	=	6.0		1.0	2.0	mg/L	EPA 160.4
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Total Volatile Solids	=	7.5			2.0	mg/L	EPA 160.4
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Total Volatile Solids	=	31			2.0	mg/L	EPA 160.4
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Total Volatile Solids	=	8.7		2.0	2.0	mg/L	EPA 160.4
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Total Volatile Solids	=	14		2.0	2.0	mg/L	EPA 160.4

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Total Volatile Solids	=	94		4.0	5.0	mg/L	EPA 160.4
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Total Volatile Solids	=	98		2.0	2.0	mg/L	EPA 160.4
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Total Volatile Solids	=	27	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Total Volatile Solids	=	20		5.0	5.0	mg/L	EPA 160.4
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Total Volatile Solids	=	52		1	2	mg/L	EPA 160.4
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Total Volatile Solids	=	26		1	2	mg/L	EPA 160.4
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Total Volatile Solids	=	46		1	2	mg/L	EPA 160.4
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Total Volatile Solids	=	6.7		1.0	2.5	mg/L	EPA 160.4
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Total Volatile Solids	=	8.4		1.0	2.0	mg/L	EPA 160.4
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Total Volatile Solids	=	2.9			2.0	mg/L	EPA 160.4
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Total Volatile Solids	=	4.0			2.0	mg/L	EPA 160.4
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Total Volatile Solids	=	2.7		2.0	2.0	mg/L	EPA 160.4
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Total Volatile Solids	=	5.3		2.0	2.0	mg/L	EPA 160.4
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Total Volatile Solids	=	10		4.0	5.0	mg/L	EPA 160.4
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Total Volatile Solids	=	48		2.0	2.0	mg/L	EPA 160.4
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Total Volatile Solids	=	18	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Total Volatile Solids	=	12		5.0	5.0	mg/L	EPA 160.4
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Total Volatile Solids	=	63		1	2	mg/L	EPA 160.4
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Total Volatile Solids	=	22		1	2	mg/L	EPA 160.4
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Total Volatile Solids	=	106		1	2	mg/L	EPA 160.4
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Total Volatile Solids	<	1.0	ND	1.0	2.5	mg/L	EPA 160.4
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Total Volatile Solids	=	3.6		1.0	2.0	mg/L	EPA 160.4
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Total Volatile Solids	=	1.2	J		2.0	mg/L	EPA 160.4
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Total Volatile Solids	=	12			2.0	mg/L	EPA 160.4
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Total Volatile Solids	=	4.0		2.0	2.0	mg/L	EPA 160.4
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Total Volatile Solids	<	2.0	ND	2.0	2.0	mg/L	EPA 160.4
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Total Volatile Solids	=	29		2.0	2.0	mg/L	EPA 160.4
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Total Volatile Solids	=	29		4.0	5.0	mg/L	EPA 160.4
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Total Volatile Solids	=	41	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Total Volatile Solids	=	6.0		5.0	5.0	mg/L	EPA 160.4
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Total Volatile Solids	=	49		1	2	mg/L	EPA 160.4
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Total Volatile Solids	=	10		1	2	mg/L	EPA 160.4
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Total Volatile Solids	=	32		1	2	mg/L	EPA 160.4
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Total Volatile Solids	<	1.0	ND	1.0	2.5	mg/L	EPA 160.4
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Total Volatile Solids	=	6.0		1.0	2.0	mg/L	EPA 160.4
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Total Volatile Solids	=	5.0			2.0	mg/L	EPA 160.4
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Total Volatile Solids	=	13			2.0	mg/L	EPA 160.4
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Total Volatile Solids	=	2.7		2.0	2.0	mg/L	EPA 160.4
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Total Volatile Solids	=	3.3		2.0	2.0	mg/L	EPA 160.4
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Total Volatile Solids	=	13		2.0	2.0	mg/L	EPA 160.4
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Total Volatile Solids	=	9.7		4.0	5.0	mg/L	EPA 160.4
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Total Volatile Solids	=	7.4	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Total Volatile Solids	=	13		5.0	5.0	mg/L	EPA 160.4
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Total Volatile Solids	=	66		1	1	mg/L	EPA 160.4
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Total Volatile Solids	=	46		1	2	mg/L	EPA 160.4
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Total Volatile Solids	=	56		1	2	mg/L	EPA 160.4

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Total Volatile Solids	=	7.0		1.0	2.5	mg/L	EPA 160.4
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Total Volatile Solids	=	4.4		1.0	2.0	mg/L	EPA 160.4
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Total Volatile Solids	=	0.33	J		2.0	mg/L	EPA 160.4
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Total Volatile Solids	=	11		2.0	2.0	mg/L	EPA 160.4
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Total Volatile Solids	=	53		2.0	2.0	mg/L	EPA 160.4
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Total Volatile Solids	=	11		4.0	5.0	mg/L	EPA 160.4
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Total Volatile Solids	=	200		2.0	2.0	mg/L	EPA 160.4
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Total Volatile Solids	=	6.0	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Total Volatile Solids	=	12		5.0	5.0	mg/L	EPA 160.4
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Total Volatile Solids	=	66		1	2	mg/L	EPA 160.4
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Total Volatile Solids	=	64		1	2	mg/L	EPA 160.4
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Total Volatile Solids	=	90		1	2	mg/L	EPA 160.4
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Total Volatile Solids	<	1.00	ND	1.00	1.00	mg/L	EPA 160.4A
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Total Volatile Solids	=	6.0		1.0	2.5	mg/L	EPA 160.4
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Total Volatile Solids	=	20		1.0	2.0	mg/L	EPA 160.4
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Total Volatile Solids	=	19			2.0	mg/L	EPA 160.4
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Total Volatile Solids	=	6.5			2.0	mg/L	EPA 160.4
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Total Volatile Solids	=	3.3		2.0	2.0	mg/L	EPA 160.4
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Total Volatile Solids	=	6.7		2.0	2.0	mg/L	EPA 160.4
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Total Volatile Solids	=	12		4.0	5.0	mg/L	EPA 160.4
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Total Volatile Solids	=	16		2.0	2.0	mg/L	EPA 160.4
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Total Volatile Solids	=	16	HT-RC	5.0	5.0	mg/L	EPA 160.4
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Total Volatile Solids	=	17		5.0	5.0	mg/L	EPA 160.4
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 8260
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Toxaphene	<	0.095	ND	0.095	0.095	µg/L	EPA 8081A
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Toxaphene	<	2.0	ND	2.0	2.0	µg/L	EPA 8081A
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Toxaphene	<	0.067	ND, A-01	0.067	0.096	µg/L	EPA 8081A
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Toxaphene	<	0.066	ND	0.066	0.094	µg/L	EPA 8081A
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Toxaphene	<	0.067	ND	0.067	0.096	µg/L	EPA 8081A
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Toxaphene	<	0.094	ND	0.094	0.094	µg/L	EPA 8081A
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Toxaphene	<	0.39	ND	0.39	0.39	µg/L	EPA 8081A
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Toxaphene	<	0.067	ND, A-01	0.067	0.095	µg/L	EPA 8081A
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Toxaphene	<	0.067	ND	0.067	0.096	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Toxaphene	<	0.066	ND	0.066	0.094	µg/L	EPA 8081A
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Toxaphene	<	0.095	ND	0.095	0.095	µg/L	EPA 8081A
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Toxaphene	<	2.0	ND	2.0	2.0	µg/L	EPA 8081A
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Toxaphene	<	0.078	ND, R-10, A-01, H4	0.078	0.11	µg/L	EPA 8081A
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Toxaphene	<	0.066	ND, A-01	0.066	0.094	µg/L	EPA 8081A
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Toxaphene	<	0.067	ND	0.067	0.096	µg/L	EPA 8081A
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Toxaphene	<	0.068	ND	0.068	0.097	µg/L	EPA 8081A
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Toxaphene	<	0.094	ND	0.094	0.094	µg/L	EPA 8081A
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Toxaphene	<	0.39	ND	0.39	0.39	µg/L	EPA 8081A
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Toxaphene	<	0.067	ND, A-01, H4	0.067	0.095	µg/L	EPA 8081A
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Toxaphene	<	0.074	ND, A-01	0.074	0.11	µg/L	EPA 8081A
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Toxaphene	<	0.068	ND	0.068	0.097	µg/L	EPA 8081A
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8099
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Toxaphene	<	0.096	ND	0.096	0.096	µg/L	EPA 8081A
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Toxaphene	<	0.39	ND	0.39	0.39	µg/L	EPA 8081A
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Toxaphene	<	0.067	ND, A-01, H4	0.067	0.096	µg/L	EPA 8081A
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Toxaphene	<	0.067	ND	0.067	0.095	µg/L	EPA 8081A
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Toxaphene	<	0.067	ND	0.067	0.096	µg/L	EPA 8081A
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Toxaphene	<	0.096	ND	0.096	0.096	µg/L	EPA 8081A
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Toxaphene	<	0.94	ND	0.94	0.94	µg/L	EPA 8081A
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Toxaphene	<	0.067	ND, A-01, H4	0.067	0.095	µg/L	EPA 8081A
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Toxaphene	<	0.066	ND	0.066	0.094	µg/L	EPA 8081A
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Toxaphene	<	0.094	ND	0.094	0.094	µg/L	EPA 8081A
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Toxaphene	<	2.1	ND	2.1	2.1	µg/L	EPA 8081A
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Toxaphene	<	0.068	ND, A-01, H4	0.068	0.097	µg/L	EPA 8081A
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Toxaphene	<	0.067	ND	0.067	0.095	µg/L	EPA 8081A
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Toxaphene	<	0.066	ND	0.066	0.094	µg/L	EPA 8081A
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Toxaphene	<	0.093	ND	0.093	0.2	µg/L	EPA 608 / 8081
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Toxaphene	<	0.043	ND	0.043	0.20	µg/L	EPA 8081A
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Toxaphene	<	0.094	ND	0.094	0.094	µg/L	EPA 8081A
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Toxaphene	<	0.39	ND	0.39	0.39	µg/L	EPA 8081A
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Toxaphene	<	0.070	ND	0.070	0.10	µg/L	EPA 8081A
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Toxaphene	<	0.067	ND, A-01, H4	0.067	0.095	µg/L	EPA 8081A
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Toxaphene	<	0.067	ND	0.067	0.096	µg/L	EPA 8081A
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Toxaphene	<	0.074	ND	0.074	0.11	µg/L	EPA 8081A
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Toxaphene	<	0.068	ND	0.068	0.097	µg/L	EPA 8081A
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Turbidity	=	6.1		0.05	0.1	NTU	EPA 180.1
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Turbidity	=	20		0.05	0.1	NTU	EPA 180.1
SE33	CR-46	UR	Composite	12/24/2003	---	Total	Turbidity	=	60		0.03	0.10	NTU	EPA 180.1
SE34	CR-46	UR	Composite	2/2/2004	---	Total	Turbidity	=	52		0.03	0.10	NTU	EPA 180.1
DW01	CR-46	UR	Grab	5/16/2004	---	Total	Turbidity	=	7.0		0.03	0.10	NTU	EPA 180.1
DW02	CR-46	UR	Grab	6/13/2004	---	Total	Turbidity	=	4.6		0.03	0.10	NTU	EPA 180.1
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Turbidity	=	2.9		0.043	0.10	NTU	EPA 180.1
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Turbidity	=	60		0.086	0.20	NTU	EPA 180.1
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Turbidity	=	18		0.017	0.10	NTU	EPA 180.1
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Turbidity	=	17		0.017	0.10	NTU	EPA 180.1
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Turbidity	=	110		0.068	0.40	NTU	EPA 180.1
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Turbidity	=	48	HT-04	0.034	0.20	NTU	EPA 180.1
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Turbidity	=	11		0.017	0.10	NTU	EPA 180.1
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Turbidity	=	37		0.094	0.20	NTU	EPA 180.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Turbidity	=	27		0.05	0.1	NTU	EPA 180.1
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Turbidity	=	24		0.05	0.1	NTU	EPA 180.1
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Turbidity	=	8.4		0.05	0.1	NTU	EPA 180.1
SE33	CR-46R	RW	Grab	12/24/2003	---	Total	Turbidity	=	39		0.03	0.10	NTU	EPA 180.1
SE34	CR-46R	RW	Grab	2/2/2004	---	Total	Turbidity	=	44		0.03	0.10	NTU	EPA 180.1
DW01	CR-46R	RW	Grab	5/16/2004	---	Total	Turbidity	=	13		0.03	0.10	NTU	EPA 180.1
DW02	CR-46R	RW	Grab	6/13/2004	---	Total	Turbidity	=	17		0.03	0.10	NTU	EPA 180.1
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Turbidity	=	9.0		0.086	0.20	NTU	EPA 180.1
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Turbidity	=	7.0		0.043	0.10	NTU	EPA 180.1
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Turbidity	=	5.4		0.017	0.10	NTU	EPA 180.1
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Turbidity	=	5.3		0.017	0.10	NTU	EPA 180.1
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Turbidity	=	120		0.051	0.30	NTU	EPA 180.1
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Turbidity	=	13	HT-04	0.017	0.10	NTU	EPA 180.1
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Turbidity	=	7.0		0.017	0.10	NTU	EPA 180.1
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Turbidity	=	4.0		0.047	0.10	NTU	EPA 180.1
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Turbidity	=	56		0.05	0.1	NTU	EPA 180.1
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Turbidity	=	14		0.05	0.1	NTU	EPA 180.1
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Turbidity	=	15		0.05	0.1	NTU	EPA 180.1
SE33	DC-65	UR	Composite	12/24/2003	---	Total	Turbidity	=	110		0.03	0.10	NTU	EPA 180.1
SE35	DC-65	UR	Composite	2/16/2004	---	Total	Turbidity	=	66		0.03	0.10	NTU	EPA 180.1
DW01	DC-65	UR	Grab	5/16/2004	---	Total	Turbidity	=	8.0		0.03	0.10	NTU	EPA 180.1
DW02	DC-65	UR	Grab	6/13/2004	---	Total	Turbidity	=	4.9		0.03	0.10	NTU	EPA 180.1
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Turbidity	=	36		0.17	0.40	NTU	EPA 180.1
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Turbidity	=	54		0.13	0.30	NTU	EPA 180.1
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Turbidity	=	24		0.017	0.10	NTU	EPA 180.1
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Turbidity	=	15		0.017	0.10	NTU	EPA 180.1
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Turbidity	=	120		0.017	0.10	NTU	EPA 180.1
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Turbidity	=	54	HT-04	0.034	0.20	NTU	EPA 180.1
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Turbidity	=	16		0.017	0.10	NTU	EPA 180.1
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Turbidity	=	7.0		0.047	0.10	NTU	EPA 180.1
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Turbidity	=	49		0.05	0.1	NTU	EPA 180.1
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Turbidity	=	50		0.05	0.1	NTU	EPA 180.1
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Turbidity	=	32		0.05	0.1	NTU	EPA 180.1
SE33	DC-65R	RW	Grab	12/24/2003	---	Total	Turbidity	=	21		0.03	0.10	NTU	EPA 180.1
SE34	DC-65R	RW	Grab	2/2/2004	---	Total	Turbidity	=	12		0.03	0.10	NTU	EPA 180.1
SE35	DC-65R	RW	Grab	2/16/2004	---	Total	Turbidity	=	38		0.03	0.10	NTU	EPA 180.1
DW01	DC-65R	RW	Grab	5/16/2004	---	Total	Turbidity	=	59		0.03	0.10	NTU	EPA 180.1
DW02	DC-65R	RW	Grab	6/13/2004	---	Total	Turbidity	=	69		0.03	0.10	NTU	EPA 180.1
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Turbidity	=	15		0.086	0.20	NTU	EPA 180.1
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Turbidity	=	21		0.043	0.10	NTU	EPA 180.1
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Turbidity	=	36		0.017	0.10	NTU	EPA 180.1
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Turbidity	=	48		0.034	0.20	NTU	EPA 180.1
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Turbidity	=	28		0.017	0.10	NTU	EPA 180.1
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Turbidity	=	320	HT-04	0.17	1.0	NTU	EPA 180.1
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Turbidity	=	31		0.017	0.10	NTU	EPA 180.1
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Turbidity	=	39		0.047	0.10	NTU	EPA 180.1
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Turbidity	=	38		0.05	0.1	NTU	EPA 180.1
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Turbidity	=	2.5		0.05	0.1	NTU	EPA 180.1
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Turbidity	=	3.1		0.05	0.1	NTU	EPA 180.1
SE33	MS-14	UR	Composite	12/24/2003	---	Total	Turbidity	=	27		0.03	0.10	NTU	EPA 180.1
SE34	MS-14	UR	Composite	2/2/2004	---	Total	Turbidity	=	28		0.03	0.10	NTU	EPA 180.1
DW01	MS-14	UR	Grab	5/16/2004	---	Total	Turbidity	=	1.6		0.03	0.10	NTU	EPA 180.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW02	MS-14	UR	Grab	6/13/2004	---	Total	Turbidity	=	2.8		0.03	0.10	NTU	EPA 180.1
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Turbidity	=	2.4		0.043	0.10	NTU	EPA 180.1
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Turbidity	=	23		0.043	0.10	NTU	EPA 180.1
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Turbidity	=	9.6		0.017	0.10	NTU	EPA 180.1
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Turbidity	=	6.1		0.017	0.10	NTU	EPA 180.1
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Turbidity	=	76		0.068	0.40	NTU	EPA 180.1
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Turbidity	=	8.9		0.017	0.10	NTU	EPA 180.1
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Turbidity	=	1.9		0.017	0.10	NTU	EPA 180.1
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Turbidity	=	0.90		0.047	0.10	NTU	EPA 180.1
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Turbidity	=	29		0.05	0.1	NTU	EPA 180.1
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Turbidity	=	13		0.05	0.1	NTU	EPA 180.1
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Turbidity	=	17		0.05	0.1	NTU	EPA 180.1
SE34	MS-14R	RW	Grab	2/2/2004	---	Total	Turbidity	=	12		0.03	0.10	NTU	EPA 180.1
DW01	MS-14R	RW	Grab	5/16/2004	---	Total	Turbidity	=	8.3		0.03	0.10	NTU	EPA 180.1
DW02	MS-14R	RW	Grab	6/13/2004	---	Total	Turbidity	=	30		0.03	0.10	NTU	EPA 180.1
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Turbidity	=	8.3		0.17	0.40	NTU	EPA 180.1
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Turbidity	=	33		0.043	0.10	NTU	EPA 180.1
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Turbidity	=	10		0.017	0.10	NTU	EPA 180.1
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Turbidity	=	17		0.017	0.10	NTU	EPA 180.1
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Turbidity	=	63		0.051	0.30	NTU	EPA 180.1
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Turbidity	=	10		0.017	0.10	NTU	EPA 180.1
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Turbidity	=	2.7		0.017	0.10	NTU	EPA 180.1
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Turbidity	=	21		0.047	0.10	NTU	EPA 180.1
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Turbidity	=	56		0.05	0.1	NTU	EPA 180.1
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Turbidity	=	2		0.05	0.1	NTU	EPA 180.1
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Turbidity	=	1.5		0.05	0.1	NTU	EPA 180.1
SE33	SC-1	UR	Composite	12/24/2003	---	Total	Turbidity	=	89		0.03	0.10	NTU	EPA 180.1
SE34	SC-1	UR	Composite	2/2/2004	---	Total	Turbidity	=	63		0.03	0.10	NTU	EPA 180.1
DW01	SC-1	UR	Grab	5/16/2004	---	Total	Turbidity	=	6.8		0.03	0.10	NTU	EPA 180.1
DW02	SC-1	UR	Grab	6/13/2004	---	Total	Turbidity	=	10		0.03	0.10	NTU	EPA 180.1
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Turbidity	=	1.3		0.043	0.10	NTU	EPA 180.1
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Turbidity	=	880	HT	1.3	3.1	NTU	EPA 180.1
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Turbidity	=	11		0.017	0.10	NTU	EPA 180.1
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Turbidity	=	44		0.034	0.20	NTU	EPA 180.1
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Turbidity	=	49		0.017	0.10	NTU	EPA 180.1
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Turbidity	=	430		0.34	2.0	NTU	EPA 180.1
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Turbidity	=	2.0		0.017	0.10	NTU	EPA 180.1
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Turbidity	=	5.8		0.047	0.10	NTU	EPA 180.1
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Turbidity	=	41		0.05	0.1	NTU	EPA 180.1
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Turbidity	=	32		0.05	0.1	NTU	EPA 180.1
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Turbidity	=	23		0.05	0.1	NTU	EPA 180.1
SE33	SC-1R	RW	Grab	12/24/2003	---	Total	Turbidity	=	16		0.03	0.10	NTU	EPA 180.1
DW01	SC-1R	RW	Grab	5/16/2004	---	Total	Turbidity	=	14		0.03	0.10	NTU	EPA 180.1
DW02	SC-1R	RW	Grab	6/13/2004	---	Total	Turbidity	=	33		0.03	0.10	NTU	EPA 180.1
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Turbidity	=	15		0.086	0.20	NTU	EPA 180.1
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Turbidity	=	16		0.043	0.10	NTU	EPA 180.1
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Turbidity	=	5.2		0.017	0.10	NTU	EPA 180.1
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Turbidity	=	16		0.017	0.10	NTU	EPA 180.1
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Turbidity	=	140		0.017	0.10	NTU	EPA 180.1
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Turbidity	=	20		0.017	0.10	NTU	EPA 180.1
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Turbidity	=	11		0.017	0.10	NTU	EPA 180.1
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Turbidity	=	22		0.047	0.10	NTU	EPA 180.1

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE31	CR-46	UR	Grab	6/4/2003	---	Total	Zinc	=	42		0.08	1	µg/L	EPA 200.8
SE31	CR-46	UR	Grab	6/4/2003	---	Dissolved	Zinc	=	11		0.06	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Total	Zinc	=	160		0.08	1	µg/L	EPA 200.8
SE32	CR-46	UR	Grab	6/25/2003	---	Dissolved	Zinc	=	16		0.06	1	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Dissolved	Zinc	=	68		0.080	1.0	µg/L	EPA 200.8
SE33	CR-46	UR	Composite	12/24/2003	14:47	Total	Zinc	=	170		0.080	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Dissolved	Zinc	=	70		0.080	1.0	µg/L	EPA 200.8
SE34	CR-46	UR	Composite	2/2/2004	14:00	Total	Zinc	=	130		0.080	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Dissolved	Zinc	=	22		0.080	1.0	µg/L	EPA 200.8
DW01	CR-46	UR	Grab	5/16/2004	12:15	Total	Zinc	=	61		0.080	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Dissolved	Zinc	=	73		0.080	1.0	µg/L	EPA 200.8
DW02	CR-46	UR	Grab	6/13/2004	12:10	Total	Zinc	=	110		0.080	1.0	µg/L	EPA 200.8
DW03	CR-46	UR	Grab	9/1/2004	8:34	Total	Zinc	=	58		1.3	5.0	µg/L	EPA 200.8
SE36	CR-46	UR	Composite	10/17/2004	23:15	Total	Zinc	=	1000		130	500	µg/L	EPA 200.8
SE38	CR-46	UR	Composite	2/27/2005	21:00	Total	Zinc	=	110		1.3	5.0	µg/L	EPA 200.8
DW04	CR-46	UR	Grab	5/16/2005	9:45	Total	Zinc	=	290		13	50	µg/L	EPA 200.8
SE39	CR-46	UR	Composite	12/2/2005	11:10	Total	Zinc	=	450		0.97	5.0	µg/L	EPA 200.8
SE41	CR-46	UR	Composite	3/20/2006	14:25	Total	Zinc	=	137		0.469	1.00	µg/L	EPA 200.8
DW05	CR-46	UR	Grab	5/10/2006	10:01	Total	Zinc	=	398		0.469	1.00	µg/L	EPA 200.8
DW06	CR-46	UR	Grab	6/5/2006	10:15	Total	Zinc	=	301	BK-3	0.469	1.00	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Total	Zinc	=	38		0.06	1	µg/L	EPA 200.8
SE30	CR-46R	RW	Grab	4/12/2003	---	Dissolved	Zinc	=	34		0.06	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Total	Zinc	=	17		0.08	1	µg/L	EPA 200.8
SE31	CR-46R	RW	Grab	6/4/2003	---	Dissolved	Zinc	=	6.5		0.06	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Total	Zinc	=	10		0.08	1	µg/L	EPA 200.8
SE32	CR-46R	RW	Grab	6/25/2003	---	Dissolved	Zinc	=	4.7		0.06	1	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Dissolved	Zinc	=	44		0.080	1.0	µg/L	EPA 200.8
SE33	CR-46R	RW	Grab	12/24/2003	11:40	Total	Zinc	=	74		0.080	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Dissolved	Zinc	=	33		0.080	1.0	µg/L	EPA 200.8
SE34	CR-46R	RW	Grab	2/2/2004	13:45	Total	Zinc	=	64		0.080	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Dissolved	Zinc	=	2.9		0.080	1.0	µg/L	EPA 200.8
DW01	CR-46R	RW	Grab	5/16/2004	12:40	Total	Zinc	=	12		0.080	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Dissolved	Zinc	=	5.1		0.080	1.0	µg/L	EPA 200.8
DW02	CR-46R	RW	Grab	6/13/2004	12:50	Total	Zinc	=	12		0.080	1.0	µg/L	EPA 200.8
DW03	CR-46R	RW	Grab	9/1/2004	9:29	Total	Zinc	=	17		1.3	5.0	µg/L	EPA 200.8
SE36	CR-46R	RW	Grab	10/17/2004	---	Total	Zinc	=	48		1.3	5.0	µg/L	EPA 200.8
SE38	CR-46R	RW	Grab	2/27/2005	20:50	Total	Zinc	=	36		1.3	5.0	µg/L	EPA 200.8
DW04	CR-46R	RW	Grab	5/16/2005	8:45	Total	Zinc	=	24		1.3	5.0	µg/L	EPA 200.8
SE39	CR-46R	RW	Grab	12/1/2005	22:45	Total	Zinc	=	110		0.97	5.0	µg/L	EPA 200.8
SE41	CR-46R	RW	Grab	3/20/2006	13:30	Total	Zinc	=	20.3		0.469	1.00	µg/L	EPA 200.8
DW05	CR-46R	RW	Grab	5/10/2006	11:30	Total	Zinc	=	8.92		0.469	1.00	µg/L	EPA 200.8
DW06	CR-46R	RW	Grab	6/5/2006	12:30	Total	Zinc	=	3.15	A-01	0.469	1.00	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Total	Zinc	=	160		0.08	1	µg/L	EPA 200.8
SE30	DC-65	UR	Composite	4/12/2003	---	Dissolved	Zinc	=	34		0.06	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Total	Zinc	=	37		0.08	1	µg/L	EPA 200.8
SE31	DC-65	UR	Grab	6/4/2003	---	Dissolved	Zinc	=	26		0.06	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Total	Zinc	=	46		0.08	1	µg/L	EPA 200.8
SE32	DC-65	UR	Grab	6/25/2003	---	Dissolved	Zinc	=	41		0.06	1	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Dissolved	Zinc	=	25		0.080	1.0	µg/L	EPA 200.8
SE33	DC-65	UR	Composite	12/24/2003	15:10	Total	Zinc	=	90		0.080	1.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Dissolved	Zinc	=	59		0.080	5.0	µg/L	EPA 200.8
SE35	DC-65	UR	Composite	2/16/2004	13:40	Total	Zinc	=	380		0.080	10	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
DW01	DC-65	UR	Grab	5/16/2004	13:15	Dissolved	Zinc	=	12		0.080	1.0	µg/L	EPA 200.8
DW01	DC-65	UR	Grab	5/16/2004	13:15	Total	Zinc	=	23		0.080	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Total	Zinc	=	34		0.080	1.0	µg/L	EPA 200.8
DW02	DC-65	UR	Grab	6/13/2004	13:00	Dissolved	Zinc	=	18		0.080	1.0	µg/L	EPA 200.8
DW03	DC-65	UR	Grab	9/1/2004	8:15	Total	Zinc	=	10000		130	500	µg/L	EPA 200.8
SE36	DC-65	UR	Composite	10/17/2004	22:30	Total	Zinc	=	230		1.3	5.0	µg/L	EPA 200.8
SE38	DC-65	UR	Composite	2/27/2005	19:47	Total	Zinc	=	41		1.3	5.0	µg/L	EPA 200.8
DW04	DC-65	UR	Grab	5/16/2005	11:00	Total	Zinc	=	130		13	50	µg/L	EPA 200.8
SE40	DC-65	UR	Composite	2/26/2006	23:45	Total	Zinc	=	288		0.469	1.00	µg/L	EPA 200.8
SE41	DC-65	UR	Composite	3/20/2006	14:35	Total	Zinc	=	409		0.469	1.00	µg/L	EPA 200.8
DW05	DC-65	UR	Grab	5/10/2006	8:15	Total	Zinc	=	1560		4.69	10.0	µg/L	EPA 200.8
DW06	DC-65	UR	Grab	6/5/2006	9:15	Total	Zinc	=	20.3	BK-3	0.469	1.00	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Total	Zinc	=	22		0.08	1	µg/L	EPA 200.8
SE30	DC-65R	RW	Grab	4/12/2003	---	Dissolved	Zinc	=	18		0.06	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Total	Zinc	=	11		0.08	1	µg/L	EPA 200.8
SE31	DC-65R	RW	Grab	6/4/2003	---	Dissolved	Zinc	=	4.4		0.06	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Total	Zinc	=	14		0.08	1	µg/L	EPA 200.8
SE32	DC-65R	RW	Grab	6/25/2003	---	Dissolved	Zinc	=	8.7		0.06	1	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Dissolved	Zinc	=	11		0.080	1.0	µg/L	EPA 200.8
SE33	DC-65R	RW	Grab	12/24/2003	14:00	Total	Zinc	=	20		0.080	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Dissolved	Zinc	=	14		0.080	1.0	µg/L	EPA 200.8
SE34	DC-65R	RW	Grab	2/2/2004	14:05	Total	Zinc	=	24		0.080	1.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Dissolved	Zinc	=	50		0.080	5.0	µg/L	EPA 200.8
SE35	DC-65R	RW	Grab	2/16/2004	10:30	Total	Zinc	=	74		0.080	10	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Dissolved	Zinc	=	4.2		0.080	1.0	µg/L	EPA 200.8
DW01	DC-65R	RW	Grab	5/16/2004	12:10	Total	Zinc	=	17		0.080	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Dissolved	Zinc	=	2.4		0.080	1.0	µg/L	EPA 200.8
DW02	DC-65R	RW	Grab	6/13/2004	12:00	Total	Zinc	=	15		0.080	1.0	µg/L	EPA 200.8
DW03	DC-65R	RW	Grab	9/1/2004	9:30	Total	Zinc	=	22		1.3	5.0	µg/L	EPA 200.8
SE36	DC-65R	RW	Grab	10/17/2004	22:30	Total	Zinc	=	64		1.3	5.0	µg/L	EPA 200.8
SE38	DC-65R	RW	Grab	2/27/2005	21:45	Total	Zinc	=	62		1.3	5.0	µg/L	EPA 200.8
DW04	DC-65R	RW	Grab	5/16/2005	9:50	Total	Zinc	=	20		1.3	5.0	µg/L	EPA 200.8
SE40	DC-65R	RW	Grab	2/26/2006	23:30	Total	Zinc	=	36.0		0.469	1.00	µg/L	EPA 200.8
SE41	DC-65R	RW	Grab	3/20/2006	13:57	Total	Zinc	=	88.2		0.469	1.00	µg/L	EPA 200.8
DW05	DC-65R	RW	Grab	5/10/2006	12:05	Total	Zinc	=	27.8		0.469	1.00	µg/L	EPA 200.8
DW06	DC-65R	RW	Grab	6/5/2006	10:00	Total	Zinc	=	20.6	BK-3	0.469	1.00	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Total	Zinc	=	30		0.06	1	µg/L	EPA 200.8
SE30	MS-14	UR	Composite	4/12/2003	---	Dissolved	Zinc	=	34		0.06	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Total	Zinc	=	45		0.08	1	µg/L	EPA 200.8
SE31	MS-14	UR	Grab	6/4/2003	---	Dissolved	Zinc	=	16		0.06	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Total	Zinc	=	35		0.08	1	µg/L	EPA 200.8
SE32	MS-14	UR	Grab	6/25/2003	---	Dissolved	Zinc	=	25		0.06	1	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Dissolved	Zinc	=	21		0.080	1.0	µg/L	EPA 200.8
SE33	MS-14	UR	Composite	12/24/2003	8:10	Total	Zinc	=	83		0.080	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Dissolved	Zinc	=	18		0.080	1.0	µg/L	EPA 200.8
SE34	MS-14	UR	Composite	2/2/2004	15:20	Total	Zinc	=	91		0.080	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Dissolved	Zinc	=	60		0.080	1.0	µg/L	EPA 200.8
DW01	MS-14	UR	Grab	5/16/2004	12:30	Total	Zinc	=	54		0.080	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Total	Zinc	=	59		0.080	1.0	µg/L	EPA 200.8
DW02	MS-14	UR	Grab	6/13/2004	12:15	Dissolved	Zinc	=	46		0.080	1.0	µg/L	EPA 200.8
DW03	MS-14	UR	Grab	9/1/2004	8:32	Total	Zinc	=	51		1.3	5.0	µg/L	EPA 200.8
SE37	MS-14	UR	Composite	10/19/2004	8:13	Total	Zinc	=	44		1.3	5.0	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE38	MS-14	UR	Composite	2/27/2005	20:30	Total	Zinc	=	38		1.3	5.0	µg/L	EPA 200.8
DW04	MS-14	UR	Grab	5/16/2005	9:56	Total	Zinc	=	16		1.3	5.0	µg/L	EPA 200.8
SE39	MS-14	UR	Composite	12/2/2005	1:00	Total	Zinc	=	93		0.97	5.0	µg/L	EPA 200.8
SE40	MS-14	UR	Composite	2/26/2006	23:40	Total	Zinc	=	68.2		0.469	1.00	µg/L	EPA 200.8
DW05	MS-14	UR	Grab	5/10/2006	9:00	Total	Zinc	=	12.5		0.469	1.00	µg/L	EPA 200.8
DW06	MS-14	UR	Grab	6/5/2006	8:43	Total	Zinc	=	78.9	BK-3	0.469	1.00	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Total	Zinc	=	37		0.08	1	µg/L	EPA 200.8
SE30	MS-14R	RW	Grab	4/12/2003	---	Dissolved	Zinc	=	25		0.06	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Total	Zinc	=	7.9		0.08	1	µg/L	EPA 200.8
SE31	MS-14R	RW	Grab	6/4/2003	---	Dissolved	Zinc	=	4.8		0.06	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Total	Zinc	=	10		0.08	1	µg/L	EPA 200.8
SE32	MS-14R	RW	Grab	6/25/2003	---	Dissolved	Zinc	=	7.9		0.06	1	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Dissolved	Zinc	=	26		0.080	1.0	µg/L	EPA 200.8
SE34	MS-14R	RW	Grab	2/2/2004	14:00	Total	Zinc	=	35		0.080	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Dissolved	Zinc	=	25		0.080	1.0	µg/L	EPA 200.8
DW01	MS-14R	RW	Grab	5/16/2004	12:15	Total	Zinc	=	27		0.080	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Dissolved	Zinc	=	9.3		0.080	1.0	µg/L	EPA 200.8
DW02	MS-14R	RW	Grab	6/13/2004	12:30	Total	Zinc	=	27		0.080	1.0	µg/L	EPA 200.8
DW03	MS-14R	RW	Grab	9/1/2004	9:39	Total	Zinc	=	24		1.3	5.0	µg/L	EPA 200.8
SE37	MS-14R	RW	Grab	10/19/2004	9:00	Total	Zinc	=	62		1.3	5.0	µg/L	EPA 200.8
SE38	MS-14R	RW	Grab	2/27/2005	19:40	Total	Zinc	=	37		1.3	5.0	µg/L	EPA 200.8
DW04	MS-14R	RW	Grab	5/16/2005	9:40	Total	Zinc	=	50		1.3	5.0	µg/L	EPA 200.8
SE39	MS-14R	RW	Grab	12/1/2005	22:00	Total	Zinc	=	110		0.97	5.0	µg/L	EPA 200.8
SE40	MS-14R	RW	Grab	2/26/2006	20:33	Total	Zinc	=	303		0.469	1.00	µg/L	EPA 200.8
DW05	MS-14R	RW	Grab	5/10/2006	10:23	Total	Zinc	=	7.41		0.469	1.00	µg/L	EPA 200.8
DW06	MS-14R	RW	Grab	6/5/2006	9:31	Total	Zinc	=	32.9	BK-3	0.469	1.00	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Total	Zinc	=	82		0.08	1	µg/L	EPA 200.8
SE30	SC-1	UR	Composite	4/12/2003	---	Dissolved	Zinc	=	70		0.06	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Total	Zinc	=	23		0.08	1	µg/L	EPA 200.8
SE31	SC-1	UR	Grab	6/4/2003	---	Dissolved	Zinc	=	14		0.06	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Total	Zinc	=	23		0.08	1	µg/L	EPA 200.8
SE32	SC-1	UR	Grab	6/25/2003	---	Dissolved	Zinc	=	14		0.06	1	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Dissolved	Zinc	=	28		0.080	1.0	µg/L	EPA 200.8
SE33	SC-1	UR	Composite	12/24/2003	11:55	Total	Zinc	=	130		0.080	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Dissolved	Zinc	=	30		0.080	1.0	µg/L	EPA 200.8
SE34	SC-1	UR	Composite	2/2/2004	15:40	Total	Zinc	=	150		0.080	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Dissolved	Zinc	=	9.9		0.080	1.0	µg/L	EPA 200.8
DW01	SC-1	UR	Grab	5/16/2004	13:30	Total	Zinc	=	30		0.080	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Total	Zinc	=	22		0.080	1.0	µg/L	EPA 200.8
DW02	SC-1	UR	Grab	6/13/2004	13:00	Dissolved	Zinc	=	19		0.080	1.0	µg/L	EPA 200.8
DW03	SC-1	UR	Grab	9/1/2004	8:30	Total	Zinc	=	34		1.3	5.0	µg/L	EPA 200.8
SE36	SC-1	UR	Composite	10/18/2004	22:20	Total	Zinc	=	190		1.3	5.0	µg/L	EPA 200.8
SE38	SC-1	UR	Composite	2/27/2005	19:30	Total	Zinc	=	16	B3	1.3	5.0	µg/L	EPA 200.8
DW04	SC-1	UR	Grab	5/16/2005	10:29	Total	Zinc	=	100		1.3	5.0	µg/L	EPA 200.8
SE40	SC-1	UR	Composite	2/27/2006	6:45	Total	Zinc	=	55.7		0.469	1.00	µg/L	EPA 200.8
SE42	SC-1	UR	Composite	4/12/2006	10:15	Total	Zinc	=	327	BK-3	0.469	1.00	µg/L	EPA 200.8
DW05	SC-1	UR	Grab	5/10/2006	9:00	Total	Zinc	=	14.6		0.469	1.00	µg/L	EPA 200.8
DW06	SC-1	UR	Grab	6/5/2006	9:40	Total	Zinc	=	14.5	A-01	0.469	1.00	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Total	Zinc	=	62		0.08	1	µg/L	EPA 200.8
SE30	SC-1R	RW	Grab	4/12/2003	---	Dissolved	Zinc	=	28		0.06	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Total	Zinc	=	8.9		0.08	1	µg/L	EPA 200.8
SE31	SC-1R	RW	Grab	6/4/2003	---	Dissolved	Zinc	=	6.6		0.06	1	µg/L	EPA 200.8

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Event	Site Code	Site Type	Sample Type	Date Sampled	Time Sampled	Fraction	Analyte	Numeric Qualifier	Result	Data Qualifier	MDL	RL/ML	Units	Method
SE32	SC-1R	RW	Grab	6/25/2003	---	Total	Zinc	=	11		0.08	1	µg/L	EPA 200.8
SE32	SC-1R	RW	Grab	6/25/2003	---	Dissolved	Zinc	=	1.1		0.06	1	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Dissolved	Zinc	=	12		0.080	1.0	µg/L	EPA 200.8
SE33	SC-1R	RW	Grab	12/24/2003	9:05	Total	Zinc	=	22		0.080	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Dissolved	Zinc	=	2.5		0.080	1.0	µg/L	EPA 200.8
DW01	SC-1R	RW	Grab	5/16/2004	13:00	Total	Zinc	=	8.1		0.080	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Dissolved	Zinc	=	4.0		0.080	1.0	µg/L	EPA 200.8
DW02	SC-1R	RW	Grab	6/13/2004	13:00	Total	Zinc	=	18		0.080	1.0	µg/L	EPA 200.8
DW03	SC-1R	RW	Grab	9/1/2004	10:00	Total	Zinc	=	44		1.3	5.0	µg/L	EPA 200.8
SE36	SC-1R	RW	Grab	10/18/2004	0:10	Total	Zinc	=	16		1.3	5.0	µg/L	EPA 200.8
SE38	SC-1R	RW	Grab	2/27/2005	20:58	Total	Zinc	=	21	B3	1.3	5.0	µg/L	EPA 200.8
DW04	SC-1R	RW	Grab	5/16/2005	10:35	Total	Zinc	=	23		1.3	5.0	µg/L	EPA 200.8
SE40	SC-1R	RW	Grab	2/26/2006	22:35	Total	Zinc	=	9.95		0.469	1.00	µg/L	EPA 200.8
SE42	SC-1R	RW	Grab	4/12/2006	8:25	Total	Zinc	=	19.7	BK-3	0.469	1.00	µg/L	EPA 200.8
DW05	SC-1R	RW	Grab	5/10/2006	9:30	Total	Zinc	=	8.43		0.469	1.00	µg/L	EPA 200.8
DW06	SC-1R	RW	Grab	6/5/2006	11:00	Total	Zinc	=	13.5	A-01	0.469	1.00	µg/L	EPA 200.8

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical, Irvine
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
NorthCoast
EMA
EMA
EMA
EMA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
McC Campbell

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Sacramento
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Sacramento
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Sacramento
Del Mar Analytical - Phoenix
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Sacramento
Del Mar Analytical - Irvine
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
SCL
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar
Del Mar
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Basic Laboratory, Inc.
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Basic Laboratory, Inc.
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Basic
Basic Laboratory, Inc.
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Basic Laboratory, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Basic
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
TestAmerica Analytical - Nashville
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
OMI/Thames

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames Water, Stockton
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical, Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Colton
Del Mar Analytical - Irvine
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Colton
Del Mar Analytical - Phoenix
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
NorthCoast
NorthCoast
NorthCoast
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Colton
Del Mar Analytical - Colton
Del Mar Analytical - Colton
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica Analytical - Nashville
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
McC Campbell
NorthCoast
NorthCoast
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
TestAmerica Analytical - Nashville
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

[illegible]

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica Analytical - Nashville
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

[illegible]

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica Analytical - Nashville

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

[illegible]

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Basic
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Caltest
Basic
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
TestAmerica - Portland, OR
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
Del Mar Analytical - Phoenix
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
EMA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
EMA
EMA
EMA
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
Environmental Micro Analysis, Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Phoenix
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR

# Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
OMI/Thames
FGL
FGL
OMI/Thames

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames
FGL
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
OMI/Thames
FGL
FGL
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
OMI/Thames Water, Stockton
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Del Mar
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Sequoia Analytical - Morgan Hill
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica Analytical - Nashville
Sequoia Analytical - Morgan Hill
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
TestAmerica Analytical - Nashville
TestAmerica - Nashville, TN
TestAmerica - Nashville, TN
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical, Irvine
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Phoenix
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Del Mar
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Del Mar
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Del Mar
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical, Irvine
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Del Mar
Del Mar
TestAmerica - Portland, OR
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
Del Mar Analytical - Irvine
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA
SCL
SCL
SCL
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Morgan Hill, CA

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
North Creek Analytical - Portland
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia

## Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Sequoia Analytical - Morgan Hill
Sequoia Analytical - Morgan Hill
TestAmerica - Portland, OR
TestAmerica - Portland, OR
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
Del Mar Analytical - Irvine
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR

Appendix H-1. 2002 - 2006 Stormwater Monitoring Results

Lab Name
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
ToxScan Inc.
Sequoia
Sequoia
Sequoia
Sequoia
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR
TestAmerica - Portland, OR