
State Water Resources Control Board

December 4, 2015

Ms. Anne Wilkinson
Tesoro West Coast Company, LLC
3450 South 344th Way, Suite 201
Auburn, WA 98001

Dear Ms. Wilkinson:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR USA GAS STATION #68218,
2007 DURFEE AVENUE, SOUTH EL MONTE, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board, Division of Water Quality (State Water Board), GeoTracker No. T10000001012
- Los Angeles County Department of Public Works (Los Angeles County), Case No. 008453-049727

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Board UST Cleanup Fund (Fund) more than 365-days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond

that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. Ben Heningburg at (916) 341-5749 or Benjamin.Heningburg@waterboards.ca.gov.

Sincerely,



Victoria A. Whitney, Deputy Director
Division of Water Quality

cc: Tesoro Sierra Properties LLC
PO Box 592809
San Antonio, TX 78259

USA Gasoline or Current Business
2007 Durfee Ave.
South El Monte, CA 91733-3712

Mr. Dane Nygaard
Environ Strategy Consultants, Inc.
1036 West Taft Avenue
Orange, CA 92865

cc: [Via email only]

Mr. Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
Samuel.Unger@waterboards.ca.gov

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
Yue.Rong@waterboards.ca.gov

Ms. Paula Rasmussen
Los Angeles Regional Water Quality Control Board
Paula.Rasmussen@waterboards.ca.gov

Ms. Frances McChesney
State Water Board
Frances.McChesney@waterboards.ca.gov

cc: Continued on next page

cc: (Continued)

Ms. Jennifer Fordyce
State Water Board
Jennifer.Fordyce@waterboards.ca.gov

Mr. David Coupe
State Water Board
David.Coupe@waterboards.ca.gov

Mr. Matthew Cohen
State Water Board
Matthew.Cohen@waterboards.ca.gov

Mr. Alberto Grajeda
Los Angeles County
AlGrajeda@dpw.lacounty.gov

Mr. Tim Smith
Los Angeles County
TSmith@dpw.lacounty.gov