
State Water Resources Control Board

March 17, 2015

ExxonMobil Environmental Services
Attention: Mr. Aaron Thom
2555 West 190th Street
Torrance, CA 90504
[Via Email Only] Aaron.Thom@exxonmobil.com

Dear Mr. Thom:

UNDERGROUND STORAGE TANK CASE CLOSURE FOR CASPER MOBIL
(EXXONMOBIL 18 END), 1495 EAST VALLEY BOULEVARD, ALHAMBRA,
LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This case has the following identifying numbers:

- State Water Resources Control Board (State Water Board),
GeoTracker No. SL603799276
- Los Angeles County Department of Public Works, Case No. 115.0167

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.

Claims for reimbursement of corrective action costs submitted to the State Water Board UST Cleanup Fund (Fund) more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond

that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365 day time period.

If you have any questions regarding this matter, please contact Mr. George Lockwood at (916) 341-5752 or George.Lockwood@waterboards.ca.gov.

Sincerely,


Victoria A. Whitney, Deputy Director
Division of Water Quality

cc: [Via email only]

Mr. Samuel Unger, Executive Officer
Los Angeles Regional Water Quality Control Board
(Samuel.Unger@waterboards.ca.gov)

Ms. Paula Rasmussen
Los Angeles Regional Water Quality Control Board
(Paula.Rasmussen@waterboards.ca.gov)

Mr. Yue Rong
Los Angeles Regional Water Quality Control Board
(Yue.Rong@waterboards.ca.gov)

Ms. Frances McChesney
Los Angeles Regional Water Quality Control Board
(Frances.McChesney@waterboards.ca.gov)

Ms. Jennifer Fordyce
Los Angeles Regional Water Quality Control Board
(Jennifer.Fordyce@waterboards.ca.gov)

Mr. David Coupe
Los Angeles Regional Water Quality Control Board
(David.Coupe@waterboards.ca.gov)

Mr. Jeffrey Hu
Los Angeles Regional Water Quality Control Board
(Jeffrey.Hu@waterboards.ca.gov)

Mr. Curt Charmley
Los Angeles Regional Water Quality Control Board
(Curt.Charmley@waterboards.ca.gov)

cc: Continued next page

cc: (Continued)

Mr. Tim Smith
Los Angeles County
(TSmith@dpw.lacounty.gov)

Mr. James Anderson
Cardno ERI
(James.Anderson@cardno.com)

Mr. Steven Westhoff
State Water Board
(Steven.Westhoff@waterboards.ca.gov)

Mr. George Lockwood
State Water Board
(George.Lockwood@waterboards.ca.gov)

Mr. Matthew Cohen
State Water Board
(Matthew.Cohen@waterboards.ca.gov)