

## State Water Resources Control Board

**JUN 11 2014**

Dr. Edward Cruchley  
Los Altos Car Wash  
6121 Mauer Avenue  
Carmichael, CA 95608

Dear Dr. Cruchley:

### UNDERGROUND STORAGE TANK CASE CLOSURE FOR LOS ALTOS CAR WASH, 5470 STEARNS STREET, LONG BEACH, LOS ANGELES COUNTY

This letter confirms completion of a site investigation and remedial action for the underground storage tanks (USTs) case formerly located at the above-described location (Site). This Site has the following identifying numbers:

- State Water Resources Control Board Division of Water Quality Petition No. 0206
- Geotracker No. T0603701979
- Los Angeles Regional Water Quality Control Board, Case No. 908150034
- Underground Storage Tank Cleanup Fund Claim No. 14679

Thank you for your cooperation throughout this investigation. Your willingness and promptness when responding to our inquiries concerning the former USTs are greatly appreciated.

Based on information in the above-referenced case file and with the provision that the information provided to this agency was accurate and representative of Site conditions, this agency finds that the investigation and corrective action carried out at your Site is in compliance with the requirements of subdivisions (a) and (b) of section 25296.10 of the Health and Safety Code and with corrective action regulations adopted pursuant to section 25299.3 of the Health and Safety Code and that no further action related to the petroleum release(s) at the Site is required. This notice is issued pursuant to subdivision (g) of section 25296.10 of the Health and Safety Code.


Claims for reimbursement of corrective action costs submitted to the UST Cleanup Fund more than 365 days after the date of this letter or issuance or activation of the Fund's Letter of Commitment, whichever occurs later, will not be reimbursed unless one of the following exceptions apply:

- Claims are submitted pursuant to section 25299.57 of the Health and Safety Code, subdivision (k) (reopened UST case); or
- Submission within the time frame was beyond the claimant's reasonable control, ongoing work is required for closure that will result in the submission of claims beyond that time period, or that under the circumstances of the case, it would be unreasonable or inequitable to impose the 365-day time period.

If you have any questions regarding this matter, please contact Mr. Benjamin Heningburg at (916) 341-5749 or [Benjamin.Heningburg@waterboards.ca.gov](mailto:Benjamin.Heningburg@waterboards.ca.gov).

Sincerely,

REC 11 MUL



Victoria A. Whitney, Deputy Director  
Division of Water Quality

cc: [Via email only]

Mr. Samuel Unger, Executive Officer  
Los Angeles Regional Water Quality Control Board  
[Samuel.Unger@Waterboards.ca.gov](mailto:Samuel.Unger@Waterboards.ca.gov)

Mr. Gregg Kwey  
Los Angeles Regional Water Quality Control Board  
[Gregg.Kwey@waterboards.ca.gov](mailto:Gregg.Kwey@waterboards.ca.gov)

Mr. Joe Luera  
Los Angeles Regional Water Quality Control Board  
[Joe.Luera@waterboards.ca.gov](mailto:Joe.Luera@waterboards.ca.gov)

Mr. Benjamin Heningburg  
State Water Resources Control Board  
[Benjamin.Heningburg@waterboards.ca.gov](mailto:Benjamin.Heningburg@waterboards.ca.gov)

Ms. Jennifer L. Fordyce, Staff Counsel  
Office of Chief Counsel  
[Jennifer.Fordyce@waterboards.ca.gov](mailto:Jennifer.Fordyce@waterboards.ca.gov)

Ms. Frances McChesney  
Office of Chief Counsel  
[Frances.McChesney@waterboards.ca.gov](mailto:Frances.McChesney@waterboards.ca.gov)

Ms. Carmen Prio  
Cities of Long Beach/Signal Hill  
[carmen\\_piro@longbeach.gov](mailto:carmen_piro@longbeach.gov)

Mr. Danny Nunez  
The Reynolds Group  
[nunez@reynolds-group.com](mailto:nunez@reynolds-group.com)