

1
2 **Evaluation of Species Considered for Coverage**

Evaluation of Species Considered for Coverage

Contents

	Page
Appendix 1.A Evaluation of Species Considered for Coverage	1.A-1
1.A.1 References Cited	1.A-66

Table

1.A-1	Evaluation of Special-Status Fish, Wildlife, and Plants Known or Likely to Occur in the Plan Area for Coverage under the BDCP	1.A-2
-------	---	-------

Acronyms and Abbreviations

BDCP	Bay Delta Conservation Plan
CDFW	California Department of Fish and Wildlife
CNDDB	California Natural Diversity Database
CNPS	California Native Plant Society
Delta	Sacramento–San Joaquin River Delta
DPS	distinct population segment
ESU	evolutionarily significant unit
HCP	habitat conservation plan
ISA	Independent Science Advisors
IUCN	International Union for Conservation of Nature
NCCP	natural community conservation plan
NPPA	California Native Plant Protection Act
USFWS	U.S. Fish and Wildlife Service
WBWG	Western Bat Working Group

Evaluation of Species Considered for Coverage

The table in this appendix presents results of the evaluation of 234 special-status species to identify species proposed for coverage under the Bay Delta Conservation Plan (BDCP). Species considered for coverage were limited to special-status species that were known or believed to occur near the Plan Area. Special-status species were defined as species meeting one or more of the following criteria.

- Are listed as threatened or endangered under the federal Endangered Species Act.
- Are proposed or candidates for listing under the federal Endangered Species Act.
- Are listed as threatened or endangered under the California Endangered Species Act.
- Are candidates for listing under the California Endangered Species Act.
- Are California species of special concern.
- Are California fully protected species.
- Are U.S. Fish and Wildlife Service birds of conservation concern.
- Are National Marine Fisheries Service species of concern.
- Are plants listed as rare under the California Native Plant Protection Act
- Are plants included in the California Native Plant Society List 1A, 1B, or 2.

The evaluation process used four criteria to determine which special-status species would be proposed for coverage under the BDCP.

- Listing status of the species. For unlisted species, this included a consideration of listing potential. Species that are species of special concern or candidates have potential for more protective listing (state or federal threatened or endangered), especially if their population has a declining trend or is experiencing progressive habitat loss or impairment.
- Likelihood that the species would occur in the Plan Area.
- Potential for the species to be adversely affected by the covered activities.
- Sufficient information is available to determine effects on species and to identify effective conservation measures.

Species that met all four criteria were proposed for coverage under the BDCP, as indicated in Table 1.A-1 below.

1 **Table 1.A-1. Evaluation of Special-Status Fish, Wildlife, and Plants Considered for Coverage under the BDCP**

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
Fish							
1. Sacramento perch <i>Archoplites interruptus</i>	-/SSC/-	-	-	-	+	No	This species has been extirpated from the Plan Area and is not recommended for coverage.
2. Tule perch, Sacramento subspecies <i>Hysterocarpus traskii traskii</i>	-/SSC/-	-	+	+	+	No	This species has no federal or state status and is not likely to be listed. They are very common in large tributaries of the Sacramento River (e.g., American and Feather Rivers) and, in the San Joaquin River watershed, have a persisting population in the Stanislaus River. The species appears to be in long-term decline in the San Francisco Estuary.
3. Steelhead, Central Valley distinct population segment (DPS) <i>Oncorhynchus mykiss</i>	T/-/-	+	+	+	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
4. Chinook salmon, Sacramento River winter-run evolutionarily significant unite (ESU) <i>Oncorhynchus tshawytscha</i>	E/E/-	+	+	+	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
5. Chinook salmon, Central Valley spring- run ESU <i>Oncorhynchus tshawytscha</i>	T/T/-	+	+	+	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
6. Chinook salmon, Central Valley fall-/late fall-run ESU <i>Oncorhynchus tshawytscha</i>	NSC /SSC/-	+	+	+ (ID, O)	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
7. Longfin smelt <i>Spirinchus thaleichthys</i>	-/T/-	+	+	+ (AD, H, ID, O)	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
8. Pacific smelt <i>Thaleichthys pacificus</i>	-/SSC/-	+	U	U	+	No	This species is not recommended for coverage. A 2007 petition (Cowlitz Indian Tribe 2007) to list the southern distinct population segment of pacific smelt under the federal Endangered Species Act documented one source (Minckley et al. 1986) reporting that the species may have been seen in the Sacramento River. However, numerous other available scientific sources (Eschmeyer et al. 1984; McGinnis 1984; Page and Burr 1991; Moyle 2002) state that the species range does not include the Sacramento-San Joaquin River watersheds.
9. Delta smelt <i>Hypomesus transpacificus</i>	T/E/-	+	+	+ (AD, H, ID, O)	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
10. Hardhead <i>Mylopharadon conocephalus</i>	-/SSC/-	-	+	+ (AD, H, ID, O)	+	No	This species is not recommended for coverage. It has no federal or state status. The species is common throughout the Sacramento-San Joaquin River watersheds and is not likely to become listed. The species is widely distributed in foothill streams.
11. Sacramento splittail <i>Pogonichthys macrolepidotus</i>	-/SSC/-	+	+	+ (AD, H, ID, O)	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
12. California roach, Sacramento–San Joaquin subspecies <i>Lavinia symmetricus</i> <i>ssp. symmetricus</i>	–/SSC/–	–	+	+	+	No	This species is not recommended for coverage. It has no federal or state status and is not likely to be listed. The subspecies is abundant in a large number of streams throughout the Sacramento–San Joaquin River watersheds, although it has been locally extirpated from many streams since 1970.
13. Hitch <i>Lavinia exilicauda</i>	–/SSC/–	–	+	+	+	No	This species is not recommended for coverage. It has no federal or state status and is not likely to be listed. The species has scattered populations throughout the Central Valley, from the Tulare Lake basin in the southern San Joaquin River drainage to the Shasta Reservoir in the northern Sacramento River drainage.
14. White sturgeon <i>Acipenser</i> <i>transmontanus</i>	–/–e/–	+	+	+	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
15. Green sturgeon, Southern DPS <i>Acipenser medirostris</i>	T/SSC/–	+	+	+	+	Yes	Meets all four criteria. Identified as a covered species in the BDCP Planning Agreement.
16. Pacific lamprey <i>Entosphenus</i> <i>tridentatus</i>	–/–/–	+	+	+	+	Yes	Meets all four criteria. Although this species has no regulatory or conservation status, it has similar life history characteristics to those of the river lamprey, and populations are in decline. Effects could occur as a result of water operations and in-Delta conveyance construction.
17. River lamprey <i>Lampetra ayresii</i>	–/SSC/–	+	+	+	+	Yes	Meets all four criteria. This species is a state species of concern. It is a covered species under the <i>Butte Regional Conservation Plan</i> (Butte County Association of Governments 2011)

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
Mammals							
1. American badger <i>Taxidea taxus</i>	-/SSC/-	-	+	+ (AD)	+	No	Although a special-status species that has experienced local declines in some areas of the state, there is no indication that it has experienced declines sufficient to warrant coverage. While there are no documented occurrences, this species could occur in grassland habitats on and near the Stone Lakes National Wildlife Refuge and along the western edge of the Plan Area from Yolo County to San Joaquin County.
2. Ringtail <i>Bassariscus astutus</i>	-/FP/-	+	-	-	+	No	The ringtail is a state Fully Protected species. It is being considered for coverage under the <i>South Sacramento Habitat Conservation Plan</i> (South Sacramento HCP) (Sacramento County 2010) and the <i>Yolo Natural Heritage Program Plan</i> (Yolo NHPP) (Yolo County Habitat Conservation Plan/Natural Community Conservation Plan Joint Powers Agency 2011). While the species is known to occur in dense riparian woodlands, the limited extent of riparian habitat in the Plan Area limits the potential for occurrence and the potential for effects. The possible exception is the Cosumnes River Preserve east of Interstate 5 that would not be affected by covered activities.
3. San Joaquin kit fox <i>Vulpes macrotis mutica</i>	E/T/-	+	+	+ (AD)	+	Yes	Meets all four criteria. There is potential for effects if this species is found to occur in the grassland habitats along the western edge of the Plan Area between approximately Brentwood and Clifton Court Forebay.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
4. Riparian woodrat <i>Neotoma fuscipes riparia</i>	E/SSC, SA/-	+	U	U (ID/AD/H)	+	Yes	Although it does not meet all four criteria, due to this species' rarity and dependence on limited specialized habitat in the Plan Area, it is proposed for coverage under the BDCP. In addition to being a state species of special concern, this species is also considered a California Department of Fish and Wildlife (CDFW) Special Animal because it is included on the International Union for Conservation of Nature (IUCN) Red List as Critically Endangered. This species is also a covered species under the <i>San Joaquin County Multi-Species Habitat Conservation and Open Space Plan</i> (San Joaquin County MSHCP) (San Joaquin Council of Governments 2000). This species is restricted to riparian habitats. While occurrence in the Plan Area is unknown, it is known to occur immediately adjacent to the Plan Area and there are patches of suitable habitat in the Plan area that could support this species.
5. Salt marsh harvest mouse <i>Reithrodontomys ravivenstris</i>	E/E, FP/-	+	+	+(H)	+	Yes	Meets all four criteria. This species is also a covered species in the <i>Solano County Multispecies Habitat Conservation Plan</i> (Solano County HCP) (Solano County Water Agency 2009). This species is closely associated with tidal marsh habitats. It occurs in the western extreme of the Plan Area where restoration activities could affect occupied habitats.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
6. San Joaquin pocket mouse <i>Perognathus inornatus inornatus</i>	-/SA/-	-	+	+ (ID, AD)	+	No	Although this species is considered a CDFW Special Animal because it is included on the IUCN Red List (under which it is designated as a Least Concern species), it has no legal or other conservation status. This species is a covered species under the San Joaquin County MSHCP. However, there is no other indication that this species would be listed during the BDCP permit term, and the potential for affecting this species is minimal. This species potentially occurs in grassland habitats on the western edge of the Plan Area where it could be affected by activities associated with conveyance construction.
7. Berkeley kangaroo rat <i>Dipodomys heermanni berkeleyensis</i>	-/SA/-	+	-	-	+	No	Although this species is considered a CDFW Special Animal because it is included on the IUCN Red List (under which it is designated as Vulnerable), it has no legal or other conservation status. It is a covered species under the San Joaquin County MSHCP. This species has a very limited distribution and is known primarily from short-grass prairies west of the Plan Area. It is unlikely to occur in the Plan Area and would not be affected by covered activities.
8. Riparian brush rabbit <i>Sylvilagus bachmani riparius</i>	E/E/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. This species is restricted to riparian habitats that could be affected by conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
9. Big free-tailed bat <i>Nyctinomops macrotis</i>	-/SSC/-	+	-	-	+	No	In addition to being a state species of special concern, this species is designated as Moderate-High Priority by the Western Bat Working Group (WBWG). It is also designated as a Least Concern species on the IUCN Red List. This species has a very restricted distribution in the San Francisco Bay Area. Due to its status and restricted range, this species could become listed over the term of the BDCP. However, the range of this species does not extend into or near the Plan Area and thus would not be affected by covered activities.
10. Western mastiff bat <i>Eumopsperotis californicus</i>	-/SSC/-	+	+	-	+	No	In addition to being a state species of special concern, this species is also included on the IUCN Red List as a Least Concern species and is designated as High Priority by WBWG. This species could be listed over the term of the BDCP. It is not being considered for coverage under any other overlapping habitat conservation plans (HCPs) or natural community conservation plans (NCCPs). This colonial species uses caves and rock outcrops for roosting. Thus, while the species could forage in the Plan Area, the area lacks suitable roosting habitat.
11. Pallid bat <i>Antrozous pallidus</i>	-/SSC/-	-	+	+ (ID/AD)	+	No	In addition to being a state species of special concern, this species is also included on the IUCN Red List as a Least Concern species and is designated as High Priority by WBWG. While declines of this species have been reported, the pallid bat is widespread throughout California. There are insufficient data to indicate that listing of this species would be warranted over the term of the BDCP. This species roosts in small colonies in caves, rock crevices, and tree hollows, but will also use bridges and buildings. Potential to adversely affect the pallid bat is based on the limited potential for removing occupied trees, buildings, and bridges.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
12. Yuma Myotis bat <i>Myotis yumanensis</i>	-/SA/-	-	+	+ (ID/AD)	+	No	This species is considered a CDFW Special Animal because it is included on the IUCN Red List, for which it is designated as a Least Concern species, and on the WBWG list, for which it is designated as Low-Medium Priority. It has no legal or other conservation status. There is no indication that it would be listed over the term of the BDCP. This species is a covered species in the South Sacramento HCP. It is widely distributed and likely occurs in Plan Area, but the limited extent of riparian forests suggests that there are few areas where roosting or maternity colonies are possible. The species more likely occurs during feeding and during migration. Potential to adversely affect is based on the limited potential for removing occupied trees.
13. Silver-haired bat <i>Lasionycteris noctivagans</i>	-/SA/-	-	+	+ (ID/AD)	+	No	This species is considered a CDFW Special Animal because it is included on the IUCN Red List, for which it is designated as a Least Concern species, and on the WBWG list, for which it is designated as Medium Priority. It has no legal or other conservation status. There is no indication that it would be listed over the term of the BDCP. It is not a covered species under any of the overlapping permitted or in-process HCPs/NCCPs. Typically a higher-elevation, forest-dwelling species, it can occur in mature riparian forests in the Central Valley; however, the limited extent of riparian forests in the Plan Area may be insufficient to support this species, at least in abundance. The species more likely occurs during feeding and during migration. Potential to adversely affect is based on the unlikely possibility of removing active roosting or maternity sites in riparian habitat.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
14. Western red bat <i>Lasiurus blossevillii</i>	-/SSC/-	-	+	+ (ID/AD)	+	No	In addition to being a state species of special concern, this species is also designated as High Priority by WBWG. This species could become listed over the term of the BDCP. It is also a covered species in the South Sacramento HCP and the Yolo NHPP. This species roosts in trees and is usually solitary. In the Plan Area, potentially occupied habitat includes mature riparian—usually cottonwood/sycamore riparian woodland. Potential to affect is based on the potential for removal of active roost trees. While declines of this species have been reported, the red bat is widespread throughout California. There are insufficient data to indicate that listing of this species would be warranted over the term of the BDCP.
15. Hoary bat <i>Lasiurus cinereus</i>	-/SA/-	-	+	+ (ID/AD)	+	No	This species is considered a CDFW Special Animal because it is included on the IUCN Red List, for which it is designated as a Least Concern species, and on the WBWG list, for which it is designated as Medium Priority. It has no legal or other conservation status. There is no indication that it would be listed over the term of the BDCP. It is not a covered species under any of the overlapping permitted or in-process HCPs/NCCPs. This solitary bat does not nest or roost colonially. It ranges widely, but populations in the Central Valley are most likely nonreproductive or migratory. The species roosts in large trees in mature riparian, usually cottonwood/sycamore, which is limited in the Plan Area. Potential to affect is based on the potential for removal of active roost trees.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
16. Townsend's big-eared bat <i>Corynorhinus townsendii</i>	-/SSC/-	-	-	- (ID/AD)	+	No	Although a state species of special concern, it is not expected to be listed as threatened or endangered in the near future. It has not been recorded in the Plan Area, although it is known from Yolo County outside the Plan Area. There is very low potential for roosts or maternity sites in the Plan Area, so there is little opportunity to create conservation benefits for the species. There is also very low potential for such sites to be affected by covered activities.
17. Suisun shrew <i>Sorex ornatus sinuosus</i>	-/SSC/-	+	+	+	+	Yes	Meets all four criteria. This species is also a covered species in the Solano County HCP. This species is closely associated with tidal marsh habitats and could be listed in the future. It occurs in the western extreme of the Plan Area where restoration activities could affect occupied habitats.
Birds							
1. Yellow-headed blackbird <i>Xanthocephalus xanthocephalus</i>	-/SSC/-	-	+	+	+	No	This species is a state species of special concern, Priority 3, with relatively stable populations since 1980. Not covered or considered for coverage in other overlapping HCP/NCCPs. Potentially affected by removal of occupied breeding habitat associated with conveyance and restoration activities, but not sufficient to adversely affect the species.
2. Tricolored blackbird <i>Agelaius tricolor</i>	BCC/SSC/-	+	+	+	+	Yes	Meets all four criteria. The species has experienced significant and dramatic population declines and is covered or considered for coverage under all overlapping HCP/NCCPs. Potential adverse effects would result from removal or disturbance of occupied breeding sites associated with conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
3. Grasshopper sparrow <i>Ammodramus savannarum</i>	-/SSC/-	-	+	+ (AD, ID, H)	+	No	This species is not recommended for coverage While population declines are reported, the data are unreliable and insufficient to indicate that a listing would be warranted over the term of the BDCP. The species is also covered in the Yolo NHPP. Breeding has been documented at Cosumnes River and Yolo Bypass. Potential adverse effects would result from conveyance construction and possibly from restoration activities in the Yolo Basin.
4. Bell’s sage sparrow <i>Amphispiza belli belli</i>	BCC/SA/-	-	-	-	+	No	This species is a former state species of special concern and currently remains on the CDFW Watch List. It is also designated as a Least Concern species on the IUCN Red List. There is no indication that this species would become listed over the term of the BDCP. This species occurs in chaparral habitats and is not known to occur in the Plan Area. Therefore, covered activities are not expected to adversely affect this species.
5. Song sparrow “Modesto” <i>Melospiza melodia</i>	-/SSC/-	-	+	+ (H)	+	No	This species is a Priority 3 state species of special concern, it is not covered by any other overlapping HCP/NCCPs, and there is ongoing debate regarding whether this population is a valid subspecies. There is no indication that it would become listed over the term of the BDCP. In addition, while it could be affected—particularly associated with restoration actions—this species may benefit from restoration activities in the long term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
6. Suisun song sparrow <i>Melospiza melodia maxillaris</i>	BCC/SSC/-	+	+	+	+	Yes	Meets all four criteria. This species is also a covered species in the Solano County HCP. This species is closely associated with tidal marsh habitats and has a restricted distribution within the Delta and Suisun Marsh. It could be listed over the term of the BDCP. It occurs in the western extreme of the Plan Area and Suisun Marsh where restoration activities could affect occupied habitats.
7. Samuels (San Pablo) song sparrow <i>Melospiza melodia samuelis</i>	BCC/SSC/-	+	-	-	+	No	This species' range does not extend into the Plan Area and the species would not be affected by covered activities.
8. California yellow warbler <i>Dendroica petechia</i>	-/SCC/-	+	+	-	+	No	Populations of this species continue to trend downward. It is a covered species in the San Joaquin County MSCP. This species could become listed over the term of the BDCP. The species does not nest in, but may migrate through, the Plan Area. There is also limited potential for nesting, particularly on portions of the Cosumnes River Preserve, but these areas would not be affected by covered activities.
9. Yellow-breasted chat <i>Icteria virens</i>	-/SSC/-	+	+	+ (H, AD, ID)	+	Yes	Meets all four criteria. The population has declined since 1980. The species is covered under the San Joaquin County MSHCP and is considered for coverage under the Solano County HCP, Yolo NHPP, and South Sacramento HCP. This species could become listed over the term of the BDCP. This species occurs in riparian habitat and could be affected by conveyance and possibly restoration activities.
10. Salt Marsh Common Yellowthroat <i>Geothlypis trichas sinuosa</i>	BCC/SSC/-	+	-	-	+	No	This species' range does not extend into the Plan Area and the species would not be affected by covered activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
11. Purple martin <i>Progne subis</i>	-/SSC/-	+	+	-	+	No	This species is considered extirpated from the Plan Area, but birds that nest in the Sacramento urban area may occasionally occur in the Plan Area. Due to substantial population declines since the 1960s, this species could become listed over the term of the BDCP. It is covered under the Yolo NHPP. Because the species does not nest in the Plan Area with the exception of the Sacramento urban area, and is absent from the Central Valley; and because major riparian corridors would be avoided through tunneling, covered activities are not expected to adversely affect this species.
12. Bank swallow <i>Riparia riparia</i>	-/T/-	+	+	-	+	No	Nesting colonies may occur along the Sacramento River near Fremont Weir. This species is covered in the San Joaquin County MSHCP and <i>Natomas Basin Habitat Conservation Plan</i> (Natomas Basin HCP) (Natomas Basin Conservancy 2003), and is considered for coverage in the Yolo NHPP. However, the covered activities are not expected to disturb potential habitat.
13. California horned lark <i>Eremophila alpestris actia</i>	-/SA/-	-	+	-	+	No	This species is on the CDFW Watch List and is designated as a Least Concern species on the IUCN Red List. It is not covered under any overlapping HCP/NCCPs. There is no indication that it would become listed over the term of the BDCP. This is a relatively common species and is considered an agricultural pest.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
14. Least Bell's vireo <i>Vireo bellii pusillus</i>	SE/FE/-	+	+	+	+	Yes	Meets all four criteria. Two individual male least Bell's vireo spent the spring and summer of 2010 in the Plan Area in the Yolo Bypass Wildlife Area singing and attempting to attract mates. This increases the likelihood of individuals returning to the Plan Area in subsequent years and perhaps establishing a breeding pair over the term of the BDCP. The potential for covered activities to affect this species also increases with these new occurrences.
15. Loggerhead shrike <i>Lanius ludovicianus</i>	BCC/SSC/-	-	+	+(H, AD, ID)	+	No	While somewhat stabilized recently, the population has shown a significant negative trend since 1968. It is also covered under the San Joaquin County MSCP and Natomas Basin HCP and considered for coverage in the South Sacramento HCP and Yolo NHPP. This species could occur throughout the Plan Area and could be affected by conveyance and possibly restoration activities. However, it is unlikely that the species would become listed during the BDCP permit term.
16. Lewis's woodpecker <i>Melanerpes lewisi</i>	BCC/SA/-	-	+	+	+	No	This species is designated as Least Priority on the IUCN Red List. There is no indication that it would become listed over the term of the BDCP.
17. Western burrowing owl <i>Athene cunicularia hypugaea</i>	BCC/SSC/-	+	+	+(AD, ID, H)	+	Yes	Meets all four criteria. This species is a covered species under all overlapping HCP/NCCPs. Burrowing owls could be affected by removal of grassland and pastureland habitats associated with conveyance activities, and possibly restoration activities in the Yolo Basin.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
18. Long-eared owl <i>Asio otus</i>	-/SSC/-	-	+	+ (H, AD, ID)	+	No	This species has been a state species of special concern since 1978. Its range includes all of California with the exception of much of the Central Valley. There is little recent reliable data on the abundance of this species and insufficient data to indicate that a listing is warranted over the term of the BDCP. Although there are no recently reported occurrences of this species from the plan area, long-eared owl could be affected by removal of riparian woodland and grassland/seasonal wetland habitats associated with conveyance and restoration activities.
19. Short-eared owl <i>Asio flammeus</i>	-/SSC/-	-	+	+ (H, AD)	+	No	This species has been a state species of special concern since 1978. While local population declines have been reported, there is insufficient data on statewide populations to indicate that a listing would be warranted over the term of the BDCP.
20. Western yellow-billed cuckoo <i>Coccyzus americanus occidentalis</i>	CI BCC/E/-	+	+	-	+	Yes	Although this species does not meet all four criteria, because of its rarity and dependence on limited specialized habitat found in the Plan Area, it is proposed for coverage under the BDCP. This species has been observed in the Plan Area during migration in riparian patches too small to support breeding habitat, but that can still serve as migratory corridors. Potential breeding habitat for cuckoos in the Plan Area is restricted to the Cosumnes River Preserve, which would not be affected by covered activities. Riparian restoration actions under the BDCP could allow the reestablishment of sufficiently large areas of riparian habitat that will permit the recolonization of the Plan Area by breeding cuckoos.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
21. California gull <i>Larus californicus</i>	-/SA/-	-	+	+ (H)	+	No	This species is a former state species of special concern and remains on the CDFW Watch List. It is also designated as a Least Concern species on the IUCN Red List. No other overlapping HCP/NCCPs include this species as a covered species. There is no indication that this species would become listed over the term of the BDCP. There are no California gull breeding colonies in the Plan Area with the possible exception of small colonies in the far western end of the Plan Area that could be affected by restoration activities.
22. Black tern <i>Chlidonias niger</i>	-/SSC/-	-	+	+ (H)	+	No	This species was recently designated a state species of special concern and is a proposed covered species under the Yolo NHPP. While local population declines have been reported, particularly from the Central Valley, there is no indication that listing of this species would be warranted over the term of the BDCP. This species has been documented in the Yolo Basin, where it is associated with rice fields. The effects of covered activities on this species are expected to be minimal.
23. California least tern <i>Sterna antillarum browni</i>	E/E,FP/-	+	+	+ (H)	+	No	This species occurs in two small breeding colonies in the Plan Area that would not be affected by covered activities.
24. Long-billed curlew <i>Numenius americanus</i>	BCC/SA/-	-	+	+ (H, AD)	+	No	This species is a former state species of special concern and remains on the CDFW Watch List. It is also a federal bird of conservation concern. There is no indication that this species would become listed over the term of the BDCP. Curlews only winter in the Plan Area and thus effects would be limited to temporary displacement from winter foraging habitats and possibly loss of winter foraging habitats from conveyance construction and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
25. Snowy plover (interior population) <i>Charadrius alexandrinus</i>	BCC/SSC/-	+	+	-	+	No	<p>The range of the inland population of the snowy plover includes a small portion of the Plan Area in the Yolo Basin. This population is a state species of special concern and a federal bird of conservation concern. This population (along with the coastal population that is currently federally listed) could become listed over the term of the BDCP.</p> <p>There are few breeding records of this species from the Yolo Bypass Wildlife Area, but none from anywhere else in the Plan Area. Potential effects would be limited to restoration activities planned for the Yolo Basin. This site would be protected from effects resulting from restoration activities, and that covered activities would be unlikely to adversely affect this species.</p>
26. Snowy plover (coastal population) <i>Charadrius alexandrinus</i>	T/-/-	+	-	-	+	No	<p>The coastal population of snowy plover is federally listed but has no state status. This population occurs primarily along the coast and none of the recovery units, which generally define the range of the species, occur in the Plan Area. This population does not occur in the Plan Area and would not be affected by covered activities.</p>

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
27. Mountain plover <i>Charadrius montanus</i>	BCC/SSC/-	-	+	+ (H, AD)	+	No	<p>In addition to being a state species of special concern and federal bird of conservation concern, the mountain plover is also designated as Vulnerable on the IUCN Red List. The species is being considered as a covered species on the Solano County HCP and Yolo NHPP. There is no indication that the species would become federally listed over the term of the BDCP, and since the species only winters in California, it is unlikely that the species would become state listed.</p> <p>Mountain plovers do not breed in California, but the species has been reported during winter at several sites in Yolo and Solano Counties, including occasional occurrences in the Yolo Basin. However, given that the species only winters in a small portion of the Plan Area, potential effects are limited to temporary displacement during winter foraging, and thus covered activities are not expected to affect this species.</p>
28. Lesser sandhill crane <i>Grus canadensis canadensis</i>	-/SSC/-	-	+	+ (H, AD, ID)	+	No	<p>This species was recently designated a state species of special concern. While there is concern that agricultural conversions could continue to reduce habitat for this species, the range size and population trend have remained stable and there is no indication that the species would become listed over the term of the BDCP.</p> <p>This species does not nest in the Plan Area, but the Plan Area encompasses the majority of the traditional winter range of this species in the Delta. It occurs in seasonal wetland and agricultural habitats where it roosts and forages. Potential effects include displacement of foraging habitats from conveyance and restoration activities.</p>

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
29. Greater sandhill crane <i>Grus canadensis tabida</i>	-/T, FP/-	+	+	+ (H, AD, ID)	+	Yes	Meets all four criteria. This species is also a covered species in the Natomas Basin HCP and San Joaquin County MSCCP, and is being considered for coverage in the South Sacramento HCP. This species does not nest in the Plan Area, but the Plan Area encompasses the majority of the traditional winter range of this species in the Delta. It occurs in seasonal wetland and agricultural habitats where it roosts and forages. Potential effects include displacement and possible removal of roosting and foraging habitats from conveyance and restoration activities.
30. California black rail <i>Laterallus jamaicensis coturniculus</i>	BCC /T,FP/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. This species is also considered as a covered species in the Solano County HCP, and is a covered species in the San Joaquin County MSCP. This species is closely associated with tidal marsh habitats. It occurs throughout the western and central Delta and could be affected by conveyance and restoration activities.
31. California clapper rail <i>Rallus longirostris obsoletus</i>	E/E,FP/-	+	+	+ (H)	+	Yes	Meets all four criteria. This species is also being considered as a covered species in the Solano County HCP. This species is closely associated with tidal marsh habitats. It occurs in the western extreme of the Plan Area where restoration activities could affect occupied habitats.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
32. Merlin <i>Falco columbarius</i>	-/SA/-	-	+	-	+	No	<p>The merlin is a former state species of special concern and currently remains on the CDFW Watch List. It is also designated as a Least Concern species on the IUCN Red List. It is being considered for coverage in the South Sacramento HCP; however, the species has no state or federal status and there is no indication that the species would become listed over the term of the BDCP.</p> <p>The merlin does not nest in California. It is observed occasionally during winter in the Plan Area. Potential effects would be limited to temporary displacement from foraging habitat during project construction. It is therefore not expected to be adversely affected by covered activities.</p>
33. American Peregrine Falcon <i>Falco peregrinus anatum</i>	BCC/E, FP/-	+	+	-	+	No	<p>The peregrine falcon was recently delisted by the U.S. Fish and Wildlife Service (USFWS). It remains state endangered and fully protected; and is a federal bird of conservation concern. It is a covered species in the Natomas Basin HCP, and is being considered for coverage in the Yolo NHPP and South Sacramento HCP.</p> <p>This species does not nest in or near the Plan Area. It is occasionally observed foraging in the Plan Area during the winter. Potential effects are limited to temporary displacement of foraging individuals during winter. Thus, covered activities are not expected to adversely affect this species.</p>

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
34. Prairie falcon <i>Falco mexicanus</i>	BCC/SA/-	-	+	-	+	No	<p>The prairie falcon is a former state species of special concern and currently remains on the CDFW Watch List. It is also a federal Bird of Conservation Concern and is designated a Least Concern species on the IUCN Red List. It is a covered species in the San Joaquin County MSCP probably a result of its previous status as a species of special concern.</p> <p>The prairie falcon does not nest in the Plan Area. It is occasionally observed foraging in the Plan Area during the winter. Potential effects are limited to temporary displacement from foraging areas during covered activities. The species is not expected to be adversely affected by covered activities.</p>
35. Bald eagle <i>Haliaeetus leucocephalus</i>	-/E,FP/-	+	+	-	+	No	<p>The bald eagle was recently delisted by USFWS and currently has no federal status. It remains a state endangered species and state fully protected species. The species is being considered for coverage under the South Sacramento HCP. However, there are several traditional use areas in the South Sacramento HCP plan area (primarily the upper American River) and an important winter use area and one nest location in the Yolo NHPP plan area.</p> <p>This species does not nest in the Plan Area. It is occasionally observed foraging in the Plan Area during the winter, but there are no historical bald eagle roosts or winter foraging habitats in the Plan Area, with the possible exception of a portion of the Cosumnes River Preserve that would not be affected by covered activities. Thus, covered activities are not expected to adversely affect this species.</p>

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
36. Northern harrier <i>Circus cyaneus</i>	-/SSC/-	-	+	+ (H, ID, AD)	+	No	This is a covered species under the San Joaquin County MSCP and is being considered for coverage under the Yolo NHPP, Solano County HCP, and South Sacramento HCP. This species occurs throughout the Plan Area and could be affected by conveyance and restoration activities. While declines of this species have been documented, it remains widespread throughout California and is unlikely to become listed over the term of the BDCP.
37. Sharp-shinned Hawk <i>Accipiter striatus</i>	-/SA/-	-	+	-	+	No	This species was formerly a state species of concern, but was removed from that list and is currently on CDFW's Watch List. It is also designated as a Least Concern species on the IUCN Red List. It is a covered species in the San Joaquin County MSHCP. It is also currently considered for coverage under the South Sacramento HCP and the Solano County HCP. While it may be a covered species in other HCP/NCCPs that overlap the Plan Area, there is no indication that this species would become listed over the term of the BDCP. This species only winters in the Plan Area and so would not be affected by covered activities.
38. Cooper's hawk <i>Accipiter cooperi</i>	-/SA/-	-	+	+ (ID, AD)	+	No	This species was formerly a state species of special concern, but was removed from that list and is currently on CDFW's Watch List. It is also designated as a Least Concern species on the IUCN Red List. It is a covered species in the San Joaquin County MSHCP. It is also currently considered for coverage under the South Sacramento HCP and the Solano County HCP. While this species may be covered in other HCP/NCCPs that overlap the Plan Area, there is no indication that it would become listed over the term of the BDCP. This species occurs in riparian and other woodland habitats and could be affected by conveyance or restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
39. White-tailed kite <i>Elanus leucurus</i>	-/FP/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. The white-tailed kite is a state Fully Protected species. It is also being considered for coverage under the South Sacramento HCP and the Yolo NHPP. The kite occurs in riparian and other woodland habitats and could be affected by conveyance or restoration activities that remove trees or disturb active nests.
40. Swainson's hawk <i>Buteo swainsoni</i>	BCC /T/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. Swainson's hawk is a covered species or is being considered for coverage in all overlapping HCPs/NCCPs. Swainson's hawks nest in riparian woodlands, roadside trees, tree rows, isolated trees, woodlots, and trees in farmyards and rural residences. They forage in grasslands and agricultural fields. Nest sites and foraging habitat would be affected by conveyance facilities and possibly by restoration activities.
41. Ferruginous hawk <i>Buteo regalis</i>	BCC/SA/-	-	+	-	+	No	The ferruginous hawk is a former state species of special concern and remains on the CDFW Watch List. It is also a federal bird species of conservation concern and is designated as Near Threatened on the IUCN Red List. The species does not breed in California and only winters in relatively small numbers in the Plan Area. There is no indication that the species would become listed over the term of the BDCP. It is being considered as a covered species in the South Sacramento HCP, but was initially considered due to its former status as a state species of special concern. Because this species only winters in the Plan Area, it is not expected to be affected by covered activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
42. Golden eagle <i>Aquila chrysaetos</i>	BCC/FP/-	+	+	-	+	No	The golden eagle is a state Fully Protected species. The species was formerly a state species of concern, but was removed from that list and is currently on CDFW's Watch List. It is also designated as a Least Concern species on the IUCN Red List and is a federal Bird of Conservation Concern. The <i>East Contra Costa County Habitat Conservation Plan/Natural Communities Conservation Plan</i> (East Contra Costa County HCP/NCCP) (East Contra Costa County Habitat Conservancy 2006) and San Joaquin County MSCP both include the golden eagle as a covered species. The Solano County HCP, Yolo NHPP, and South Sacramento HCP consider the species for coverage. However, all of these plans include Plan Areas that could support nesting golden eagles. Golden eagles do not currently and are not expected to nest in the Plan Area. While they may forage occasionally in the Plan Area, effects would be limited to temporary displacement of foraging birds. Thus, the species is not likely to be adversely affected by covered activities.
43. Osprey <i>Pandion haliaetus</i>	-/SA/-	-	+	-	+	No	The osprey is a former state species of special concern and remains on the CDFW Watch List. It is also included on the IUCN Red List, for which it is designated as a Least Concern species. While there are occasional wintering occurrences, the species is not known to nest in the Plan Area. The species is a covered species in the San Joaquin County MSHCP. Ospreys would typically be found roosting in riparian areas or trees or artificial structures around water bodies. Because it is not expected to nest in the Plan Area, effects are limited to displacement of foraging birds. Thus, covered activities are not expected to adversely affect this species.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
44. Cackling (Aleutian Canada) goose <i>Branta hutchinsii leucopareia</i>	-/SA/-	-	+	+ (H)	+	No	This species was delisted by USFWS. It remains on the CDFW Special Animal list but has no status designation. There is no indication that this species would become listed over the term of the BDCP. It is not covered in any other neighboring HCP/NCCP except San Joaquin County MSCP due to its previous listing. The species winters in the Yolo Basin and various locations in the Delta and could be affected by restoration activities.
45. Tule white-fronted goose (wintering) <i>Anser albifrons elgasi</i>	-/SSC/-	-	+	+ (H)	+	No	Although this is a species of special concern, it is also a species closely managed by CDFW on its wintering grounds. There is no indication that this species would become listed over the term of the BDCP. This species only winters in California where it relies on dense tule-cattail marsh habitat. It has been documented in the Plan Area west of Sherman Island and in various locations in the Suisun Marsh. It could be affected by restoration activities, but because the species occurs only during the winter, effects can be avoided. Also, in the long term the species would benefit from these activities.
46. Redhead (nesting) <i>Aythya americana</i>	-/SSC/-	-	+	+ (H)	+	No	This species has declined throughout much of its range in California in recent years. Restricted primarily to state and federal refuges, restoration activities in these areas have failed to restore deepwater habitats required by redhead. However, this species would likely respond to changes in refuge management and thus there is no indication that it would become listed over the term of the BDCP. It is not covered or being considered for coverage in other overlapping HCPs/NCCPs. This species breeds in the Yolo Bypass. It could be affected by restoration activities occurring in the Yolo Bypass.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
47. White-faced Ibis <i>Plegadis chihi</i>	-/SA/-	-	+	+ (H, ID, AD)	+	No	White-faced ibis rookeries are considered sensitive colonial breeding sites for this species and are thus included on the CDFW Special Animals list. The species is also included on the CDFW Watch List and on the IUCN Red List, where it is designated as a Least Concern species. The San Joaquin County MSHCP and the Natomas Basin HCP include this species as a covered species; and the South Sacramento HCP is considering the species for coverage. However, this species was recently removed from the state bird species of special concern list due to significantly increased populations and there is no indication that this species would be listed over the term of the BDCP. It is therefore not recommended for coverage. White-faced ibis rookeries could occur in emergent marsh habitats and could be affected by conveyance and restoration activities.
48. Snowy Egret <i>Egretta thula</i>	-/SA/-	-	+	+ (H, ID, AD)	+	No	Snowy egret rookeries are considered sensitive colonial breeding sites for this species and this species is included on the CDFW Special Animals list. It is also included on the CDFW Watch List and on the IUCN Red List, where it is designated as a Least Concern species. The San Joaquin County MSHCP includes this species as a covered species; however, there is no indication that this species would be listed over the term of the BDCP and so is not recommended for coverage. Snowy egret rookeries could occur in riparian habitat or other woodland habitats or in emergent marsh habitats, and could be affected by conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
49. Least bittern (nesting) <i>Ixobrychus exilis</i>	-/SSC/-	-	+	+ (H, ID, AD)	+	No	This species has been documented more regularly in recent years; however, information on population trends is unreliable. While this species has declined because of loss of freshwater marsh habitats, there is no indication that a listing of this species would be warranted over the term of the BDCP. This species occurs in freshwater marsh habitats in the Yolo Bypass, east of the Sacramento River, and in the western Delta. It could be affected by restoration and conveyance activities.
50. Great egret <i>Ardea albus</i> (rookery)	-/SA/-	-	+	+ (H, ID, AD)	+	No	Great egret rookeries are considered sensitive colonial breeding sites for this species and the species is included on the CDFW Special Animals list. It is also included on the IUCN Red List, where it is designated as a Least Concern species. The San Joaquin County MSHCP includes this species as a covered species; however, there is no indication that this species would be listed over the term of the BDCP and so is not recommended for coverage. Rookeries could occur in riparian habitat or in other woodland habitats, including in eucalyptus groves in the Plan Area, and could be affected by conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
51. Black-crowned night heron <i>Nycticorax nycticorax</i>	-/SA/-	-	+	+ (H, ID, AD)	+	No	Black-crown night heron rookeries are considered sensitive colonial breeding sites for this species and are thus included on the CDFW Special Animals list. It is also included on the IUCN Red List, where it is designated as a Least Concern species. The San Joaquin County MSHCP includes this species as a covered species; however, there is no indication that this species would be listed over the term of the BDCP and so is not recommended for coverage. Black-crowned night heron rookeries could occur in riparian habitat or other woodland habitats or in emergent marsh habitats, and could be affected by conveyance and restoration activities.
52. Great blue heron <i>Ardea herodias</i> (rookery)	-/SA/-	-	+	+ (H, ID, AD)	+	No	Great blue heron rookeries are considered sensitive colonial breeding sites for this species and the species is thus included on the CDFW Special Animals list. It is also included on the IUCN Red List, where it is designated as a Least Concern species. The San Joaquin County MSHCP includes this species as a covered species; however, there is no indication that this species would be listed over the term of the BDCP and so is not recommended for coverage. Rookeries could occur in riparian habitat or in other woodland habitats, including eucalyptus groves in the Plan Area, and could be affected by conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
53. Double-crested cormorant <i>Phalacrocorax auritus</i>	-/SA/-	-	+	+ (H, ID, AD)	+	No	Double-crested cormorant is a former state species of special concern; however, only rookeries were considered sensitive. It remains on CDFW's Special Animals list as a Watch List species, which includes primarily delisted species or species that do not meet the criteria as a species of special concern. It is also included on the IUCN Red List, where it is designated as a Least Concern species. The species has no legal or other conservation status. This is a covered species under the San Joaquin County MSHCP. There is no indication that this species is likely to be listed over the term of the BDCP. This species potentially nests in small rookeries in riparian habitats or some artificial structures in the Plan Area and could be affected by conveyance and restoration activities.
54. Western grebe <i>Aechmophorus occidentalis</i>	-/-/-	-	+	+ (ID)	+	No	Western grebe has no legal or conservation status. The San Joaquin County MSHCP includes it as a covered species and it is on the IUCN Red List designated as a species of Least Concern. While there have been concerns regarding the status of breeding populations, there is no indication that the species would become listed over the term of the BDCP. There is one known breeding location in the Plan Area—in the Bouldin Island quadrangle, which could be affected by the in-Delta conveyance activities—but otherwise the species occurs mainly during the winter.
Reptiles							
1. Giant garter snake <i>Thamnophis gigas</i>	T/T/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. This species is covered under all overlapping HCP/NCCPs. Potential effects could occur through disturbance of watercourses and adjacent upland habitats from conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
2. Alameda whipsnake <i>Masticophis lateralis euryxanthus</i>	T/T/-	+	-	-	+	No	The East Contra Costa County HCP/NCCP is the only overlapping plan to cover this species, which is distributed in Contra Costa County. This species' range does not extend into the Plan Area and covered activities are not expected to adversely affect this species.
3. San Joaquin whipsnake <i>Masticophis flagellum ruddocki</i>	-/SSC/-	-	+	-	+	No	The San Joaquin County MSHCP is the only overlapping plan to cover this species with occurrences from Corral Hollow in San Joaquin County. While the species may be found along the western edge of the Plan Area, it is unlikely to occur near conveyance or restoration activities and thus is not expected to be adversely affected by the BDCP activities.
4. Silvery legless lizard <i>Anniella pulchra pulchra</i>	-/SSC/-	+	+	-	+	No	The East Contra Costa County HCP/NCCP is the only overlapping plan to cover this species, and it documented occurrences and potential habitat along the western edge of the Plan Area. However, no occurrences or habitat are near proposed conveyance or restoration activities.
5. Coast horned lizard <i>Phrynosoma coronatum frontale</i>	-/SSC/-	-	+	+ (AD)	+	No	This species is covered under the San Joaquin County MSCP. Documented occurrences in the grasslands on the western edge of the Plan Area near Clifton Court Forebay. Likelihood of effects is low and the species is unlikely to become listed in the near future.
6. Western pond turtle <i>Actinemys marmorata</i>	-/SSC/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. In addition to being a state species of special concern, this species is also designated as Vulnerable on the IUCN Red List. It is covered or considered for coverage on all overlapping HCP/NCCPs. This species could become listed over the term of the BDCP. This species could be affected by ground disturbances in watercourses and adjacent uplands associated with conveyance and possibly restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
Amphibians							
1. California red-legged frog <i>Rana aurora draytonii</i>	T/SSC/-	+	+	+ (AD)	+	Yes	Meets all four criteria. This species is covered under the East Contra Costa County HCP/NCCP and the San Joaquin County MSHCP and is considered for coverage under the Yolo NHPP and Solano County HCP. There are reported occurrences of this species in grassland/pond habitats near Clifton Court Forebay. Potential effects could occur through disturbance of occupied ponds or streams.
2. Foothill yellow-legged Frog <i>Rana boylei</i>	-/SSC/-	+	-	-	+	No	This species is covered under the East Contra Costa County HCP/NCCP and the San Joaquin County MSHCP and is considered for coverage under the Yolo NHPP and Solano County HCP. Each of these Plan Areas include potential habitat for this species. There are no occurrence records and no potential habitat for foothill yellow-legged frog in the Plan Area and thus covered activities are not expected to affect this species.
3. Western spadefoot <i>Spea hammondi</i>	-/SSC/-	-	-	+ (H, AD)	+	No	Western spadefoot is a state species of special concern, but is still widespread and not expected to be listed as threatened or endangered by either the state or federal authorities in the near future. It has not been documented to occur in the Plan Area, nor has it been found within likely dispersal distance.
4. California tiger salamander (Central Valley DPS) <i>Ambystoma californiense</i>	T/SSC/-	+	+	+ (H, AD)	+	Yes	Meets all four criteria. This species is covered or is being considered for coverage under all overlapping HCP/NCCPs. Potential effects could occur through disturbance of vernal pools and ponds and adjacent grassland habitats from conveyance and restoration activities. As of February 2009, this species is a candidate for state listing as endangered.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
Invertebrates							
1. Blennosperma vernal pool andrenid bee <i>Andrena blennospermatis</i>	-/-/-	-	+	+ (AD)	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP.
2. Redheaded sphecid wasp <i>Eucerceris ruficeps</i>	-/-/-	-	U	U	-	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP.
3. Antioch multilid wasp <i>Myrmosula pacifica</i>	-/-/-	-	+	-	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. It is known from Antioch Dunes and is not expected to be affected by covered activities.
4. Antioch adrenid bee <i>Perdita scitula antiochensis</i>	-/-/-	-	+	-	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. It is known from Antioch Dunes and is not expected to be affected by covered activities.
5. Antioch specid wasp <i>Philanthus nasalis</i>	-/-/-	-	+	-	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. It is known from Antioch Dunes and is not expected to be affected by covered activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
6. Antioch Dunes halcetid bee <i>Sphecodogastra antiochensis</i>	-/-/-	-	+	-	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. It is known from Antioch Dunes and is not expected to be affected by covered activities.
7. Lange’s metalmark butterfly <i>Apodemia mormo langei</i>	E/-/-	+	+	-	+	No	This species occurs in Plan Area but is not likely to be adversely affected. This species is known only from the Antioch Dunes in the Antioch Dunes Wildlife Refuge and is not expected to be affected by covered activities.
8. San Bruno elfin butterfly <i>Callophrys mossii bayensis</i>	E/-/-	+	-	-	+	No	This species’ range does not extend into the Plan Area and it is not expected to be affected by covered activities.
9. Monarch butterfly <i>Danaus plexippus</i>	-/-/-	-	-	-	+	No	This species has no regulatory or conservation status. It is not a covered species in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. There are no records of monarch roosts from within the Plan Area and covered activities are unlikely to affect this species.
10. Callippe Silverspot Butterfly <i>Speyeria callippe callippe</i>	E/-/-	+	-	-	+	No	This species’ range does not appear to extend into the Plan Area and the species is not expected to be affected by covered activities.
11. Antioch efferian robberfly <i>Efferia antiochi</i>	-/-/-	-	+	-	-	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCPs. There is no indication that it would become listed over the term of the BDCP. This species is known only from the Antioch area in the Plan Area and is not expected to be affected by covered activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
12. Hurd's metapogon robberfly <i>Metapogon hurdi</i>	-/-/-	-	+	-	-	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCPs. There is no indication that it would become listed over the term of the BDCP. This species is known only from the Antioch area in the Plan Area and is not expected to be affected by covered activities.
13. Ciervo aegialian scarab beetle <i>Aegialia concinna</i>	-/SA/-	-	+	-	+	No	This species is designated as Vulnerable by the IUCN Red List. It has no regulatory or conservation status. It is a covered species under the San Joaquin County MSHCP. However, there is no indication that it would become listed over the term of the BDCP. It occurs in loose sands and sand dunes and is unlikely to be affected by covered activities.
14. Antioch Dunes anthicid beetle <i>Anthicus antiochensis</i>	-/-/-	-	+	-	-	No	This species has no regularly or conservation status. It is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it could become listed over the term of the BDCP. It occurs in loose sands and sand dunes and is unlikely to be adversely affected by covered activities.
15. Sacramento anthicid beetle <i>Anthicus sacramento</i>	-/SA/-	-	+	-	-	No	This species is designated as Endangered on the IUCN Red List. It has no regularly or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it could become listed over the term of the BDCP. It occurs in loose sands and sand dunes and is unlikely to be adversely affected by covered activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
16. Sacramento Valley tiger beetle <i>Cicindela hirticollis abrupta</i>	-/-/-	-	U	U	-	No	USFWS recently denied a petition to list this species due to insufficient information. The species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. All known populations are extirpated and recent surveys suggest the species is extinct. There is no indication that this species would be listed over the term of the BDCP.
17. San Joaquin dune beetle <i>Coelus gracilis</i>	-/SA/-	-	+	+ (AD)	-	No	This species is designated as Vulnerable on the IUCN Red List. It has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCP. There is no indication that it could become listed over the term of the BDCP. It occurs in loose sands and small sand dunes along the western edge of San Joaquin Valley and could be affected by conveyance facilities.
18. Valley elderberry longhorn beetle <i>Desmocerus californicus dimorphus</i>	T/-/-	+	+	+ (H, ID, AD)	+	Yes	Meets all four criteria. Occupied shrubs could be affected by activities associated with conveyance and restoration activities.
19. Delta green ground beetle <i>Elaphrus viridis</i>	E/-/-	+	+	-	+	No	This species is considered for coverage in the Solano County HCP. Its restricted distribution may extend into the northwestern portion of the Plan Area. However, it does not occur near conveyance or restoration activities and is not expected to be affected by covered activities.
20. Ricksecker's water Beetle <i>Hydrochara rickseckeri</i>	-/-/-	-	+	+ (AD)	+	No	This species has no regulatory or conservation status and there is no indication that it would become listed over the term of the BDCP. However, it is being considered for coverage in the Solano County HCP and the South Sacramento HCP. This is a vernal pool-associated species and could be affected by activities associated with conveyance activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
21. Curved-foot diving beetle <i>Hygrotus curvipes</i>	-/-/-	-	+	+ (AD)	+	No	This species has no regulatory or conservation status and there is no indication that it would become listed over the term of the BDCP. However, it is a covered species in the San Joaquin County MSCP. This is a vernal pool/seasonal wetland-associated species and could be affected by activities associated with conveyance activities.
22. Moestan blister beetle <i>Lytta moesta</i>	-/-/-	-	-	-	+	No	This species has no regulatory or conservation status. It is not a covered species in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. Its known range does not extend into the Plan Area and thus covered activities would not affect this species.
23. Molestan blister beetle <i>Lytta molesta</i>	-/-/-	-	+	+ (AD)	+	No	This species has no regulatory or conservation status and is not covered or considered for coverage in any overlapping HCP/NCCPs. There is no indication that it would become listed over the term of the BDCP. This is a vernal pool/seasonal wetland-associated species and could be affected by activities associated with conveyance activities.
24. San Francisco lacewing <i>Nothochrysa californica</i>	-/-/-	-	-	-	-	No	This species has no regulatory or conservation status. It is not a covered species in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. Its known range does not extend into the Plan Area and thus covered activities would not affect this species.
25. Wilbur Springs shorebug <i>Saldula usingeri</i> <i>Polhemus</i>	-/-/-	-	-	-	+	No	This species has no regulatory or conservation status. It is not a covered species in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. Its known range does not extend into the Plan Area and thus covered activities would not affect this species.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
26. Middlekauff's shieldback katydid <i>Idiostatus middlekauffi</i>	-/SA/-	-	U	U	-	No	This species is designated as Critically Endangered by the IUCN Red List. It has no regulatory or conservation status. There is no indication that it would become listed over the term of the BDCP. It is not covered or considered for coverage in any overlapping HCP/NCCPs.
27. Hairy water flea <i>Dumontia oregonensis</i>	-/-/-	-	-	-	+	No	This species has no regulatory or conservation status. It is not a covered species in any overlapping HCP/NCCP. There is no indication that it would become listed over the term of the BDCP. Its known range does not extend into the Plan Area and thus covered activities would not affect this species.
28. Vernal pool tadpole shrimp <i>Lepidurus packardi</i>	E/-/-	+	+	+(H, AD)	+	Yes	Meets all four criteria. This species could be affected through disturbances to vernal pool and other seasonal wetland habitats associated with conveyance and restoration activities.
29. Conservancy fairy shrimp <i>Branchinecta conservatio</i>	E/-/-	+	+	+(H, AD)	+	Yes	Meets all four criteria. This species could be affected through disturbances to vernal pool and other seasonal wetland habitats associated with conveyance and restoration activities.
30. Longhorn fairy shrimp <i>Branchinecta longiantenna</i>	E/-/-	+	+	+(H, AD)	+	Yes	Meets all four criteria. This species could be affected through disturbances to vernal pool and other seasonal wetland habitats associated with conveyance and restoration activities.
31. Vernal pool fairy shrimp <i>Branchinecta lynchi</i>	T/-/-	+	+	+(H, AD)	+	Yes	Meets all four criteria. This species could be affected through disturbances to vernal pool and other seasonal wetland habitats associated with conveyance and restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
32. Mid-valley fairy shrimp <i>Branchinecta mesovalleyensis</i>	-/-/-	+	+	+ (H, AD)	+	Yes	Meets all four criteria. This species is thought to have a very restricted range. A 2001 petition for listing was rejected by USFWS in 2004 because of insufficient data. However, this species could become listed over the term of the BDCP. This species is covered in all overlapping HCP/NCCPs. This species could be affected through disturbances to vernal pool and other seasonal wetland habitats associated with conveyance and restoration activities.
33. California linderiella <i>Linderiella occidentalis</i>	-/SA/-	+	+	+ (H, AD)	+	Yes	Meets all four criteria. USFWS indicated likelihood of this species becoming listed in the BDCP permit term. This species is designated as Near Threatened on the IUCN Red List. It has no regulatory or conservation status. It is relatively common throughout its range, but occurs in association with listed vernal pool species that could be affected by covered activities.
34. Bridges' coast range shoulderband <i>Helminthoglypta nickliniana bridgesi</i>	-/SA/-	-	-	-	-	No	This species is designated as Data Deficient on the IUCN Red List. It has no regulatory or conservation status. It is not covered under other overlapping HCP/NCCPs. This species' range does not extend into the Plan Area and covered activities are not expected to affect this species.
Plants							
1. Santa Clara thorn-mint <i>Acanthomintha lanceolata</i>	-/-/4	-	-	-	+	No	This species is widely distributed on hillsides in the inner Coast Range southwest of the Delta. It does not occur in the Plan Area.
2. Purdy's onion <i>Allium fimbriatum</i> var. <i>purdyi</i>	-/-/4	-	-	-	+	No	This species variety is widely distributed in the inner Coast Range north of the Delta. It does not occur in the Plan Area.
3. Large-flowered fiddleneck <i>Amsinckia grandiflora</i>	E/E/1B	+	-	-	+	No	This species is found in a very few occurrences that are all located in the inner Coast Range southwest of the Delta. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
4. Bent flowered fiddleneck <i>Amsinckia lunaris</i>	-/-/1B	-	-	-	+	No	This species is widely distributed in the inner and outer Coast Ranges from Colusa and Lake Counties in the north to Santa Cruz County in the south. It does not occur in the Plan Area.
5. California androsace <i>Androsace elongata</i> <i>ssp. acuta</i>	-/-/4	-	-	-	+	No	This subspecies is widely distributed in the inner and outer Coast Ranges from Tehama County in the north and southward to the Peninsular Range in San Diego County. It does not occur in the Plan Area.
6. Slender silver moss <i>Anomobryum julaceum</i>	-/-/2	-	-	-	+	No	This species is widely distributed in forests of the inner and outer Coast Ranges and Sierra Nevada on road cuts and rocks and in seeps and streams. It does not occur in the Plan Area.
7. Twig-like snapdragon <i>Antirrhinum virga</i>	-/-/4	-	-	-	+	No	This species is widely distributed in the inner Coast Range in Lake, Mendocino, and Sonoma Counties. It does not occur in the Plan Area.
8. Coast rock cress <i>Arabis blepharophylla</i>	-/-/4	-	-	-	+	No	This species is widely distributed in the inner Coast Range from Marin County south to Monterey County. It does not occur in the Plan Area.
9. Modest rock cress <i>Arabis modesta</i>	-/-/4	-	-	-	+	No	This species is widely distributed in the Klamath Range and in the Blue Ridge of Napa and Solano Counties. It does not occur in the Plan Area.
10. Mt. Diablo manzanita <i>Arctostaphylos</i> <i>auriculata</i>	-/-/1B	-	+	-	+	No	This species is distributed in chaparral on the hillsides of Mt. Diablo. It does not occur in the Plan Area.
11. Contra Costa manzanita <i>Arctostaphylos</i> <i>manzanita</i> ssp. <i>laevigata</i>	-/-/1B	-	-	-	+	No	This subspecies is distributed in chaparral on the hillsides of Mt. Diablo. It does not occur in the Plan Area.
12. Serpentine milkweed <i>Asclepias solanoana</i>	-/-/4	-	-	-	+	No	This species is found at high elevations in the inner Coast Range from Tehama County south to Solano County. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
13. Carlotta Hall's lace fern <i>Aspidotis carlotta-halliae</i>	-/-/4	-	-	-	+	No	This species is broadly distributed in the inner and outer Coast Ranges from Marin County south to San Luis Obispo County. It does not occur in the Plan Area.
14. Brewer's milk-vetch <i>Astragalus breweri</i>	-/-/4	-	-	-	+	No	This species is broadly distributed in the outer Coast Range from Mendocino County south to Marin County. It does not occur in the Plan Area.
15. Cleveland's milk-vetch <i>Astragalus clevelandii</i>	-/-/4	-	-	-	+	No	This species is broadly distributed along streams, springs, and seeps in the inner Coast Range from Tehama County south to Napa County. It does not occur in the Plan Area.
16. Ocean bluff milk-vetch <i>Astragalus nuttallii</i> var. <i>nuttallii</i>	-/-/4	-	-	-	+	No	This variety is broadly distributed along the coast from Marin County to Santa Barbara County. It does not occur in the Plan Area.
17. Jepson's milk-vetch <i>Astragalus rattanii</i> var. <i>jepsonianus</i>	-/-/1B	-	-	-	+	No	This variety is broadly distributed on serpentine soils in the inner Coast Range from Tehama County to Yolo County. It does not occur in the Plan Area.
18. Ferris' milk-vetch <i>Astragalus tener</i> var. <i>ferrisiae</i>	-/-/1B	+	+	-	+	No	While this variety is present in the Plan Area in large playa pools at the Jepson Prairie Preserve and CDFW Tule Ranch Preserves, those areas will not be affected.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
19. Alkali milk-vetch <i>Astragalus tener</i> var. <i>tener</i>	-/-/1B	+	+	+ (H, AD)	+	Yes	Meets all four criteria. Alkali milk-vetch is almost always found on alkaline or saline soils occurring in vernal wet playas, flats, fallowed rice fields, and vernal swales in valley/foothill grasslands below 500 feet. It is covered in the Solano County HCP and San Joaquin County MSCP and proposed for coverage in the Yolo NHPP. Locally, it is found in the Jepson Prairie Area, the CDFW Tule Ranch Preserve, and the Montezuma Wetlands in vernal flooded swales and flood plains of playa pools. There is a single historical occurrence near Stockton but that location has been completely developed. There are other historical collections in impact areas at the lower margins of uplands in the Cache Slough and Suisun Marsh areas but that habitat has been lost through intensive agriculture. This species may be listed during the BDCP permit term, and may be subject to development effects in the south San Francisco Bay area and agricultural impacts in the Central Valley.
20. Heartscale <i>Atriplex cordulata</i>	-/-/1B	+	+	+ (H, AD)	+	Yes	Meets all four criteria. Heartscale grows in sandy, saline, or alkaline flats and scalds, in chenopod scrub, meadows, and valley/foothill grassland. It is covered in the Solano County HCP and San Joaquin County MSCP and the Independent Science Advisors Report (ISA Report) (Reed et al. 2007) recommends that this species be retained for consideration of coverage. It occurs in the Plan Area and potentially at the lower margins of uplands in the Cache Slough area and possibly in the Clifton Court Forebay area that could be affected by covered activities. While heartscale is a widespread species, it may be declining due to loss of habitat through current and future development, which may lead to listing during the BDCP permit term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
21. Crownscale <i>Atriplex coronata</i> var. <i>coronata</i>	-/-/4	-	+	-	+	No	This variety is widely distributed in the northern Sacramento Valley and central and southern San Joaquin Valley and is present at scattered alkaline soil areas in the inner Coast Range from Alameda County southward. Subspecies var. <i>vallicola</i> was found in the Clifton Court Forebay area by Delta Habitat Conservation and Conveyance Program survey teams in 2009 and 2010.
22. Lost Hills Crownscale <i>Atriplex coronata</i> var. <i>vallicola</i>	-/-/1B	-	+	?	+	No	Lost Hills Crownscale is widely distributed in the San Joaquin Valley (alkaline clay soils on the valley bottom and gypsum clay soils on the hills of the Coast Range) and on alkaline clay soils of the Carrizo Plain. It was discovered on BDCP surveys near the Clifton Court Forebay. It is not covered by any HCPs.
23. Brittscale <i>Atriplex depressa</i>	-/-/1B	+	+	+ (H, AD)	+	Yes	Meets all four criteria. Brittscale grows on alkaline or clay soils occurring in grasslands contained by valleys or foothills, meadows saltbrush, vernal pools, and at the edge of playas (San Joaquin Council of Governments 2000; Solano County Water Agency 2009; East Contra Costa County Habitat Conservancy 2006). It is covered in the Solano County HCP and San Joaquin County MSCP and the ISA Report recommends that this species be retained for consideration of coverage. It occurs in the Plan Area and potentially at the lower margins of uplands in the Cache Slough area and possibly in the Clifton Court Forebay area that could be affected by covered activities. While brittscale is a widespread species, it may be declining due to loss of habitat through current and future development, which may lead to listing during the permit term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
24. San Joaquin spearscale <i>Atriplex joaquiniana</i>	-/-/1B	+	+	+ (H, AD)	+	Yes	Meets all four criteria. San Joaquin spearscale grows on alkaline clay soils in alkali grasslands and meadows or on the margins of alkali scrub (East Contra Costa County Habitat Conservancy 2006) and is also found in seasonal alkali wetlands and sinks in chenopod scrub, meadows, playas, and valley/grassland foothills (Solano County Water Agency 2009). It is covered in the Solano County HCP and East Contra Costa County HCP/NCCP and proposed for coverage in the Yolo NHPP. The ISA Report recommends that this species be considered for coverage. It occurs in the Plan Area and may occur at the lower margins of uplands in the Cache Slough area that could be affected by covered activities. While San Joaquin spearscale is a widespread species it may be declining due to loss of habitat through current and future development, which may lead to listing during the BDCP permit term.
25. Lesser saltscale <i>Atriplex minuscula</i>	-/-/1B	+	-	-	+	No	Lesser saltscale grows on alkaline or clay soils occurring in grasslands contained by valleys or foothills, meadows saltbrush, vernal pools, and at the edge of playas. Although there are no documented occurrences in the Plan Area, lesser saltscale is assumed to occur in the Plan Area because of several herbarium specimens. These specimens have been reannotated as <i>A. depressa</i> from <i>A. minuscula</i> . Consequently, it is no longer considered present in the Plan Area.
26. Vernal pool smallscale <i>Atriplex persistens</i>	-/-/1B	+	-	-	+	No	This species has been reported from alkaline playas on the Jepson Prairie Preserve immediately outside of the Plan Area but those playas will not be affected by restoration activities.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
27. Big-scale balsamroot <i>Balsamorhiza macrolepis</i> var. <i>macrolepis</i>	-/-/1B	-	-	-	+	No	This variety is widely distributed on hill slope soils derived from serpentinite or basalt in the inner Coast Range from Tehama County south to Kern County and is sporadically distributed on sandy soils along the lower margin of the Sierra Nevada foothills but does not occur in the Plan Area.
28. Big tarplant <i>Blepharizonia plumosa</i>	-/-/1B	-	+	-	+	No	This species is broadly distributed on hillsides on sites with shrink/swell clay soils, does not appear to be declining, and is not likely to be listed within the BDCP permit term. Additionally, there are no documented collections in impact areas with the exception of a single occurrence near Tracy from along railroad tracks west of town.
29. Brewer's calandrinia <i>Calandrinia breweri</i>	-/-/4	-	-	-	+	No	This species is widely distributed in the Peninsular Range from San Diego County northward and on serpentine soils in the Coast Range north and south of the San Francisco Bay area. It does not occur in the Plan Area.
30. Round-leafed filaree <i>California macrophyllum</i>	-/-/2	-	+	-	+	No	This species is broadly distributed throughout California on sites with shrink/swell clay soils, does not appear to be declining, and is not likely to be listed within the BDCP permit term. There are no documented occurrences in impact areas.
31. Mt. Diablo fairy-lantern <i>Calochortus pulchellus</i>	-/-/1B	-	-	-	+	No	This species is widely distributed in the Peninsular Range from San Diego County northward and on serpentine soils in the Coast Range north and south of the San Francisco Bay area. It does not occur in the Plan Area.
32. Oakland star-tulip <i>Calochortus umbellatus</i>	-/-/4	-	-	-	+	No	This species is broadly distributed on Mount Diablo and on adjacent hills. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
33. Butte County morning-glory <i>Calystegia atriplicifolia</i> ssp. <i>Buttensis</i>	-/-/1B	-	-	-	+	No	This subspecies is widely distributed in Butte, Del Norte, and Tehama Counties in foothill coniferous forests. It does not occur in the Plan Area.
34. Chaparral harebell <i>Campanula exigua</i>	-/-/1B	-	-	-	+	No	This species is broadly distributed on scree and talus slopes in the inner Coast Range from San Benito County northwards to Contra Costa County. It does not occur in the Plan Area.
35. Bristly sedge <i>Carex comosa</i>	-/-/2	-	+	+(H, AD, ID, O)	+	No	This species is broadly distributed throughout North America but spotty in California (its seed is eaten and likely dispersed by waterfowl). It does not appear to be declining and is not likely to be listed within BDCP permit term.
36. Fox sedge <i>Carex vulpinoidea</i>	-/-/2	-	+	+(H, AD, ID, O)	+	No	This species is broadly distributed throughout North America but is spotty in California (its seed is eaten and likely dispersed by waterfowl). It is weedy along ditches.
37. Succulent owl's clover <i>Castilleja campestris</i> ssp. <i>succulenta</i>	T/E/1B	+	-	-	+	No	This subspecies is broadly distributed in hardpan vernal pools along the east side of the Central Valley. It does not occur in the Plan Area.
38. Lemmon's jewelflower <i>Caulanthus coulteri</i> var. <i>lemmonii</i>	-/-/1B	-	-	-	+	No	This variety is widely distributed on loose slopes in the Transverse Range in Ventura County northwards and in the inner Coast Range to Alameda County. It does not occur in the Plan Area.
39. Congdon's tarplant <i>Centromadia parryi</i> ssp. <i>congdonii</i>	-/-/1B	-	-	-	+	No	This subspecies is broadly distributed throughout central California, does not appear to be declining. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
40. Pappose tarplant <i>Centromadia parryi</i> ssp. <i>parryi</i>	-/-/1B	-	-	+ (H)	+	No	While this subspecies occurs in the Suisun Marsh area, it is broadly distributed throughout central California in brackish marshes, salt springs, hot springs, and other areas, does not appear to be declining. It is not likely to be listed within the BDCP permit term.
41. Parry's red tarplant <i>Centromadia parryi</i> ssp. <i>rudis</i>	-/-/4	-	+	-	+	No	This subspecies is not likely to be listed during the BDCP permit term and while it is present on alkali soils in the Sacramento Valley on USFWS and CDFW preserves, it is not expected to be affected by the covered activities.
42. Slough thistle <i>Cirsium crassicaule</i>	FSC/-/1B	+	+	+ (H)	+	Yes	Meets all four criteria. Slough thistle is known from two locations in the Legal Delta, one about 5 miles west of Manteca and one about 10 miles southeast of Tracy. It is also present in the habitat restoration area upstream of the Mossdale Bridge. It is very uncommon across its limited range in the San Joaquin Valley and subjected to numerous negative effects, which may lead to listing during the BDCP permit term.
43. Suisun thistle <i>Cirsium hydrophilum</i> var. <i>hydrophilum</i>	E/-/1B	+	+	+ (H)	+	Yes	Meets all four criteria. Suisun thistle is present in the Suisun Marsh and could be affected by habitat restoration actions.
44. Brewer's clarkia <i>Clarkia breweri</i>	-/-/4	-	-	-	+	No	This species is broadly distributed in the inner Coast Range from Monterey County north to Alameda County. It does not occur in the Plan Area.
45. Santa Clara red ribbons <i>Clarkia concinna</i> ssp. <i>automixa</i>	-/-/4	-	-	-	+	No	This subspecies is broadly distributed in the inner Coast Range from Alameda County north to Trinity County. It does not occur in the Plan Area.
46. Serpentine collomia <i>Collomia diversifolia</i>	-/-/4	-	-	-	+	No	This species is broadly distributed on rocky serpentine hill slopes from Contra Costa County north to Siskiyou County. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
47. Small-flowered morning-glory <i>Convolvulus simulans</i>	-/-/4	-	-	-	+	No	This species is broadly distributed on hill slopes from San Diego County north to Contra Costa County. It does not occur in the Plan Area.
48. Hispid bird's-beak <i>Cordylanthus mollis</i> ssp. <i>hispidus</i>	-/-/1B	-	-	-	+	No	This subspecies is broadly distributed in alkaline sink habitat in the San Joaquin Valley and Livermore Valley, in alkaline seeps near Rocklin, and along the margins of alkaline seasonal wetlands and vernal pools near Travis Air Force Base in Solano County. It does not occur in the Plan Area.
49. Soft bird's-beak <i>Cordylanthus mollis</i> ssp. <i>mollis</i>	E/R/1B	+	+	+(H)	+	Yes	Meets all four criteria. This subspecies occurs in Suisun Marsh and could be affected by habitat restoration actions.
50. Mt. Diablo bird's-beak <i>Cordylanthus nidularius</i>	-/SR/1B	-	-	-	+	No	This species it is known from a single occurrence on Bald Ridge in the Mt. Diablo park system. It does not occur in the Plan Area.
51. Palmate-bracted bird's-beak <i>Cordylanthus palmatus</i>	E/E/1B	+	-	-	+	No	This species does not occur in the Plan Area. California Natural Diversity Database (CNDDB) records show that the Stockton occurrence was last seen in 1881 and could not be relocated in the 1960s.
52. Hoover's cryptantha <i>Cryptantha hooveri</i>	-/-/1A	+	+	-	+	No	While this species occurs in the Plan Area, it is limited to sandy areas near Antioch Dunes, which are not within an impact area.
53. Livermore tarplant <i>Deinandra bacigalupi</i>	-/-/1B	-	-	-	+	No	This species occurs on alkaline soils in the Livermore Valley. It does not occur in the Plan Area.
54. Hospital Canyon larkspur <i>Delphinium californica</i> ssp. <i>interius</i>	-/-/1B	-	-	-	+	No	This subspecies is broadly distributed in seeps and dried creek bottoms in the inner Coast Range from San Benito County north to Contra Costa County. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
55. Gypsum-loving larkspur <i>Delphinium gypsophilum</i> ssp. <i>gypsophilum</i>	-/-/4	-	-	-	+	No	This subspecies is broadly distributed in the inner Coast Range from Ventura County north to Stanislaus County. It does not occur in the Plan Area.
56. Recurved larkspur <i>Delphinium recurvatum</i>	-/-/1B	U	+	-	+	No	While there are occurrences of this species in the Clifton Court Forebay area, those occurrences are to the west of the potential impact areas in relatively undisturbed alkaline vegetation in contrast to the intensive agriculture of the impact areas. Listing potential is uncertain as while this species has a broad historical distribution in the San Joaquin Valley its populations are described as very small, subject to extirpation, and many have not been surveyed for a number of years.
57. Norris' beard moss <i>Didymodon norrisii</i>	-/-/2	-	-	-	+	No	This species is widespread on mesic rock outcrops from Tulare County to Humboldt County. It does not occur in the Plan Area.
58. Dwarf downingia <i>Downingia pusilla</i>	-/-/2	-	+	+(H)	+	Yes	Meets all four criteria. USFWS indicated likelihood of this species becoming listed within the BDCP permit term. This species is broadly distributed throughout California in seasonal marshes and vernal pools and is not likely to be listed within the BDCP permit term. It does occur in areas near Cache Slough and in the Stone Lakes area but those occurrences are not in impact areas.
59. Small spikerush <i>Eleocharis parvula</i>	-/-/4	-	-	-	+	No	This species is widely distributed from Orange County in the south to Humboldt and Lassen Counties in the north. It does not occur in the Plan Area.
60. Brandegee's eriastrum <i>Eriastrum brandegeae</i>	-/-/1B	-	-	-	+	No	This species occurs on rock outcrops and rocky soils on hill slopes from Santa Clara County to Shasta County. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
61. Mt. Diablo buckwheat <i>Eriogonum truncatum</i>	-/-/1B	+	-	-	+	No	This species occurs on hill slope outcrops of the Tehama geological formation on the slopes of Mt. Diablo and in the Portrero Hills but does not occur in the Plan Area. The two CNDDDB occurrences that were mapped in the Plan Area were based on very old herbarium collections and the actual collection sites were most likely on nearby hill slopes.
62. Bay buckwheat <i>Eriogonum umbellatum</i> var. <i>bahiiforme</i>	-/-/4	-	-	-	+	No	This variety occurs on hill slopes from Los Angeles County to Siskiyou County. It does not occur in the Plan Area.
63. Jepson's woolly sunflower <i>Eriophyllum jepsonii</i>	-/-/4	-	-	-	+	No	This species occurs on hill slopes and in canyons from Ventura County to Contra Costa County. It does not occur in the Plan Area.
64. Delta button celery <i>Eryngium racemosum</i>	-/E/1B	+	+	+ (H, AD, ID, O)	+	Yes	Meets all four criteria. Delta button celery is found in riparian scrub and subalkaline swales in the San Joaquin River bed (California Department of Fish and Game 2000; San Joaquin County MSCP). It is also found in chenopod scrub and alkaline grasslands near Discovery Bay. It is covered in the San Joaquin County MSCP. It has the potential to occur near Clifton Court Forebay and the San Joaquin River upstream of the Mossdale Bridge.
65. Contra Costa wallflower <i>Erysimum capitatum</i> var. <i>angustatum</i>	E/E/1B	+	+	-	+	No	This subspecies only occurs in the Antioch Dunes, which are in the Plan Area, but there is no potential for adverse effects on the species so it is not proposed for coverage.
66. Diamond-petaled California poppy <i>Eschscholzia rhombipetala</i>	-/-/1B	-	+	- (AD)	+	No	This species is broadly distributed throughout the inner central and southern Coast Range on clay soils and is not likely to be listed within the BDCP permit term. There is a small probability of its presence in the Clifton Court Forebay area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
67. Stinkbells <i>Fritillaria agrestis</i>	-/-/4	-	+	-	+	No	This widespread species occurs on gentle hill slopes of the Transverse Range and northward in the outer and inner Coast Ranges to Monterey and Yolo Counties. It also occurs in the foothills of the Sierra Nevada from Tulare County to Placer County. This species does not occur in the Plan Area.
68. Fragrant fritillary <i>Fritillaria liliacea</i>	-/-/1B	-	+	-	+	No	This species is broadly distributed throughout California on sites with clay soils and is not likely to be listed within the BDCP permit term. Occurrences in the Plan Area are in upland habitats near vernal pools that will not be affected and there are no documented occurrences in impact areas.
69. Adobe-lily <i>Fritillaria pluriflora</i>	-/-/1B	-	+	-	+	No	This species is broadly distributed on gently sloping hillsides with clay soils from Yolo County to Glenn County in the inner Coast Range and in clay soils in the uplands surrounding vernal pool complexes in Butte and Tehama Counties. There is a 1910 reported occurrence in Solano County, which CNDDDB attributes to an incorrect identification. This species does not occur in the Plan Area.
70. Purdy's fritillary <i>Fritillaria purdyi</i>	-/-/4	-	-	-	+	No	This species is found in the inner and outer Coast Ranges from Napa County north to Humboldt County and possibly in the foothills of the Sierra Nevada in Butte County. It does not occur in the Plan Area.
71. Phlox-leaf serpentine bedstraw <i>Galium andrewsii</i> ssp. <i>gatense</i>	-/-/4	-	-	-	+	No	This subspecies occurs at high elevations. Most recent occurrences have been recorded in San Benito and Stanislaus Counties. Other occurrences have been recorded in Santa Cruz, Contra Costa, Santa Clara, Monterey, San Luis Obispo, Fresno, and San Bernardino Counties. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
72. Boggs Lake hedge-hyssop <i>Gratiola heterosepala</i>	-/E/1B	+	+	+(H)	+	Yes	Meets all four criteria. Boggs Lake hedge-hyssop occurs in vernal pools and in marshy area on the margins of reservoirs and lakes; also found in engineered habitats such as borrow pits and cattle ponds (U.S. Fish and Wildlife Service 2005; San Joaquin Council of Governments 2000). The species is covered in the San Joaquin County MSHCP, South Sacramento HCP, and Solano County HCP. It occurs in areas near Cache Slough that are proposed for habitat restoration. The species may also occur in the Stone Lakes area but not in impact areas. The ISA Report recommends that this species be considered for coverage.
73. Nodding harmonia <i>Harmonia nutans</i>	-/-/4	-	-	-	+	No	This species occurs on hillsides and at high elevations of the North Coast range in Lake, Sonoma, and Napa Counties. It does not occur in the Plan Area.
74. Diablo helianthella <i>Helianthella castanea</i>	-/-/1B	-	-	-	+	No	This species generally occurs on hillsides and at high elevations in San Francisco Bay Counties. Most recorded occurrences have been in Contra Costa and Alameda Counties. Occurrences have also been recorded in San Francisco, San Mateo, and Marin Counties. This species does not occur in the Plan Area.
75. Hogwallow Starfish <i>Hesperevax caulescens</i>	-/-/4	-	+	-	+	No	This species is widely distributed throughout California. There are recorded occurrences from Tehama County to San Diego County. It is present in the Plan Area in large playa pools at CDFW Tule Ranch Preserve but that area will not be affected. Because it is widely distributed throughout California (herbaria specimens), it is unlikely to be listed within the BDCP permit term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
76. Brewer's western flax <i>Hesperolinon breweri</i>	-/-/1B	-	+	-	+	No	Distribution of this species is limited to Napa, Contra Costa, and Solano Counties but it does not occur in impact areas. The species occurs in the inner Coast Range north and south of the Delta in areas that are not likely to be affected by development so its listing potential is very low.
77. Rose-mallow <i>Hibiscus lasiocarpus</i>	-/-/2	-	+	+(H, AD, ID, O)	+	No	This species is broadly distributed throughout the Delta and Sacramento Valley in riparian areas, springs, and seeps and is not likely to be listed within the BDCP permit term.
78. Santa Cruz tarplant <i>Holocarpha macradenia</i>	E/T/1B	+	-	-	+	No	The distribution of this species is limited to several coastal counties: Marin, Santa Cruz, Monterey, Alameda, and Contra Costa Counties. It does not occur in the Plan Area.
79. Coast iris <i>Iris longipetala</i>	-/-/4	-	-	-	+	No	This species has been observed in the outer Coast Range from Humboldt County to Monterey County, and in the inner Coast Range from Contra Costa County to Santa Clara County. It does not occur in the Plan Area.
80. Carquinez goldenbush <i>Isocoma arguta</i>	-/-/1B	+	+	+(H)	+	Yes	Meets all four criteria. Carquinez goldenbush is present in impact areas of Suisun Marsh and Cache Slough. This shrub species is endemic to the alkaline and saline areas around the Montezuma Hills and sometimes grows along the transition between saline tidal marshes and uplands. Because of its extremely narrow distribution and small population sizes it is likely to be listed within the BDCP permit term. It is also likely to be affected by sea level rise.
81. Northern California black walnut <i>Juglans californica</i> var. <i>hindsii</i>	-/-/1B	-	+	+(H, AD, ID)	+	No	This variety is widespread in the Central Valley and Delta and is not likely to be listed within the BDCP permit term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
82. Ahart's dwarf rush <i>Juncus leiospermus</i> var. <i>ahartii</i>	-/-/1B	+	-	-	+	No	The distribution of this variety is limited to vernal pools in northern California. It has been recorded from Tehama, Butte, Yuba, Placer, Calaveras, and Sacramento Counties. It does not occur in the Plan Area.
83. Contra Costa goldfields <i>Lasthenia conjugens</i>	E/-/1B	+	+	-	+	No	This species occurs in the Plan Area.
84. Ferris' goldfields <i>Lasthenia ferrisiae</i>	-/-/4	-	+	+ (AD)	+	No	This species is widely distributed throughout California from Colusa and Butte Counties in the north; San Luis Obispo, Kern, and Ventura Counties in the south; and from Contra Costa and Alameda Counties in the west to Merced, Fresno, and Tulare Counties in the east. It occurs in the planning and impact areas in the Clifton Court Forebay, but it is not likely to be listed during the BDCP permit term.
85. Delta tule pea <i>Lathyrus jepsonii</i> var. <i>jepsonii</i>	-/-/1B	+	+	+ (H, AD, ID, O)	+	Yes	Meets all four criteria. Delta tule pea grows in tidally influenced freshwater and brackish marshes, commonly along slough edges and levees (Solano County Water Agency 2009; San Joaquin Council of Governments 2000). It is covered in the Solano County HCP and San Joaquin HCP. It is found in valley riparian, tidal perennial aquatic, tidal freshwater emergent wetland, and grasslands throughout central Plan Area. There are numerous occurrences throughout the lowland Legal Delta. It will likely be affected by BDCP actions while possibly benefitting from habitat restoration, and may be listed within the BDCP permit term.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
86. Legenere <i>Legenere limosa</i>	-/-/1B	+	+	?	+	Yes	Current covered activity and habitat restoration may avoid effects on this species. Species habitat is usually deep, well-defined vernal pools in grasslands (Solano County Water Agency 2009; San Joaquin Council of Governments 2000). The species is covered in the San Joaquin County MSCP and proposed for coverage in the Solano County HCP. It is found in the Plan Area in grasslands along western border; also east and west outside of the Plan Area.
87. Heckard's peppergrass <i>Lepidium latipes</i> var. <i>heckardii</i>	-/-/1B	+	+	?	+	Yes	This species grows on alkaline flats and in alkaline grasslands along the edges of vernal pools (Solano County Water Agency 2009). It is proposed for coverage in the Solano County HCP. The historical occurrence along Haas Slough was last observed by Jepson in 1891 (Consortium of California Herbaria 2008). Aerial imagery indicates that the Haas Slough occurrence is likely to have been extirpated by the spread of intensive agriculture along both sides of the slough. Present in the Plan Area in large playa pools at the CDFW Tule Ranch Preserve and in vernal pools and swales at Jepson Prairie and Gridley Ranch Preserves, but those areas are in upland habitat that will not be affected. Current covered activity and habitat restoration concepts may affect species.
88. Bristly leptosiphon <i>Leptosiphon acicularis</i>	-/-/4	-	-	-	+	No	This species is generally found on hillsides and at high elevations. Most recent occurrences have been recorded in Mendocino, Sonoma, Lake, Napa, and Butte Counties. Humboldt and Marin Counties have recorded occurrences that predate 1950, and Alameda County's most recent recorded occurrence was in 1900. Single occurrences have been recorded in Colusa, Santa Cruz, San Benito, and San Diego Counties. This species does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
89. Serpentine leptosiphon <i>Leptosiphon ambiguus</i>	-/-/4	-	-	-	+	No	This species occurs on hillsides and at high elevations. Most recorded occurrences are in central California from Contra Costa, Alameda, San Mateo, and Santa Clara Counties in the west to Stanislaus and Merced Counties in the east. There are single occurrences recorded for each of the following counties: Fresno, Plumas, Santa Cruz, and Tehama. This species does not occur in the Plan Area.
90. Large-flowered leptosiphon <i>Leptosiphon grandiflorus</i>	-/-/4	-	-	-	+	No	Most recent recorded occurrences of this species have been reported from Los Angeles, Marin, and Monterey Counties. Other occurrences have been reported from Santa Clara, Santa Barbara, and Madera Counties. This species does not occur in the Plan Area.
91. Spring lessingia <i>Lessingia tenuis</i>	-/-/4	-	-	-	+	No	This species is generally found at high elevations in central and southern California counties. Recorded occurrences are widely distributed from Alameda and Stanislaus Counties south to Santa Barbara and Ventura Counties. It does not occur in the Plan Area.
92. Mason's lilaepsis <i>Lilaepsis masonii</i>	-/R/1B	+	+	+(H, ID, O)	+	Yes	Meets all four criteria. Mason's lilaepsis grows in regularly flooded tidal zones, on mud banks and flats, and along eroding creek banks, sloughs, and rivers. It is also found in freshwater marshes, brackish marshes, and riparian scrub vegetation types that are tidally influenced. It is covered in the San Joaquin County MSCP and proposed for coverage in the Solano County HCP. It is broadly distributed throughout the Delta and in the Napa River and will likely benefit from habitat restoration.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
93. Delta mudwort <i>Limosella subulata</i>	-/-/2	+	+	+ (H, ID, O)	+	Yes	Meets all four criteria. Habitat consists of muddy or sandy intertidal flats in estuarine areas, surrounded by brackish or freshwater marsh or riparian scrub (San Joaquin Council of Governments 2000; Solano County Water Agency 2009). This species is covered in the San Joaquin County MSCP and proposed for coverage in the Solano County HCP. Generally found throughout the central Plan Area in valley riparian, tidal perennial aquatic, tidal freshwater emergent wetland, and grassland vegetation types. A later assessment found that all of the numerous known occurrences are in the legal Delta lowland areas.
94. Hoover's lomatium <i>Lomatium hooveri</i>	-/-/4	-	-	-	+	No	This species occurs at high elevations in Colusa, Lake, Glenn, and Napa Counties. It does not occur in the Plan Area.
95. Napa lomatium <i>Lomatium repostum</i>	-/-/4	-	-	-	+	No	This species is distributed on hillsides and at high elevations in Lake, Napa, Solano, and Sonoma Counties. It does not occur in the Plan Area.
96. Showy madia <i>Madia radiata</i>	-/-/1B	+	+	-	+	No	This species occurs on hillsides and at high elevations. Recent recorded occurrences have been in southern central California in the counties of San Benito, Monterey, San Luis Obispo, Fresno, and Kern. There have also been recorded occurrences in Kings, Contra Costa, San Joaquin, and Stanislaus Counties. This species does not occur in the Plan Area or impact areas.
97. Hall's bush-mallow <i>Malacothamnus hallii</i>	-/-/1B	-	-	-	+	No	Most of the recent recorded occurrences of this species have been on hillsides in Contra Costa and Santa Clara Counties, but occurrences have also been recorded in Stanislaus, Merced, San Mateo, and Mendocino Counties. This species does not occur in the Plan Area.
98. Heller's bush-mallow <i>Malacothamnus helleri</i>	-/-/4	-	-	-	+	No	This species has been observed on hillsides in Colusa and Napa Counties. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
99. Sylvan microseris <i>Microseris sylvatica</i>	-/-/4	-	-	-	+	No	This species is widely distributed on hillsides throughout California. It has been observed as far north as Tehama County, as far west as Napa County, as far south as Los Angeles County, and as far east as Inyo County. It does not occur in the Plan Area.
100. Sierra monardella <i>Monardella candicans</i>	-/-/4	-	-	-	+	No	This species is widely distributed, primarily on hillsides of the Sierra Nevada. It has been observed as far north as Placer County and as far south as San Bernardino County. There is also an undated record of this species in St. Helena in Napa County. This species does not occur in the Plan Area.
101. Green monardella <i>Monardella viridis</i> ssp. <i>viridis</i>	-/-/4	-	-	-	+	No	This subspecies has been observed on hillsides of the North Coast Range in Sonoma, Lake, and Napa Counties. It has also been recorded as occurring in the San Gabriel Mountains region in San Bernardino County. This species does not occur in the Plan Area.
102. Little mousetail <i>Myosurus minimus</i> ssp. <i>apus</i>	-/-/3	-	+	+(H)	+	No	This subspecies is found in southern California with occurrences recorded only in San Diego and Riverside Counties.
103. Cotula navarretia <i>Navarretia cotulifolia</i>	-/-/4	-	+	+(H)	+	No	This species is widely distributed throughout central and northern California. Its range extends from Lake and Glenn Counties in the north to Sonoma and Marin Counties in the west to San Benito County in the south and Sutter County in the east.
104. Hoary navarretia <i>Navarretia eriocephala</i>	-/-/4	-	+	-	+	No	This species occurs throughout central California from Glenn, Lake, and Yuba Counties in the north to Stanislaus and Tuolumne Counties in the south. It does occur in the Plan Area in the Jepson Prairie area, but not in the impact areas.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
105. Jepson's navarretia <i>Navarretia jepsonii</i>	-/-/4	-	-	-	+	No	This species has been observed on hillsides in northern and central California counties (Tehama, Glenn, Colusa, Lake, Napa, Sonoma, and Placer). It does not occur in the Plan Area.
106. Baker's navarretia <i>Navarretia leucocephala</i> ssp. <i>bakeri</i>	-/-/1B	+	+	-	+	No	This subspecies has been observed in vernal pool and swales in northern California counties from Mendocino and Tehama in the north to Marin, Napa, and Solano in the south. It is present in the Plan Area in large playa pools at CDFW Tule Ranch Preserve and in vernal pools and swales at Jepson Prairie and Gridley Ranch Preserves, but those areas are in upland habitat that will not be affected.
107. Pincushion navarretia <i>Navarretia myersii</i> ssp. <i>myersii</i>	-/-/1B	+	-	-	+	No	This subspecies has been observed in vernal pools in Sacramento, Placer, Amador, Calaveras, and Merced Counties. It does not occur in the Plan Area.
108. Adobe navarretia <i>Navarretia nigelliformis</i> ssp. <i>nigelliformis</i>	-/-/4	-	-	-	+	No	This subspecies is widespread throughout central California from Butte County in the north to Kern County in the south. There are no recorded occurrences in the Plan Area.
109. Prostrate vernal pool navarretia <i>Navarretia prostrata</i>	-/-/1B	-	-	-	+	No	This species is broadly distributed in southern and central California. The northernmost counties in which it has been observed are Alameda and Merced. It does not occur in the Plan Area.
110. Colusa grass <i>Neostapfia colusana</i>	T/E/1B	+	+	-	+	No	This species is present in the Plan Area in large playa pools at the Jepson Prairie Preserve but that area is upland habitat that will not be affected.
111. Antioch Dunes evening primrose <i>Oenothera deltoides</i> ssp. <i>howellii</i>	E/E/1B	+	+	-	+	No	This subspecies only occurs in the Antioch Dunes and does not occur in impact areas.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
112. San Joaquin Valley Orcutt grass <i>Orcuttia inaequalis</i>	T/E/1B	+	-	-	+	No	With the exception of a single population near Travis Air Force Base in Solano County, this species is distributed in large vernal pools on the east side of the San Joaquin Valley. It does not occur in the Plan Area.
113. Hairy Orcutt grass <i>Orcuttia pilosa</i>	E/E/1B	+	-	-	+	No	This species occurs in large vernal pools and playas on the eastern margin of the Central Valley north and south of the Delta. It does not occur in the Plan Area.
114. Slender Orcutt grass <i>Orcuttia tenuis</i>	T/E/1B	+	-	-	+	No	This species occurs in vernal pools and vernal wet areas in Lake County, the eastern side of the Sacramento Valley, and the Modoc Plateau. It does not occur in the Plan Area.
115. Sacramento Orcutt grass <i>Orcuttia viscida</i>	E/E/1B	+	-	-	+	No	This species occurs in hardpan vernal pools on the eastern edge of Sacramento County. It does not occur in the Plan Area.
116. Gairdner's yampah <i>Perideridia gairdneri</i> ssp. <i>gairdneri</i>	-/-/4	-	-	-	+	No	This subspecies is widely distributed throughout California. It has been observed as far north as Humboldt and Siskiyou Counties and as far south as Kern and Orange Counties. It does not occur in the Plan Area.
117. Mt. Diablo phacelia <i>Phacelia phacelioides</i>	-/-/1B	-	-	-	+	No	This species occurs at high elevations of the inner Coast Range. It does not occur in the Plan Area.
118. Michael's rein orchid <i>Piperia michaelii</i>	-/-/4	U	-	-	+	No	This species is widely distributed throughout California. It has been observed in coastal counties from Humboldt to Los Angeles and in inland counties from Butte to Tulare. It does not occur in the Plan Area.
119. Hairless popcorn- flower <i>Plagiobothrys glaber</i>	-/-/1A	U	-	-	+	No	Herbarium collections of this species are mostly very old and its status is unknown. The collections are from heavy alkaline clays in the south San Francisco Bay area and from scattered alkaline seeps in the inner Coast Range from the Livermore Valley to San Benito County. This species does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
120. Bearded popcorn-flower <i>Plagiobothrys hystriculus</i>	-/-/1B	+	+	-	+	No	This species is present in the Plan Area in vernal pools and swales at Jepson Prairie and Gridley Ranch Preserves, but those areas are in upland habitat that will not be affected. It is endemic to a small area of Solano County from Gridley Ranch to the Montezuma Hills.
121. Marin knotweed <i>Polygonum marinense</i>	-/-/3	-	-	+(H)	+	No	This species is present in Suisun Marsh, but it is a widespread species in central California salt marshes in Marin, Sonoma, Napa, and Solano Counties.
122. Eel-grass pondweed <i>Potamogeton zosteriformis</i>	-/-/2	-	+	+(H, ID, O)	+	No	This species is not likely to be listed in the BDCP permit term as it is widely distributed in northern California (Consortium of California Herbaria 2008).
123. Delta woolly-marbles <i>Psilocarphus brevissimus</i> var. <i>multiflorus</i>	-/-/4	-	+	-	+	No	This variety is widespread in vernal pools found in central California counties from Butte and Glenn in the north to Santa Clara and Stanislaus in the south. It is also likely to be present in vernal pools in the Jepson Prairie area, but that upland area will not be affected.
124. Lobb's Aquatic Buttercup <i>Ranunculus lobbii</i>	-/-/4	-	U	U	+	No	This species is widespread in vernal pools found from Mendocino and Lake Counties in the north to Monterey County in the south. It is not present in the Jepson Prairie area but may be present at the Tule Ranch Preserve; however, that upland area will not be affected.
125. Victor's gooseberry <i>Ribes victoris</i>	-/-/4	-	-	-	+	No	This species is found on hillsides of the Coastal Ranges of northern and central California. It does not occur in the Plan Area.
126. Sanford's arrowhead <i>Sagittaria sanfordii</i>	-/-/1B	-	+	+(H, AD, ID, O)	+	No	This species is broadly distributed in the Central Valley (Consortium of California Herbaria 2008) and is unlikely to be listed during the BDCP permit term.
127. Rock sanicle <i>Sanicula saxatilis</i>	-/SR/1B	-	-	-	+	No	This species occurs at high elevations of the inner Coast Range does not occur in the Plan Area.
128. Marsh skullcap <i>Scutellaria galericulata</i>	-/-/2	-	+	+(H, AD, ID, O)	+	No	This species is broadly distributed in wet soils in central and northern California from Siskiyou and Modoc Counties in the north to Inyo County in the south.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
129. Side-flowering skullcap <i>Scutellaria lateriflora</i>	-/-/2	U	+	+ (H, AD, ID, O)	U	Yes	Although it does not meet all four criteria, due to this species' rarity and dependence on limited specialized habitat that is found in the Plan Area, it is proposed for coverage under the BDCP. There are only three reported occurrences of this species: one herbarium collection from Santa Clara that was recently determined to be this species; an 1882 collection from Bouldin Island; and a 1999 collection at Delta Meadows River Park (Consortium of California Herbaria 2008).
130. Rayless Ragwort <i>Senecio aphanactis</i>	-/-/2	-	-	-	+	No	This species is widely distributed on hillsides of California coastal ranges from the inner Coast Ranges in Solano County to the Peninsular Ranges in San Diego County. It does not occur in the Plan Area.
131. Most beautiful jewel-flower <i>Streptanthus albidus</i> ssp. <i>peramoenus</i>	-/-/1B	-	-	-	+	No	This subspecies occurs on rocky serpentine slopes of the coast range from Contra Costa County to San Luis Obispo County. It does not occur in the Plan Area.
132. Mt. Diablo jewel- flower <i>Streptanthus hispidus</i>	-/-/1B	-	-	-	+	No	This species is found at high elevations of Mount Diablo in Contra Costa County. It does not occur in the Plan Area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
133. Suisun Marsh aster <i>Symphotrichum lentum</i>	-/-/1B	+	+	+ (H, AD, ID, O)	+	Yes	Meets all four criteria. Suisun Marsh aster grows in brackish and freshwater marshes and along the banks of sloughs and watercourses. It has been observed growing with common reed, cattails, bulrushes, and blackberry (Solano County Water Agency 2009). It is covered in the Solano County HCP and San Joaquin County MSCP. It is found in valley riparian, tidal perennial aquatic, tidal freshwater emergent wetland, managed seasonal wetland, grassland, agricultural, and developed. There are numerous occurrences in the legal Delta, particularly near the Sacramento River, San Joaquin River, and tributaries and near Pittsburg, Antioch, and Big Break going eastward. Broadly distributed throughout the Delta and in the Napa River, this species will likely benefit from habitat restoration.
134. Wright's trichocoronis <i>Trichocoronis wrightii</i>	-/-/2	-	+	+ (H, AD)	+	No	This species is not native to California, but is native to Texas and Mexico.
135. Showy indian clover <i>Trifolium amoenum</i>	E/-/1B	+	-	-	+	No	This species is known from two extant occurrences near Tomales Bay and Bodega Bay and a few historical occurrences near Fairfield. It does not occur in the Plan Area.
136. Saline clover <i>Trifolium depauperatum</i> var. <i>hydrophilum</i>	-/-/1B	-	+	U (H, AD)	+	No	This variety is widely distributed in central California coastal counties, and it is not likely to be listed during the BDCP permit term (Consortium of California Herbaria 2008). Known from the Plan Area at CDFW Tule Ranch, the occurrences could be in the impact area of the Suisun Marsh and Cache Slough but surveys have not found it in the Jepson Prairie area. The species could also occur near the Clifton Court Forebay impact area.

Common Name Scientific Name	Status ^a (Federal/ State/ CNPS)	Selection Criteria For Coverage ^b				Consider for Coverage?	Comments Regarding Coverage under the BDCP
		Listing Potential	Occurrence in the Plan Area	Potential to be Adversely Affected ^c	Sufficient Information		
137. Coastal triquetrella <i>Triquetrella californica</i>	-/-/1B	-	-	-	+	No	This species is widely distributed from Laguna Mountain in San Diego County to the Coast Range of central California to the North Coast. It does not occur in the Plan Area.
138. Dark-mouthed triteleia <i>Triteleia lugens</i>	-/-/4	-	-	-	+	No	This species occurs at high elevations. Recent occurrences have been recorded in the Coastal Range from Napa to Monterey. Other occurrences have been recorded in the Sierra Nevada in Plumas, El Dorado, and Mariposa Counties; and several occurrences have been recorded Lake, Fresno, and Los Angeles Counties. It does not occur in the Plan Area.
139. Caper-fruited trepidocarpum <i>Trepidocarpum capparideum</i>	-/-/1B	+	-	-	+	No	This species was historically collected in the Plan Area at the Clifton Court Forebay but has not been found since the 1950s. The only known extant population is near Monterey, far from the Plan Area.
140. Greene's tuctoria <i>Tuctoria greenei</i>	E/R/1B	+	-	-	+	No	This species occurs in large playa type vernal pools on the east side of the Sacramento Valley. This species does not occur in the Plan Area.
141. Solano grass <i>Tuctoria mucronata</i>	E/E/1B	+	-	-	+	No	This species is not present in Plan Area. The Olcott Lake population has been extirpated and the existing populations in Solano and Yolo Counties are outside of the Plan Area and impact areas.
142. Oval-leaved viburnum <i>Viburnum ellipticum</i>	-/-/2	-	-	-	+	No	This species is widely distributed from the North Coast-Klamath Region to the inner Coast Range and Sierra Nevada, but does not occur in the Plan Area.

1
2

1 **Notes to Table 1.A-1.****a Status Explanations**

Federal:

- E = listed as endangered under the federal Endangered Species Act
- T = listed as threatened under the federal Endangered Species Act
- C = candidate for listing under the federal Endangered Species Act
- BCC = U.S. Fish and Wildlife Service bird of conservation concern
- NSC = National Marine Fisheries Service species of concern
- = no status

State:

- E = listed as endangered under the California Endangered Species Act
 - T = listed as threatened
 - C = Candidate for listing under California Endangered Species Act
 - SSC = California species of special concern
 - FP = fully protected under the California Fish and Game Code
 - R = listed as rare under the California Native Plant Protection Act
 - = no status
- CNPS (California Native Plant Society):
- 1A = presumed extinct in California
 - 1B = rare or endangered in California and elsewhere
 - 2 = rare and endangered in California, more common elsewhere
 - 3 = species lacking sufficient information to determine status
 - 4 = limited distribution, low threats at this time
 - = no status

b Criteria met or not

- + = Species meets the selection criterion
- = Species does not meet the selection criterion
- U = Uncertain whether species meets selection criterion. More investigation required.

c BDCP (covered activities and conservation measures) potentially adversely affecting the species

- H = habitat restoration actions
- ID = in-Delta conveyance facilities
- AD = around-Delta conveyance facilities
- O = water operations

2

1.1.A.1 References Cited

- 1
2 Butte County Association of Governments. 2011. *Butte Regional Conservation Plan*. Available:
3 <<http://www.buttehcp.com/>>. Accessed: July 12, 2012.
- 4 California Department of Fish and Game. 2000. *The Status of Rare, Threatened, and Endangered*
5 *Animals and Plants in California, 2000*. Sacramento, CA
- 6 Consortium of California Herbaria. 2008. Accession results for *Lepidium latipes* var. *heckardii*. Data
7 provided by the participants of the Consortium of California Herbaria., Available:
8 <<http://ucjeps.berkeley.edu/consortium/>>. Accessed: September 3, 2008.
- 9 Cowlitz Indian Tribe. 2007. *Petition to List the Southern Eulachon (Thaleichthys pacificus) Distinct*
10 *Population Segment as Threatened or Endangered under The Federal Endangered Species Act*.
11 November 9. Available: <[http://www.nwr.noaa.gov/Other-Marine-Species/upload/](http://www.nwr.noaa.gov/Other-Marine-Species/upload/Smelt_Petition_11_07.pdf)
12 [Smelt_Petition_11_07.pdf](http://www.nwr.noaa.gov/Other-Marine-Species/upload/Smelt_Petition_11_07.pdf)>.
- 13 East Contra Costa County Habitat Conservancy. 2006. *East Contra Costa County Habitat Conservation*
14 *Plan and Natural Community Conservation Plan*. Available: <[http://www.co.contra-](http://www.co.contra-costa.ca.us/depart/cd/water/HCP/archive/final-hcp-rev/pdfs/hcptitleverso_9-27-06.pdf)
15 [costa.ca.us/depart/cd/water/HCP/archive/final-hcp-rev/pdfs/hcptitleverso_9-27-06.pdf](http://www.co.contra-costa.ca.us/depart/cd/water/HCP/archive/final-hcp-rev/pdfs/hcptitleverso_9-27-06.pdf)>.
16 Accessed: December 22, 2011.
- 17 Eschmeyer, W. S., E. S. Herald, and H. Hammann. 1984. *A Field Guide to Pacific Coast Fishes of North*
18 *America*. Boston, MA: Houghton Mifflin Co.
- 19 McGinnis, S. M. 1984. *Freshwater Fishes of California*. Berkeley and Los Angeles, CA: University of
20 California Press.
- 21 Minckley, W. L., D. A. Hendrickson, and C. E. Bond. 1986. Geography of Western North American
22 Freshwater Fishes: Description and Relationships to Intracontinental Tectonism. In: Hocutt, C.
23 H. and E. O. Wiley (eds.). *The Zoogeography of North American Freshwater Fishes*. New York, NY:
24 John Wiley and Sons. Pages 519–613.
- 25 Moyle, P. B. 2002. *Inland Fishes of California*, Revised and Expanded. Berkeley, CA: University of
26 California Press.
- 27 Natomas Basin Conservancy. 2003. *Natomas Basin Habitat Conservation Plan*. Available:
28 <[http://www.natomasbasin.org/index.php?option=com_content&view=article&id=144&Itemid](http://www.natomasbasin.org/index.php?option=com_content&view=article&id=144&Itemid=118)
29 [=118](http://www.natomasbasin.org/index.php?option=com_content&view=article&id=144&Itemid=118)>. Accessed: December 22, 2011.
- 30 Page, L. M. and B. M. Burr. 1991. *A Field Guide to Freshwater Fishes of North America North of Mexico*.
31 Boston, MA: Houghton Mifflin Co.
- 32 Reed, D., J. Anderson, E. Fleishman, D. Freyberg, W. Kimmerer, K. Rose, M. Stacey, S. Ustin, I. Werner,
33 B. DiGennaro, and W. Spencer. 2007. *Bay Delta Conservation Plan Independent Science Advisors*
34 *Report*. Available: <[http://www.baydeltaconservationplan.com/Libraries/](http://www.baydeltaconservationplan.com/Libraries/Background_Documents/BDCA_ISA_Report_11-16-07.sflb.ashx)
35 [Background_Documents/BDCA_ISA_Report_11-16-07.sflb.ashx](http://www.baydeltaconservationplan.com/Libraries/Background_Documents/BDCA_ISA_Report_11-16-07.sflb.ashx)>.
- 36 Sacramento County. 2010. *South Sacramento Habitat Conservation Plan*. Appendix A. Available:
37 <<http://www.southsachcp.com/Documents.aspx>>. Accessed: December 22, 2011.

- 1 San Joaquin Council of Governments. 2000. *San Joaquin County Multi-Species Habitat Conservation*
2 *and Open Space Plan*. Available: <[http://www.sjcog.org/programs-projects/Habitat_files/The-](http://www.sjcog.org/programs-projects/Habitat_files/The-Plan.htm)
3 [Plan.htm](http://www.sjcog.org/programs-projects/Habitat_files/The-Plan.htm)>. Accessed: December 22, 2011.
- 4 Solano County Water Agency. 2009. *Solano Multispecies Habitat Conservation Plan*. Final
5 Administrative Draft. June 15. Available:
6 <http://www.scwa2.com/Conservation_Habitat_FinalAdminDraft.aspx>. Accessed: December
7 22, 2011.
- 8 U.S. Fish and Wildlife Service. 2005. *Recovery Plan for Vernal Pool Ecosystems of California and*
9 *Southern Oregon*. Portland, OR. Available:
10 <http://www.fws.gov/sacramento/es/recovery_plans/vp_recovery_plan_links.htm>.
- 11 Yolo County Habitat Conservation Plan/Natural Community Conservation Plan Joint Powers Agency.
12 2011. *Yolo Natural Heritage Program Plan Habitat Conservation Plan/Natural Community*
13 *Conservation Plan*. Available: <<http://www.yoloconservationplan.org/enviro-portal.html>>.
14 Accessed: December 22, 2011.