

Exhibit CAW-030DD



# California-American Water Company

Monterey Division  
50 Ragsdale Dr., Suite 100, P.O. Box 951 • Monterey, CA 93942-0951

January 27, 2003

Ed Anton, Division Chief  
Division of Water Rights  
State Water Resources Control Board  
1001 I Street  
Sacramento, CA 95812

Re: SWRCB Order No. WR 95-10, as amended  
1st Quarterly Report for Water Year October 1, 2002 through  
December 31, 2002

Dear Sir:

Pursuant to Condition 13 of the subject order as amended, this letter is Cal-Am's first quarterly report for the water year October 1, 2002 through December 31, 2002.

Condition 13, as amended, requires:

- "13. Starting with the first full month following adoption of this Order, Cal-Am shall file quarterly with the Chief, Division of Water Rights:
- (a) Reports of the monthly total amounts being: (1) pumped from wells; and (2) diverted from the Carmel River. Reports of the total monthly amount being pumped from wells shall show the amount being pumped from each well and shall show the location of each well.
  - (b) Reports of the progress being made in complying with the schedule submitted to comply with Condition 11,
  - (c) Reports of the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9, and
  - (d) Cal-Am shall submit a quarterly water budget thirty days after approval by the District."

## RESPONSES

I. Condition 13(a). The total amounts being: (1) pumped from wells and (2) diverted from the Carmel River by month for each well location for the First Quarter of Water Year October 1, 2002 through December 31, 2002 is shown on Attachment 1. Attachment 2 shows the monthly production data for December 2002 from specific sub-units in the Carmel Valley via Carmel Valley wells. Carmel Valley Filter Plant produced 0 AF, with

572268.01/SD  
C1144-011

Administration  
(831) 646-3201

Customer Service  
(831) 646-3200

Fax  
(831) 375-4367

Exhibit CAW 030DD

68.1 AF from Aquifers No. 1 and No. 2; Water West – 0 AF; Aquifer No. 3 – 1564.4 AF; Aquifer No. 4 – 610.6 AF. Total production through the month of December was 2239.0 AF. Los Padres releases are shown on Attachment 4.

II. Condition 13(b). Condition No. 11 has been satisfied because The Monterey Peninsula Water Management District has continued to implement the Mitigation Program for the District's Water Allocation Program Environmental Impact Report.

III. Condition 13(c). Progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9 is as follows:

- CONDITION NO. 4

*Cal-Am shall maximize production from the Seaside aquifer for the purpose of serving existing connections, honoring existing commitments (allocations), and to reduce diversions from the Carmel River to the greatest practicable extent during periods of low flow. Cal-Am shall minimize diversions from the Seaside aquifer whenever flow in the Carmel River exceeds 40 cfs at the Highway 1 bridge from November 1 to April 30. The long-term yield of the basin shall be maintained by using the practical rate of withdrawal method.*

**Response No. 4:**

Attachment 3 shows Net System Production Year to Date.

- CONDITION NO. 5

*To the maximum extent feasible without inducing sea water intrusion or unreasonably affecting the operation of other wells, Cal-Am shall satisfy the water demands of its customers by extracting water from its most downstream wells.*

**Response No. 5:**

In April 2001, US Fish & Wildlife Service and Cal-Am executed the First Amended Agreement for protection of the California Red-legged frog for Cal-Am's Carmel Valley operations (Agreement with USFWS). The Agreement states that, provided that Cal-Am complies with its terms and the Biological Opinion, incidental take of California Red-legged frog shall be exempt from the take prohibitions of Section 9 of the Endangered Species Act. One of the requirements of the Agreement with USFWS is to pump from downstream wells to the extent practicable, which is consistent with Condition No. 5.

On March 21, 2002, the State Board adopted WRO 2002-0002, which modified Cal-Am's operation of the upper Carmel Valley wells in a manner that is consistent with Condition No. 5.

- CONDITION NO. 6

*Cal-Am shall conduct a study of the feasibility, benefits and estimated costs of supplying water to the areas now served by the Carmel Valley Filter Plant from its more nearby wells downstream of the plant and shall also conduct a similar study of utilizing the existing or expanded Begonia Treatment Plant or other facilities located further downstream in lieu of the Carmel Valley Filter Plant. This latter study shall be completed within one year of the date of entry of this Order. Petitioner shall have an opportunity to comment on the scope of the study. The study shall be under the direction of the Division of Water Rights, and will be conducted by a consultant approved by the Division. If the Chief, Division of Water Rights, finds that the measures identified in the studies are feasible, Cal-Am must implement supplying water from the facilities identified by the Division according to a schedule approved by the Division of Water Rights. The objective of supplying water from the wells is the maintain surface flow in the stream as far downstream as possible by releasing water from San Clemente Dam for maintenance of fish habitat. The results of the study and recommendations shall be provided to the District and DF&G for comment.*

**Response No. 6:**

In accordance with the terms of Order Nos. 95-10 and 98-04, two studies were done. The first was completed and submitted to the State Board in September, 1996. The Reconnaissance-Level Feasibility Study of the Operational Reconfiguration of Lower Carmel Valley Wells was completed and was submitted to the State Board on June 21, 1999. In April 2001, the State Board issued Order 2001-04 in which it found these studies adequate. The order was protested and after a hearing, the State Board adopted WRO 2002-0002 on March 21, 2002 and confirmed the studies were adequate.

In past years, operation of the upper Carmel Valley wells has been limited during the months of May through December. WRO 2002-0002 changed the trigger for reducing operation of upper Carmel Valley Wells from specific months to "low flow periods", defined as times when stream flow in the Carmel River at the Don Juan Bridge (RM 10.8) gage is less than 20 cfs for five consecutive days. WRO 2002-0002 also required installation of certain facilities to facilitate usage of the more downstream aquifers and to determine whether the Carmel Valley Village Zone water supply needs can be supplied from the Begonia Zone.

In compliance with WRO 2002-0002, Cal-Am installed a pump that delivers water from the Begonia zone to the Carmel Valley Village in March 2002. During low flow periods, Cal-Am has ceased diversions from San Clemente Reservoir, is pumping from Russell Wells 2 and 4, and has limited its pumping of the other upper Carmel Valley Wells to a schedule of maintenance pumping, which is set forth below. The maintenance pumping schedule and the complete cessation of diversions from San Clemente Reservoir are being monitored and evaluated by NMFS and Cal-Am and are subject to adjustment in order to satisfy the needs of Cal-Am's customers and the needs of the steelhead. Since the pump has been installed, production from the Russell Wells has been limited to 0.5 cfs during low flow periods and the majority of Carmel Valley Village demand has been met by pumping water from the Begonia zone, which includes water well production facilities in AQ 3, AQ 4 and the Seaside Groundwater Basin. This mode of operation is being evaluated to address the adequacy of Cal-Am's distribution system and the new pump to accommodate the water supply needs of the Carmel Valley Village from the Begonia Zone.

Status of wells during October through December, 2002:

Lower Carmel Valley Wells

Rancho Canada – On line  
San Carlos – Stand-by  
Cypress – On Line  
Pearce – On Line  
Schulte – On Line  
Manor – Out of service – motor and column rehabilitation  
Begonia #2 – On Line  
Berwick #7 – Out of Service for rehabilitation until further notice.  
Berwick #8 – On Line

Upper Carmel Valley Wells

The low flow period (as defined by WRO 2002-0002) extended until November 13, 2002. Operation of the upper valley wells was reduced accordingly.

Panetta 2 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Panetta 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Garzas 3 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Garzas 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Los Laureles 5 – Off Line (run 1 to 2 hours once a week for maintenance)  
Los Laureles 6 – Off Line (run 1 to 2 hours once a week for maintenance)  
Scarlett 8 – Off Line (run 1 to 2 hours once a week for maintenance)

Robles – Off Line (run 1 to 2 hours once a week for maintenance)  
Russell 2 – On Line  
Russell 4 – On Line

On November 13, 2002, the low flow period as defined by WRO 2002-0002 ended. The upper valley wells resumed normal operations on December 25, 2002.

- CONDITION NO. 7

*Cal-Am shall evaluate the feasibility of bypassing early storm runoff at Los Padres and San Clemente Dams to recharge the subterranean stream below San Clemente Dam in order to restore surface water flows in the river at an earlier date. The results of the study and recommendations shall be provided to the District and CDF&G for comment.*

- CONDITION NO. 8

*Cal-Am shall conduct a study of the feasibility, benefits, and costs of modifying critical stream reaches to facilitate the passage of fish. The study shall be designed and carried out in consultation with DF&G and the District. The results of the study and recommendations shall be provided to the district and DF&G for comment.*

Response Nos. 7 & 8:

See prior quarterly reports.

IV. Condition 13(d).


Water budget approved by MPWMD is attachment #5.

Cal-Am staff has been reviewing a number of possible water supply projects to complement the proposed Carmel River Dam and Reservoir Project. When Cal-Am completes its due diligence review to determine the technical, political and environmental feasibility of other water supply options, it may amend its applications currently pending before the California Public Utilities Commission and the SWRCB to include alternative water supply projects for the Monterey service area. We will keep the SWRCB staff informed of the Company's intentions.

Ed Anton, Division Chief  
January 27, 2003  
Page 6

Should your staff have any questions please call me at (831) 646-3214.

Very truly yours,



Steven Leonard  
Vice President/Manager  
California-American Water Company

JSD:sm

cc: J. Ambrosius  
E. Avila  
J. Almond  
J. Driscoll, Esq.  
F. Farina, Esq.  
D. Gunderson  
C. Kemp  
D. Laredo, Esq.  
P. Ma  
T. Peterson  
M. Schubert  
S. Somach, Esq.  
K. Urquardt

CALIFORNIA-AMERICAN WATER COMPANY  
 Monterey Division  
 UPPER CV WELLS - PR  
 Water Year 2002-2003

	Russell #2	Russell #4	Robles	Panetta #1	Panetta #2	Gargas #3	Gargas #4	LL #5	LL #6	Total
Oct CF	577,290	22,410	0	0	0	0	20	0	0	993,720
1000 G	7,311	168	0	0	0	0	0	0	0	7,479
AF	22.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23.0
Nov CF	970,311	0	0	0	0	0	0	0	0	970,311
1000 G	7,257	0	0	0	0	0	0	0	0	7,257
AF	22.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22.3
Dec CF	0	0	858,897	136,211	150	10	10	10	20	995,298
1000 G	0	0	6,425	1,019	1	0	0	0	0	7,445
AF	0.0	0.0	19.7	3.1	0.0	0.0	0.0	0.0	0.0	22.8
Jan CF	-	-	0	-	-	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Feb CF	-	-	0	0	-	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Mar CF	-	-	0	0	-	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Apr CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
May CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Jun CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Jul CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Aug CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Sep CF	-	0	0	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
TOTAL CF	1,947,401	22,410	858,897	136,211	150	-	30	10	20	2,965,129
1000 G	14,568	168	6,425	1,019	1	-	0	0	0	22,181
AF	44.7	0.5	19.7	3.1	0.0	0.0	0.0	0.0	0.0	68.1

CALIFORNIA-A CAN WATER COMPANY  
 Mc Division 443  
 LOWER CV LS - PRODUCTION  
 Water Year 2002-2003

	Berwick #7	Berwick #8	Begonia	Manor	Schulte	Pearce	Cypress	San Carlos	R. Canada	BRP Backwash (-)	L. CV Wells thru BRP	Scale# #	Seaside Test Injection (-)	Total
Oct. CF 1000G	0	698,800	2,779,800	0	61,511,000	10,005,000	4,008,800	3,293,500	8,725,700	32,720	35,615,480	0	0	35,615,480
AF	0	5,227	20,794	0	46,017	74,843	30,341	24,353	63,273	616	266,430	0	0	266,430
Nov. CF 1000G	0	662,300	2,080,000	0	4,032,000	5,322,700	3,994,300	624,200	3,870,200	24,810	30,101,990	0	0	30,101,990
AF	0	4,359	15,559	0	34,650	69,799	29,879	7,659	56,354	225,809	225,179	0	0	225,179
Dec. CF 1000G	0	82,400	757,300	15,719,000	4,263,000	9,287,000	3,890,800	0	9,004,300	11,905	28,845,395	0	0	28,845,395
AF	0	616	5,665	11,759	31,889	69,476	29,105	0	61,357	89	215,779	0	0	215,779
Jan CF 1000G	0	0	0	0	0	2,132	893	0	205	0	662.2	0	0	662.2
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Feb CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mar CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Apr CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
May CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jun CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jul CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Aug CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sep CF 1000G	0	0	0	0	0	0	0	0	0	0	0	0	0	0
AF	0	0	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL CF 1000G	0	1,444,100	5,617,100	1,571,900	15,046,600	28,615,300	11,967,900	3,879,700	26,600,200	178,935	94,563,865	0	0	94,563,865
AF	0	10,803	42,019	11,759	112,556	214,057	89,526	29,022	198,983	1,339	707,387	0	0	707,387
	0.0	33.2	129.0	36.1	345.4	656.9	274.7	89.1	610.7	4.1	2,170.9	0.0	0.0	2,170.9



CALIFORNIA-AMERICAN WATER COMPANY  
 Monterey Division 443  
 S.C. DAM & CARMEL VALLEY WELLS  
 Production Water Year (AF)  
 2002-03

Date	CVFP San Clemente Dam	Aquifer 1 Russell 2 & 4	Aquifer 2 Robles Los Laureles 5 & 6	Water West Panella 1 & 2 Garzas 3 & 4	Aquifer 3 Scarlett B/Derwick 7 & 8 Begonia/Manor/Schulte Pearce/Cypress/San Carlos	Aquifer 4 Rancho Canada	Total Production	BIRP BW & Seaside Test Inject. (ASR)	Net Production
Oct 2002	0.0	28.0	0.0	0.0	619.2	200.8	842.6	-1.9	840.6
Oct 2001	0.2	50.5	0.0	2.7	528.8	209.5	791.7	-1.3	790.4
Nov 2002	0.0	22.3	0.0	0.0	489.9	203.6	715.2	-1.9	713.3
Nov 2001	0.0	50.6	0.0	2.9	283.0	238.5	575.0	-2.0	573.0
Dec 2002	0.0	22.8	0.0	0.0	456.9	206.7	686.4	0.3	685.1
Dec 2001	0.0	54.0	0.0	4.0	584.2	151.3	793.5	-20.4	773.1
Jan 2003							0.0		0.0
Jan 2002	26.0	59.9	0.1	42.6	753.8	0.0	882.4	-43.1	839.3
Feb 2003							0.0		0.0
Feb 2002	15.2	53.1	0.0	31.5	604.7	158.6	863.1	-46.2	816.9
Mar 2003							0.0		0.0
Mar 2002	74.8	23.3	2.5	44.9	772.7	197.3	1,115.5	-170.5	945.0
Apr 2003							0.0		0.0
Apr 2002	59.4	5.7	3.6	42.7	814.2	207.6	1,133.1	-43.7	1,089.5
May 2003							0.0		0.0
May 2002	0.0	31.3	0.0	0.0	696.4	215.6	943.2	-3.8	939.5
Jun 2003							0.0		0.0
Jun 2002	0.0	29.5	0.0	0.0	749.0	197.0	975.5	-0.7	974.8
Jul 2003							0.0		0.0
Jul 2002	0.0	30.0	0.0	0.0	815.8	189.0	1,034.8	-0.7	1,034.1
Aug 2003							0.0		0.0
Aug 2002	0.0	27.7	0.0	0.0	806.1	189.4	1,023.2	-0.3	1,022.9
Sep 2003							0.0		0.0
Sep 2002	0.0	25.7	0.0	0.0	747.9	184.9	958.5	-0.5	958.0
Total	0.0	68.1	0.0	0.0	1,564.4	610.6	2,243.1	-4.1	2,239.0

California-American Water Company  
 Monterey Division  
 Net System Production  
 Year to Date 2002

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Seaside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	NET SYSTEM (All Facilities)	Net System (CV & Seaside)
01/02	CF 1000 G 8,485 26.04	4,469,961 33,438 102,62	30,953,254 231,546 710.59	0 0 0.00	199,340 1,491 4.58	495,350 3,705 11.37	260,766 1,951 5.99	418,765 3,133 9.61	37,931,730 283,749 870.79	839.24
Y-T-D	CF 1000 G 1,134,294 8,485 26.04	4,469,961 33,438 102,62	30,953,254 231,546 710.59	0 0 0.00	199,340 1,491 4.58	495,350 3,705 11.37	260,766 1,951 5.99	418,765 3,133 9.61	37,931,730 283,749 870.79	
02/02	CF 1000 G 4,937 15.15	3,686,107 27,574 84.62	31,238,554 233,681 717.14	1,130 9 0.03	228,616 1,710 5.25	463,401 3,467 10.64	278,170 2,081 6.39	451,883 3,380 10.37	37,007,866 276,839 849.58	816.94
Y-T-D	CF 1000 G 1,794,299 13,422 41.19	8,156,068 61,012 187.24	62,191,808 465,227 1,427.73	1,130 9 0.03	427,956 3,201 9.82	958,751 7,172 22.01	538,936 4,032 12.37	870,648 6,513 19.99	74,939,596 560,588 1,720.38	
03/02	CF 1000 G 3,256,503 24,360 74.76	3,074,889 23,002 70.59	34,830,799 260,552 799.61	0 0 0.00	295,985 2,214 6.79	617,100 4,816 14.17	411,929 3,081 9.46	551,002 4,122 12.65	43,038,207 321,948 988.02	944.95
Y-T-D	CF 1000 G 5,050,802 37,783 115.95	11,230,957 84,013 257.83	97,022,607 725,780 2,227.33	1,130 9 0.03	723,941 5,415 16.62	1,575,851 11,789 36.18	950,865 7,113 21.83	1,421,650 10,635 32.64	117,977,803 882,536 2,708.40	
04/02	CF 1000 G 2,585,089 19,338 59.35	2,260,015 16,906 51.88	42,611,317 318,755 978.22	2,383,265 17,828 54.71	303,624 2,271 6.97	698,601 5,226 16.04	633,286 4,737 14.54	948,240 7,093 21.77	52,423,439 392,155 1,203.48	1,144.16
Y-T-D	CF 1000 G 7,635,891 57,120 175.3	13,490,972 100,919 309.7	139,633,924 1,044,534 3,205.6	2,384,395 17,837 54.7	1,027,565 7,687 23.6	2,274,452 17,015 52.2	1,584,153 11,850 36.4	2,369,890 17,728 54.4	170,401,242 1,274,691 3,911.9	
05/02	CF 1000 G 0 0 0.00	1,361,213 10,183 31.25	39,563,118 295,953 908.24	18,733,488 140,136 430.06	327,444 2,449 7.52	915,467 6,848 21.02	656,726 4,913 15.08	1,166,334 8,725 26.78	62,723,790 469,207 1,439.94	1,369.56
Y-T-D	CF 1000 G 7,635,891 57,120 175.30	14,852,185 111,102 340.96	179,197,042 1,340,487 4,113.80	21,117,883 157,973 484.80	1,355,009 10,136 31.11	3,189,919 23,863 73.23	2,240,879 16,762 51.44	3,536,224 26,453 81.18	233,125,032 1,743,897 5,351.81	
06/02	CF 1000 G 0 0 0.00	1,285,162 9,614 29.50	41,174,611 308,008 945.24	21,135,935 158,108 485.21	360,151 2,694 8.27	1,077,133 8,058 24.73	812,669 6,079 18.66	1,341,230 10,033 30.79	67,186,891 502,553 1,542.40	1,459.96
Y-T-D	CF 1000 G 7,635,891 57,120 175.30	16,137,347 120,716 370.46	220,371,653 1,648,495 5,059.04	42,253,818 316,081 970.01	1,715,160 12,830 39.37	4,267,052 31,920 97.96	3,053,548 22,842 70.10	4,877,454 36,466 111.97	300,311,923 2,246,490 6,894.21	

California-American Water Company  
 Monterey Division  
 Net System Production  
 Year to Date 2002

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Seaside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	NET SYSTEM (All Facilities)	Net System (CV & Seaside)	
07/02	CF 1000 G AF	0 0 0.00	1,308,190 9,786 30.03	43,736,610 327,173 1,004.05	23,670,031 177,064 543.39	423,192 3,165 9.72	1,248,301 9,338 28.66	871,244 6,517 20.00	1,452,125 10,863 33.34	72,709,693 543,905 1,669.18	1,577.48
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	17,445,537 130,502 400.49	264,108,263 1,975,667 6,063.09	65,923,849 493,145 1,513.40	2,138,352 15,995 49.09	5,515,353 41,258 126.62	3,924,792 29,359 90.10	6,329,579 47,349 145.31	373,021,616 2,790,395 8,563.40	
08/02	CF 1000 G AF	0 0 0.00	1,205,965 9,021 27.69	43,351,250 324,290 995.21	23,188,158 173,459 532.33	458,622 3,431 10.53	1,231,799 9,214 28.28	875,640 6,550 20.10	1,413,562 10,574 32.45	71,724,996 536,540 1,646.58	1,555.22
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	18,651,502 139,523 428.18	307,459,513 2,299,957 7,058.30	89,112,007 666,605 2,045.73	2,596,974 19,426 59.62	6,747,152 50,473 154.89	4,800,432 35,909 110.20	7,743,141 57,923 177.76	444,746,612 3,326,936 10,209.98	
09/02	CF 1000 G AF	0 0 0.00	1,118,749 8,369 25.68	40,612,609 303,803 932.34	21,113,042 157,937 484.69	452,684 3,386 10.39	1,160,801 8,683 26.65	917,989 6,867 21.07	1,310,468 9,803 30.08	66,686,342 498,849 1,530.91	1,442.71
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	19,770,251 147,892 453.86	348,072,122 2,603,760 7,990.64	110,225,049 824,541 2,530.42	3,049,658 22,812 70.01	7,907,953 59,156 181.54	5,718,421 42,776 131.28	9,053,609 67,726 207.84	511,432,954 3,825,784 11,740.89	
10/02	CF 1000 G AF	0 0 0.00	999,720 7,478 22.95	35,616,480 266,430 817.64	22,968,054 171,813 527.27	510,313 3,818 11.72	1,076,200 8,051 24.71	815,388 6,100 18.72	1,104,841 8,265 25.36	63,090,996 471,954 1,448.37	1,367.87
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	20,769,971 155,370 476.81	383,688,602 2,870,190 8,808.28	133,193,103 996,354 3,057.69	3,559,971 26,630 81.73	8,984,153 67,207 206.25	6,533,809 48,876 150.00	10,158,450 75,990 233.21	574,523,950 4,297,738 13,189.26	
11/02	CF 1000 G AF	0 0 0.00	970,111 7,257 22.27	30,101,990 225,179 691.05	15,469,620 115,721 355.13	341,397 2,554 7.84	711,000 5,319 16.32	601,514 4,500 13.81	613,103 4,586 14.07	48,808,735 365,115 1,120.49	1,068.45
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	21,740,082 162,627 499.08	413,790,592 3,095,369 9,499.32	148,662,723 1,112,075 3,412.83	3,901,368 29,184 89.56	9,695,153 72,525 222.57	7,135,323 53,376 163.80	10,771,553 80,577 247.28	623,332,685 4,662,853 14,309.75	
12/02	CF 1000 G AF	0 0 0.00	995,298 7,446 22.85	28,845,395 215,719 662.80	11,077,712 82,867 254.31	282,001 2,116 6.47	505,100 4,227 12.97	381,076 2,851 8.75	506,415 3,786 11.62	42,662,697 319,065 979.17	939.36
Y-T-D	CF 1000 G AF	7,635,891 57,120 175.30	22,735,380 170,073 521.93	442,635,987 3,311,147 10,161.52	159,740,435 1,194,942 3,667.14	4,183,369 31,293 96.04	10,260,253 76,753 235.54	7,516,399 56,227 172.55	11,277,668 84,363 258.90	665,985,382 4,981,918 15,288.92	

CALIFORNIA-AMERICAN WATER COMPANY  
 Monterey Division  
 Los Padres County Release (CFS)  
 Water Year 2002-2003

Date	Oct 02	Nov 02	Dec 02	Jan 03	Feb 03	Mar 03	Apr 03	May 03	Jun 03	Jul 03	Aug 03	Sep 03
1	7											
2	7	7	14									
3	7	6	12									
4	7	6	12									
5	7	6	12									
6	7	6	12									
7	7	6										
8	7	9										
9	7	202	13									
10	7	114	16									
11	7	72	14									
12	6	52										
13	7	42	13									
14	7	35										
15	6	30										
16	7	26	732									
17	7	24	448									
18	7	22	308									
19	7	20	259									
20	7	19	335									
21	7	18										
22	7	17										
23	7	16	236									
24	7	16										
25	7	16										
26	7	15	166									
27	7	15	151									
28	7	14										
29	7	14										
30	7	14	295									
31	7											
Total	206	865	3,047	0	0	0	0	0	0	0	0	0

\* As of 6/7/00 - No Readings on Sundays & Holidays (unless there's rainfall)