

Exhibit CAW-030HH



January 27, 2004

Ed Anton, Division Chief  
Division of Water Rights  
State Water Resources Control Board  
1001 I Street  
Sacramento, CA 95812

Re: SWRCB Order No. WR 95-10, as amended 1<sup>st</sup> Quarterly Report for Water Year  
October 1, 2003 through September 30, 2004

Dear Sir:

Pursuant to Condition 13 of the subject order as amended, this letter is Cal-Am's *first quarterly* report for the water year October 1, 2003 through September 30, 2004.

Condition 13, as amended, requires:

- 13. Starting with the first full month following adoption of this Order, Cal-Am shall file quarterly with the Chief, Division of Water Rights:
  - (a) Reports of the monthly total amounts being: (1) pumped from wells; and (2) diverted from the Carmel River. Reports of the total monthly amount being pumped from wells shall show the amount being pumped from each well and shall show the location of each well.
  - (b) Reports of the progress being made in complying with the schedule submitted to comply with Condition 11,
  - (c) Reports of the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9, and
  - (d) Cal-Am shall submit a quarterly water budget thirty days after approval by the District."

**RESPONSES**

- I. Condition 13(a). The total amounts being: (1) pumped from wells and (2) diverted from the Carmel River by month for each well location for the first Quarter of the Water Year, October 1, through December 31, 2003 is shown on Attachment 1. Attachment 2 shows the monthly production data through December 2003 from specific sub-units in the Carmel Valley via Carmel Valley wells. Carmel Valley Filter Plant produced 0.0AF from San Clemente Reservoir,

California American Water  
Coastal Division

50 Ragsdale Dr., Suite 100  
P.O. Box 951  
Monterey, CA 93942-0951  
T 408 31 646 3201  
F 831 375 4367  
www.calamwater.com

with 65.5AF from Aquifers No. 1 and No. 2; Water West 0.0AF; Aquifer No. 3 – 1,363.0 AF; Aquifer No. 4 – 740.2AF. Total production through the month of September was 2,168.7AF. See Table. Los Padres releases are shown on Attachment 4

II. Condition 13(b). Condition No. 11 has been satisfied because The Monterey Peninsula Water Management District has continued to implement the Mitigation Program for the District's Water Allocation Program Environmental Impact Report.

III. Condition 13(c). Progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9 is as follows:

- CONDITION NO. 4

*Cal-Am shall maximize production from the Seaside aquifer for the purpose of serving existing connections, honoring existing commitments (allocations), and to reduce diversions from the Carmel River to the greatest practicable extent during periods of low flow. Cal-Am shall minimize diversions from the Seaside aquifer whenever flow in the Carmel River exceeds 40 cfs at the Highway 1 Bridge from November 1 to April 30. The long-term yield of the basin shall be maintained by using the practical rate of withdrawal method.*

Response No. 4:

Attachment 3 shows Net System Production Water Year to Date.

- CONDITION NO. 5

*To the maximum extent feasible without inducing seawater intrusion or unreasonably affecting the operation of other wells, Cal-Am shall satisfy the water demands of its customers by extracting water from its most downstream wells.*

Response No. 5:

In July 2003, US Fish & Wildlife Service and Cal-Am executed the Second Amended Agreement for protection of the California Red-legged frog for Cal-Am's Carmel Valley operations (Agreement with USFWS). The Agreement states that, provided that Cal-Am complies with its terms and the Biological Opinion, incidental take of California Red-legged frog shall be exempt from the take prohibitions of Section 9 of the Endangered Species Act. One of the requirements of the Agreement with USFWS is to pump from downstream wells to the extent practicable, which is consistent with Condition No. 5.

On March 21, 2002, the State Board adopted WRO 2002-0002, which modified Cal-Am's operation of the upper Carmel Valley wells in a manner that is consistent with Condition No. 5.

CONDITION NO. 6

*Cal-Am shall conduct a study of the feasibility benefits and estimated costs of supplying water to the areas now served by the Carmel Valley Filter Plant from its more nearby wells downstream of the plant and shall also conduct a similar study of utilizing the existing or expanded Begonia Treatment Plant or other facilities located further downstream in lieu of the Carmel Valley Filter Plant. This latter study shall be completed within one year of the date of entry of this Order. Petitioner shall have an opportunity to comment on the scope of the study. The study shall be under the direction of the Division of Water Rights, and will be conducted by a consultant approved by the Division. If the Chief, Division of Water Rights, finds that the measures identified in the studies are feasible, Cal-Am must implement supplying water from the facilities identified by the Division according to a schedule approved by Division of Water Rights. The objective of supplying water from the wells is to maintain surface flow in the stream as far downstream as possible by releasing water from San Clemente Dam for maintenance of fish habitat. The results of the study and recommendations shall be provided to the District and DF&G for comment.*

Response No. 6:

In accordance with the terms of Order Nos. 95-10 and 98-04, two studies were done. The first was completed and submitted to the State Board in September 1996. The Reconnaissance-Level Feasibility Study of the Operational Reconfiguration of Lower Carmel Valley Wells was completed and was submitted to the State Board on June 21, 1999. In April 2001, the State Board issued Order 2001-04 in which it found these studies adequate. The order was protested and after a hearing, the State Board adopted WRO 2002-0002 on March 21, 2002 and confirmed the studies were adequate.

In past years, operation of the upper Carmel Valley wells has been limited during the months of May through December. WRO 2002-0002 changed the trigger for reducing operation of upper Carmel Valley Wells from specific months to "low flow periods", defined as times when stream flow in the Carmel River at the Don Juan Bridge (RM 10.8) gage is less than 20 cfs for five consecutive days. WRO 2002-0002 also required installation of certain facilities to facilitate usage of the more downstream aquifers and to determine whether the Carmel Valley Village Zone water supply needs can be supplied from the Begonia Zone.

In compliance with WRO 2002-0002, Cal-Am installed a pump that delivers water from the Begonia zone to the Carmel Valley Village in March 2002. During low flow periods, Cal-Am has ceased diversions from San Clemente Reservoir, is pumping from Russell

Wells 2 and 4, and has limited its pumping of the other upper Carmel Valley Wells to a schedule of maintenance pumping, which is set forth below. The maintenance-pumping schedule and the complete cessation of diversions from San Clemente Reservoir are being monitored and evaluated by NMFS and Cal-Am and are subject to adjustment in order to satisfy the needs of Cal-Am's customers and the needs of the steelhead. Since the pump has been installed, production from the Russell Wells has been limited to 0.5 cfs during low flow periods and the majority of Carmel Valley Village demand has been met by pumping water from the Begonia zone, which includes water well production facilities in AQ 3, AQ 4 and the Seaside Groundwater Basin. This mode of operation is being evaluated to address the adequacy of Cal-Am's distribution system and the new pump to accommodate the water supply needs of the Carmel Valley Village from the Begonia Zone.

Status of wells during October through December 2003:

Lower Carmel Valley Wells

Rancho Canada – On-line  
San Carlos – Emergency Stand-by only (under influence of surface water)  
Cypress – On Line  
Pearce – On Line  
Schulte – On Line  
Manor – On line  
Begonia #2 – On Line  
Berwick #7 – Out of Service until further notice.  
Berwick #8 – On Line

Upper Carmel Valley Wells

Panetta 2 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Panetta 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Garzas 3 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Garzas 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)  
Los Laureles 5 – Off Line (run 1 to 2 hours once a week for maintenance)  
Los Laureles 6 – Off Line (run 1 to 2 hours once a week for maintenance)  
Scarlett 8 – Off Line (run 1 to 2 hours once a week for maintenance)  
Robles – Off Line (run 1 to 2 hours once a week for maintenance).  
Russell 2 – On Line  
Russell 4 – On Line

As of December 31, 2004, the low flow period as defined by the Conservation Agreement and Order 2002-02 had not yet ended. The upper valley wells remain off line until the end of the low flow period.

• CONDITION NO. 7

*Cal-Am shall evaluate the feasibility of bypassing early storm runoff at Los Padres and San Clemente Dams to recharge the subterranean stream below San Clemente Dam in order to restore surface water flows in the river at an earlier date. The results of the study and recommendations shall be provided to the District and CDF&G for comment.*

• CONDITION NO. 8

*Cal-Am shall conduct a study of the feasibility, benefits, and costs of modifying critical stream reaches to facilitate the passage of fish. The study shall be designed and carried out in consultation with DF&G and the District. The results of the study and recommendations shall be provided to the district and DF&G for comment.*

Response Nos. 7 & 8:

See prior quarterly reports.

Cal-Am has proposed an alternate water supply project to meet the Order 95-10 as modified by subsequent orders. After diligent review of the options for technical, political and environmental merit, Cal-Am amended its application for a new reservoir on the Carmel River to include the desalination/ASR project originally developed by the CPUC, entitled *Plan B*. Additionally, Cal-Am requested that the CPUC be the lead agency for the Company's project, which has been named the Coastal Water Project. The CPUC has agreed to be the lead agency for the environmental work. The Proponents Environmental Assessment (PEA) consultants have proposed on the work and have been interviewed. Selection of the successful PEA firm and initiation of the work will begin in February 2004.

Other items:


The Department of Safety of Dams has directed Cal-Am to permanently lower San Clemente Reservoir at all times possible. We do not yet know what impact this will have on our use of water in the winter months. We also do not know how the NOAA Fisheries staff will view this departure from DSOD's historical posture. Currently, the company is working with the concerned agencies to develop operational techniques that will support fish passage and frog habitat.

Based on preliminary studies on the safe yields on the Seaside Ground Water Basin Cal-Am filed a lawsuit against the other pumpers in the aqueduct seeking adjudication of the ground water supplies. The draft report is complete and under review by Cal-Am's legal and technical staff.

The Ryan Ranch #11 well was drilled and placed into service during the quarter.

Should your staff have any questions please call me at (831) 646-3214.

Sincerely,



Steven Leonard  
Vice-President /Manager  
Coastal Division  
California American Water

SDL  
Enclosures

cc: K. Urquardt  
J. Driscoll, Esq.  
P. Lyman, Esq.  
P. Townsley  
D. Stephenson  
D. Laredo, Esq.  
D. Armanasco  
S. Somach, Esq.  
F. Farina, Esq.

CALIFORNIA AMERICAN WATER  
 Monterey Division  
 UPPER CV WELLS - PRODUCTION  
 Water Year 2003-2004

	Rustwell #2	Rustwell #4	Topoles	Parrotta #1	Parrotta #2	Garzas #3	Garzas #4	LL #5	LL #6	Total
Oct CF	0	1,094,099	0	0	0	0	0	0	0	1,094,099
1000 G	0	8,184	0	0	0	0	0	0	0	8,184
AF	0.0	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.1
Nov CF	0	624,005	0	0	0	0	0	0	0	624,005
1000 G	0	4,668	0	0	0	0	0	0	0	4,668
AF	0.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3
Dec CF	0	1,135,722	0	0	0	0	0	0	0	1,135,722
1000 G	0	8,496	0	0	0	0	0	0	0	8,496
AF	0.0	26.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1
Jan CF	-	0	-	-	-	-	-	-	-	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Feb CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Mar CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Apr CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
May CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Jun CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Jul CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Aug CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
Sep CF	-	0	-	0	0	0	0	0	0	-
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	-	-	-	-	-	-	-	-	-	-
TOTAL CF	-	2,853,765	-	-	-	-	-	-	-	2,853,765
1000 G	0.0	21,348	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21,348
AF	-	65.5	-	-	-	-	-	-	-	65.5

CALIFORNIA AMERICAN WATER  
 Monterey Division  
 LOWER CV WELLS - PRODUCTION  
 Water Year 2003-2004

	Berwick #7	Berwick #6	Begonia	Manor	Schille	Pleasant	Cypress	San Carlos	R. Canals	BRP	L. CV Wells	Sanfitt #8	Total
Oct. CF	0	255,105	2,327,500	273,800	6,519,300	8,657,300	7,071,280	0	12,382,400	(13,960)	37,481,280	0	37,481,280
1000 G	0	1,916	17,911	2,047	46,788	64,811	52,888	0	92,827	(104)	280,379	0	280,379
AF	0.0	5.5	59.4	6.3	149.7	188.3	182.3	0.0	284.3	-0.3	880.5	0.0	880.5
Nov. CF	0	36,000	1,234,800	1300	2,263,100	7,427,400	6,247,100	0	9,008,800	79,538	26,140,782	0	26,140,782
1000 G	0	284	9,235	16	16,929	55,561	46,732	0	67,391	196,141	195,548	0	195,548
AF	0.0	0.6	28.3	0.0	52.0	170.5	143.4	0.0	208.8	601.9	600.1	0.0	600.1
Dec. CF	0	280,000	1,052,000	2,800	3,857,300	8,314,500	3,322,800	0	10,852,000	18,936	27,912,784	0	27,912,784
1000 G	0	150	7,946	22	28,855	66,997	24,896	0	81,179	142	208,802	0	208,802
AF	0.0	0.5	29.4	0.1	88.6	202.4	76.3	0.0	249.1	0.4	640.8	0.0	640.8
Jan CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Feb CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Mar CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apr CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
May CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jun CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Jul CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Aug CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sep CF	0	0	0	0	0	0	0	0	0	0	0	0	0
1000 G	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL CF	0	314,100	4,624,300	277,800	12,639,700	24,879,200	16,641,100	0	32,243,200	84,614	91,534,786	0	91,534,786
1000 G	0	2,350	34,592	2,078	94,552	186,109	124,484	0	241,198	633	684,728	0	684,728
AF	0.0	7.2	106.2	6.4	290.2	571.1	382.0	0.0	740.2	1.9	2,101.3	0.0	2,101.3



CALIFORNIA AMERICAN WATER  
 Monterey Division  
 S.C. DAM & CARMEL VALLEY WELLS  
 Production Water Year (AF)  
 2003-04

Date	CVFP San Clemente Dam	Aquifer 1 Russell 2 & 4	Aquifer 2 Robles Los Laureles 5 & 6	Water West Panetta 1 & 2 Garzas 3 & 4	Aquifer 3 Scarlett B/Berwick 7 & 8 Begonia/Manor/Schulte Pearce/Cypress/San Carlos	Aquifer 4 Rancho Canada	Total Production	BIRP BW & Seaside Test Inject. (ASR)	Net Production
Oct 2003	0.0	25.1	0.0	0.0	575.8	284.3	885.2	0.3	885.5
Oct 2002	0.0	23.0	0.0	0.0	619.2	200.3	842.5	-1.9	840.6
Nov 2003	0.0	14.3	0.0	0.0	395.1	206.8	616.2	-1.8	614.4
Nov 2002	0.0	22.3	0.0	0.0	489.3	203.6	715.2	-1.9	713.3
Dec 2003	0.0	26.1	0.0	0.0	392.1	249.1	667.3	-0.6	666.7
Dec 2002	0.0	22.8	0.0	0.0	455.9	206.7	685.4	-0.3	685.1
Jan 2004							0.0		0.0
Jan 2003	44.3	11.2	11.4	15.2	612.4	210.6	905.1	0.2	905.3
Feb 2004							0.0		0.0
Feb 2003	46.1	0.0	82.9	2.3	619.9	116.1	867.4	-28.3	839.1
Mar 2004							0.0		0.0
Mar 2003	55.8	0.0	93.2	0.0	861.4	4.3	1,014.7	-28.5	986.1
Apr 2004							0.0		0.0
Apr 2003	52.7	4.9	88.0	0.0	623.4	292.3	1,061.3	-67.6	993.7
May 2004							0.0		0.0
May 2003	41.7	25.9	88.7	0.0	665.8	306.2	1,128.3	-50.7	1,077.7
Jun 2004							0.0		0.0
Jun 2003	0.0	61.9	0.0	0.0	601.6	316.2	979.7	-1.2	978.5
Jul 2004							0.0		0.0
Jul 2003	0.3	25.7	0.0	0.0	743.8	308.1	1,077.9	-2.3	1,075.6
Aug 2004							0.0		0.0
Aug 2003	0.0	26.0	0.0	0.0	794.5	254.0	1,074.5	-0.4	1,074.1
Sep 2004							0.0		0.0
Sep 2003	0.0	23.8	0.0	0.0	864.9	275.8	964.5	-1.6	962.9
<b>Total</b>	<b>0.0</b>	<b>65.5</b>	<b>0.0</b>	<b>0.0</b>	<b>1,363.0</b>	<b>740.2</b>	<b>2,168.7</b>	<b>-2.1</b>	<b>2,166.6</b>

California American Water  
 Monterey Division  
 Net System Production  
 Year to Date 2003

Month	San Clemente Dam Surface Water	U. Carmel Valley Webs	L. Carmel Valley Webs	Seaside Webs	Ryan Ranch Webs	Hidden Hills Webs	Bishop Webs	Amber Webs	Chualar Webs	Rain Line Webs	ASR (-) Tank Well	NET SYSTEM (All Facilities)
01/03	1,928,169	1,645,659	35,862,250	251,400	175,325	442,533	306,683	453,482	0	0	1,248,913	39,615,586
1000 G	14,424	12,310	288,268	1,851	1,312	3,310	2,204	3,392	0	0	9,350	297,841
AF	44.26	37.78	823.28	5.77	4.02	10.16	7.04	10.41	0.00	0.00	28.68	914.04
Y-T-D	1,928,169	1,645,659	35,862,250	251,400	175,325	442,533	306,683	453,482	0	0	1,248,913	39,615,586
1000 G	14,424	12,310	288,268	1,851	1,312	3,310	2,204	3,392	0	0	9,350	297,841
AF	44.26	37.78	823.28	5.77	4.02	10.16	7.04	10.41	0.00	0.00	28.68	914.04
02/03	2,068,866	3,710,868	32,079,561	0	198,808	481,000	285,853	451,852	0	0	0	39,194,328
1000 G	16,028	27,769	236,972	0	1,470	3,449	2,137	3,360	0	0	0	293,194
AF	46.12	85.19	736.45	0.00	4.51	10.58	6.56	10.37	0.00	0.00	0.00	899.78
Y-T-D	3,937,054	5,360,537	67,941,811	251,400	371,432	903,533	592,336	905,334	0	0	1,248,913	79,008,914
1000 G	28,451	40,070	508,240	1,851	2,781	6,769	4,431	6,772	0	0	9,350	581,035
AF	90.38	122.97	1,559.73	5.77	8.54	20.74	13.60	20.78	0.00	0.00	28.68	1,813.82
03/03	2,428,630	4,059,730	37,611,459	0	313,188	558,295	431,309	678,554	0	0	1,147,390	44,933,754
1000 G	18,167	30,369	261,953	0	2,345	4,178	3,228	5,076	0	0	8,583	336,128
AF	55.75	93.20	863.44	0.00	7.19	12.82	9.90	15.58	0.00	0.00	26.34	1,031.54
Y-T-D	6,365,684	9,418,267	105,563,269	251,400	685,020	1,481,798	1,023,646	1,583,888	0	0	2,397,293	123,943,668
1000 G	47,919	70,438	789,593	1,851	5,124	10,965	7,657	11,848	0	0	17,933	927,163
AF	146.14	218.17	2,423.17	5.77	15.73	33.56	23.50	38.58	0.00	0.00	55.03	2,845.36
04/03	2,283,405	4,049,659	39,718,667	0	305,871	533,599	475,285	719,045	490,700	31,862	2,778,948	45,841,067
1000 G	17,156	30,294	297,118	0	2,289	3,992	3,595	5,379	3,671	237	20,773	342,915
AF	52.65	82.97	911.82	0.00	7.02	12.25	10.91	16.51	11.26	0.73	63.76	1,052.37
Y-T-D	8,659,089	13,465,926	145,271,928	251,400	990,891	1,986,397	1,498,930	2,302,933	490,700	31,862	5,174,238	169,784,735
1000 G	84,774	100,732	1,086,710	1,851	7,413	14,927	11,213	17,227	3,671	237	38,706	1,270,078
AF	188.8	308.1	3,336.0	5.8	22.8	45.8	34.4	52.9	11.3	0.7	116.8	3,897.7
05/03	1,918,070	4,894,360	42,258,372	6,447,640	396,820	859,288	638,618	1,076,271	641,600	50,251	2,123,382	57,015,166
1000 G	13,600	37,360	316,100	49,232	2,669	6,428	4,777	8,044	4,800	378	15,864	426,503
AF	41.74	114.86	970.07	148.02	8.19	19.73	14.56	24.68	14.73	1.16	48.75	1,308.89
Y-T-D	10,477,159	18,460,286	187,528,298	6,899,040	1,347,811	2,854,693	2,137,548	3,378,204	641,600	50,251	7,297,621	226,789,901
1000 G	78,375	139,063	1,402,869	50,112	10,062	21,354	15,990	25,271	4,800	378	54,590	1,698,581
AF	240.52	423.79	4,305.06	153.79	30.94	65.53	49.07	77.56	25.99	1.89	167.53	5,206.61
06/03	0	2,885,621	39,927,264	22,847,185	397,995	1,101,834	829,495	1,455,499	762,500	57,362	0	68,875,025
1000 G	0	20,167	299,677	169,413	2,977	8,242	6,206	10,868	6,704	429	0	522,702
AF	0.00	61.89	916.60	518.91	9.14	25.29	19.04	33.41	17.50	1.32	0.00	1,604.11
Y-T-D	10,477,159	21,156,207	227,455,562	29,346,225	1,745,806	3,956,497	2,967,043	4,833,673	762,500	57,362	7,297,621	298,674,928
1000 G	78,375	158,259	1,701,486	219,526	13,060	29,597	22,195	38,158	6,704	429	54,590	2,219,263
AF	240.52	485.08	5,221.66	673.70	40.98	90.83	68.11	110.97	43.50	3.20	167.53	6,910.72

**CALIFORNIA AMERICAN WATER**  
**Monterey Division**  
**Los Padres Daily Release (CFS)**  
**Water Year 2003-2004**

Date	Oct 03	Nov 03	Dec 03	Jan 04	Feb 04	Mar 04	Apr 04	May 04	Jun 04	Jul 04	Aug 04	Sep 04
1	10.0	7.9	8.0									
2	10.0	7.4	8.0									
3	9.5	7.9	8.0									
4	8.5	7.5	8.0									
5	8.1	7.4	8.0									
6	8.3	7.4	8.0									
7	8.3	7.5	8.0									
8	8.5	7.5	8.0									
9	8.2	7.5	8.0									
10	8.0	7.1	8.0									
11	7.7	7.5	9.0									
12	7.2	7.7	9.0									
13	7.2	7.8	9.0									
14	7.3	7.7	9.0									
15	7.3	7.9	9.0									
16	7.3	8.2	9.0									
17	7.8	7.9	9.0									
18	8.3	7.8	9.0									
19	8.5	7.9	9.0									
20	8.9	8.0	9.0									
21	8.9	8.3	9.0									
22	7.8	8.5	9.0									
23	7.5	8.5	9.0									
24	7.3	8.0	9.0									
25	7.1	7.5	9.0									
26	7.6	7.8	9.0									
27	7.5	8.1	10.4									
28	7.5	8.1	10.7									
29	7.3	8.0	260.8									
30	7.4	8.0	129.3									
31	7.5											
Total	247.7	234.0	611.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0