

Exhibit CAW-030NN

July 13, 2005

Victoria Whitney, Division Chief
Division of Water Rights
State Water Resources Control Board
1001 I Street
Sacramento, CA 95812

Re: SWRCB Order No. WR 95-10, as amended 3rd Quarterly Report for Water Year
October 1, 2004 through September 30, 2005

Dear Sir:

Pursuant to Condition 13 of the subject order as amended, this letter is Cal-Am's *third quarterly* report for the water year October 1, 2004 through September 30, 2005.

Condition 13, as amended, requires:

13. Starting with the first full month following adoption of this Order, Cal-Am shall file quarterly with the Chief, Division of Water Rights:
 - (a) Reports of the monthly total amounts being: (1) pumped from wells; and (2) diverted from the Carmel River. Reports of the total monthly amount being pumped from wells shall show the amount being pumped from each well and shall show the location of each well.
 - (b) Reports of the progress being made in complying with the schedule submitted to comply with Condition 11,
 - (c) Reports of the progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9, and
 - (d) Cal-Am shall submit a quarterly water budget thirty days after approval by the District."

California American Water
Coastal Division

50 Ragsdale Dr., Suite 100
P.O. Box 951
Monterey, CA 93942-0951

T 831 646 3201
F 831 375 4367

I www.calamwater.com

RESPONSES

- I. Condition 13(a). The total amounts being: (1) pumped from wells and (2) diverted from the Carmel River by month for each well

582153.01/SD
C1144-011



RWE GROUP

Exhibit CAW 030NN



location for the third Quarter of the Water Year, October 1, 2004 through September 30, 2005 is shown on Attachment 1.

Attachment 2 shows the monthly production data through June 30, 2005 from specific sub-units in the Carmel Valley via Carmel Valley wells. Carmel Valley Filter Plant produced 0.0AF from San Clemente Reservoir, with 511.7 AF from Aquifers No. 1 and No. 2; Water West 0.0 AF; Aquifer No. 3 – 5635.2 AF; Aquifer No. 4 – 1931.8 AF. Total production through the month of December 2004 was 8078.7 AF. Net production, which includes ASR diversions, was 7714.9 AF. See Table. Los Padres releases are shown on Attachment 4.

II. Condition 13(b). Condition No. 11 has been satisfied because The Monterey Peninsula Water Management District has continued to implement the Mitigation Program for the District's Water Allocation Program Environmental Impact Report.

III. Condition 13(c). Progress being made in complying with Conditions 4, 5, 6, 7, 8, and 9 is as follows:

- CONDITION NO. 4

Cal-Am shall maximize production from the Seaside aquifer for the purpose of serving existing connections, honoring existing commitments (allocations), and to reduce diversions from the Carmel River to the greatest practicable extent during periods of low flow. Cal-Am shall minimize diversions from the Seaside aquifer whenever flow in the Carmel River exceeds 40 cfs at the Highway 1 Bridge from November 1 to April 30. The long-term yield of the basin shall be maintained by using the practical rate of withdrawal method.

Response No. 4:

Attachment 3 shows Net System Production Water Year to Date.

- CONDITION NO. 5

To the maximum extent feasible without inducing seawater intrusion or unreasonably affecting the operation of other wells, Cal-Am shall satisfy the water demands of its customers by extracting water from its most downstream wells.

Response No. 5:

In July 2003, US Fish & Wildlife Service and Cal-Am executed the Second Amended Agreement for protection of the California Red-legged frog for Cal-Am's Carmel Valley operations (Agreement with USFWS). The Agreement states that, provided that Cal-Am complies with its terms and the Biological Opinion, incidental take of California Red-legged frog shall be exempt from the take prohibitions of Section 9 of the Endangered Species Act. One of the requirements of the Agreement with USFWS is to pump from downstream wells to the extent practicable, which is consistent with Condition No. 5.

On March 21, 2002, the State Board adopted WRO 2002-0002, which modified Cal-Am's operation of the upper Carmel Valley wells in a manner that is consistent with Condition No. 5.

CONDITION NO. 6

Cal-Am shall conduct a study of the feasibility benefits and estimated costs of supplying water to the areas now served by the Carmel Valley Filter Plant from its more nearby wells downstream of the plant and shall also conduct a similar study of utilizing the existing or expanded Begonia Treatment Plant or other facilities located further downstream in lieu of the Carmel Valley Filter Plant. This latter study shall be completed within one year of the date of entry of this Order. Petitioner shall have an opportunity to comment on the scope of the study. The study shall be under the direction of the Division of Water Rights, and will be conducted by a consultant approved by the Division. If the Chief, Division of Water Rights, finds that the measures identified in the studies are feasible, Cal-Am must implement supplying water from the facilities identified by the Division according to a schedule approved by Division of Water Rights. The objective of supplying water from the wells is to maintain surface flow in the stream as far downstream as possible by releasing water from San Clemente Dam for maintenance of fish habitat. The results of the study and recommendations shall be provided to the District and DF&G for comment.

Response No. 6:

In accordance with the terms of Order Nos. 95-10 and 98-04, two studies were done. The first was completed and submitted to the State Board in September 1996. The Reconnaissance-Level Feasibility Study of the Operational Reconfiguration of Lower Carmel Valley Wells was completed and was submitted to the State Board on June 21, 1999. In



April 2001, the State Board issued Order 2001-04 in which it found these studies adequate. The order was protested and after a hearing, the State Board adopted WRO 2002-0002 on March 21, 2002 and confirmed the studies were adequate.

In past years, operation of the upper Carmel Valley wells has been limited during the months of May through December. WRO 2002-0002 changed the trigger for reducing operation of upper Carmel Valley Wells from specific months to "low flow periods", defined as times when stream flow in the Carmel River at the Don Juan Bridge (RM 10.8) gage is less than 20 cfs for five consecutive days. WRO 2002-0002 also required installation of certain facilities to facilitate usage of the more downstream aquifers and to determine whether the Carmel Valley Village Zone water supply needs can be supplied from the Begonia Zone.

In compliance with WRO 2002-0002, Cal-Am installed a pump that delivers water from the Begonia zone to the Carmel Valley Village in March 2002. During low flow periods, Cal-Am has ceased diversions from San Clemente Reservoir, is pumping from Russell Wells 2 and 4, and has limited its pumping of the other upper Carmel Valley Wells to a schedule of maintenance pumping, which is set forth below. The maintenance-pumping schedule and the complete cessation of diversions from San Clemente Reservoir are being monitored and evaluated by NMFS and Cal-Am and are subject to adjustment in order to satisfy the needs of Cal-Am's customers and the needs of the steelhead. Since the pump has been installed, production from the Russell Wells has been limited to 0.5 cfs during low flow periods and the majority of Carmel Valley Village demand has been met by pumping water from the Begonia zone, which includes water well production facilities in AQ 3, AQ 4 and the Seaside Groundwater Basin. This mode of operation is being evaluated to address the adequacy of Cal-Am's distribution system and the new pump to accommodate the water supply needs of the Carmel Valley Village from the Begonia Zone.

Status of wells during September thru December 2004:

Lower Carmel Valley Wells

Rancho Canada – On-line
San Carlos – Emergency Stand-by only (under influence of surface water)
Cypress – On Line
Pearce On Line
Schulte – On Line
Manor – On line

California American Water
Coastal Division

50 Ragsdale Dr., Suite 100
P.O. Box 951
Monterey, CA 93942-0951

T 831 646 3201
F 831 375 4367
I www.calamwater.com

Begonia #2 – On Line
Berwick #7 – Out of Service until further notice.
Berwick #8 – On Line

Upper Carmel Valley Wells

Panetta 2 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Panetta 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 3 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Garzas 4 – Off Line (run 8hrs/day for 1 to 2 days per month for maintenance)
Los Laureles 5 – Off Line (run 1 to 2 hours once a week for maintenance)
Los Laureles 6 – Off Line (run 1 to 2 hours once a week for maintenance)
Scarlett 8 – On Line
Robles – Off Line (run 1 to 2 hours once a week for maintenance)
Russell 2 – On Line
Russell 4 – On Line

As of December 11, 2004, the low flow period as defined by the Conservation Agreement and Order 2002-02 ended. The upper valley wells remain off line until needed to satisfy system demand.

• CONDITION NO. 7

Cal-Am shall evaluate the feasibility of bypassing early storm runoff at Los Padres and San Clemente Dams to recharge the subterranean stream below San Clemente Dam in order to restore surface water flows in the river at an earlier date. The results of the study and recommendations shall be provided to the District and CDF&G for comment.

• CONDITION NO. 8

Cal-Am shall conduct a study of the feasibility, benefits, and costs of modifying critical stream reaches to facilitate the passage of fish. The study shall be designed and carried out in consultation with DF&G and the District. The results of the study and recommendations shall be provided to the district and DF&G for comment.

Response Nos. 7 & 8:

See prior quarterly reports.

California American has proposed an alternate water supply project to meet the Order 95-10 as modified by subsequent orders. After diligent review of the options for technical, political and environmental merit, California American amended its application for a new reservoir on the Carmel River to include the desalination/ASR project originally developed by the CPUC, entitled *Plan B*. Additionally, California American requested that the CPUC be the lead agency for the Company's project, which has been named the Coastal Water Project. The CPUC has agreed to be the lead agency for the environmental work. The Proponents Environmental Assessment (PEA) was completed in June 2005 and will be submitted as part of a completed CPCN application to the CPUC in July 2005. The Proposed Project is for a desalination plant and ASR element that will produce Carmel replacement water of 10,370AFA and Seaside Ground Water replacement of 1,000AFA. The CPUC's environmental staff will use the PEA to initiate their CEQA process for the project.

Other items:

Rain volume and distribution has reduced Carmel Valley diversions to this point in the water year. We expect to meet the terms of Order 95-10 this year with no problem.


The Department of Safety of Dams has directed California American to permanently lower San Clemente Reservoir at all times possible. California American is currently exercising the draw down required by DSOD in consultation with NOAA and CDFG. DSOD continues to direct environmental review process to solve the seismic problems. The process will include CEQA and NEPA level evaluations.

Based on preliminary studies on the safe yields on the Seaside Ground Water Basin California American filed a lawsuit against the other pumpers in the aqueduct seeking adjudication of the ground water supplies. The Monterey Peninsula Water Management District has recently released a ground water study of the Seaside Basin that confirms that the basin is being over drafted a twice the rate of natural replenishment, an estimated 2,500 AFA. The suit has been assigned to a judge and is currently in mediation.

California American Water is conducting a General Rate Case for Monterey. The CPUC's Administrative Law Judge has moved requested rates for the development of the Coastal Water Project to a separate proceeding to be conducted later in the summer.

Should your staff have any questions please call me at (831) 646-3214.

Sincerely,



Steven Leonard
Vice-President /Manager/
Coastal Division
California American Water

SDL
Enclosures

cc: K. Urquardt
J. Driscoll, Esq.
P. Lyman, Esq.
P. Townsley
D. Stephenson
D. Laredo, Esq.
D. Armanasco
S. Somach, Esq.
D. Berg
B. Lewis
R. Kuta

CALIFORNIA AMERICAN WATER
 Monterey Division
 UPPER CV WELLS - PRODUCTION
 Water Year 2004-2005

	Russell #2	Russell #4	Robins	Panella #1	Panella #2	Garcia #3	Garcia #4	LL #5	LL #6	Total
Oct CF	1,272,576	0	0	0	0	0	0	0	0	1,272,576
1000 G	9,520	0	0	0	0	0	0	0	0	9,520
AF	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29.2
Nov CF	1,195,249	0	0	0	0	0	0	0	0	1,195,249
1000 G	8,949	0	0	0	0	0	0	0	0	8,949
AF	27.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27.5
Dec CF	1,081,401	0	0	0	0	0	0	0	0	1,081,401
1000 G	8,089	0	0	0	0	0	0	0	0	8,089
AF	24.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.8
Jan CF	1,807,929	237,740	0	0	0	0	0	0	0	2,045,669
1000 G	13,524	1,778	0	0	0	0	0	0	0	15,303
AF	41.5	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47.0
Feb CF	2,373,494	925,970	0	0	0	0	0	0	0	3,299,464
1000 G	17,765	6,927	0	0	0	0	0	0	0	24,692
AF	54.5	21.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75.7
Mar CF	2,606,973	1,028,550	0	0	0	0	0	0	0	3,635,523
1000 G	19,502	7,684	0	0	0	0	0	0	0	27,186
AF	59.8	23.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	83.5
Apr CF	2,089,910	775,700	0	0	0	0	0	0	0	2,865,610
1000 G	15,834	5,805	0	0	0	0	0	0	0	21,639
AF	48.0	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	65.8
May CF	2,447,214	949,770	0	0	0	0	0	0	0	3,396,984
1000 G	18,305	7,105	0	0	0	0	0	0	0	25,411
AF	56.2	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	78.0
Jun CF	2,524,542	953,740	0	0	0	0	0	0	0	3,478,282
1000 G	19,041	7,034	0	0	0	0	0	0	0	26,075
AF	58.4	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	80.3
Jul CF	0	0	0	0	0	0	0	0	0	0
1000 G	0	0	0	0	0	0	0	0	0	0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Aug CF	0	0	0	0	0	0	0	0	0	0
1000 G	0	0	0	0	0	0	0	0	0	0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sep CF	0	0	0	0	0	0	0	0	0	0
1000 G	0	0	0	0	0	0	0	0	0	0
AF	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TOTAL CF	17,421,158	4,871,560	0	0	0	0	0	0	0	22,292,718
1000 G	130,319	36,442	0	0	0	0	0	0	0	166,761
AF	399.9	111.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	511.8

CALIFORNIA AMERICAN WATER
 Monterey Division
 LOWER CV WELLS - PRODUCTION
 Water Year 2004-2005

	Derwick #7	Derwick #8	Bojatz	Manc	Schulte	Petere	Cygness	San Carlos	R. Canada	BIRP Backwash (-)	L. CV Wells Inu BIRP	Source #8	Total
Oct CF	0	13,000	56,500	3,972,100	6,415,600	6,415,600	28,175	29,929,725	0	29,929,725	0	29,929,725	
1000 G	0	13,000	56,500	3,972,100	6,415,600	6,415,600	28,175	29,929,725	0	29,929,725	0	29,929,725	
Nov CF	0	97	423	29,713	52,253	47,982	211	79,878	0	223,890	0	223,890	
1000 G	0	97	423	29,713	52,253	47,982	211	79,878	0	223,890	0	223,890	
Dec CF	0	0.3	1.3	91.2	180.4	147.3	0.6	687.1	0	687.1	0	687.1	
1000 G	0	0.3	1.3	91.2	180.4	147.3	0.6	687.1	0	687.1	0	687.1	
Jan CF	0	7900	7900	4,810,300	7,280,700	6,451,300	10,091,300	364,978	233,518	30,851,821	0	30,851,821	
1000 G	0	7900	7900	4,810,300	7,280,700	6,451,300	10,091,300	364,978	233,518	30,851,821	0	30,851,821	
Feb CF	0	19,414	59	35,984	54,314	48,259	75,488	718.6	708.3	230,788	0	230,788	
1000 G	0	19,414	59	35,984	54,314	48,259	75,488	718.6	708.3	230,788	0	230,788	
Mar CF	0	6,000	9,700	4,898,800	8,320,500	1,221,500	9,901,600	361,009	2,701	26,623,684	0	26,623,684	
1000 G	0	6,000	9,700	4,898,800	8,320,500	1,221,500	9,901,600	361,009	2,701	26,623,684	0	26,623,684	
Apr CF	0	45	73	36,844	62,242	9,137	74,069	611.2	8.3	199,159	0	199,159	
1000 G	0	45	73	36,844	62,242	9,137	74,069	611.2	8.3	199,159	0	199,159	
May CF	0	759,500	879,500	7,365,300	11,296,200	11,296,200	11,163,600	37,882,876	(32,976)	37,882,876	2,548,200	40,409,076	
1000 G	0	759,500	879,500	7,365,300	11,296,200	11,296,200	11,163,600	37,882,876	(32,976)	37,882,876	2,548,200	40,409,076	
Jun CF	0	5,681	6,579	55,096	84,501	84,501	83,511	283,234	(247)	283,234	19,047	302,281	
1000 G	0	5,681	6,579	55,096	84,501	84,501	83,511	283,234	(247)	283,234	19,047	302,281	
Jul CF	0	17.4	20.2	169.1	259.3	259.3	256.3	869.2	(0.8)	869.2	58.5	927.7	
1000 G	0	17.4	20.2	169.1	259.3	259.3	256.3	869.2	(0.8)	869.2	58.5	927.7	
Aug CF	0	25,800	37,200	5,926,800	1,150,700	10,034,300	10,127,900	31,400,190	(39,890)	31,400,190	8,096,000	37,496,190	
1000 G	0	25,800	37,200	5,926,800	1,150,700	10,034,300	10,127,900	31,400,190	(39,890)	31,400,190	8,096,000	37,496,190	
Sep CF	0	193	278	44,336	8,608	75,082	75,761	234,890	(298)	234,890	45,601	280,491	
1000 G	0	193	278	44,336	8,608	75,082	75,761	234,890	(298)	234,890	45,601	280,491	
Oct CF	0	0.6	0.8	26.4	230.4	230.4	232.5	720.8	(0.9)	720.8	139.9	860.8	
1000 G	0	0.6	0.8	26.4	230.4	230.4	232.5	720.8	(0.9)	720.8	139.9	860.8	
Nov CF	0	161,100	196,100	5,000,900	11,705,800	11,207,200	83,836	34,060,228	(61,528)	34,060,228	6,136,522	40,196,750	
1000 G	0	161,100	196,100	5,000,900	11,705,800	11,207,200	83,836	34,060,228	(61,528)	34,060,228	6,136,522	40,196,750	
Dec CF	0	1,205	1,467	37,409	87,566	83,836	6,280	254,788	(385)	254,788	45,904	300,693	
1000 G	0	1,205	1,467	37,409	87,566	83,836	6,280	254,788	(385)	254,788	45,904	300,693	
Jan CF	0	3.7	4.5	114.8	257.3	257.3	19.3	781.9	-1.2	781.9	140.9	922.8	
1000 G	0	3.7	4.5	114.8	257.3	257.3	19.3	781.9	-1.2	781.9	140.9	922.8	
Feb CF	0	240,200	357,800	3,961,000	9,888,800	9,845,000	7,871,000	35,604,091	(16,391)	35,604,091	4,072,104	39,676,295	
1000 G	0	240,200	357,800	3,961,000	9,888,800	9,845,000	7,871,000	35,604,091	(16,391)	35,604,091	4,072,104	39,676,295	
Mar CF	0	1,842	2,877	29,630	73,973	72,150	57,384	286,736	(115)	286,736	30,462	317,398	
1000 G	0	1,842	2,877	29,630	73,973	72,150	57,384	286,736	(115)	286,736	30,462	317,398	
Apr CF	0	57	62	90.8	221.4	221.4	176.1	819.2	0.4	819.2	93.9	912.7	
1000 G	0	57	62	90.8	221.4	221.4	176.1	819.2	0.4	819.2	93.9	912.7	
May CF	0	2,453,300	2,825,495	5,405,600	9,726,600	9,518,800	2,833,000	43,087,034	31,011	43,087,034	0	43,087,034	
1000 G	0	2,453,300	2,825,495	5,405,600	9,726,600	9,518,800	2,833,000	43,087,034	31,011	43,087,034	0	43,087,034	
Jun CF	0	18,352	21,884	40,457	72,760	71,702	92,407	322,313	74	322,313	0	322,313	
1000 G	0	18,352	21,884	40,457	72,760	71,702	92,407	322,313	74	322,313	0	322,313	
Jul CF	0	56.3	67.2	223.3	218.6	218.6	283.6	989.1	0.1	989.1	0.0	989.1	
1000 G	0	56.3	67.2	223.3	218.6	218.6	283.6	989.1	0.1	989.1	0.0	989.1	
Aug CF	0	485,300	481,900	5,056,400	7,883,100	9,000,900	40,718,045	40,718,045	(68,855)	40,718,045	0	40,718,045	
1000 G	0	485,300	481,900	5,056,400	7,883,100	9,000,900	40,718,045	40,718,045	(68,855)	40,718,045	0	40,718,045	
Sep CF	0	2,482	3,605	57,699	71,517	54,729	600	34,592	(600)	34,592	0	34,592	
1000 G	0	2,482	3,605	57,699	71,517	54,729	600	34,592	(600)	34,592	0	34,592	
Oct CF	0	107	111	118.3	219.5	219.5	260.0	634.8	1.5	634.8	0.0	634.8	
1000 G	0	107	111	118.3	219.5	219.5	260.0	634.8	1.5	634.8	0.0	634.8	
Nov CF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1000 G	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Dec CF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
1000 G	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Jan CF	0	4,130,400	4,962,085	46,407,000	62,921,500	75,348,790	550,681	310,217,704	4,119	310,217,704	18,850,916	329,068,920	
1000 G	0	4,130,400	4,962,085	46,407,000	62,921,500	75,348,790	550,681	310,217,704	4,119	310,217,704	18,850,916	329,068,920	
Feb CF	0	30,896	37,044	470,586	563,656	1,729.8	1,931.9	432.8	141,015	141,015	432.8	7,554.4	
1000 G	0	30,896	37,044	470,586	563,656	1,729.8	1,931.9	432.8	141,015	141,015	432.8	7,554.4	
TOTAL CF	0	94.8	754.2	1,065.4	1,444.5	1,729.8	1,931.9	7,121.6	12.6	7,121.6	432.8	7,554.4	
1000 G	0	94.8	754.2	1,065.4	1,444.5	1,729.8	1,931.9	7,121.6	12.6	7,121.6	432.8	7,554.4	

CALIFORNIA AMERICAN WATER
 Monterey Division
 CVFP Daily Production Report
 Water Year 2004-2005

Date	Gravity CF	Low Flow CF	Russell #2 CF	Russell #4 CF	To Carmel River	Wells 2 & 4	Diversion (Less Russell) 1000 Gall.	Backwash CF	AF	NET DIVERSION TO SYSTEM CF	1000 Gal.	AF	CFS	To the River CFS
10/04	0	1,324,140	1,272,576	0	0	1,272,576	51,304	51,364	1.2	0	0	0.00	0.00	0.00
11/04	0	1,251,340	1,196,249	0	0	1,196,249	55,091	55,091	1.3	0	0	0.00	0.00	0.00
12/04	0	1,131,920	1,081,401	0	0	1,081,401	50,519	50,519	1.2	0	0	0.00	0.00	0.00
01/05	0	2,087,820	1,807,929	237,740	0	2,045,689	42,151	42,151	1.0	0	0	0.00	0.00	0.00
02/05	0	3,338,020	2,373,494	925,970	0	3,299,464	38,556	38,556	0.9	0	0	0.00	0.00	0.00
03/05	0	3,720,410	2,606,973	1,028,550	0	3,635,523	84,987	84,887	1.9	0	0	0.00	0.00	0.00
04/05	0	2,889,830	2,086,910	775,790	0	2,866,700	33,880	33,880	0.8	0	0	0.00	0.00	0.00
05/05	0	3,443,520	2,447,214	949,770	0	3,396,984	46,536	46,036	1.1	0	0	0.00	0.00	0.00
06/05	0	3,551,570	2,546,412	953,740	0	3,499,152	52,418	52,418	1.2	0	0	0.00	0.00	0.00
07/05	0				0		0	0	0.0	0	0	0.00	0.00	0.00
08/05	0				0		0	0	0.0	0	0	0.00	0.00	0.00
09/05	0				0		0	0	0.0	0	0	0.00	0.00	0.00
Total	0	22,748,320	17,421,198	4,871,580	0	22,292,718	455,602	455,602	10.5	0	0	10.5	0.00	0.00

CALIFORNIA AMERICAN WATER
 Monterey Division
 S.C. DAM & CARMEL VALLEY WELLS
 Production Water Year (AF)
 2004-05

Date	CVFP San Clemente Dam	Aquifer 1 Russell 2 & 4	Aquifer 2 Robles Los Laureles 5 & 6	Water West Panetta 1 & 2 Garzas 3 & 4	Aquifer 3 Scarlett 8/Berwick 7 & 8 Begonia/Manor/Schulte Pearce/Cypress/San Carlos	Aquifer 4 Rancho Canada	Total Production	BIRP BW & Seaside Test Inject. (ASR)	Net Production
Oct 2004	0.0	29.2	0.0	0.0	442.7	245.0	716.9	-0.6	716.3
Oct 2003	0.0	25.1	0.0	0.0	575.8	284.3	885.2	0.3	885.5
Nov 2004	0.0	27.5	0.0	0.0	484.9	231.7	744.1	-8.4	735.7
Nov 2003	0.0	14.3	0.0	0.0	395.1	206.8	616.2	-1.8	614.4
Dec 2004	0.0	24.8	0.0	0.0	392.2	227.3	644.3	-8.3	636.0
Dec 2003	0.0	26.1	0.0	0.0	392.1	249.1	667.3	-0.6	666.7
Jan 2005	0.0	47.0	0.0	0.0	670.6	256.3	973.9	-130.0	843.9
Jan 2004	0.0	25.9	0.0	0.0	588.2	262.4	876.5	0.2	876.7
Feb 2005	0.0	75.7	0.0	0.0	627.4	232.5	935.6	-132.0	803.6
Feb 2004	0.0	24.3	0.0	0.0	667.8	240.7	932.7	-28.3	904.4
Mar 2005	0.0	83.4	0.0	0.0	902.3	19.3	1,005.0	-86.3	918.7
Mar 2004	0.0	55.2	35.2	22.1	777.1	265.4	1,155.0	-28.5	1,126.5
Apr 2005	0.0	65.8	0.0	0.0	736.2	176.1	978.1	0.4	978.5
Apr 2004	0.0	60.9	79.6	40.7	830.7	241.7	1,253.5	-67.6	1,186.0
May 2005	0.0	78.0	0.0	0.0	705.6	283.6	1,067.2	-0.1	1,067.1
May 2004	0.0	29.1	0.0	0.0	761.3	248.5	1,039.0	-50.7	988.3
Jun 2005	0.0	60.3	0.0	0.0	673.3	260.0	1,013.6	1.5	1,015.1
Jun 2004	0.0	22.1	0.0	0.0	699.5	237.7	959.4	-1.2	958.2
Jul 2005							0.0		0.0
Jul 2004	0.0	24.8	0.0	0.0	673.3	239.5	937.6	-2.3	935.3
Aug 2005							0.0		0.0
Aug 2004	0.0	24.6	0.0	0.0	711.2	237.6	973.4	-0.4	973.0
Sep 2005							0.0		0.0
Sep 2004	0.0	27.1	0.0	0.0	720.6	224.8	972.5	-1.6	970.9
Total	0.0	511.7	0.0	0.0	5,635.2	1,931.8	8,078.7	-363.8	7,714.9

California American Water
 Monterey Division
 Net System Production
 Year to Date 2005

Month	San Clemente Dam Surface Water	U. Carmel Valley Wells	L. Carmel Valley Wells	Senside Wells	Ryan Ranch Wells	Hidden Hills Wells	Bishop Wells	Ambler Wells	Chualar Wells	Ralph Lane Wells	ASR () Test Well	NET SYSTEM (All Facilities)
01/05	0	2,045,669	40,409,076	1,128,846	160,905	400,748	328,014	455,526	335,162	37,984	5,696,796	39,604,834
	0	15,303	302,281	8,444	1,204	2,998	2,454	3,408	2,507	282	42,615	296,265
	0.00	48.96	927.66	25.91	3.68	9.20	7.53	10.46	7.59	0.87	130.78	909.20
Y-T-D	0	2,045,669	40,409,076	1,128,846	160,905	400,748	328,014	455,526	335,162	37,984	5,696,796	39,604,834
	0	15,303	302,281	8,444	1,204	2,998	2,454	3,408	2,507	282	42,615	296,265
	0.00	48.96	927.66	25.91	3.68	9.20	7.53	10.46	7.59	0.87	130.78	909.20
02/05	0	3,299,464	37,496,190	0	127,178	367,601	295,055	402,352	291,771	21,817	5,790,239	38,511,189
	0	24,682	280,491	0	951	2,750	2,207	3,010	2,183	163	43,314	273,123
	0.00	75.75	860.79	0.00	2.82	8.44	6.77	9.24	6.70	0.50	132.93	838.18
Y-T-D	0	5,345,133	77,905,266	1,128,846	288,083	768,349	623,069	857,878	626,933	59,501	11,487,035	78,116,023
	0	39,984	592,772	8,444	2,155	5,748	4,661	6,417	4,690	445	65,929	569,387
	0.00	122.71	1,788.45	25.91	6.61	17.64	14.30	19.68	14.39	1.37	263.71	1,747.38
03/05	0	3,635,523	40,196,750	0	189,755	457,500	315,810	514,988	360,003	31,090	3,812,168	41,889,251
	0	27,196	300,693	0	1,419	3,422	2,382	3,852	2,693	233	28,517	313,353
	0.00	83.46	922.79	0.00	4.36	10.50	7.25	11.82	8.26	0.71	87.52	961.84
Y-T-D	0	8,980,656	118,102,016	1,128,846	477,838	1,225,849	938,879	1,372,866	986,936	90,591	15,299,203	118,005,274
	0	67,180	883,464	8,444	3,574	9,170	7,023	10,270	7,383	678	114,446	882,741
	0.00	206.17	2,711.25	25.91	10.97	28.14	21.55	31.52	22.66	2.08	351.22	2,709.03
04/05	0	2,685,710	39,756,285	0	192,856	503,788	352,773	659,250	396,784	37,123	0	24,847,039
	0	21,437	297,388	0	1,443	3,788	3,256	4,932	2,988	278	0	335,479
	0.00	65.78	922.68	0.00	4.43	11.95	9.99	15.13	9.11	0.85	0.00	1,029.55
Y-T-D	0	11,846,356	157,858,301	1,128,846	670,894	1,729,617	1,374,152	2,032,116	1,383,720	127,714	15,299,203	162,852,313
	0	88,617	1,180,862	8,444	5,017	12,938	10,279	15,201	10,351	955	114,446	1,218,220
	0.00	272.0	3,623.9	25.91	15.4	39.7	31.5	46.7	31.8	2.9	351.2	3,738.6
05/04	0	3,308,984	43,087,034	817,457	258,702	730,732	467,290	1,040,757	610,360	46,935	0	59,362,361
	0	25,411	322,313	7,023	1,935	5,468	5,358	7,786	3,818	351	0	444,061
	0.00	77.95	989.14	219.80	5.94	16.78	16.44	23.88	11.72	1.08	0.00	1,592.77
Y-T-D	0	15,243,340	200,945,335	10,703,413	929,396	2,480,442	2,080,442	3,072,873	1,894,080	174,646	15,299,203	222,214,674
	0	114,028	1,503,176	80,067	6,952	18,405	15,638	22,987	14,169	1,306	114,446	1,662,281
	0.00	349.94	4,813.07	245.72	21.34	56.48	47.99	70.54	43.48	4.01	351.22	5,101.35
06/04	0	3,459,152	40,718,045	17,885,471	323,203	823,599	631,346	1,277,906	590,266	49,529	0	65,149,517
	0	26,175	304,592	32,304	2,418	6,909	6,967	10,651	4,415	374	0	404,833
	0.00	80.33	834.78	108.03	7.42	21.20	21.98	32.78	13.55	1.14	0.00	1,618.58
Y-T-D	0	18,742,482	241,663,380	28,389,884	1,252,599	3,363,948	3,021,788	4,500,779	2,484,346	224,178	15,299,203	288,364,191
	0	140,204	1,807,768	212,371	9,370	25,314	22,605	33,668	18,584	1,677	114,446	2,157,114
	0.00	430.27	5,547.83	651.74	28.76	77.68	69.37	103.32	57.03	5.15	351.22	6,619.93

CALIFORNIA AMERICAN WATER
Monterey Division
Los Padres Daily Release (CFS)
Water Year 2004-2005

Date	Oct 04	Nov 04	Dec 04	Jan 05	Feb 05	Mar 05	Apr 05	May 05	Jun 05	Jul 05	Aug 05	Sep 05
1	6.6	13.0	14.0	564.0	125.0	296.0	226.0	77.0	40.0			
2	6.6	13.0	14.0	382.0	116.0	289.0	210.0	74.0	40.0			
3	6.6	13.0	14.0	405.0	108.0	263.0	200.0	72.0	39.0			
4	6.6	13.0	14.0	293.0	101.0	269.0	195.0	70.0				
5	6.6	13.0	14.0	227.0	96.0	251.0	178.0	77.0	38.0			
6	6.5	13.0	14.0	184.0	92.0	232.0	166.0	71.0	38.0			
7	6.4	13.0	15.0	597.0	90.0	217.0	162.0	68.0	37.0			
8	6.4	13.0	15.0	1060.0	86.0	203.0	161.0	68.0	37.0			
9	6.3	14.0	14.0	858.0	81.0	189.0	174.0	88.0	38.0			
10	6.1	14.0	14.0	642.0	77.0	177.0	158.0	73.0	38.0			
11	6.1	14.0	15.0	768.0	76.0	166.0	147.0	78.0	37.0			
12	6.9	13.0	15.0	646.0	81.0	157.0	139.0	73.0				
13	6.0	14.0	40.0	497.0	73.0	149.0	130.0	71.0	32.0			
14	6.0	14.0	33.0	384.0	70.0	140.0	124.0	66.0	32.0			
15	6.0	14.0	32.0	303.0	151.0	131.0	118.0	64.0	31.0			
16	6.1	14.0	29.0	249.0	306.0	123.0	112.0	62.0	29.0			
17	6.3	13.0	27.0	213.0	221.0	117.0	109.0	62.0	30.0			
18	6.3	13.0	25.0	186.0	315.0	113.0	104.0	61.0	30.0			
19	6.7	13.0	25.0	165.0	372.0	145.0	99.0	59.0	30.0			
20	7.7	13.0	22.0	147.0	639.0	166.0	95.0	58.0	29.0			
21	8.8	13.0	21.0	133.0	806.0	173.0	91.0	57.0	29.0			
22	9.0	13.0	20.0	120.0	720.0	715.0	88.0	51.0	28.0			
23	9.0	13.0	18.0	109.0	581.0	758.0	94.0	51.0	28.0			
24	9.0	14.0	18.0	101.0	464.0	581.0	88.0	50.0	28.0			
25	9.0	14.0	18.0	94.0	390.0	450.0	83.0	49.0	27.0			
26	9.2	14.0	18.0	121.0	339.0	377.0	79.0	48.0				
27	9.2	13.0	71.0	106.0	309.0	334.0	81.0	44.0	27.0			
28	10.0	13.0	183.0	194.0	364.0	345.0	101.0	42.0	26.0			
29	12.0	14.0	239.0	172.0		301.0	87.0		25.0			
30	13.0	14.0	570.0	150.0		274.0	81.0		23.0			
31	13.0		570.0	136.0		247.0		41.0				
Total	240.0	402.0	2,151.0	10,206.0	7,249.0	8,348.0	3,880.0	17,12.0	801.0	0.0	0.0	0.0