



Water Boards

STATE WATER RESOURCES CONTROL BOARD
REGIONAL WATER QUALITY CONTROL BOARDS

EXECUTIVE OFFICER'S REPORT

Executive Officer,
Susana Arredondo

May 23, 2024

California Regional Water Quality Control Board Los Angeles Region

320 W. 4th Street, Suite 200, Los Angeles, CA 90013

Our mission is

to preserve, enhance, and restore the quality of California's water resources and drinking water for the protection of the environment, public health, and all beneficial uses for the benefit of present and future generations.

Note: The Executive Officer's Report is not intended to be an exhaustive list of Los Angeles Water Board staff activities from the previous month, but rather provides highlights of these activities.

GROUNDWATER DIVISION

Hugh Marley, Assistant Executive Officer

Compliance and Enforcement Section – Russ Colby, Section Manager

Remediation Section I – Dr. Arthur Heath, Section Manager

Remediation Section II – Jillian Ly, Section Manager

Underground Storage Tanks Section – Dr. Yue Rong, Section Manager

SURFACE WATER DIVISION

Jenny Newman, Assistant Executive Officer

Groundwater Permitting & Land Disposal Section – Milasol Gaslan, Section Manager

Regional Programs Section – Dr. LB Nye, Section Manager

Watershed Regulatory Section – Dr. Jeong-Hee Lim, Section Manager

ADMINISTRATIVE SERVICES SECTION

Rosie Villar, Administrative Officer

PUBLIC PARTICIPATION

Susana Lagudis, Environmental Justice and Tribal Coordinator

Table of Contents

Groundwater Division.....	1
Compliance and Enforcement Section.....	1
Remediation Sections I and II	1
Underground Storage Tank Section.....	17
Surface Water Division	18
Groundwater Permitting & Land Disposal Section	18
Regional Programs Section.....	22
Watershed Regulatory Section	24
Administrative Services Section	26

Groundwater Division

Compliance and Enforcement Section

The Enforcement Report for May 2024 includes data for March 2024 in the following tables:

Table No.	Title	Description
Tables 1 - 3	Enforcement Summary by Action	Enforcement actions taken by all Regional Water Board Programs
Table 4	EPLs Issued	Eleven (11) EPLs were issued for a total of \$84,000
Table 5	EPLs Settled	Four (4) EPLs were issued for a total of \$150,000
Table 6	Violations subject to Mandatory Minimum Penalties (MMPs)	Forty-nine (49) cases with 806 violations subject to MMPs remain unresolved
Table 7	EPL Progress (NPDES)	\$750,000 in penalties collected in FY 23/24
Table 8	Industrial/Construction Stormwater Program Notices of Violation (NOVs)	NOVs issued in this reporting period and the status of compliance
Table 9	Notices of Non-Compliance (NNCs)	NNCs issued in this reporting period and the status of compliance

- Tables 1 - 3 summarize enforcement actions taken by all programs.
- Tables 4 - 9 list enforcement actions taken by the Compliance and Enforcement Section.

Summary of Enforcement-Related Activities

Table 1 – Informal Enforcement Actions

Action	Mar. 2024	FY 2023/2024
Notices of Violation	30	979
Notices of Non-Compliance	10	33
Total	40	1,012

Table 2 – Formal Enforcement Actions

Action	Mar. 2024	FY 2023/2024
Administrative Civil Liability Complaints	0	0
Notices to Comply	0	0
Water Code §13267 Orders	15	123
Cleanup and Abatement Orders/Amendments	10	162
Underground Storage Tank H&S/13260 Directives	0	112
Total	25	397

Table 3 – Compliance Inspections

Action	Mar. 2024	FY 2023/2024
NPDES (Major Permits)	3	13
NPDES (Minor Individual Permits)	0	2
NPDES (Minor General Permits)	5	28
Stormwater (Construction)	51	396
Stormwater (Industrial)	84	612
Stormwater (Municipal)	0	9
Total	143	1,060

Table 4 – EPLs Issued in March 2024

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
Onni Atria L.P., Atria West Building I	03/13/24	Late Report	\$6,000
City Of Cerritos/ Cerritos Sheriff's Station Parking Facility	03/13/24	Effluent	\$9,000

Owner/Facility	Date Issued	Type of Alleged Violation	Amount
G&L 436 Bedford LLC/ 436 N Bedford Drive	03/13/24	Effluent	\$3,000
Ventura County Watershed Protection District/ Arroyo Simi Stabilizer Replacement Downstream of Leta Yancy	03/27/24	Effluent	\$12,000
Douglas Emmette 2013, LLC/ 8484 Wilshire	03/27/24	Effluent	\$3,000
City of Los Angeles, Department of Water and Power/ Haynes Generating Station	03/27/24	Effluent	\$3,000
Douglas Emmett Management LLC/ 16501 Ventura	03/27/24	Effluent	\$9,000
DWF V UTA, LLC. / 9336-9346 Civic Center Drive	03/27/24	Effluent	\$3,000
Fisch Properties, L.P., Huntley Apartments	03/27/24	Late Report	\$3,000
Douglas Emmett Management, LLC/ 8383 Wilshire	03/27/24	Effluent	\$18,000
AES Alamos LLC/ AES Alamos Generating Station	03/27/24	Effluent	\$15,000
Total	---	---	\$84,000

Table 5 – EPLs Settled in March 2024

Owner/Facility	Date Issued	Type of Alleged Violation	Date Stipulated Order Issued	Date Paid	Amount
Vopak Terminal Long Beach Inc./ Vopak Terminal Long Beach	11/15/23	Effluent	03/13/24	01/24/24	\$21,000
City of Monterey Park, Delta Plant	05/17/23	Effluent	03/13/24	10/13/23	\$6,000
Donald T. Sterling Corporation/ Sterling Ambassador Towers	05/31/23	Effluent and Late Report	01/24/24	03/12/24	\$105,000
AES Redondo Beach, LLC/ Redondo Beach Generating Station	10/18/23	Effluent	01/24/24	03/01/24	\$18,000
Total	---	---	---	---	\$150,000

Table 6 – Violations Subject to MMPs

Status	No. of Facilities	No. of Violations
Pending	49	806

Table 7– EPL Progress (NPDES) for March 2024

Action Type	Number of EPLs	Number of Violations	Cumulative Number of EPLs (FY23/24)	Cumulative Number of Violations (FY23/24)
EPLs Issued	11	28	163	1,295
EPLs Settled	4	50	24	252
EPLs Withdrawn	0	0	0	0
Amount Collected to Date	---	---	\$750,000	---

Table 8 – Notices of Violation (NOVs) Issued in March 2024

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Bradley	8960 Bradley Avenue, Sun Valley	03/10/24	04/19/24	IGP	Failure to develop SWPPP and BMPs	Response not yet received
Bagcraft Papercon 1 LLC	17625 East Railroad Street, City of Industry	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Bimbo Bakeries USA	480 South Vail Avenue, Montebello	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Cal June, Inc.	5340 Harmony Avenue, North Hollywood	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Deccofelt Corporation	555 Vermont, Glendora	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Expression In Wood, Inc.	1738 Brackett Street, La Verne	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Foam Fabricators	1810 South Santa Fe Avenue, Compton	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
ITO, Inc. dba KIKKA	431 Isis Avenue, Inglewood	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
JBI, Inc.	2650 East El Presidio Street, Long Beach	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Nakamura Beeman Incorporated	8520 Welsford Place, Santa Fe Springs	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
New Indy TriPAQ LLC	16069 Shoemaker Avenue, Cerritos	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Sierracin Sylmar Corporation	12780 San Fernando Road, Sylmar	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Stone Blue, Inc.	2501 East 28th Street, Vernon	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Vinvale Marketing Terminal	8601 South Garfield Avenue, South Gate	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Torn & Glasser	18933 Reyes Avenue, Rancho Dominguez	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response not yet received
Foothill Transit	5640 North Peck Road, Arcadia	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Ultimate Pallets Supply, Inc.	14668 East Valley Boulevard, La Puente	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
YRC Inc Pico Rivera 784	9933 Beverly Boulevard, Pico Rivera	03/11/24	04/10/24	IGP	Failure to Develop a Complete SWPPP	Response received
Easy Street Development	NE Corner of Madera and Easy Street, Simi Valley	03/15/24	04/15/24	CGP	Failure to develop a complete SWPPP and implement BMPs	Response not yet received
Hampton Inn and Suites	2015 Rinaldi Street, Porter Ranch	03/15/24	04/15/24	CGP	Failure to develop a complete SWPPP and implement BMPs	Response not yet received
Rutherford Residence	1550 Tierra Rejada Road, Simi Valley	03/15/24	04/15/24	CGP	Failure to develop a complete SWPPP and implement BMPs	Response not yet received
4415 Alamo St.	4415 Alamo Street, Simi Valley	03/15/24	04/15/24	CGP	Failure to implement BMPs	Response received
Starbucks Coffee and Restaurants	1600 Ives Avenue, Oxnard	03/15/24	04/15/24	CGP	Failure to develop SWPPP and BMPs	Response not yet received

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Associated Ready Mix Conc.	8946 Bradley Avenue, Sun Valley	03/20/24	04/19/24	IGP	Failure to develop SWPPP and BMPs	Response not yet received
Burbank Airport Authority	2627 North Hollywood Way, Burbank	03/20/24	04/19/24	IGP	Failure to develop SWPPP and BMPs	Response not yet received
Southland Transit Inc.	3650 Rockwell Avenue, El Monte	03/20/24	04/19/24	IGP	Failure to develop SWPPP and BMPs	Response not yet received
Sun Lite Metals	2210 E 85th Street, Los Angeles	03/20/24	04/19/24	IGP	Failure to develop SWPPP and BMPs	Response not yet received
Chiquita Canyon Landfill	29201 Henry Mayo Drive, Castaic	03/28/24	04/29/24	IGP	Discharge Prohibition and Failure to develop a complete SWPPP and implement BMPs	Response not yet received

Table 9 – Notices of Non-Compliance (NNCs) Issued (March 2024)

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Ventura Cast Stone Inc.	1500 Lirio Avenue, Ventura	03/15/24	05/14/24	IGP	Failure to obtain coverage under the Industrial General Permit	Response not yet received
G Iron Art Inc.	845 N. Mahar Ave., Wilmington	03/20/24	05/20/24	IGP	Failure to obtain coverage under the Industrial General Permit	Response not yet received
360 Stone Canyon Road	360 Stone Canyon Road, Los Angeles	03/20/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
District Square Commercial Project	3700 South Crenshaw Boulevard, Los Angeles	03/20/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
Artesia Compton Retail	2200 West Artesia Boulevard, Compton	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
Los Feliz II	4900 Hollywood Boulevard, Los Angeles	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received

Facility Name	Facility Address	Issue Date	Response Due Date	Permit Type	Violations	Status
Salt Lake Park	3401 Florence Avenue, Huntington Park	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
Sun Valley Care Development	10833 Penrose Street, Los Angeles	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
Legacy Apartments	10130 Adella Avenue, South Gate	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received
Angeles House	13200 Avalon Boulevard, Willow Brook	03/21/24	05/20/24	CGP	Failure to submit Annual Reports	Response not yet received

Remediation Sections I and II

Update on the Former Kast Property Tank Farm, Carousel Tract Residential Neighborhood, Carson

Activities related to site investigation and cleanup work performed in March 2024 include the following:

1. To date the cleanup of 285 (100 %) properties/homes have been completed. The status of the implementation of the cleanup at the Carousel Tract are as follows:
 - a. All remediation activities including excavation and installation of remediation systems, including the sub-slab depressurization (SSD) and soil vapor extraction (SVE) / bioventing, are complete.
 - b. SVE is fully operational.
 - c. All cluster work is complete.
 - d. All residents have moved back home.
 - e. Landscape and hardscape restoration of the properties is complete. All construction punch-list items are complete.
 - f. Concrete work (sidewalk, curb & gutter, ADA ramps) throughout the Carousel Tract is complete.
 - g. Asphalt paving of the roads began on March 18, 2024, and is currently in progress.

Former Athens Tank Farm / Ujima Village Apartments and Ervin Magic Johnson Regional Park (EMJRP), Los Angeles

Activities related to the environmental site investigation of the Former Athens Tank Farm conducted in March 2024 are summarized below:

1. On March 22, 2024, Los Angeles Water Board staff received a draft "Post Phase I-II Remedial HHRA Work Plan" dated March 31, 2024, prepared by Kleinfelder. The draft HHRA workplan was previously discussed during a technical meeting with Los Angeles Regional Board staff on January 18, 2024. Since November 2023, the Phase II SVE Remediation System has been shut down for repairs. The HHRA workplan proposes site-wide soil vapor sampling during the Phase II SVE System shutdown to evaluate representative post-remedial soil and soil vapor conditions and to provide valuable information on the status of Site remediation. Los Angeles Water Board and DTSC staff will review the draft HHRA workplan and provide preliminary comments to Kleinfelder on their proposed investigation.
2. On March 29, 2024, Los Angeles Water Board staff received an email from Kleinfelder

regarding a March 28, 2024, letter titled “Destruction of Groundwater Monitoring Wells ATF-17A, ATF-17B and Soil Vapor Probe Cluster SV-141”. The letter summarizes proposed redevelopment of a vacant offsite residential property. The property currently has two groundwater monitoring wells (ATF-17A and ATF-17B) and a soil vapor probe cluster (SV-141) installed on the premises. The property owner requested that the wells and vapor probes be destroyed to facilitate the planned development. Los Angeles Water Board staff will review the proposed well/probe destruction plans and draft a response/approval letter accordingly.

3. Recent and ongoing activities for the former Athens Tank Farm site are as follows:

Phase II SVE Activities:

- a. SVE remediation wells SVE-04 and SVE-05 continued to be inaccessible during March 2024 since the location of these wells continues to remain fenced off by the Ujima Housing Corporation (UHC). Access negotiations with UHC are ongoing and the wells will be sampled once access is granted.

Ongoing weekly Phase I/II remediation systems operation & maintenance (O&M).

Phase III Remediation Systems:

- a. Groundwater monitoring wells ATF-10A (shallow) and ATF-10B (deep) continued to be inaccessible during January 2024 due to the placement of fencing by the Ujima Housing Corporation (UHC). Access to these wells is currently being negotiated with the UHC. These wells will be monitored and sampled during the next monitoring event following an access agreement.
- b. Weekly Phase III remediation systems O&M activities are ongoing.

NAPL Recovery Trailer

1. The NAPL Recovery Trailer was fully operational during March 2024 following repair and replacement of the NAPL sensor probe.
2. The NAPL Recovery Trailer has been and continues to operate primarily on wells ATF-19B and ATF-21B; and
3. The NAPL Trailer was positioned over well ATF-21B in March 2024.
 - NAPL Tier I cumulative recovery as of November 30, 2023, using the NAPL Recovery Trailer was 3,919 gallons.
 - NAPL Tier II cumulative recovery as of November 30, 2023, using manual bailing methods was 290.55 gallons.
 - The NAPL Tier III recovery (oleophilic absorbent socks) is currently deployed in 12 wells: ATF-5B, ATF-10A, ATF-13B, ATF-22B, ATF-26B, ATF-28B, ATF-29B; KLFOB-01, KLFOB-02; and KLFSVE-01, KLFSVE-02, and KLFSVE-03. A cumulative total of 130 absorbent socks have been replaced as of November 30, 2023.

Air/Bio-Sparge System

1. The Los Angeles Water Board approved the Phase III Air Sparge System Shutdown Request on January 12, 2024. Therefore, the air sparge/bio-sparge system was non-operational during March 2024. All Phase III Air Sparge System equipment, piping and wells will remain onsite for future use if necessary pursuant to the Los Angeles Water Board's letter.

Site Cleanup (Remediation Section) March 2024 Activities

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
15191 Bledsoe (APN 2501-006-045)	Open - Assessment & Interim Remedial Action	15191 Bledsoe Street, Sylmar	1527	Staff Letter	03/25/24	Work Plan Response	85-90%
1990 Pacific Avenue Property	Open - Site Assessment	1990 Pacific Avenue, Long Beach	2040660	Staff Letter	03/12/24	Work Plan Approval Letter	90-95%
777 Cleaners	Open - Assessment & Interim Remedial Action	77 Tierra Rejada Road, Simi Valley	1464	Staff Letter	03/11/24	Review of Soil Vapor Delineation and Conceptual Site Model Report	55-60%
Accurate Plating Company	Open - Site Assessment	2811 Alcazar Street, Los Angeles	0814A	Assessment Order	03/06/24	Extension Response	95-100%
Aerodynamic Plating Company	Open - Site Assessment	13620-13629 South Saint Andrews Place, Gardena		Notice of Violation	03/14/24	Notice of Violation – Failure to Submit PFAS Technical Report	95-100%
Alcoa Composites, Inc.	Open - Remediation	13344 Main Street South, Los Angeles	0552	Email Correspondence	03/12/24	Notification of OEHHA Memo for VLC Community Garden Assessment	90-95%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
American Grinding Co.	Open - Site Assessment	10138 Rush Street, South El Monte	107.1167	Staff Letter	03/12/24	Request to Submit a Chemical Storage and Use Questionnaire	95-100%
Anco Metal Improvement Co (Former)	Open - Remediation	417 West 164th Street, Gardena	0714	Clean-Up and Abatement Order	03/04/24	Extension Response	90-95%
Bee Chemical Co. (Former)	Open - Assessment & Interim Remedial Action	1500 178th Street West, Gardena	0550	Staff Letter	03/08/24	Monitoring Report Review	80-85%
Boeing C-1 Facility - Building 3 GW Remediation	Open - Remediation	3855 Lakewood Boulevard, Long Beach	0399F	Staff Letter	03/27/24	Comment Letter on the Final Construction Completion Report, Building 3	25-30%
Boeing C-6 Facility	Open - Remediation	19503 South Normandie Avenue, Los Angeles	0410	Staff Letter	03/08/24	Monitoring Work Plan Approval	95-100%
Boeing Co.	Open - Assessment & Interim Remedial Action	3000 Ocean Park Boulevard, Santa Monica	0130B	Staff Letter	03/08/24	Monitoring Work Plan Approval	45-50%
Broadway Cleaners (Former)	Open - Remediation	5423 North Rosemead Boulevard, San Gabriel	115.0005	Staff Letter	03/06/24	Review of SVE RAP	65-70%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Cal-Doran	Open - Assessment & Interim Remedial Action	2830 E. Washington Boulevard, Los Angeles	0998B	Staff Letter	03/25/24	Work Plan Response	95-100%
California Hydroforming, Inc.	Open - Site Assessment	850 Lawson Street, City of Industry	105.0056	Cost Recovery Agreement	03/04/24	Cost Recovery Agreement	75-80%
Cameo Cleaners	Open - Remediation	3650 Crenshaw Boulevard, Los Angeles	0545	Email Correspondence	03/04/24	Regional Board Communication Past Due Reports	65-70%
Coast Plating Inc.	Open - Site Assessment	417 164th Street, Carson	1367	Staff Letter	03/27/24	Review of Additional Soil Delineation Report	90-95%
Crimson Pipeline - 1849 Obispo Ave.	Open - Remediation	1849 Obispo Avenue, Signal Hill	1616	Site Visit / Inspection / Sampling	03/06/24	Site Inspection/Site Walk	55-60%
Crown Cleaners Site (Former)	Open - Remediation	11900 South Street, Cerritos	0921	Email Correspondence	03/25/24	Work Plan Amendment Review	20-25%
Crown Valley Thread	Open - Site Assessment	5137 North Elton Street, Baldwin Park	108.1269	Staff Letter	03/25/24	Cost Recovery Letter	75-80%
Danny's Dry Cleaning (Former)	Open - Site Assessment	5511-5519 San Vicente Boulevard, Los Angeles	1529	Access Agreement	03/04/24	First Access Request Letter to Edgewood Place	55-60%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Davis Fluorescents	Open - Remediation	8536 Venice Boulevard, Los Angeles	1121C	Assessment Order	03/04/24	Extension Response	55-60%
Dean Alco	Open - Remediation	5930 West Jefferson Boulevard, Los Angeles	0142	Staff Letter	03/20/24	Technical Report Review	65-70%
Diversey Corporation (Former)	Open - Site Assessment	15010 East Don Julian Road, City of Industry	102.0015	Email Correspondence	03/07/24	Response to Stormwater Sample Results and Reuse Inquiry	90-95%
Downey Business Center	Open - Assessment & Interim Remedial Action	9828 Firestone Boulevard, Downey	1513	Staff Letter	03/20/24	Phase II Site Assessment Approval	85-90%
Eric Realty Inc.	Open - Remediation	16055 Heron Avenue, La Mirada	0221	Staff Letter	03/29/24	Site Investigation Work Plan Approval	70-75%
Fairchild Space - Manhattan Beach	Open - Remediation	1800 West Rosecrans, Manhattan Beach	0348	Staff Letter	03/04/24	Additional Data Gap Investigation Workplan Review	15-20%
Former Ace Plating	Open - Site Assessment	719 Towne Avenue, Los Angeles	1290	Clean-Up and Abatement Order	03/27/24	Groundwater Monitoring Report Review	95-100%
Former Atlas Copco Rotoflow	Open - Remediation	14439 Avalon Boulevard, Los Angeles	SCP NO. 0947	Staff Letter	03/27/24	Response Review	95-100%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Former Berk Oil & Pacific Metal Craft	Open - Site Assessment	5614 Shull St., Bell Gardens	0313	Staff Letter	03/15/24	Work Plan Approval	95-100%
Former Pneumo Abex Aerospace Facility	Open - Assessment & Interim Remedial Action	3151 West Fifth St., Oxnard	0253A	Clean-Up and Abatement Order	03/11/24	Review of Responses to Requirements Related to Off-Site Soil Vapor Investigation	65-70%
Former Preco Site	Open - Remediation	6300 East Slauson Avenue, Commerce	0194	Clean-Up and Abatement Order	03/08/24	Work Plan Approval	95-100%
Former Transnational Property	Open - Site Assessment	11124 Washington Boulevard, Culver City	0910	Site Visit / Inspection / Sampling	03/25/24	Site Inspection Report	60-65%
Former Unitog Rental Services	Open - Site Assessment	2829 South Workman Mill Road, Whittier	114.1978	Staff Letter	03/25/24	Cost Recovery Letter	65-70%
Former Wayfarer Distribution Center	Open - Site Assessment	18620 South Broadway, Carson	1611	Assessment Order	03/28/24	Investigative Order	90-95%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
GATX - GX 145 Pipeline	Open - Remediation	Santa Fe Avenue Near Compton Creek, Rancho Dominguez	0532B	Clean-Up and Abatement Order	03/27/24	Amended Work Plan Approval	90-95%
Gene's Plating Works	Pending Review	3498 14th Street, Los Angeles	---	Assessment Order	03/26/24	Extension Response	95-100%
Glez Auto Pros Services	Open - Site Assessment	4551 East Gage Avenue, Bell	1601	Cost Recovery Agreement	03/06/24	Site Cleanup Program Oversight Cost Reimbursement Account	85-90%
GSP Acquisition Corp/Gardena Specialized	Informational Item / Review Complete	16520 South Figueroa Street, Gardena	---	Assessment Order	03/01/24	Work Complete Letter	90-95%
Hollyway Cleaners	Open - Assessment & Interim Remedial Action	1157 Echo Park Avenue, Los Angeles	0075	Email Correspondenc e	03/20/24	Email Communication	85-90%
Honeywell International Corp.	Open - Remediation	9225 Aviation Boulevard, Los Angeles	0379	Staff Letter	03/28/24	Extension Response	80-85%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Hutchinson Seal Corporation	Open - Assessment & Interim Remedial Action	11634 Patton Road, Downey	1219	Cost Recovery Agreement	03/19/24	Site Cleanup Program Oversight Cost Reimbursement Account	75-80%
Iade / All American Uniform (Former)	Open - Assessment & Interim Remedial Action	3680 Tyler Avenue, El Monte	106.0022	Staff Letter	03/29/24	Extension Response	95-100%)
Leach Corporation Facility	Open - Assessment & Interim Remedial Action	5915 Avalon Boulevard, Los Angeles	0617	Technical Correspondence	03/20/24	Clarification of Request for Interim Remedial Action Plan	95-100%
Line 79 Release	Open - Site Assessment	Pier B Street and Harbor Avenue, Port of Long Beach	0343C	Staff Letter	03/14/24	Well Destruction Work Plan Conditional Approval	NA
Litton Guidance & Control Systems	Open - Assessment & Interim Remedial Action	5500 Canoga Avenue, Woodland Hills	0277	Assessment Order	03/25/24	Extension Response	60-65%
Long Beach Naval Complex - 171 - AOC Site PCB 13	Completed - Case Closed	Skipjack Avenue, Long Beach	0283A, 16542 -- 250	Staff Letter	03/26/24	Draft Land Use Control Remedial Design Review	NA

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Marrs Fabulous Cleaners	Open - Site Assessment	3623 East Florence Avenue, Bell	1016	Assessment Order	03/08/24	Extension Response	95-100%
Maxima Enterprises, Inc.	Pending Review	23920 South Vermont, Harbor City	---	Notice of Violation	03/27/24	Notice of Violation-Failure to Submit Workplan for Additional Soil and Groundwater PFAS Sampling	60-65%
Moog, Inc (Hard, Ano)	Informational Item / Review Complete	20263 South Western Avenue, Torrance	---	Assessment Order	03/18/24	Work Complete Letter	NA
Moving Solutions	Open - Remediation	45 West Easy Street, Simi Valley	0371	Staff Letter	03/12/24	Corrective Action Plan Approval	55-60%
Norwalk, Fuel Terminal DFSP - DoD	Open - Remediation	15306 Norwalk Boulevard, Norwalk	0286A	Staff Letter	03/21/24	Shallow Soil Closure Report Review	85-90%
Pacific Crest Bank	Open - Assessment & Interim Remedial Action	1800 West 220th Street, Torrance	0889	Email Correspondence	03/07/24	Feb 16, 2024 Discussion Summary and Action Items	65-70%
Pacific Valves	Open - Assessment & Interim Remedial Action	3201 Walnut Avenue, Signal Hill	I-11716	Staff Letter	03/21/24	Semi-Annual Progress Report Review	70-75%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Parcel 3B (Former General Chemical)	Open - Verification Monitoring	880 Sepulveda Boulevard, El Segundo	0041C	Staff Letter	03/20/24	Groundwater Monitoring Report Review	NA
Pilot Chemical Co	Open - Remediation	11756 Burke Street, Santa Fe Springs	0383	Staff Letter	03/08/24	Groundwater Monitoring Report and Soil Gas Assessment Workplan Review	90-95%
Pinto Petroleum (Former)	Open - Site Assessment	1028 Front Street, Ventura	1215	Notification - Fee Title Owners Notice	03/18/24	Notice of Opportunity to Comment on A No Further Action Determination	80-85%
Playa Vista, Phase I Residential	Open - Remediation	13000 West Bluff Creek Drive, Playa Vista	0773B	Clean-Up and Abatement Order	03/04/24	Extension Response	35-40%
Point Mugu NAWS - Installation Restoration Program Site 1 (Landfill)	Open - Verification Monitoring	13th Street at Pacific Road, Point Mugu	0282	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Point Mugu NAWS - Installation Restoration Program Site 11 (Mugu Lagoon)	Open - Site Assessment	Naval Air Road, Point Mugu	0282A -- 6	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%
Point Mugu NAWS - Installation Restoration Program Site 24 (Former UST Sites 23 and 55)	Open - Remediation	1 L Ave at Ronald Reagan Boulevard, Point Mugu	0282	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%
Point Mugu NAWS - Installation Restoration Program Site 6 (Building 311 Yard)	Open - Remediation	311 11th Street, Point Mugu	0282	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%
Point Mugu NAWS - Installation Restoration Program Site 9 (Fire Fighter Training Area)	Open - Verification Monitoring	1 Casper Road, Point Mugu	0282	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Point Mugu NAWS – Munitions Response Program Former Gas Mask Training Area (UXO- 0004)	Open - Site Assessment	Point Mugu	0282	Staff Letter	03/13/24	Final Basewide Land Use Control Implementation Plan Review	55-60%
Radiant Services / Former Teledyne Site	Open - Remediation	651 West Knox Street, Gardena	1247	Clean-Up and Abatement Order	03/25/24	Adjusted Groundwater Monitoring Plan Review	90-95%
Rockwell International Corp.	Open - Remediation	6633 Canoga Avenue, Canoga Park	0237A	Letter - Notice	03/20/24	Work Notice for Remnant HOA Property	65-70%
Rohm and Hass Facility (Former Unocal La Mirada)	Open - Remediation	14445 East Alondra Boulevard, La Mirada	0364	Staff Letter	03/27/24	Response Review	70-75%
San Pedro Defense Fuel Supply Point - Installation Restoration Project Site 6	Open - Site Assessment	3171 North Gaffey Street, San Pedro	285C	Staff Letter	03/20/24	Final Remedial Investigation Report Review	50-55%

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
San Pedro, Fuel Terminal DFSP - San Pedro Tank Farm	Open - Remediation	3171 North Gaffey Street, San Pedro	DOD16637	Staff Letter	03/20/24	Soil and Soil Gas Sampling Workplan Approval	50-55%
Shimadzu Precision Instruments, Inc.	Informational Item / Review Complete	3645 North Lakewood Boulevard, Long Beach	---	Assessment Order	03/04/24	Work Complete Letter	NA
Stabile Plating Co. Inc.	Pending Review	1150 East Edna Place, Covina	---	Assessment Order	03/20/24	Extension Response	60-65%
Supreme Plating & Coating	Pending Review	330 East Beach Avenue, Inglewood	---	Assessment Order	03/18/24	Extension Response	90-95%
Technical Metal Finishing	Open - Remediation	3401 Pacific Avenue, Burbank	104.1039	Staff Letter	03/06/24	Letter of Support for Remedial Action Plan Scope of Work	60-65%
Ted Levine Drum – Chico (Site 2)	Open - Assessment & Interim Remedial Action	1913 and 1927 Chico Avenue, South El Monte	107.0445A	Site Visit / Inspection / Sampling	03/07/24	Incident Report - Truck Fire - Ted Levine Site #2	95-100% (Highest Scores)
Teledyne Cast Parts	Open - Remediation	4200 Valley Boulevard, Pomona	101.035	Soil Management Plan	03/26/24	Soil Management Plan Addendum Approval	NA

Project Name	Status	Address	File No.	Regulatory Action	Issue Date	Comment	CalEnvirosc reen 4.0 Percentile
Textron Filtration System	Open - Assessment & Interim Remedial Action	950 Rancho Conejo Boulevard, Thousand Oaks	0322	Email Correspondence	03/1/24	Email Correspondence - Building Survey Acceptance	60-65%
Tri Conn	Open - Site Assessment	10138 Rush Street, South El Monte	107.0373	Staff Letter	03/12/24	Request to Submit a Chemical Storage and Use Questionnaire	95-100% (Highest Scores)
Trico Industries	Open - Remediation	3040 Slauson Avenue, Huntington Park	0270	Assessment Order	03/12/24	Groundwater and Soil Vapor Monitoring Report Review	95-100% (Highest Scores)
Unocal Marine Terminal	Open - Assessment & Interim Remedial Action	Berths 148-151, Los Angeles	0120	Clean-Up and Abatement Order	03/22/24	HVOCs Shallow Soil Sampling Plan Approval	NA
Valley - Todeco	Open - Remediation	12975 Bradley Avenue, Sylmar	0990	Staff Letter	03/14/24	Extension Response	85-90%
Whiteman Airport	Open - Site Assessment	10000 Airpark Way, Pacoima	1575	Staff Letter	03/26/24	Work Plan Approval	85-90%

Underground Storage Tank Section

Completion of Corrective Action at Leaking Underground Fuel Storage Tank Site for the Reporting Period: March 1 through March 31, 2024

Circle K #2709454 (Former Mobil 18-AJ5), Encino (Case No. 913160370)

For the case closure site above, approximately two pounds of hydrocarbons were removed and a total of 150 tons of impacted soil were excavated and removed.

Corrective Action Plan for Leaking Underground Fuel Storage Tank Site was received for the Reporting Period: March 1 through March 31, 2024.

Thrifty Oil Co. #026, Whittier (Case No. R-10932)

Summaries of the Underground Storage Tank Section's performance and quantities of contamination removed through March 31, 2024, are listed in Tables 1 and 2.

Table 1 – Underground Storage Tank Program Performance Summary (2024)

Month	Case Closures	Directives & Orders	Workplan Approvals	Other Letters Issued	Total
January	10	20	8	33	71
February	2	17	17	36	72
March	1	11	10	25	47
Total	13	48	35	94	190

Table 2 – Contamination Removed

Month	Contaminated soil (tons)	TPH mass (lbs.)
January	10,207	97,985
February	60	1
March	150	2
Total	10,417	97,988

Surface Water Division

Groundwater Permitting & Land Disposal Section

Chiquita Canyon Landfill

Chiquita Canyon landfill is a Class III municipal solid waste landfill, located in Castaic, an unincorporated community in Los Angeles County, in the Santa Clara River Watershed. It is owned and operated by Chiquita Canyon LLC, which is a wholly-owned subsidiary of Waste Connections, Inc. Chiquita Canyon landfill is currently regulated under three permits: (1) Order No. R4-2018-0172 - Waste Discharge Requirements (WDRs) to protect water quality from disposal of solid wastes to land, including provisions for a liner, leachate containment, and groundwater monitoring; (2) Order WQ 2014-0057-DWQ (as amended by Order WQ 2015-0122-DWQ and Order WQ 2018-0028-DWQ) (commonly referred to as the Industrial General Permit) - a General National Pollutant Discharge Elimination System (NPDES) Permit to protect surface water quality from stormwater runoff associated with industrial activities, including provisions for effluent limits, non-stormwater discharge prohibitions, pollution prevention, and monitoring; and (3) Order WQ 2022-0057-DWQ (commonly referred to as the Construction General Permit) - a General NPDES Permit to protect surface water quality from stormwater runoff associated with construction activities (at the landfill, related to activities to upgrade the entryway and access roads), including provisions for non-stormwater discharge prohibitions, pollution prevention, and monitoring.

In mid-2023, staff became aware of a reaction in the northwest area of the Main Canyon. The reaction was causing elevated temperatures, increased landfill gas emissions, and increased leachate generation. On September 28, 2023, staff were notified by the Los Angeles County Local Enforcement Agency of leachate seeps at the landfill. On October 3, 2023, Los Angeles Water Board staff conducted an inspection, and observed a leachate seep at the northwestern edge of the Main Canyon that flowed to an onsite concrete drainage channel, which leads to a stormwater sedimentation basin at the southern border of the Landfill.

On November 22, 2023, staff issued a Notice of Violation to Waste Connections, Inc., for violations of the WDRs by failing to maintain adequate leachate containment systems and failing to report the leachate seep. The Notice of Violation required a report on corrective actions taken to mitigate the violations by December 22, 2023, and a final compliance report by February 20, 2024. Both reports were submitted, and they described the temporary measures to manage and contain the leachate, and the permanent measures to repair the landfill liner.

In a December 29, 2023, report, the landfill reported that the temporary measures to contain the leachate were overwhelmed during the recent rain events. Leachate reached the stormwater channel on site, so the landfill installed a check dam to prevent leachate from moving downstream and reaching the stormwater basin. The Discharger collected samples from the stormwater basin on December 28, 2023.

Prior to storms in December, January, and February, staff reminded the discharger of its permit obligations to implement best management practices and prevent leachate from mixing with stormwater and exiting the site. Staff directed the discharger to collect additional samples to better detect any leachate contamination of the stormwater. Staff

also went on inspections in January and February to observe conditions at the site and collect samples.

Based on the inspection findings, information provided by other regulatory agencies, the landfill's response to the NOV, and subsequent failures of the short-term measures to prevent leachate from commingling with stormwater runoff, staff issued a Water Code sections 13267 and 13383 Order No. R4-2024-0010 to Waste Connections, Inc., requesting additional information to further assess potential impacts to surface water and groundwater due to conditions at the Landfill. The Order requested the landfill to install three new groundwater monitoring wells and sample any and all discharges into or out of the south stormwater sedimentation basin.

On March 28, 2024, the Los Angeles Water Board issued a Notice of Violation to Waste Connections, Inc. for failure to comply with discharge prohibitions in the Industrial General Permit by allowing leachate to mix with stormwater and be discharged from the site, and for failure to develop a complete stormwater pollution prevention plan and implement best management practices.

On April 9, 2024, another Notice of Violation was issued to Waste Connections, Inc. for discharging water from the south stormwater sedimentation basin using pumping equipment and a vacuum truck, bypassing the basin's designed primary outlet and spillway, in violation of the Industrial General Permit.

In December 2023, US EPA convened an interagency work group on Chiquita Canyon Landfill that includes the Los Angeles Water Board, Los Angeles County, the South Coast Air Quality Management District, CalRecycle, the Air Resources Board, the Department of Toxic Substances Control, US EPA, and CalEPA to address the multi-media impacts resulting from the reaction at the landfill. The current focus of the interagency group is to have on-scene coordinators to stabilize the landfill conditions. The primary objectives are to establish additional air monitoring, manage leachate treatment and disposal, ensure the stability of the impacted landfill cells and monitor changes in surface conditions, and ensure the community and stakeholders remain informed. On March 21, 2024, the multiagency group held a community meeting to present the agencies' oversight authorities and response actions, and to listen and respond to questions.

Staff are also participating in regular monthly community meetings hosted by Los Angeles County to discuss impacts to public health and the environment caused by the landfill reaction, provide updates on oversight, and answer questions regarding surface and groundwater quality from the community.

Summary of Activities Associated with General Waste Discharge Requirements

General WDRs for In-Situ Groundwater Remediation and Groundwater Re-Injection (Order No. R4-2014-0187)

No.	Facility	Project Manager	Date of Coverage	Date of Revision	Date of Termination
1.	Former Honeywell Gardena Facility (Expansion)/CI-10438	Ann Chang	---	03/01/24	---

**General WDRs for Advanced Onsite Wastewater Treatment Systems
(Order No. R4-2019-0024)**

No.	Facility	Project Manager	Date of Coverage	Date of Revision	Date of Termination
1.	13170 Mulholland Residence/CI-10768	Woonhoe Kim	--	03/19/24	---

**General Water Reclamation Requirements for Recycled Water Use
(Order No. 2016-0068-DDW)**

No.	Facility	Project Manager	Date of Coverage	Date of Revision	Date of Termination
1.	Santa Clara Mint Canyon Management Zone 1A/CI-10762	Woonhoe Kim	03/07/24	---	---

Summary of Enforcement Actions

No.	Date Issued	Permittee	Project Manager
1.	03/14/2024	Cleanup and Abatement Order, Tierra Rejada Landfill/File No. 62-131	Enrique Casas

Summary of Inspections

No.	Date of Inspection	Inspection Type	Permittee	Project Manager
1.	03/13/2024	B Type compliance	Sunshine Canyon Landfill/File No. 58-076	Enrique Casas
2.	03/20/2024	B Type compliance	Savage Canyon Landfill/File No. 63-082	Enrique Casas
3.	03/20/2024	B Type compliance	Montebello Land and Water Co. Landfill/CI-5668	Enrique Casas
4.	03/21/2024	B Type compliance	Former Ashland Chemical Company/CI-10720	Ann Chang
5.	03/27/2024	B Type compliance	Calabasas Landfill/File No. 60-118	Enrique Casas

Summary of Regulatory Actions Associated with Review of Technical Documents, Permit Applications and Other Correspondence

No.	Date Issued	Permittee/Description	Project Manager
1.	03/22/2024	Response to Malzacher Ranch's Letters Regarding the Santa Paula Water Recycling Facility - Santa Paula WRF/CI-9259	Woonhoe Kim
2.	03/25/2024	Approval of Geotechnical Exploration Work Plan - Puente Hills Landfill/File No. 57-220	Enrique Casas

Regional Programs Section

Section 401 Water Quality Certification and Wetlands Program

From March 1, 2024, to March 31, 2024, the Regional Board received 8 new applications for Section 401 Water Quality Certification (WQC) actions.

DATE OF APPLICATION	APPLICANT	PROJECT
3/1/2024	USACE	Redondo Beach-King Harbor Breakwater Repairs
3/6/2024	Ventura County Public Works, Roads & Transportation Department	Telegraph Road Bridge Emergency abutment repairs in Sespe Creek (RGP 63)
3/8/2024	City of Ventura	Foothill Road ay Harmon Barranca Slope Repair (RGP 63)
3/9/2024	Crimson Midstream Pipeline LLC	D2 D3 Inspection Pipeline
3/12/2024	Caltrans	Eroded Embankments on Ven-1 (RGP 63)
3/12/2024	Daniel Enzler	Wilshire Country Club Restoration Project (NOI)
3/20/24	SoCal Gas	SoCal Gas Line 1005 Landslide Mitigation (Emergency WDR)
3/21/2024	City of Ventura	Todd Barranca Emergency Channel Repair Project (RGP 63)

From March 1, 2024, to March 31, 2024, the Regional Board issued 5 new Section 401 Water Quality Certification (WQC) actions.

DATE OF ISSUANCE	APPLICANT	PROJECT	ACTION
3/1/2024	Chiquita Canyon, LLC	East Canyon Project	Denial
3/6/2024	Los Angeles World Airports	MSC South Project – Argo Channel Temporary Crossing	WQC

3/12/2024	Southern California Gas Company	Honor Rancho Emergency Repairs (RGP 63)	NOA
3/15/2024	Los Angeles County Flood Control District	Santa Anita Reservoir Post-Fire Restoration Project	WQC
3/22/2024	Port of Long Beach	Port of Long Beach 10-year Maintenance Program	WQC

Certification project descriptions for applications currently being reviewed can be viewed on our website at the following link: [Section 401 Water Quality Certification](#)

Ballona Wetlands Restoration

Staff in the TMDL and Wetland and Riparian Protection Unit continue to coordinate with other agencies concerning the Ballona Creek Wetlands Sediment and Invasive Exotic Vegetation TMDL and the proposed Ballona estuary restoration. Further action by the Los Angeles Water Board is dependent on completion of the revised Environmental Impact Report (EIR) under the California Environmental Quality Analysis (CEQA) process. CDFW hopes to have a draft revised EIR available for public comment by Spring 2025 and depending on public input received on the draft revised EIR, a recertified EIR by the end of 2025, and a reapproved project. Barring further litigation and dependent on available funding, CDFW hopes to implement initial project sequences in 2026.

Topanga Lagoon Restoration

Staff in the Wetland and Riparian Protection Unit have begun initial permitting discussions with California State Parks for the Topanga Lagoon Restoration project. California State Parks, along with the Resource Conservation District of the Santa Monica Mountains, Caltrans, and Los Angeles County are working on a project funded by the California State Coastal Conservancy to restore Topanga Lagoon.

Topanga Lagoon is located at the mouth of Topanga Creek, which drains from a watershed within the Santa Monica Mountains. The lagoon is currently approximately one acre in size and is crossed by the Pacific Coast Highway. The historic lagoon area has been filled and developed over the years with buildings and hard-scape infrastructure. The beach adjacent to the lagoon hosts millions of visitors per year and is an important regional coastal access and recreation location. Though reduced from its historical size, Topanga Lagoon still hosts important natural resources, including the federally endangered tidewater goby and federally endangered Southern California steelhead trout. The Topanga Lagoon Restoration Project seeks to expand Topanga Lagoon from one acre to 7-10 acres and to reconstruct an existing Pacific Coast Highway bridge to accommodate the wider lagoon. The project also seeks to improve visitor services and coastal access.

Watershed Regulatory Section

On March 5 and 6, 2024, Watershed Regulatory Section staff participated in the Independent Science Advisory Panel Workshop for the Pure Water Southern California Program, which is a joint partnership between the Metropolitan Water District of Southern California (MWD) and Los Angeles County Sanitation Districts (LACSD) to produce up to 150 million gallons per day of purified water for indirect and direct potable reuse by 2032. During the two-day workshop, MWD and LACSD provided updated results for the secondary- and tertiary membrane bioreactor (sMBR and tMBR, respectively) pilot studies and the results for the direct potable reuse bench scale study.

On March 29, 2024, the State Water Resources Control Board, Division of Financial Assistance published the Clean Water State Revolving Fund (CWSRF) Fundable List for fiscal year 2023 and 2024. The CWSRF is a federal and state partnership that provides low-rate financing and grants to projects to support statewide and regional water quality goals. Watershed regulatory section staff have also been assisting CWSRF applicants in improving project scores within the region. For fiscal year 2023/2024, our region has seven (7) projects in the SRF Fundable List and they are eligible to receive up to \$564,193,050 million in loans, \$13,228,050 in grants and \$10,000,000 in principal forgiveness.

Summary of Individual Permit Activities

1. Inspections

	Date of Inspection	Permittee	Type of Inspection	Project Manager
1	3/20/24	San Clemente Island WWTP	Pre-Permitting	XC
2	3/26/24	Kinder Morgan Carson Terminal	Pre-permitting	RL

2. Adoption/Issuance/Termination

- a. An ROWD complete letter was issued for the Water Replenishment District of Southern California's Alamitos Barrier and Inland Injection Facilities Project on March 26, 2024.
- b. The Tentative NPDES permit for the Oxnard Water Resource Recovery Facility was distributed for public comments on March 19, 2024.
- c. The Tentative NPDES permit for the Avalon Wastewater Treatment Facility was distributed for public comments on March 19, 2024.

Summary of General Permitting Unit Activities

General Construction & Project Dewatering NPDES Permit Activities March 2024				
No.	Discharger	Date Of Coverage	Date Of Revision	Date Of Termination
1	Pacific Pipeline System LLC–Newhall Facility, 26187 Mcbean Parkway, Valencia, California (CAG994004, CI–9530)	---	---	3/25/2024

General Construction & Project Dewatering NPDES Permit Activities March 2024				
No.	Discharger	Date Of Coverage	Date Of Revision	Date Of Termination
2	La Puente Valley County Water District, Water Treatment Plant, 1695 Puente Avenue, Baldwin Park, California (CAG994004, CI-9655)	---	---	3/25/2024
3	Malibu Development Company LLC—La Paz Ranch, 23465 Civic Center Way, Malibu, California (CAG994004, CI-10490)	---	---	3/25/2024
4	Frontier Kemper Tutor Perini/JV, Purple Line Extension, Western Veteran Affairs Construction Staging Area, 25 Hadley Court, Los Angeles, California (CAG994004, Ci-10508)	---	---	3/26/2024
5	Paris West Companies, 1525 Abbot Kinney Blvd., Venice, California (CAG994004, CI-10574)	---	---	3/26/2024

Summary of General NPDES Permitting Inspections

	Date of Inspection	Permittee	Type of Inspection	Project Manager
1.	03/04/2023	The Old Bridge, Over Castaic Creek, Road, Val Verde; CI-10772	New Enrollment (Pre-harvest)	NC
2.	3/8/2024	Paris West Companies, 1525 Abbot Kinney Blvd, Venice, CA	Termination	PH

Administrative Services Section

Personnel Report Staffing Level

As of May 23, 2024 the Los Angeles Water Board staffing level is 160 staff, including 148 technical staff, 11 permanent analytical staff and 1 permanent clerical staff.

Internal Transfer

Amanda Davatolhagh, Engineering Geologist moved from Underground Tanks to Remediation, effective April 22, 2024.

New Hires

Lexlith Mederos, Water Resource Control Engineer with Watershed Regulatory, effective April 22, 2024.

Jaime Sayre, Water Resource Control Engineer with Watershed Regulatory, effective May 6, 2024.

Separations

Julie Duong, Water Resource Control Engineer with Remediation separated, effective May 3, 2024.

Shervin Milani, Water Resource Control Engineer with Remediation separated, effective May 10, 2024.