



San Diego Regional Water Quality Control Board

March 18, 2024

Phil Baily
Baily Vineyard and Winery, Inc
36150 Pauba Road
Temecula, CA 92592
Sent by email: phil@bailywinery.com

In reply refer to:
274844:BBushnell

Subject: Notice of Opportunity to Comment on Tentative Order No. R9-2024-0055, An Order Rescinding Order No. 2001-159, Waste Discharge Requirements for Phillips B. & Carol J. Baily, Baily Vineyard & Winery Riverside County

Phil Baily:

The California Regional Water Quality Control Board, San Diego Region (San Diego Water Board), is releasing Tentative Order No. R9-2024-0055, *An Order Rescinding Order No. 2001-159, Waste Discharge Requirements for Phillips B. & Carol J. Baily, Baily Vineyard & Winery Riverside County* (Tentative Order), for public review and comment.

The enclosed Notice of Written Comment Period provides detailed information on the procedures and deadlines for submittal of written comments on the Tentative Order. The enclosed documents are also available on the San Diego Water Board's website:

https://www.waterboards.ca.gov/sandiego/board_decisions/tentative_orders/

In the subject line of any response, please include the reference **274844:BBushnell**. For questions or concerns regarding this letter, please contact Mr. Brandon Bushnell by phone at (619) 521-8044, or by email at Brandon.Bushnell@waterboards.ca.gov.

Respectfully,

Roger Mitchell, PG
Supervising Engineering Geologist
Site Restoration and Groundwater Protection Branch

RNM:ac:bb

Enclosures: (1) Tentative Order No. R9-2024-0055, *An Order Rescinding Order No. 2001-159, Waste Discharge Requirements for Phillips B. & Carol J. Baily, Baily Vineyard & Winery Riverside County*

(2) Notice of Public Hearing and Written Comment Period

Tech Staff Info & Use

Reg. Measure ID: 131709

Place ID: 274844

Party ID: 5703

Order Nos.: 2001-159 (Individual) and R9-2024-0055 (rescission)