STATE OF CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD CENTRAL COAST REGION

STAFF REPORT FOR REGULAR MEETING OF MARCH 16-17, 2011 Prepared on January 27, 2011

ITEM NUMBER: 10

SUBJECT: Rescission of Waste Discharge Requirements for City of Monterey, Monterey Bay Wharf Dredging Operations, Monterey County

KEY INFORMATION

Discharge	.City of Monterey
Location	The Beach immediately east of wharf No. 2 at Monterey Bay
Discharge Type	. Dredging spoils
Flow Rate	. Up to 10,000 cubic yards per year
Existing Orders	.WDR Order No. 91-60

This Action: Rescind Waste Discharge Requirements

DISCUSSION

On July 12, 1991, the Central Coast Regional Water Quality Control Board (Central Coast Water Board) adopted Waste Discharge Requirements (WDRs) Order No. 91-60 to regulate the discharge of dredge spoils at Monterey Harbor. On July 26, 2010, the discharger submitted updated information describing their discharge and Central Coast Water Board staff responded by issuing Section 401 Water Quality Certification No. 32710WQ06. Order No. 91-60 and the September 2010 Section 401 Water Quality Certification are two different regulatory methods of accomplishing the same objective of protecting the receiving water from the discharge. The September 2010 Water Quality Certification is based on more current discharge information and effectively supersedes Order No. 91-60. Rather than regulating the discharge under two mechanisms, Water Board staff recommends that the Central Coast Water Board rescind the outdated Order No. 91-60.

COMMENTS AND RESPONSES

In a November 5, 2010 Central Coast Water Board letter, comments were solicited from the following persons or agencies:

Jeff Olberding Olberding Environmental, Inc. jeff@olberdingenv.com Bruce Henderson U.S. Army Corps of Engineers Ventura Office Regulatory Section 2151 Alesandro Drive, Suite 110 Ventura, CA 93001

R9-WTR8-Mailbox@epa.gov

U.S. Army Corps of Engineers San Francisco District Regulatory Section 1455 Market Street, Floor 16 San Francisco, CA. 94103-1398 401 Program Manager State Water Resources Control Board Division of Water Quality Stateboard401@waterboards.ca.gov

As of the January 20, 2011 comment deadline, no comments were received.

RECOMMENDATION

Rescind Order 91-60.

ATTACHMENTS

- 1. Order 91-60
- 2. Water Quality Certification Number 32710WQ06 For Monterey Harbor Maintenance Dredging Project, Monterey County

TJK

126-01 Monterey, City of, Muni. Marina Harbor Dredge (Place #241312) S:\WDR\WDR Facilities\Monterey Co\Monterey Harbor Dredging WDR\Staff Report.doc