

**STATE OF CALIFORNIA
REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL COAST REGION**

SUPPLEMENTAL SHEET FOR REGULAR MEETING OF AUGUST 22-23, 2024

Prepared on August 19, 2024

ITEM NUMBER: 14

SUBJECT: Consideration of Proposed Order R3-2024-0036, General Waste Discharge Requirements for Closed Landfill Facilities in the Central Coast Region

**STAFF CONTACTS: Joey Sisk, (805) 542-4638,
joey.sisk@waterboards.ca.gov
Nick Smaira, (805) 549-3467,
nicholas.smaira@waterboards.ca.gov**

This supplemental sheet is to correct a minor typographical error included in the Staff Report, Attachment 1 - Proposed Order R3-2024-0036.

On page 9, Provision 12 of the proposed Order R3-2024-0036, there is a duplicated bullet point. The correction to remove this duplicate is described in underline-strikeout below:

- 12. The Central Coast Water Board and its representatives shall be allowed to:
 - a. Physically access the Discharger's premises where a regulated facility or activity is located or conducted, or where records are kept under the provisions of this General Order.
 - b. Have access to and copy any records that must be kept under the provisions of this General Order.
 - ~~c. Have access to and copy any records that must be kept under the provisions of this General Order.~~
 - d. Collect photographs and samples as needed to evaluate compliance with this General Order, or as otherwise authorized by the Water Code.