



GAVIN NEWSOM
GOVERNOR



JARED BLUMENFELD
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Central Valley Regional Water Quality Control Board

29 March 2019

Greg Jones
Nevada Irrigation District
1036 West Main Street
Grass Valley, CA 95945

CERTIFIED MAIL
7018 3090 0000 5203 5434

ORDER AMENDING CLEAN WATER ACT SECTION 401 TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION; NEVADA IRRIGATION DISTRICT, COMBIE RESERVOIR SEDIMENT AND MERCURY REMOVAL PROJECT (WDID#5A29CR00068A1), NEVADA AND PLACER COUNTY

This Order responds to the 24 April 2018 request for an amendment of the Combie Reservoir Sediment and Mercury Removal Project (Project) Section 401 Water Quality Certification (WDID#5A29CR00068). The original Water Quality Certification (Certification) was issued on 14 December 2012. The requested amendment is hereby approved. The original Certification is therefore amended as described below. Please attach this document to the original Certification.

AMENDMENT:

The Nevada Irrigation District is requesting an amendment to the project description, timeframe of implementation, name of applicant representative, and agent information.

The Certification is amended as shown in underline/strikeout format in Attachment A.

APPLICATION FEE RECEIVED:

No fee was required for this amendment. Total fees of \$640.00 for the original Certification were received on 3 November 2012. The fee amount was determined as required by California Code of Regulations, title 23, sections 3383(b)(3) and 2200(a)(3), as was calculated as category F - General Orders for CEQA Exempt Projects (fee code 19) with the dredge and fill fee calculator.

CENTRAL VALLEY REGIONAL WATER QUALITY CONTROL BOARD CONTACT:

Greg Hendricks, Environmental Scientist
11020 Sun Center Drive #200
Rancho Cordova, CA 95670-8114
Greg.Hendricks@waterboards.ca.gov
(916) 464-4709

WATER QUALITY CERTIFICATION:

I hereby issue an Order amending the existing Clean Water Act, Section 401 Technically Conditioned Water Quality Certification for the Combie Reservoir Sediment and Mercury Removal Project (WDID#5A29CR00068A1). All other conditions and provisions of the original Water Quality Certification and any previously approved amendments remain in full force and effect, except as modified based on the conditions of this Order. Failure to comply with the terms and conditions of the original Water Quality Certification, previously approved amendments, or of this Order may result in suspension or revocation of the Water Quality Certification.

Original Signed By Jim Marshall for:

Patrick Pulupa
Executive Officer

Enclosure: Attachment A: Amended 401 Water Quality Certification

cc: [Via email only] (w/enclosure)

Sam Ziegler
United States EPA
Ziegler.Sam@epa.gov

Jason Muir
NV5
Jason.Muir@nv5.com

CWA Section 401 WQC Program
Division of Water Quality
State Water Resources Control Board
StateBoard401@waterboards.ca.gov

Melissa France (SPK-2009-00913)
United States Army Corps of Engineers
Sacramento District Office
SPKRegulatoryMailbox@usace.army.mil

California Department of Fish and Wildlife
Region 2
R2LSA@wildlife.ca.gov

cc: (w/enclosure)

Bill Jennings
CA Sportfishing Protection Alliance
3536 Rainier Avenue
Stockton, CA 95204



EDMUND G. JONES, JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Central Valley Regional Water Quality Control Board

Attachment A

14 December 2012

~~Timothy Crough~~ Greg Jones
Nevada Irrigation District
1036 West Main Street
Grass Valley, CA 95945

CERTIFIED MAIL
7011 2970 0003 8939 7233

CLEAN WATER ACT §401 TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION; NEVADA IRRIGATION DISTRICT, COMBIE RESERVOIR SEDIMENT AND MERCURY REMOVAL PROJECT (WDID#5A29CR00068), NEVADA AND PLACER COUNTIES

This Order responds to your 3 November 2010 application submittal and supplemental information submitted on 29 August 2012 for the Water Quality Certification of a reservoir dredging project dredging 45 acres of waters of the United States.

This Order serves as certification of the United States Army Corps of Engineers' Nationwide Permit #16 (SPK #2009-00913) under § 401 of the Clean Water Act, and a Waste Discharge Requirement under the Porter-Cologne Water Quality Control Act.

WATER QUALITY CERTIFICATION STANDARD CONDITIONS:

1. This Order serves as a Water Quality Certification (Certification) action that is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to § 13330 of the California Water Code and § 3867 of the California Code of Regulations.
2. This Certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent Certification application was filed pursuant to § 3855(b) of the California Code of Regulations, and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. The validity of any non-denial Certification action shall be conditioned upon total payment of the full fee required under § 3833 of the California Code of Regulations, unless otherwise stated in writing by the certifying agency.
4. This Certification is valid for the duration of the described project. This Certification is no longer valid if the project (as currently described) is modified, or coverage under § 404 of

the Clean Water Act has expired.

5. All reports, notices, or other documents required by this Certification or requested by the Central Valley Regional Water Quality Control Board (Central Valley Water Board) shall be signed by a person described below or by a duly authorized representative of that person.
 - (a) For a corporation: by a responsible corporate officer such as (1) a president, secretary, treasurer, or vice president of the corporation in charge of a principal business function; (2) any other person who performs similar policy or decision-making functions for the corporation; or (3) the manager of one or more manufacturing, production, or operating facilities if authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
 - (b) For a partnership or sole proprietorship: by a general partner or the proprietor.
 - (c) For a municipality, state, federal, or other public agency: by either a principal executive officer or ranking elected official.
6. Any person signing a document under Standard Condition number 5 shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

TECHNICAL CERTIFICATION CONDITIONS:

In addition to the above standard conditions, the Nevada Irrigation District shall satisfy the following:

1. The Nevada Irrigation District shall notify the Central Valley Water Board in writing 7 days in advance of the start of any work within waters of the United States. The notification shall include the name of the project and the WDID number, and shall be sent to the Central Valley Water Board Contact indicated in this Certification.
2. Except for activities permitted by the United States Army Corps of Engineers under § 404 of the Clean Water Act, soil, silt, or other organic materials shall not be placed where such materials could pass into surface water or surface water drainage courses.
3. The Nevada Irrigation District shall maintain a copy of this Certification and supporting documentation (Project Information Sheet) at the Project site during construction for review by site personnel and agencies. All personnel (employees, contractors, and subcontractors) performing work on the proposed project shall be adequately informed and trained regarding

the conditions of this Certification.

4. The Nevada Irrigation District shall perform surface water sampling: 1) when performing any in-water work; 2) in the event that project activities result in any materials reaching surface waters; or 3) when any activities result in the creation of a visible plume in surface waters. The monitoring requirements in Table 1 shall be conducted upstream out of the influence of the project, and 300 feet downstream of the work area. The sampling frequency may be modified for certain projects with written approval from Central Valley Water Board staff.

Table 1:

Parameter	Unit	Type of Sample	Minimum Sampling Frequency	Required Analytical Test Method
Turbidity	NTU	Grab ⁽¹⁾	Every 4 hours during in-water work	(2)
Settleable Material	mL/L	Grab ⁽¹⁾	Every 4 hours during in-water work	(2)
Visible construction related pollutants ⁽³⁾	Observations	Visual Inspections	Continuous throughout the construction period	—
Temperature ⁽⁴⁾	°F (or as °C)	Grab ⁽¹⁾	Every 4 hours during in-water work	(2)

⁽¹⁾ Grab sample shall not be collected at the same time each day to get a complete representation of variations in the receiving water.

⁽²⁾ Pollutants shall be analyzed using the analytical methods described in 40 Code of Federal Regulations Part 136; where no methods are specified for a given pollutant, method shall be approved by Central Valley Water Board staff.

⁽³⁾ Visible construction-related pollutants include oil, grease, foam, fuel, petroleum products, and construction-related, excavated, organic or earthen materials.

A surface water monitoring report shall be submitted to the Central Valley Water Board Contact indicated in this Certification within two weeks of initiation of sampling and every two weeks thereafter. In reporting the monitoring data, the Nevada Irrigation District shall arrange the data in tabular form so that the sampling locations, date, constituents, and concentrations are readily discernible. The data shall be summarized in such a manner to illustrate clearly whether the project complies with Certification requirements. The report shall include surface water sampling results, visual observations, and identification of the turbidity increase in the receiving water applicable to the natural turbidity conditions specified in the turbidity criteria below.

5. The Central Valley Water Board adopted a *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins*, Fourth Edition, revised October 2011 (Basin Plan) that designates beneficial uses, establishes water quality objectives, and contains implementation programs and policies to achieve those objectives for all waters addressed

through the plan. Turbidity, temperature and settleable matter limits are based on water quality objectives contained in the Basin Plan and are part of this Certification as follows:

A. Activities shall not cause turbidity increases in surface water to exceed:

- i. where natural turbidity is less than 1 Nephelometric Turbidity Units (NTUs), controllable factors shall not cause downstream turbidity to exceed 2 NTUs;
- ii. where natural turbidity is between 1 and 5 NTUs, increases shall not exceed 1 NTU;
- iii. where natural turbidity is between 5 and 50 NTUs, increases shall not exceed 20 percent;
- iv. where natural turbidity is between 50 and 100 NTUs, increases shall not exceed 10 NTUs; and
- v. where natural turbidity is greater than 100 NTUs, increases shall not exceed 10 percent.

Except that these limits will be eased during in-water working periods to allow a turbidity increase of 15 NTUs over background turbidity. In determining compliance with the above limits, appropriate averaging periods may be applied provided that beneficial uses will be fully protected. Averaging periods may only be used with prior approval of the Central Valley Water Board staff.

B. Activities shall not cause settleable matter to exceed 0.1 mL/L in surface waters as measured in surface waters within 300 feet downstream of the project.

C. Activities shall not cause temperature in surface waters to increase more than 5°F above natural receiving water temperature for waters with designated COLD or WARM beneficial uses.

6. The Nevada Irrigation District shall notify the Central Valley Water Board immediately if the above criteria for turbidity, temperature and settleable matter, or other water quality objectives are exceeded.
 7. The discharge of petroleum products or other excavated materials to surface water is prohibited. Activities shall not cause visible oil, grease, or foam in the receiving water. The Nevada Irrigation District shall notify the Central Valley Water Board immediately of any spill of petroleum products or other organic or earthen materials.
 8. Activities shall not cause degradation of waters of the State.
 9. The Nevada Irrigation District shall comply with all California Department of Fish and Game requirements and recommendations, including but not limited to those requirements described in Lake or Streambed Alteration Agreement No. 1600-2010-0180-R2.
 10. The use of netting material (e.g., monofilament-based erosion blankets) that could trap aquatic dependent wildlife is prohibited within the project area, as indicated in the attached map (Figure 1).
-

11. All temporarily affected areas will be restored to pre-construction contours and conditions upon completion of construction activities.
 12. All areas disturbed by project activities shall be protected from washout or erosion.
 13. In-stream work will occur during periods of low flow and no precipitation.
 14. This Certification does not allow permanent water diversion of flow from the receiving water. This Certification is invalid if any water is permanently diverted as a part of the project.
 15. Refueling of equipment within the floodplain or within 300 feet of the waterway is prohibited. If critical equipment must be refueled within 300 feet of the waterway, spill prevention and countermeasures must be implemented to avoid spills. Refueling areas shall be provided with secondary containment including drip pans and/or placement of absorbent material. No hazardous materials, pesticides, fuels, lubricants, oils, hydraulic fluids, or other construction-related potentially hazardous substances should be stored within a floodplain or within 300 feet of a waterway. The Nevada Irrigation District must perform frequent inspections of construction equipment prior to utilizing it near surface waters to ensure leaks from the equipment are not occurring and are not a threat to water quality.
 16. The Nevada Irrigation District shall develop and maintain onsite a project-specific Spill Prevention, Containment and Cleanup Plan outlining the practices to prevent, minimize, and/or clean up potential spills during construction of the project. The Plan must detail the project elements, construction equipment types and location, access and staging and construction sequence. The Plan must also address the potential of responding to a spill or prevention of spills occurring within the project site.
 17. During construction, silt fencing, straw wattles, or other effective management practices must be used along the construction zone to minimize soil or sediment along the embankments from migrating into the waters of the United States.
 18. All materials resulting from the project shall be removed from the site and disposed of properly.
 19. If unanticipated discharges to the waters of the United States and/or soil occur, the Nevada Irrigation District shall notify the Central Valley Water Board Contact indicated in this Certification in writing within 5 calendar days of occurrence. Unanticipated discharges may include, but are not limited to, any construction materials, hazardous materials, pesticides, fuels, lubricants, oils, hydraulic fluids, raw cement, concrete, asphalt, paint, coating material, drilling fluids, or other construction-related potentially hazardous substances.
 20. The Nevada Irrigation District shall obtain coverage under the NPDES General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities Order No. 2009-0009-DWQ for discharges to surface waters comprised of storm water associated with construction activity, including, but not limited to, demolition, clearing, grading, excavation, and other land disturbance activities of one or more acres, or where
-

projects disturb less than one acre but are part of a larger common plan of development that in total disturbs one or more acres.

21. The Conditions in this Certification are based on the information in the attached "Project Information Sheet." If the actual project, as described in the attached Project Information Sheet, is modified or changed, this Certification is no longer valid until amended by the Central Valley Water Board.
22. The Nevada Irrigation District shall implement each of the mitigation measures specified in the approved Mitigated Negative Declaration for the project, as they pertain to biology, hydrology and water quality impacts as required by § 21081.6 of the Public Resource Code and CEQA Guidelines, § 15097 of the California Code of Regulations.
23. In the event of any violation or threatened violation of the conditions of this Certification, the violation or threatened violation shall be subject to any remedies, penalties, process, or sanctions as provided for under state and federal law. The applicability of any state law authorizing remedies, penalties, process, or sanctions for the violation or threatened violation constitutes a limitation necessary to ensure compliance with this Certification.
 - (a) If the Nevada Irrigation District or a duly authorized representative of the project fails or refuses to furnish technical or monitoring reports, as required under this Certification, or falsifies any information provided in the monitoring reports, the applicant is subject to civil liability, for each day of violation, and/or criminal liability.
 - (b) In response to a suspected violation of any condition of this Certification, the Central Valley Water Board may require the Nevada Irrigation District to furnish, under penalty of perjury, any technical or monitoring reports the Central Valley Water Board deems appropriate, provided that the burden, including cost of the reports, shall be in reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - (c) The Nevada Irrigation District shall allow the staff(s) of the Central Valley Water Board, or an authorized representative(s), upon the presentation of credentials and other documents, as may be required by law, to enter the project premises for inspection, including taking photographs and securing copies of project-related records, for the purpose of assuring compliance with this Certification and determining the ecological success of the project.
24. The Nevada Irrigation District shall provide a Notice of Completion (NOC) no later than 30 days after the project completion. The NOC shall demonstrate that the project has been carried out in accordance with the project's description in the Certification and in any amendments approved. The NOC shall include a map of the project location(s), including final boundaries of any on-site restoration area(s), if appropriate, and representative pre and post construction photographs. Each photograph shall include a descriptive title, date taken, photographic site, and photographic orientation.

CENTRAL VALLEY WATER BOARD CONTACT:

~~Trevor Cleak~~ Greg Hendricks, Environmental Scientist
11020 Sun Center Drive #200
Rancho Cordova, CA 95670-6114
~~tcleak@waterboards.ca.gov~~ greg.hendricks@waterboards.ca.gov
(916) 464-4684 (916)-464-4709

CALIFORNIA ENVIRONMENTAL QUALITY ACT:

The Nevada Irrigation District is the Lead Agency responsible for compliance with the California Environmental Quality Act for the Combie Reservoir Sediment Removal Project pursuant to § 21000 et seq. of the Public Resources Code. The Nevada Irrigation District certified a Mitigated Negative Declaration on 23 September 2009 (State Clearinghouse Number 2009072068).

The Central Valley Water Board is a responsible agency for the project. The Central Valley Water Board has determined that the Mitigated Negative Declaration is in accordance with the requirements of the California Environmental Quality Act and is valid pursuant § 21167.3(b) of the Public Resources Code.


The Central Valley Water Board has reviewed and evaluated the potentially significant impacts to water quality identified in the Mitigated Negative Declaration. The various mitigation measures discussed in the Mitigated Negative Declaration to reduce and minimize project impacts are required by this Certification.

With regard to the remaining impacts identified in the Mitigated Negative Declaration the corresponding mitigation measures proposed are within the responsibility and jurisdiction of other public agencies.

WATER QUALITY CERTIFICATION:

I hereby issue an Order certifying that any discharge from the Nevada Irrigation District, Combie Reservoir Sediment and Mercury Removal Project (WDID#5A29CR00068) will comply with the applicable provisions of § 301 ("Effluent Limitations"), § 302 ("Water Quality Related Effluent Limitations"), § 303 ("Water Quality Standards and Implementation Plans"), § 306 ("National Standards of Performance"), and § 307 ("Toxic and Pretreatment Effluent Standards") of the Clean Water Act. This discharge is also regulated under State Water Resources Control Board Water Quality Order No. 2003-0017 DWQ "Statewide General Waste Discharge Requirements For Dredged Or Fill Discharges That Have Received State Water Quality Certification (General WDRs)".

Except insofar as may be modified by any preceding conditions, all Certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in compliance with the conditions of this Certification, the Nevada Irrigation District 's application package, and the attached Project Information Sheet, and (b) compliance with all applicable requirements of the *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins*, Fourth Edition, revised October 2011.


for Pamela C. Creedon
Executive Officer

Enclosure: Project Information

Attachment: Figure 1 – Project Location Map

cc: Distribution List, page 13

PROJECT INFORMATION SHEET

Application Date: 3 November 2010

Supplemental Information: 29 August 2012

Applicant: ~~Timothy Crough~~ Greg Jones
Nevada Irrigation District
1036 West Main Street
Grass Valley, CA 95945

Applicant Representatives: ~~Carrie Monohan~~ Jason Muir
~~The Sierra Fund~~ H&K An NV5 Company
~~432 Broad Street~~ 792 Searls Avenue
~~Nevada City, CA 95959~~ Nevada County, CA 95959

Project Name: Combie Reservoir Sediment and Mercury Removal Project (Project)

Application Number: WDID#5A29CR00068

Type of Project: Reservoir Dredging Project

Timeframe of Project Implementation: 1 January ~~2013~~ 2018 through 31 December ~~2018~~ 2023

Project Location: Section 36, Township 14 North, Range 8 East, MDB&M.
Latitude: 39°02'02" N and Longitude: 121°03'62" W

County: Placer and Nevada Counties

Receiving Water(s) (hydrologic unit): Combie Reservoir, Bear River, Sacramento Hydrologic Basin, Bear River Hydrologic Unit #516.33, Lake Combie HSA

Water Body Type: Reservoir

Designated Beneficial Uses: The *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins*, Fourth Edition, revised October 2011 (Basin Plan) has designated beneficial uses for surface and ground waters within the region. Beneficial uses that could be impacted by the project include, but are not limited to: Municipal and Domestic Water Supply (MUN); Agricultural Supply (AGR); Industrial Supply (IND); Hydropower Generation (POW); Groundwater Recharge (GWR); Water Contact Recreation (REC-1); Non-Contact Water Recreation (REC-2); Warm Freshwater Habitat (WARM); Cold Freshwater Habitat (COLD); Preservation of Biological Habitats of Special Significance (BIOL); Rare, Threatened, or Endangered Species (RARE); Migration of Aquatic Organisms (MIGR); Spawning, Reproduction, and/or Early Development (SPWN); and Wildlife Habitat (WILD). A comprehensive and specific list of the Beneficial Uses applicable for the project area can be found at http://www.waterboards.ca.gov/centralvalley/water_issues/basin_plans/index.shtml.

303(d) List of Water Quality Limited Segments: Combie Reservoir is the receiving water for the Project. Combie Reservoir is listed on the 303(d) list for Mercury. This Project will not impact an already impaired water body. The most recent list of approved water quality limited segments can be found at:

http://www.waterboards.ca.gov/water_issues/programs/tmdl/integrated2010.shtml.

Project Description: The Project will involve suction dredging and excavation of approximately 45 acres of Combie Reservoir. The purpose of the project is to restore capacity and recreational opportunities in Combie Reservoir. The dredge material will be treated through a treatment process to remove mercury and other contaminants. Dredge material will then be transported to a processing plant and the return water will be discharged to a containment pond located adjacent to the reservoir. Prior to discharging water to the reservoir the process water from the sediment and mercury removal system will be discharged into a clarifier tank or settling basins, series of tanks or settling basins, to allow for settling of solids and associated constituents of concern (COCs). Prior to any discharge of process water to Combie Reservoir, samples will be obtained from the clarifier or basin and analyzed for turbidity, suspended solids, temperature, mercury and other COCs. No discharge will occur until analytical result confirm that the processed water/ treatment process achieves basin plan objectives. The Project will not involve the discharge of dredged or fill material into waters of the United States. Activities covered by the certification are limited to the discharge of return water from the process area to the containment pond.

The Project will be conducted over a five year period and will remove approximately 135,000 ~~tons~~ cubic yards of sediment. Sediment will be removed using a floating barge electric suction dredge, bucket dredge, excavation in combination with ~~and~~ mechanical centrifuge dewatering system. The dredge material will be sand and gravel slurry that will be pumped from the dredge site through a pipeline along the levee road to a mobile separation dewatering system. Material will then be fed directly to the mercury removal equipment. (The Project will use a Knelson Concentrator to remove mercury from the dredge material.)

Activities covered by the certification are limited to the discharge of return water from the process area to the containment pond.

Preliminary Water Quality Concerns: Construction activities may impact surface waters with increased turbidity, temperature and settleable matter.

Proposed Mitigation to Address Concerns: The Nevada Irrigation District will implement Best Management Practices to control sedimentation and erosion. All temporary affected areas will be restored to pre-construction contours and conditions upon completion of construction activities. The Nevada Irrigation District will conduct turbidity, temperature and settleable matter testing during in-water work, stopping work if Basin Plan criteria are exceeded or are observed.

Excavation/Fill Area: None

Dredge Volume: Approximately 135,000 cubic yards of sediment will be dredged from 45 acres of waters of the United States.

United States Army Corps of Engineers File Number: SPK #2009-00913

United States Army Corps of Engineers Permit Type: Nationwide Permit #16

California Department of Fish and Game Lake or Streambed Alteration Agreement:
1600-2010-0180-R2.

Possible Listed Species: Hardhead, California red-legged frog, Northwestern pond turtle, Bald Eagle, California Black rail, Brandegees clarkia.


Status of CEQA Compliance: The Nevada Irrigation District approved a Mitigated Negative Declaration on 23 September 2009 (State Clearinghouse Number 2009072068).

The Central Valley Water Board filed a Notice of Determination with the State Clearinghouse as a responsible agency within 5 days of the date of this Certification.

Compensatory Mitigation: The Central Valley Water Board is not requesting compensatory mitigation for the Combie Reservoir Sediment and Mercury Removal Project.

Application Fee Provided: Total fees of \$ 640.00 have been submitted to the Central Valley Water Board as required by § 3833(b)(3)(A) and § 2200(a)(3) of the California Code of Regulations.

Project Location – Combie Reservoir Sediment and Mercury Removal Project



DISTRIBUTION LIST

Lisa Gibson
United States Army Corps of Engineers
Sacramento District Office
Regulatory Division
1325 J Street, Suite 1350
Sacramento, CA 95814-2922

Isabel Baer
Department of Fish and Game
1701 Nimbus Road, Suite A
Rancho Cordova, CA 95670

Bill Jennings
CA Sportfishing Protection Alliance
3536 Rainier Avenue
Stockton, CA 95204

Bill Orme (Electronic copy only)
401 Certification and Wetlands Unit Chief
State Water Resources Control Board

Jason A. Brush (Electronic copy only)
Wetlands Office Supervisor (WTR-8)
United States Environmental Protection Agency

Carrie Monohan
The Sierra Fund
432 Broad Street
Nevada City, CA 95959

California Department of Fish and Game Lake or Streambed Alteration Agreement:
1600-2010-0180-R2.

Possible Listed Species: Hardhead, California red-legged frog, Northwestern pond turtle, Bald Eagle, California Black rail, Brandegees's clarkia.


Status of CEQA Compliance: The Nevada Irrigation District approved a Mitigated Negative Declaration on 23 September 2009 (State Clearinghouse Number 2009072068).

The Central Valley Water Board filed a Notice of Determination with the State Clearinghouse as a responsible agency within 5 days of the date of this Certification.

Compensatory Mitigation: The Central Valley Water Board is not requesting compensatory mitigation for the Combie Reservoir Sediment and Mercury Removal Project.

Application Fee Provided: Total fees of \$ 640.00 have been submitted to the Central Valley Water Board as required by § 3833(b)(3)(A) and § 2200(a)(3) of the California Code of Regulations.

Project Location – Combie Reservoir Sediment and Mercury Removal Project



DISTRIBUTION LIST

Lisa Gibson
United States Army Corps of Engineers
Sacramento District Office
Regulatory Division
1325 J Street, Suite 1350
Sacramento, CA 95814-2922

Isabel Baer
Department of Fish and Game
1701 Nimbus Road, Suite A
Rancho Cordova, CA 95670

Bill Jennings
CA Sportfishing Protection Alliance
3536 Rainier Avenue
Stockton, CA 95204

Bill Orme (Electronic copy only)
401 Certification and Wetlands Unit Chief
State Water Resources Control Board

Jason A. Brush (Electronic copy only)
Wetlands Office Supervisor (WTR-8)
United States Environmental Protection Agency

Carrie Monohan
The Sierra Fund
432 Broad Street
Nevada City, CA 95959
