



EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Central Valley Regional Water Quality Control Board

8 July 2016

Gary Gallelli
Gallelli & Sons, LLC
2150 Douglas Boulevard, Suite 110
Roseville, CA 95661

CLEAN WATER ACT §401 TECHNICALLY CONDITIONED WATER QUALITY CERTIFICATION; GALLELLI & SONS, LLC, GOLD VILLAGE PROJECT (WDID #5B03CR00075), AMADOR COUNTY

ACTION:

1. Order for Standard Certification
2. Order for Technically-conditioned Certification
3. Order for Denial of Certification

WATER QUALITY CERTIFICATION STANDARD CONDITIONS:

1. This Order serves as a Water Quality Certification (Certification) action that is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to § 13330 of the California Water Code and § 3867 of the California Code of Regulations (CCR).
2. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to 23 CCR § 3855(b) of the California Code of Regulations, and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
3. The validity of any non-denial certification action shall be conditioned upon total payment of the full fee required § 3833 of the California Code of Regulations.
4. This Certification is no longer valid if the project (as described) is modified, or coverage under § 404 of the Clean Water Act has expired. Gallelli & Sons, LLC shall notify the Central Valley Water Board within 7 days of the project completion.

5. All reports, notices, or other documents required by this Certification or requested by the Central Valley Water Board shall be signed by a person described below or by a duly authorized representative of that person.
 - a. For a corporation: by a responsible corporate officer such as (1) a president, secretary, treasurer, or vice president of the corporation in charge of a principal business function; (2) any other person who performs similar policy or decision-making functions for the corporation; or (3) the manager of one or more manufacturing, production, or operating facilities if *authority* to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
 - b. For a partnership or sole proprietorship: by a general partner or the proprietor.
 - c. For a municipality, State, federal, or other public agency: by either a principal executive officer or ranking elected official.

6. Any person signing a document under Standard Condition No. 5 shall make the following certification, whether written or implied:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

TECHNICAL CERTIFICATION CONDITIONS:

In addition to the above standard conditions, Gallelli & Sons, LLC shall satisfy the following:

1. Gallelli & Sons, LLC shall notify the Central Valley Regional Water Quality Control Board (Central Valley Water Board) in writing at least **seven (7) days** in advance of the start of any work within waters of the United States. The notification shall include the name of the project and the WDID number, and shall be sent to the Central Valley Water Board Contact indicated in this Certification.
2. Except for activities permitted by the U.S. Army Corps under §404 of the Clean Water Act, soil, silt, or other organic materials shall not be placed where such materials could pass into surface water or surface water drainage courses.
3. Gallelli & Sons, LLC shall maintain a copy of this Certification and supporting documentation (Project Information Sheet) at the Project site during construction for review by site personnel and agencies. All personnel (employees, contractors, and subcontractors) performing work on the proposed Project shall be adequately informed and trained regarding the conditions of this Certification.

4. Gallelli & Sons, LLC shall perform surface water sampling:

- a) when performing any in-water work;
- b) in the event that project activities result in any materials reaching surface waters; or
- c) when any activities result in the creation of a visible plume in surface waters.

The monitoring requirements in Table 1 shall be conducted by taking a sample of the ambient conditions before work begins in the work area, and sampling during work in the work area. The sampling frequency may be modified for certain projects with written approval from Central Valley Water Board staff.

Table 1:

Parameter	Unit	Type of Sample	Minimum Sampling Frequency	Required Analytical Test Method
Turbidity	NTU	Grab ⁽¹⁾	Every 4 hours during in-water work	(4)
Settleable Material	mL/L	Grab ⁽¹⁾	Every 4 hours during in-water work	(2)
Visible construction related pollutants ⁽³⁾	Observations	Visual Inspections	Continuous throughout the construction period	—

⁽¹⁾ Grab samples shall be taken at mid-depth and be collected at the same time each day to get a complete representation of variations in the receiving water.

⁽²⁾ Pollutants shall be analyzed using the analytical methods described in 40 Code of Federal Regulations Part 136; where no methods are specified for a given pollutant.

⁽³⁾ Visible construction-related pollutants include oil, grease, foam, fuel, petroleum products, and construction-related, excavated, organic or earthen materials.

⁽⁴⁾ A hand-held field meter may be used, provided that the meter utilizes a USEPA-approved algorithm/method and is calibrated and maintained in accordance with the manufacturer's instructions. A calibration and maintenance log for each meter used for monitoring required by this Certification shall be maintained at the Project site.

As appropriate, surface water monitoring shall occur at mid-depth. A surface water monitoring report shall be submitted to the Central Valley Water Board Contact indicated in this Certification within two weeks of initiation of sampling and every two weeks thereafter. In reporting the monitoring data, Gallelli & Sons, LLC shall arrange the data in tabular form so that the sampling locations, date, constituents, and concentrations are readily discernible. The data shall be summarized in such a manner to illustrate clearly whether the Project complies with Certification requirements. The report shall include surface water sampling results, visual observations, and identification of the turbidity increase in the receiving water applicable to the natural turbidity conditions specified in the turbidity criteria below.

If no monitoring is conducted, Gallelli & Sons, LLC shall submit a written statement to the Central Valley Water Board Contact indicated in the Certification stating, "No monitoring was required." with the Notice of Completion.

5. The Central Valley Water Board adopted a *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins*, Fourth Edition, revised April 2016 (Basin Plan) that designates beneficial uses, establishes water quality objectives, and contains implementation programs and policies to achieve those objectives for all waters addressed through the plan. Turbidity and settleable matter limits are based on water quality objectives contained in the Basin Plan and are part of this Certification as follows:

- a) Activities shall not cause turbidity increases in surface water to exceed:
 - i. where natural turbidity is less than 1 Nephelometric Turbidity Units (NTUs), controllable factors shall not cause downstream turbidity to exceed 2 NTU;
 - ii. where natural turbidity is between 1 and 5 NTUs, increases shall not exceed 1 NTU;
 - iii. where natural turbidity is between 5 and 50 NTUs, increases shall not exceed 20 percent;
 - iv. where natural turbidity is between 50 and 100 NTUs, increases shall not exceed 10 NTUs;
 - v. where natural turbidity is greater than 100 NTUs, increases shall not exceed 10 percent.

Except that these limits will be eased during in-water working periods to allow a turbidity increase of 15 NTUs over background turbidity. In determining compliance with the above limits, appropriate averaging periods may be applied provided that beneficial uses will be fully protected. Averaging periods may only be used with prior approval of the Central Valley Water Board staff.

- b) Activities shall not cause settleable matter to exceed 0.1 mL/L in surface waters as measured in surface waters within the work area
6. Gallelli & Sons, LLC shall notify the Central Valley Water Board immediately if the above criteria for turbidity, settleable matter or other water quality objectives are exceeded.
7. Refueling of equipment within the floodplain or within 300 feet of the waterway is prohibited. If critical equipment must be refueled within 300 feet of the waterway, spill prevention and countermeasures must be implemented to avoid spills. Refueling areas shall be provided with secondary containment including drip pans and/or placement of absorbent material. No hazardous materials, pesticides, fuels, lubricants, oils, hydraulic fluids, or other construction-related potentially hazardous substances should be stored within a floodplain or within 300 feet of a waterway. Gallelli & Sons, LLC must perform frequent inspections of construction equipment prior to utilizing it near surface waters to ensure leaks from the equipment are not occurring and are not a threat to water quality.
8. Gallelli & Sons, LLC shall develop and maintain onsite a project-specific Spill Prevention, Containment and Cleanup Plan outlining the practices to prevent, minimize, and/or clean up potential spills during construction of the Project. The Plan must detail the Project elements,

construction equipment types and location, access and staging and construction sequence. The Plan must also address the potential of responding to a spill or prevention of spills occurring within the Project site.

9. Asphalt, drilling fluids, lubricants, paints, coating material, oil, petroleum products, or any other substances which could be hazardous to fish and wildlife resulting from or disturbed by project-related activities, shall be prevented from contaminating the soil and/or entering surface waters. Concrete must completely be cured before coming into contact with surface waters. Surface water that contacts wet concrete must be pumped out and disposed of at an appropriate off-site commercial facility, which is authorized to accept concrete wastes.
10. An effective combination of erosion and sediment control Best Management Practices (BMPs) shall be implemented and adequately working during all phases of construction.
11. All areas disturbed by Project activities shall be protected from washout or erosion.
12. All temporarily affected areas shall be restored to pre-construction contours and conditions upon completion of construction activities.
13. This Certification does not allow permanent water diversion of flow from the receiving water. This Certification is invalid if any water is permanently diverted as a part of the Project.
14. The discharge of petroleum products or other excavated materials to surface water is prohibited. Activities shall not cause visible oil, grease, or foam in the receiving water. Gallelli & Sons, LLC shall notify the Central Valley Water Board as soon as practicable of any spill of petroleum products or other organic or earthen materials with written follow up within 5 days.
15. Gallelli & Sons, LLC shall apply for a name change or amendment to this Certification should any of the following occur:
 - a) a change in the ownership of all or any portion of the Project;
 - b) any change in the Project description;
 - c) any change involving discharge amounts, temporary impacts, and/or permanent impacts; and/or
 - d) amendments, modifications, revisions, extensions, and/or changes to the U.S. Army Corps of Engineers' Nationwide Permit(s) #29 and #39, the United States Fish and Wildlife Service decision document(s), and/or the California Department of Fish and Wildlife Streambed Alteration Agreement.
16. The Conditions in this water quality certification are based on the information contained in Gallelli & Sons, LLC's application and in the attached "Project Information Sheet." If the Project, as described in the application and the attached Project Information Sheet, is

modified or changed, this Certification is no longer valid until amended by the Central Valley Water Board.

17. Gallelli & Sons, LLC shall implement each of the mitigation measures specified in the approved Mitigated Negative Declaration for the Project, as they pertain to biology, hydrology and water quality impacts as required by § 21081.6 of the Public Resource Code and § 15097 of the California Code of Regulations.
18. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation shall be subject to any remedies, penalties, process, or sanctions as provided for under the applicable state or federal law. For the purposes of section 401(d) of the Clean Water Act, the applicability of any state law authorizing remedies, penalties, process, or sanctions for the violation or threatened violation constitutes a limitation necessary to ensure compliance with water quality standards and other pertinent requirements incorporated into this certification.
 - a) If Gallelli & Sons, LLC or a duly authorized representative of the project fails or refuses to furnish technical or monitoring reports, as required under this Order, or falsifies any information provided in the monitoring reports, Gallelli & Sons, LLC is subject to civil monetary liabilities, for each day of violation, or criminal liability.
 - b) In response to a suspected violation of any condition of this certification, Central Valley Water Board may require the holder of any federal permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring reports the Central Valley Water Board deems appropriate, provided that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports (Water Code, § 1051, 13165, 13267 and 13383). In response to any violation of the conditions of this certification, the Central Valley Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.
 - c) Gallelli & Sons, LLC shall allow the staff of the Central Valley Water Board, or an authorized representative(s), upon the presentation of credentials and other documents, as may be required by law, to enter the Project premises for inspection, including taking photographs and securing copies of Project-related records, for the purpose of assuring compliance with this Certification and determining the ecological success of the Project.
19. Gallelli & Sons, LLC shall provide evidence of all on-site and off-site compensatory mitigation requirements, including, but not limited to, the purchase of mitigation credits, as required by the U.S. Army Corps of Engineers prior to commencing construction to the Central Valley Water Board.

Compensatory mitigation must comply with the effective policy at the time of Certification, which ensures no overall net loss of wetlands for impacts to waters of the State.

20. Staff of the Central Valley Water Board has prepared total maximum daily load (TMDL) allocations that, once approved, would limit methylmercury in storm water discharges to the Sacramento-San Joaquin Delta. The Central Valley Water Board has scheduled these proposed allocations to be considered for adoption. When the Central Valley Water Board adopts the TMDL and once approved by the Environmental Protection Agency, the discharge of methylmercury may be limited from the proposed project. The purpose of this condition is to provide notice to Gallelli & Sons, LLC that methylmercury discharge limitations and monitoring requirements may apply to this project in the future and also to provide notice of the Central Valley Water Board's TMDL process and that elements of the planned construction may be subject to a TMDL allocation.

STORM WATER QUALITY CONDITIONS:

Gallelli & Sons, LLC shall also satisfy the following additional storm water quality conditions:

1. Gallelli & Sons, LLC shall obtain coverage under the National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Construction and Land Disturbance Activities Order No. 2009-0009-DWQ, as amended, for discharges to surface waters comprised of storm water associated with construction activity, including, but not limited to, demolition, clearing, grading, excavation, and other land disturbance activities of one or more acres, or where projects disturb less than one acre but are part of a larger common plan of development that in total disturbs one or more acres.
2. During the construction phase, Gallelli & Sons, LLC must employ strategies to minimize erosion and the introduction of pollutants into storm water runoff. These strategies must include the following:
 - a) the Storm Water Pollution Prevention Plan (SWPPP) must be prepared during the project planning and design phases and before construction;
 - b) an effective combination of erosion and sediment control Best Management Practices (BMPs) must be implemented and adequately working prior to the rainy season and during all phases of construction.
3. Gallelli & Sons, LLC must minimize the short and long-term impacts on receiving water quality from the Project by implementing the following post-construction storm water management practices:
 - a) minimize the amount of impervious surface;
 - b) reduce peak runoff flows;
 - c) provide treatment BMPs to reduce pollutants in runoff;
 - d) ensure existing waters of the State (e.g., wetlands, vernal pools, or creeks) are not used as pollutant source controls and/or treatment controls;
 - e) preserve and, where possible, create or restore areas that provide important water quality benefits, such as riparian corridors, wetlands, and buffer zones;
 - f) limit disturbances of natural water bodies and natural drainage systems caused by development (including development of roads, highways, and bridges);

- g) use existing drainage master plans or studies to estimate increases in pollutant loads and flows resulting from projected future development and require incorporation of structural and non-structural BMPs to mitigate the projected pollutant load increases in surface water runoff;
 - h) identify and avoid development in areas that are particularly susceptible to erosion and sediment loss, or establish development guidance that protects areas from erosion/sediment loss;
 - i) control post-development peak storm water run-off discharge rates and velocities to prevent or reduce downstream erosion, and to protect stream habitat.
4. Gallelli & Sons, LLC must ensure that all development within the project provides verification of maintenance provisions for post-construction structural and treatment control BMPs. Verification shall include one or more of the following, as applicable:
 - a) the developer's signed statement accepting responsibility for maintenance until the maintenance responsibility is legally transferred to another party; or
 - b) written conditions in the sales or lease agreement that require the recipient to assume responsibility for maintenance; or
 - c) written text in project conditions, covenants and restrictions for residential properties assigning maintenance responsibilities to a home owner's association, or other appropriate group, for maintenance of structural and treatment control BMPs; or
 - d) any other legally enforceable agreement that assigns responsibility for storm water BMP maintenance.
5. Gallelli & Sons, LLC shall provide the Central Valley Water Board Contact indicated in this Certification a Notice of Completion (NOC) no later than 30 days after the Project completion. The NOC shall demonstrate that the project has been carried out in accordance with the project description in the Certification and in any amendments approved. The NOC shall include a map of the project location(s), including final boundaries of any on-site restoration area(s), if appropriate, and representative pre and post construction photographs. Each photograph shall include a descriptive title, date taken, photographic site, and photographic orientation

REGIONAL WATER QUALITY CONTROL BOARD CONTACT PERSON:

Daniel Warner, Water Resource Control Engineer
Central Valley Regional Water Quality Control Board
364 Knollcrest Drive, Suite 205, Redding, California 96002
dwarner@waterboards.ca.gov
(530) 224-4848

WATER QUALITY CERTIFICATION:

I hereby issue an Order certifying that any discharge from Gallelli & Sons, LLC, Gold Village Project (WDID# 5B03CR00075) will comply with the applicable provisions of §301 ("Effluent Limitations"), §302 ("Water Quality Related Effluent Limitations"), §303 ("Water Quality Standards and Implementation Plans"), §306 ("National Standards of Performance"), and §307

("Toxic and Pretreatment Effluent Standards") of the Clean Water Act. This discharge is also regulated under State Water Resources Control Board Water Quality Order No. 2003-0017-DWQ "Statewide General Waste Discharge Requirements For Dredged Or Fill Discharges That Have Received State Water Quality Certification (General WDRs)."

Except insofar as may be modified by any preceding conditions, all Certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in compliance with conditions of this Certification, Gallelli & Sons, LLC's application package, and the attached Project Information Sheet, and (b) compliance with all applicable requirements of the *Water Quality Control Plan for the Sacramento River and San Joaquin River*, Fourth Edition, revised June 2015 (Basin Plan).

Any person aggrieved by this action may petition the State Water Quality Control Board to review the action in accordance with California Water Code § 13320 and California Code of Regulations, Title 23, § 2050 and following. The State Water Quality Control Board must receive the petition by 5:00 p.m., 30 days after the date of this action, except that if the thirtieth day following the date of this action falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Quality Control Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the Internet at: http://www.waterboards.ca.gov/public_notices/petitions/water_quality or will be provided upon request.



(for) Pamela C. Creedon
Executive Officer

DLW:reb

Enclosure: Water Quality Order No. 2003-0017-DWQ

cc w/o

enclosures: Peck Ha, U.S. Army Corp of Engineers, Sacramento
Department of Fish and Wildlife, Region 2, Rancho Cordova
U.S. Fish and Wildlife Service, Sacramento
Bill Jennings, CALSPA, Stockton
Pete Balfour, ECORP Consulting, Inc., Rocklin

cc w/o

enclosures

by email: U.S. EPA, Region 9, San Francisco
Bill Orme, SWRCB, Certification Unit, Sacramento

PROJECT INFORMATION

Application Date: 3 November 2015

Application Deemed Complete: 5 July 2016

Applicant: Gary Gallelli
Gallelli & Sons
2150 Douglas Boulevard, Suite 110
Roseville, CA 95661

Project Name: Gold Village Project

Application Number: WDID No. 5B03CR00075

U.S. Army Corps File Number: SPK-2014-00078

Type of Project: Mixed-use residential and commercial development.

Project Location: Section 30, Township 6 North, Range 10 East
Latitude: 38.348° and Longitude: -120.928°

County: Amador County

Receiving Water(s) (hydrologic unit): North Valley Floor Hydrologic Unit No.531.11 –
Herald HSA

Water Body Type: Wetland

Designated Beneficial Uses: The *Water Quality Control Plan for the Sacramento River and San Joaquin River Basins*, Fourth Edition, revised June 2015 (Basin Plan) has designated beneficial uses for surface and ground waters within the region. Beneficial uses that could be impacted by the project include, but are not limited to: Municipal and Domestic Water Supply (MUN); Agricultural Supply (AGR); Water Contact Recreation (REC-1); Non-Contact Water Recreation (REC-2); Warm Freshwater Habitat (WARM); Cold Freshwater Habitat (COLD); Migration of Aquatic Organisms (MIGR); Spawning, Reproduction, and/or Early Development (SPWN); and Wildlife Habitat (WILD). A comprehensive and specific list of the beneficial uses applicable for the project area can be found at http://www.waterboards.ca.gov/centralvalley/water_issues/basin_plans/index.shtml.

Project Description (purpose/goal): The Gold Village Project is located in the eastern portion of the City of Lone, Amador County. The project is located south of State Highway 104, north of Old Lone Jackson Road, and east of Lone Elementary School.

The Applicant, Gallelli & Sons, LLC, proposes the development of a commercial/residential Project. Entitlement of the property will result in fill of 0.352-acre of jurisdictional seasonal wetlands, seasonal wetland swale, ephemeral drainage, and a ditch.

The 22.59-acre Project will be divided into easterly and westerly developments by an extension of Foothill Boulevard. East of Foothill Boulevard, 49 single family residential lots are proposed.

Typical lot size will be 50 feet by 105 feet. The East Project development will be improved with curb, gutter, sidewalk and roadway improvements consistent with City of Lone Minor Residential Street Standards. Sewer, storm drainage, and street light improvements will be designed and implemented per City of Lone Standards. Water improvements will conform to Amador Agency Standards. The single family residential improvements will include underground power, natural gas, telephone, and cable TV facilities.

West of Foothill Boulevard, a mix of single-family, multi-family residential, and neighborhood commercial land use is proposed. Thirty single-family lots, ± 2.7 acres of multi-family development, and an ± 1.0 acre neighborhood commercial site are planned. Roadway and utility improvements proposed for the West Project development would be similar to improvements constructed for the east side of the Project.

Project land east of Foothill Boulevard will be served by storm drainage facilities located within the Foothill Boulevard extension. Consistent with drainage master plans and drainage studies prepared for the Howard Park Detention Basin and for the Wildflower Subdivision, Gold Village East will drain to the Howard Park Detention Basin. Topography west of Gold Village West slopes significantly to the west away from Foothill Boulevard. This portion of the Project will be served by an on-site detention basin, with the attenuated storm water runoff discharged to existing City of Lone drainage channels and pipelines west of the Project site. Consistent with City of Lone Standards, the after-project storm water runoff from the Gold Village West development, with the proposed on-site detention basin, will not exceed the pre-project runoff.

Given the Project area's topography, it is proposed that the Project's West and East developments be served by an off-site extension of sewers that connect to existing City of Lone sewer facilities at the northwest corner of the Lone Elementary School site.

The project will permanently impact 0.352 acre(s) of waters of the United States

Preliminary Water Quality Concerns: Construction activities including soil disturbance, excavation, cutting/filling, and grading activities could result in increased erosion and sedimentation and may impact surface waters with increased turbidity, settleable matter.

Proposed Mitigation to Address Concerns: Gallelli & Sons, LLC will implement Best Management Practices (BMPs) to control sedimentation and erosion. All temporary affected areas will be restored to pre-construction contours and conditions upon completion of construction activities. Gallelli & Sons, LLC will conduct turbidity, settleable matter testing during in-water work, stopping work if Basin Plan criteria are exceeded or are observed.

Fill/Excavation Area: Approximately 3,350 cubic yards of native soil will be placed into 0.352 acres of waters of the United States.

Dredge Volume: N/A

California Integrated Water Quality System Impact Data: The Project will permanently impact 0.352 acre(s) wetland from fill activities.

Table 1: Impacts from Fill Activities

Fill Type	Permanent			Temporary		
	Acres	Linear Feet	Cubic Yards	Acres	Linear Feet	Cubic Yards
Wetlands						
Seasonal Wetlands	0.066	NA			NA	
Seasonal Wetland Swale	0.255	508				
Wetlands Total	0.321	NA			NA	
Riparian Area						
Ditch	0.014	201				
Ephemeral Drainage	0.017	369				
Riparian Area Total	0.031	570				
Total Impacts	0.352	1,078				

Notes

NA Not Applicable

United States Army Corps of Engineers Permit Type: Nationwide Permit(s) #29 and #39

Department of Fish and Wildlife Lake or Streambed Alteration Agreement: Gallelli & Sons, LLC did not apply for a Lake or Streambed Alteration Agreement.

Possible Listed Species: No Federal or State listed species were listed in the Section 401 Water Quality Certification Application

Status of CEQA Compliance: The City of Lone is the Lead Agency responsible for compliance with the California Environmental Quality Act for the Gold Village Project pursuant to § 21000 et seq. of the Public Resources Code. The City of Lone approved the Mitigated Negative Declaration on 7 April 2016. The City of Lone filed a Notice of Determination with the State Clearinghouse on 8 April 2016 (State Clearinghouse Number 2015022096).

Compensatory Mitigation: As required by the U.S. Army Corps of Engineers, Gallelli & Sons, LLC will purchase mitigation credits of 0.35 acres (0.32 Floodplain Mosaic Wetland credits and 0.03 Floodplain Riparian credits) to mitigate for 0.352 acres of impacts to waters of the United States. Additionally, the selected mitigation bank shall include the area of the permitted project within its service area.

Evidence of this purchase shall be provided to the Central Valley Water Board prior to proceeding with the activity authorized by this Certification.

Application Fee Provided: An application fee of \$600.00 was submitted on 3 November 2015 and an additional fee of \$13,953.00 was submitted on 29 June 2016. A total fee of \$14,553.00

has been submitted to the Central Valley Water Board as required by § 3833(b)(3)(A) and § 2200(a)(3) of the California Code of Regulations.