

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
CENTRAL VALLEY REGION

ADMINISTRATIVE CIVIL LIABILITY ORDER R5-2016-0063

IN THE MATTER OF

JAMES G. AND AMELIA M. SWEENEY  
SWEENEY DAIRY  
TULARE COUNTY

This Order is issued to the James G. and Amelia M. Sweeney (hereafter Discharger) pursuant to California Water Code (Water Code) section 13268, which authorizes the imposition of Administrative Civil Liability. This Order is based on findings that the Discharger violated provisions of Reissued Waste Discharge Requirements General Order for Existing Milk Cow Dairies, Order R5-2013-0122 (hereinafter Reissued General Order).

The Central Valley Regional Water Quality Control Board (Central Valley Water Board or Board) finds the following:


1. The Discharger owns and operates the Sweeney Dairy (Dairy) located at 30712 Road 170, Visalia, California, County of Tulare.
2. The Dairy is regulated by the Reissued Waste Discharge Requirements General Order for Existing Milk Cow Dairies, Order R5-2013-0122 (Reissued General Order) and accompanying Monitoring and Reporting Program (MRP), which was adopted by the Central Valley Water Board on 3 October 2013. The Reissued General Order replaces the Waste Discharge Requirements General Order for Existing Milk Cow Dairies, Order R5-2007-0035 (hereinafter 2007 General Order) and accompanying MRP, which was issued by the Central Valley Water Board on 3 May 2007. The Reissued General Order and the MRP contain reporting requirements for dairies regulated by the Reissued General Order.
3. Water Code section 13267 authorizes the Regional Water Boards to require the submittal of technical and monitoring reports from any person who has discharged, discharges, or is suspected of having discharged or discharging, or who proposes to discharge to waters of the state.
4. The Reissued General Order and the MRP required the Discharger to submit a 2014 Annual Report by 1 July 2015 pursuant to the Central Valley Water Board's authority in accordance with Water Code section 13267.

5. The Discharger violated Water Code section 13267 by failing to submit the 2014 Annual Report required by the Reissued General Order and Monitoring and Reporting Program by the required deadline of 1 July 2015.
6. On 24 August 2015, the Central Valley Water Board staff issued a Notice of Violation notifying the Discharger that the 2014 Annual Report had not been received. The Notice of Violation requested that the delinquent report be submitted as soon as possible to minimize potential liability.
7. On 7 March 2016, the Central Valley Water Board staff issued a courtesy pre-filing settlement letter notifying the Discharger that staff was in the process of assessing civil liability for failure to submit the 2014 Annual Report.
8. On 4 April 2016, the Assistant Executive Officer, lead prosecutor for the Prosecution Team, issued Administrative Civil Liability Complaint (Complaint) No. R5-2016-0531 to the Discharger recommending that the Central Valley Water Board assess the Discharger an administrative civil liability in the amount of \$59,850 pursuant to Water Code section 13268 for the failure to submit the 2014 Annual Report.
9. Issuance of this Administrative Civil Liability Order to enforce Water Code Division 7, Chapter 5.5 is exempt from the provisions of the California Environmental Quality Act (Pub. Resources Code § 21000 et seq.), in accordance with California Code of Regulations, title 14, section 15321(a)(2).
10. On 17 November 2009 the State Water Resources Control Board adopted Resolution No. 2009-0083 amending the Water Quality Enforcement Policy (Enforcement Policy). The Enforcement Policy establishes a methodology for assessing discretionary administrative civil liability. Use of the methodology addresses the factors used to assess a penalty under Water Code section 13327. The required factors under Water Code section 13327 have been considered using the methodology in the Enforcement Policy as explained in detail in Attachment A to this Order. Attachment A is attached hereto and incorporated herein by reference.
11. This Order is effective and final upon issuance by the Central Valley Water Board. Payment must be received by the Central Valley Water Board no later than thirty (30) days from the date on which this Order is issued.
12. In the event that the Discharger fails to comply with the requirements of this Order, the Executive Officer or her delegate is authorized to refer this matter to the Attorney General's Office for enforcement.

13. Any person aggrieved by this action of the Central Valley Water Board may petition the State Water Board to review the action in accordance with Water Code section 13320 and California Code of Regulations, title 23, sections 2050 and following. The State Water Board must receive the petition by 5:00 p.m., 30 days after the date that this Order becomes final, except that if the thirtieth day following the date that this Order becomes final falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the Internet at:  
[http://www.waterboards.ca.gov/public\\_notices/petitions/water\\_quality](http://www.waterboards.ca.gov/public_notices/petitions/water_quality) or will be provided upon request.

**IT IS HEREBY ORDERED** that pursuant to section 13323 of the Water Code, the Discharger is assessed an administrative civil liability in the amount of fifty-nine thousand eight hundred and fifty dollars (\$59,850). Payment shall be made in the form of a check made payable to the State Water Pollution Cleanup and Abatement Account no later than thirty days from the date of issuance of this Order.

I, Pamela Creedon, Executive Officer, do hereby certify that the foregoing is a full, true, correct copy of an Order issued by the California Regional Water Quality Control Board, Central Valley Region, and that such action occurred on 18 August 2016.

  
PAMELA C. CREEDON, Executive Officer

**Attachment A – ACL Order No. R5-2016-0063**  
**Specific Factors Considered – Civil Liability**  
**James G. & Amelia M. Sweeney**  
**Sweeney Dairy**

The Central Valley Water Board finds that the Discharger failed to submit the 2014 Annual Report required to be submitted by 1 July 2015. For the purpose of applying the Enforcement Policy's administrative civil liability methodology, the violation is a non-discharge violation. Each factor of the Enforcement Policy and its corresponding score for each violation are presented below:

**Failure to submit 2014 Annual Report:** In accordance with the Reissued Waste Discharge Requirements General Order for Existing Milk Cow Dairies, Order R5-2013-0122 (Reissued General Order) and the accompanying Monitoring and Reporting Program (MRP), a 2014 Annual Report must be submitted for regulated facilities by 1 July 2015. To date, James G. and Amelia M. Sweeney (hereinafter the Discharger) has not submitted this report for the Sweeney Dairy.

**Calculation of Penalty for Failure to Submit 2014 Annual Report**

**Step 1. Potential for Harm for Discharge Violations**

This step is not applicable because the violation is a not a discharge violation.

**Step 2. Assessment for Discharge Violations**

This step is not applicable because the violation is a not a discharge violation.

**Step 3. Per Day Assessment for Non-Discharge Violations**

The per day factor is 0.35.

This factor is determined by using the potential for harm of the violation and the extent of the Discharger's deviation from requirements. The potential for harm was determined to be minor. The failure to submit the 2014 Annual Report did not increase the amount of pollution discharged or threatened to discharge into waters of the State. However, failing to submit the Annual Report to the Central Valley Water Board hinders the Board's ability to detect and address noncompliance. The Annual Report is a key means through which the Central Valley Water Board evaluates a Discharger's compliance with the Reissued General Order, including the assessment of proper manure application to fields and waste management in a dairy's production area. By failing to provide the information in the Annual Report, the Discharger frustrates the Board's efforts to assess the potential impacts and risks to water quality and circumvents the Board's ability to take necessary enforcement action to correct problems. The regulatory program is compromised when staff resources are directed toward bringing the Discharger into compliance and those resources are not available for

## Attachment A – ACL Order No. R5-2016-0063

other program activities. Since the violation thwarts the Board's ability to identify water quality risks, the violation has the potential to exacerbate the presence and accumulation of, and the related risks associated with, pollutants of concern. Failing to timely submit the Annual Report to the Central Valley Water Board hinders the Board's ability to address noncompliance. Those circumstances present at least a minor potential for harm.

The deviation from requirements was determined to be major, as the requirement to submit the Annual Report has been rendered ineffective. The failure to submit the required technical report undermines the Central Valley Water Board's efforts to prevent water quality degradation and implement the regulatory protection measures detailed in the Reissued General Order. Because the Discharger failed to submit the report, the Discharger was assessed a major deviation from the requirement.

### **Initial Liability**

The failure to submit an annual report is an enforceable violation under Water Code section 13268(b)(1) by civil liability in an amount which shall not exceed one thousand dollars (\$1,000) for each day in which the violation occurs. The Discharger failed to submit a 2014 Annual Report by 1 July 2015 as required by the Reissued General Order and the MRP, and is 275 days late as of the issuance date of this Complaint. Therefore, the Per Day Assessment is calculated as (0.35 factor from Table 3) X (275 days) X (\$1,000 per day). The Initial Liability Amount is \$94,850.

### **Step 4. Adjustment Factors**

The Enforcement Policy allows for multi-day violations to be consolidated provided certain findings can be made. The Enforcement Policy also describes three factors related to the Discharger's conduct that should be considered for modification of the initial liability amount: the Discharger's culpability, the Discharger's efforts to clean up and cooperate with regulatory authorities after the violation, and the Discharger's history of violations. After each of these factors is considered for the violation alleged, the applicable factor should be multiplied by the proposed liability amount for the violation.

#### *a) Multiple Day Violations*

The Enforcement Policy provides that, for violations lasting more than 30 days, the Central Valley Water Board may adjust the per-day basis for civil liability if certain findings are made and provided that the adjusted per-day basis is no less than the per-day economic benefit, if any, resulting from the violation.

For these cases, the Central Valley Water Board must make express findings that the violation: (1) is not causing daily detrimental impacts to the environment

## Attachment A – ACL Order No. R5-2016-0063

or the regulatory program; or (2) results in no economic benefit from the illegal conduct that can be measured on a daily basis; or (3) occurred without the knowledge or control of the violator, who therefore did not take action to mitigate or eliminate the violation. If one of these findings is made, an alternate approach to penalty calculation for multiple day violations may be used.

Here, the Central Valley Water Board finds that the Discharger's failure to submit a 2014 Annual Report is not causing daily detrimental impacts to the environment or the regulatory program. There is no evidence that the Discharger's failure to submit a 2014 Annual Report has detrimentally impacted the environment on a daily basis, since obtaining regulatory coverage does not result in an immediate evaluation of, or changes in, practices that could be impacting water quality. There is no daily detrimental impact to the regulatory program because information that would have been provided by the Discharger pursuant to the regulatory requirements would have been provided on an intermittent, rather than daily basis.

Moreover, the Discharger's failure to submit a 2014 Annual Report results in no economic benefit that can be measured on a daily basis. Rather, the economic benefit here is associated with avoided costs of preparing and submitting a 2014 Annual Report.

Either of the above findings justifies use of the alternate approach to penalty calculation for multiple day violations. The Enforcement Policy provides a floor in that the liability shall not be less than an amount that is calculated based on an assessment of daily penalties for the first day of violation, plus an assessment for each five-day period of violation until the 30th day, plus an assessment of one day for each thirty days of violation thereafter (Minimum Approach). Applying this assessment method on the total 275 violation days gives the Board the discretion to reduce the assessed penalty days to a minimum number of 15 days. However, because this approach generates a Total Base Liability Amount that is not a sufficient deterrent, and because the Discharger's unwillingness to comply with the Reissued General Order undermines the Central Valley Water Board's ability to protect water quality through its regulatory program, the Central Valley Water Board has increased the number of days of violation above the Minimum Approach to a total number of 38 days of violation.

A calculation of initial liability totals \$13,300 (0.35 per day factor X 38 adjusted days of violation X \$1,000 per day penalty).

### b) *Culpability*: 1.5

*Discussion*: The Discharger was assessed a score of 1.5, which increases the liability amount. As an enrolled dairy, the Discharger is required to comply with the requirements of the Reissued General Order, including the requirement to submit annual reports. Despite the fact that the Discharger received multiple

## Attachment A – ACL Order No. R5-2016-0063

notices regarding the requirements set forth in the Reissued General Order, the Discharger failed to comply. The Discharger was well aware of the requirement to submit the 2014 Annual Report, as the Discharger had submitted an annual report for the calendar year 2008 under the 2007 General Order. The Discharger also failed to submit annual reports for calendar years 2009, 2010, 2011, 2012, and 2013 and was assessed administrative civil liability for each of these violations (see *History of Violations* below). A factor of 1.5 is appropriate where the Discharger's conduct amounted to intentional or negligent behavior, falling below what a reasonable and prudent person would have done in similar circumstances. Given the fact that the Discharger has chosen to willfully violate the requirement, the maximum culpability score of 1.5 has been applied.

c) *Cleanup and Cooperation: 1.5*

*Discussion:* The Discharger was assessed a score of 1.5, which increases the liability amount. The Discharger was issued a Notice of Violation (NOV) on 24 August 2015, which requested that the report be submitted as soon as possible to minimize liability. The Discharger was unresponsive to the NOV, and did not cooperate with the Water Board to come back into compliance. The violation of Water Code section 13268, subdivision (a), alleged herein, is a non-discharge violation, and thus cleanup is not applicable.

d) *History of Violations: 2*

*Discussion:* The Discharger was assessed the score of 2, which increases the liability. The Central Valley Water Board adopted Administrative Civil Liability Order No. R5-2011-0068 on 13 October 2011 for the Discharger's failure to submit the 2009 Annual Report and the Waste Management Plan by the required deadlines, as required by the 2007 General Order and the MRP. In addition, the Central Valley Water Board has adopted the following Administrative Civil Liability (ACL) Orders against the Discharger: 1) ACL Order No. R5-2012-0070 on 2 August 2012 for the Discharger's failure to submit the 2010 Annual Report as required by the 2007 General Order and the MRP; 2) ACL Order No. R5-2013-0091 on 25 July 2013 for the Discharger's failure to submit the 2011 Annual Report as required by the 2007 General Order and the MRP and for failure to comply with a Water Code 13267 Order issued to the Discharger on 4 May 2012; 3) ACL Order No. R5-2014-0119 on 9 October 2014 for the Discharger's failure to submit the 2012 Annual Report as required by the 2007 General Order and the MRP; and 4) ACL Order No. R5-2015-0065 on 4 June 2015 for the Discharger's failure to submit the 2013 Annual Report as required by the Reissued General Order and the MRP. The Enforcement Policy requires that a minimum multiplier of 1.1 be used when there is a history of repeat violations. Because the Discharger has repeatedly violated the annual reporting requirement in the

## Attachment A – ACL Order No. R5-2016-0063

2007 General Order and 2013 Reissued General Order, a multiplier of 2 was assessed.

### Step 5. Determination of Total Base Liability Amount

The Total Base Liability is determined by applying the adjustment factors from Step 4 to the Initial Liability Amount determined in Step 3.

- a) *Total Base Liability Amount: \$59,850* [Initial Liability (\$13,300) x Adjustments (1.5)(1.5)(2)].

### Step 6. Ability to Pay and Continue in Business

The Enforcement Policy provides that if the Central Valley Water Board has sufficient financial information to assess the violator's ability to pay the Total Base Liability, or to assess the effect of the Total Base Liability on the violator's ability to continue in business, then the Total Base Liability amount may be adjusted downward.

- a) *Adjusted Total Base Liability Amount: \$59,850*

*Discussion:* The Discharger has the ability to pay the Total Base Liability Amount based on 1) the Discharger owns the Dairy, a significant asset, and 2) the Discharger operates a dairy, an ongoing business that generates profits.

Without additional information provided by the Discharger, based on this initial assessment of information available in the public record, it appears the Discharger has the assets to pay the Total Base Liability. Based on the reasons discussed above, no reduction in liability is warranted.

### Step 7. Other Factors as Justice May Require

- a) *Adjusted Combined Total Base Liability Amount: \$59,850 + \$0 (Step 7 adjustments) = \$59,850.*
- b) *Discussion:* No adjustment to the Total Base Liability Amount has been made based on "other factors as justice may require."

### Step 8. Economic Benefit

- a) *Estimated Economic Benefit: \$3,185*

*Discussion:* The Discharger has received an economic benefit from the costs saved by not collecting the required samples and analytical data for manure, process wastewater, irrigation water, groundwater, soil, and plant tissue, and



## Attachment A – ACL Order No. R5-2016-0063

from not drafting and preparing the 2014 Annual Report. This benefit is based on the estimated costs of sampling and preparing the 2014 Annual Report required under the Reissued Dairy General Order (\$3,185). The adjusted combined total base liability amount of \$59,850 is more than the economic benefit amount (\$3,185) plus ten percent as required by the Enforcement Policy.

### Step 9. Maximum and Minimum Liability Amounts

a) *Minimum Liability Amount: \$3,504*

*Discussion:* The Enforcement Policy requires that the minimum liability amount imposed not fall below the economic benefit plus ten percent. As discussed above, the Central Valley Water Board Prosecution Team's estimate of the Discharger's economic benefit obtained from the alleged violation is \$3,185. Therefore, the minimum liability amount is \$3,504 [Economic Benefit (\$3,185) x Adjustment (1.1)].

b) *Maximum Liability Amount: \$275,000*

*Discussion:* The maximum administrative liability amount is the maximum amount allowed by Water Code section 13367, subdivision (b)(1): one thousand dollars (\$1,000) for each day in which the violation occurs. The maximum liability amount is \$275,000 (275 total days X \$1,000 per day).

The liability falls within these maximum and minimum liability amounts.

### Step 10. Final Liability Amount

Based on the foregoing analysis, and consistent with the Enforcement Policy, the final liability amount for the failure to submit the 2014 Annual Report is **\$59,850**.