

## Central Valley Regional Water Quality Control Board

13 August 2025

Kirk Steed  
Recology Ostrom Road, Inc.  
5900 Ostrom Road  
Wheatland, CA 95692

**Certified Mail**  
**7021 1970 000 8962 1720**

### NOTICE OF APPLICABILITY

**WAIVER OF REPORT OF WASTE DISCHARGE AND WASTE DISCHARGE  
REQUIREMENTS FOR SPECIFIC TYPES OF DISCHARGE WITHIN  
THE CENTRAL VALLEY REGION  
RECOLOGY OSTROM ROAD, INC.  
RECOLOGY OSTROM ROAD LANDFILL  
WELL DEVELOPMENT WATER REUSE  
YUBA COUNTY**

On 2 July 2025, Recology Ostrom Road, Inc. (Discharger) submitted a Notice of Intent to obtain coverage under the *Waiver of Report of Waste Discharge and Waste Discharge Requirements for Specific Types of Discharge within the Central Valley Region*, Resolution R5-2023-0061 (the Waiver). The submittal contained all the information required to evaluate the applicability of the Waiver; therefore, the NOI was considered complete and the discharge met the conditions of the Waiver. The discharge is hereby covered under the Waiver and assigned enrollee number **R5-2023-0061-0040**. Please include this number in all correspondence related to this discharge. A copy of the Low Threat Waiver is enclosed and also available on the Central Valley Regional Water Quality Control Board's [website](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/waivers/r5-2023-0061.pdf). ([https://www.waterboards.ca.gov/centralvalley/board\\_decisions/adopted\\_orders/waivers/r5-2023-0061.pdf](https://www.waterboards.ca.gov/centralvalley/board_decisions/adopted_orders/waivers/r5-2023-0061.pdf)).

### PROJECT LOCATION AND DESCRIPTION

The Recology Ostrom Road Landfill (Parcel No. 015080018000) is located at 5900 Ostrom Road on the west side of South Beale Road in Wheatland, Yuba County (T14N, R5E; portions of Sections 10, 11, 14, and 15). Two groundwater monitoring wells have recently been installed at the site. Approximately 5,000 gallons of drilling-development and purge water, generated as a one-time event during the installation of these wells, will initially be stored temporarily in an on-site holding tank to allow solids to settle. After clarification, this water will be reused on-site for dust control and equipment wash-down along internal haul roads and operational areas, primarily located in the northern, eastern, and southeastern

portions of the facility. The disposal of any additional water generated from these wells in the future will be handled separately.

The project is within the jurisdiction of the Central Valley Water Quality Control Plan for the Sacramento River and San Joaquin River Basins, Fifth Edition, revised December 2020 (hereafter Basin Plan). The Basin Plan designates beneficial uses, establishes water quality objectives, contains implementation plans and policies for protecting waters of the Basin, and incorporates by reference plans and policies adopted by the State Water Resources Control Board. Pursuant to §13263(a) of the California Water Code (CWC), waste discharge requirements must implement the Basin Plan

## **FACILITY-SPECIFIC REQUIREMENTS**

Please familiarize yourself with the contents of the Waiver, including the Conditions of Discharge (Attachment A of the Waiver). The discharge must be managed in accordance with the requirements contained in the Conditions of Discharge and with the information submitted in your application and this Notice of Applicability (NOA). Recology Ostrom Road, Inc. is responsible for compliance with the waiver and must provide sufficient oversight to ensure compliance and prompt reporting of any noncompliance. Upon completion of the discharge activities and confirmation that all discharged well water has percolated and/or evaporated, the Dischargers shall notify the Central Valley Water Board to request termination of coverage under the Waiver.

## **DOCUMENT SUBMITTALS**

All monitoring reports and other correspondence should be converted to searchable Portable Document Format (PDF) and submitted electronically. Documents that are less than 50 MB should be emailed to:

[centralvalleysacramento@waterboards.ca.gov](mailto:centralvalleysacramento@waterboards.ca.gov).

To ensure that your submittal is routed to the appropriate staff person, the following information must be included in the body of the email or any documentation submitted to the mailing address for this office:

Facility Name: Recology Ostrom Road Landfill -Well Development Water Reuse  
Program: Non-15 Compliance  
Order: R5-2023-0061-0040  
CIWQS Place ID: 246287

Documents that are 50 MB or larger should be transferred to a CD, DVD, or flash drive and mailed to:

Central Valley Regional Water Quality Control Board  
ECM Mailroom  
11020 Sun Center Drive, Suite 200  
Rancho Cordova, CA 95670

Now that the Notice of Applicability has been issued, the Board's Compliance and Enforcement section will take over management of your case. Brendan Kenny is your new point of contact for any questions about the Waiver. If you find it necessary to make a change to your permitted operations, Brendan will direct you to the appropriate Permitting staff. You may contact Brendan at (916) 464-4635 or at [brendan.kenny@waterboards.ca.gov](mailto:brendan.kenny@waterboards.ca.gov).

---

for Patrick Pulupa  
Executive Officer

Enclosure: Waiver Order R5-2023-0061

cc w/o encl: Yuba County Environmental Health Department  
Joe Bendorf, Environmental Manager, Recology Ostrom Road, Inc