



**Central Valley Regional Water Quality Control Board
11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114**

NOTICE OF PUBLIC HEARING
concerning
WASTE DISCHARGE REQUIREMENTS
FOR
BASALITE BUILDING PRODUCTS, LLC
BASALITE CONCRETE PRODUCTS
SOLANO COUNTY

NOTICE IS HEREBY GIVEN that the Central Valley Regional Water Quality Control Board (Central Valley Water Board) will consider a Tentative Waste Discharge Requirements (WDRs) Order for Basalite Building Products, LLC (hereafter Discharger), Basalite Concrete Products (Facility) at a public meeting scheduled for:

DATE: 16/17 April 2026
TIME: 9:00 a.m.
PLACE: City of Clovis Council Chambers
1033 Fifth Street
Clovis, CA 93612

The date, time, and location of the public meeting may change after this Notice is issued. A Final Agenda for the meeting will be made available at least 10 days before the meeting. The Final Agenda will provide the location and format of the meeting, the anticipated date that the proposed Order will be considered, and the anticipated Order of all agenda items; however, the Board may consider agenda items out of their listed Order. The agenda materials may also include staff revisions to the proposed Order.

The Final Agenda, and any information concerning changes to the date, time, location, or format of the public meeting, will be posted on the Central Valley Water Board's website, [Central Valley Water Board's website](http://www.waterboards.ca.gov/centralvalley/board_info/meetings/) at

(https://www.waterboards.ca.gov/centralvalley/board_info/meetings/)

NICHOLAS AVDIS, CHAIR | PATRICK PULUPA, EXECUTIVE OFFICER

11020 Sun Center Drive, #200, Rancho Cordova, 95670-6114 | www.waterboards.ca.gov/centralvalley

and will be emailed to all persons that sign up for the [GovDelivery subscription list](#) at https://www.waterboards.ca.gov/resources/email_subscriptions/reg5_subscribe.html).

The meeting will be webcast live on YouTube. A weblink for viewing will be provided in the Final Agenda. Any person who would like to participate in the meeting, but who is unable to attend in-person, may participate remotely via video or teleconference. Instructions for doing so will be provided in the Final Agenda for the meeting.

- The hearing facilities will be accessible to people with disabilities. Individuals requiring special accommodations are requested to contact Ms. Mindy Bunn at (916) 464-4839 or Mindy.Bunn@waterboards.ca.gov at least five working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922. To request oral interpretation or sign language services, please submit your request at least 10 business days before the meeting by calling (916) 341-5254 or e-mailing opp_languageservices@waterboards.ca.gov.

Opportunities to Comment

The Central Valley Water Board will consider oral and written comments on the proposed Order before it votes on whether to adopt the Order.

Written comments or evidence concerning the Order must be submitted by 5:00 pm on 30 March 2026. Please email any comments to centralvalleysacramento@waterboards.ca.gov and cc: scott.armstrong@waterboards.ca.gov with the subject line, “**Comments on WDRs for Basalite Concrete Products.**” While email is preferred, written comments may also be mailed to the following address:

Attention: Scott Armstrong.
Senior Engineering Geologist
Central Valley Regional Water Quality Control Board
11020 Sun Center Drive, Suite 200
Rancho Cordova CA 95670

The Board Chair may refuse to admit any comments or evidence received after the comment period unless the submitting party provides a reasonable explanation for why the submission is late and the Board Chair determines that admission of the late submission would not prejudice any other party.

Oral comments concerning the Order must be presented at the scheduled public meeting. Interested parties are generally allowed up to three minutes each to provide their comments. Certain **designated parties** may provide longer comments and have

the right to call and examine witnesses, introduce exhibits, cross-examine opposing witnesses, impeach any witness, and to rebut the evidence against him or her. The party subject to the proposed Order is a designated party. Any other party may request recognition as a designated party by submitting a written statement of how they are directly affected by the discharge(s) to be regulated and why they would like to be considered a designated party. Such requests must be submitted to Central Valley Water no later than **5:00 p.m. on 30 March 2026**. Instructions on how to provide oral comments will be included in the Final Agenda for the meeting.

Proposed Order

On 5 March 2020, Basalite Building Products, LLC (Discharger), submitted a Report of Waste Discharge (RWD) to apply for Waste Discharge Requirements (WDRs) for discharge of wastewater generated from sawing and grinding concrete blocks at the Basalite Concrete Products (Facility) in Dixon, Solano County. The Facility is located at 605 Industrial Way, Dixon in Solano County (Section 13, Township 7 North, Range 1 East, Mount Diablo Principal Meridian).

The RWD indicates that the Facility was constructed in 1987 and has not been previously regulated under WDRs. The Discharger owns and operates the Facility and is responsible for compliance with these WDRs.

The Discharger states that approximately 4,300 gallons of process wastewater is generated during a typical workday. The onsite wastewater treatment and disposal system consists of three concrete Settling Basins, a carbon dioxide gas inject system for wastewater pH neutralization, an unlined effluent Storage Pond, and 16 acres of Land Application Areas (LAAs). The treated wastewater in the Storage Pond is applied to the LAAs via water trucks for dust suppression in the LAAs.

To conserve paper and reduce mailing costs, a paper copy of the proposed Order will be sent only to the Discharger. All others may access a digital copy of the Order on the Central Valley Water Board's [Tentative Orders website](#), under the heading, "Discharger-Specific Order for Future Board Meetings," at

[\(https://www.waterboards.ca.gov/centralvalley/board_decisions/tentative_Orders/\)](https://www.waterboards.ca.gov/centralvalley/board_decisions/tentative_Orders/).

Copies of the proposed Order and associated documents may also be obtained by visiting the office of the Central Valley Water Board at 11020 Sun Center Drive, #200, Rancho Cordova, California, 95670-6114 or by contacting the Board by phone at (916) 464-3291, weekdays between 8:00 a.m. and 5:00 p.m. Questions concerning the proposed Order or anything in this Notice should be directed to Scott Armstrong at (916) 464-4616 or scott.armstrong@waterboards.ca.gov.

Other Information

The [Procedures Governing Central Valley Water Board Meetings](#)

(https://www.waterboards.ca.gov/laws_regulations/)

may be found in California Code of Regulations, title 23, division 3, chapter 1.5 (starting with section 647) and are available upon request.

Additional information on meeting procedures can be found on the Central Valley Water Board's [Meeting Procedures webpage](#) at

(http://www.waterboards.ca.gov/centralvalley/board_info/meetings/mtgprocd.shtml).

Hearings before the Central Valley Water Board are not conducted pursuant to Government Code section 11500 et seq.

All meeting procedure information is also available on request to any one of the Central Valley Water Board's offices. Questions regarding such procedures should be directed to Mindy Bunn at (916) 464-4839 or Mindy.Bunn@waterboards.ca.gov.

John T. Murphy, PG #9524, CHG #1092
Supervising Engineering Geologist
Permitting-Title 27 Section Manager