

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

PUBLIC HEARING

concerning

WASTE DISCHARGE REQUIREMENTS
FOR
AMADOR COUNTY
BUENA VISTA LANDFILL
CLASS II AND CLASS III LANDFILL POST-CLOSURE MAINTENANCE, CLASS II
SURFACE IMPOUNDMENT OPERATION AND MAINTENANCE, AND
CORRECTION ACTION
AMADOR COUNTY

The Buena Vista Landfill is a 24-acre closed landfill facility, located approximately three miles south of Lone and one-half mile north of Buena Vista. The landfill facility consists of one Class III and two Class II landfill waste management units (WMUs) and one Class II surface impoundment. The landfill WMUs were closed and no longer accept waste. The Class II surface impoundment continues to receive leachate and landfill gas condensate from the landfill WMUs and groundwater from the groundwater extraction trench.

Further information about the facility and the proposed requirements can be found in the Findings and Information Sheet of the tentative WDRs available on the Central Valley Water Board's website at:

www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders.

A public hearing concerning this matter will be held during the Regional Water Board meeting, which is scheduled for:

DATE: 5/6 April 2018
TIME: 9:00 am
PLACE: Regional Water Quality Control Board
11020 Sun Center Drive #200
Rancho Cordova, CA 95670

The designated parties for this hearing are as follows:

- Staff of the Central Valley Regional Water Quality Control Board
- Amador County

Interested persons may not cross examine witnesses, and will not be subject to cross examination. Interested persons may submit evidence (e.g., photographs, eye-witness testimony, monitoring data) if the evidence is submitted in accordance with the

deadlines for submitting evidence described below. Interested persons who present evidence may be subject to cross-examination. Interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing to the Board no later than **20 February 2018**. The request must explain the basis for status as a designated party and in particular how the person is affected by the discharge.

Tentative waste discharge requirements (WDRs) for the facility were issued for public comment on **19 January 2018**. Persons wishing to comment on this item must submit testimony, evidence, if any, and/or comments in writing to the Central Valley Water Board no later than by 5:00 p.m. on **20 February 2018**. Written materials submitted after 5:00 p.m. on the above date will not be accepted and will not be incorporated into the administrative record absent a ruling by the Chair. A party requesting to submit late materials must demonstrate good cause for the late submission, and the Chair must find that the late submission would not prejudice the Central Valley Water Board or any designated party.

All designated parties and interested persons may speak at the Regional Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair. Both designated parties and interested persons may be asked to respond to clarifying questions from Board members, counsel staff or others, at the discretion of the Board.

Anyone having questions on these tentative revised WDRs for the Buena Vista Landfill should contact Malar Perinpanayagam at (916) 464-4607 or by email at Malar.Perinpanayagam@waterboards.ca.gov. Interested parties may download the proposed Order and related documents from the Regional Water Board's Internet website at:

www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders.

Copies of these documents can also be obtained by contacting or visiting the Regional Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m.

The procedures governing Central Valley Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing

http://www.waterboards.ca.gov/laws_regulations/

Information on meeting and hearing procedures is also available on the Board's website at:

http://www.waterboards.ca.gov/centralvalley/board_info/meetings/mtgprocd.shtml

or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring special accommodations are requested to contact Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

Andrew Altevogt, Assistant Executive Officer

19 January 2018