

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

ORDER NO. R5-2018-_____

RESCINDING WASTE DISCHARGE REQUIREMENTS

The California Regional Water Quality Control Board, Central Valley Region, finds that the Board adopted the following Order, which is no longer applicable for the reasons shown:

Waste Discharge Requirements Order 94-350, adopted on 9 December 1994, and prescribes requirements for the discharge of process wastewater from a raisin processing and dehydrating plant at 3636 North Grantland Avenue in Fresno County. The Discharger has not operated the facility since 2014. Therefore, it is appropriate to rescind Waste Discharge Requirements Order 94-350. On 22 December 2017, a Notice of Applicability was issued to the Discharger for coverage under *Conditional Waiver of Waste Discharge Requirements for Small Food Processors, Wineries, and Related Agricultural Processors within the Central Valley Region*, Order R5-2015-0005. The Discharger was assigned enrollee number R5-2015-0005-0094.

IT IS HEREBY ORDERED that the above waste discharge requirements Order are rescinded.

I, PAMELA C. CREEDON, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on April 2018.

PAMELA C. CREEDON, Executive Officer

T
E
N
T
A
T
I
V
E

O
R
D
E
R