

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

ORDER R5-2018-XXXX

RESCINDING WASTE DISCHARGE REQUIREMENTS ORDER R5-2008-0095

The California Regional Water Quality Control Board, Central Valley Region (Central Valley Water Board), finds that the Central Valley Water Board adopted the following Order which is no longer applicable for the reasons shown:

- a) Waste Discharge Requirements Order R5-2008-0095, adopted on 12 June 2008, prescribes requirements for the discharge from the Rare Earth Estates, Butte County (Facility). The Facility is comprised of a collection system, two packaged treatment system units with textile filter pods and subsurface dispersal fields. The Facility is now regulated under Water Quality Order 2014-0153-DWQ (General Order) for discharges to land from small domestic systems with a maximum average daily flow of 100,000 gallons or less. Therefore, it is appropriate to rescind Waste Discharge Requirements Order R5-2008-0095.

IT IS HEREBY ORDERED that the above Waste Discharge Requirements Order R5-2008-0095 is rescinded.

I, PAMELA C. CREEDON, Executive Officer, do hereby certify the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Central Valley Region on _____, 2018.

PAMELA C. CREEDON, Executive Officer