

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
CENTRAL VALLEY REGION

11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114

PUBLIC HEARING

concerning

CITY OF AUBURN
RECOLOGY AUBURN PLACER
AUBURN LANDFILL
CLOSED CLASS III LANDFILLS
POST-CLOSURE MAINTENANCE, EVALUATION MONITORING,
AND CORRECTIVE ACTION
PLACER COUNTY

The Auburn Landfill is a closed landfill facility about three miles north of central Auburn. The facility includes two, unlined landfill units referred to as Landfill 1 (25-acres) and Landfill 2 (3 acres). Landfill 1 operated from 1958 until September 1983, accepting primarily household refuse and nonhazardous industrial wastes. Landfill 2 operated from 1958 to 1979 accepting industrial (Formica plant) wastes subsequently classified as hazardous. Both landfill units at the facility were closed with a compacted soil cover in 1984.

Further information about the facility and the proposed requirements can be found in the Findings and Information Sheet of the tentative WDRs available on the Central Valley Water Board's website at:

www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders.

A public hearing concerning this matter will be held during the Regional Water Board meeting, which is scheduled for:

DATE: 5/6 April 2018
TIME: 8:30 A.M.
PLACE: Regional Water Quality Control Board, Central Valley Region
1685 "E" Street
Fresno, CA 93706-2007

The designated parties for this hearing are as follows:

- Staff of the Central Valley Regional Water Quality Control Board
- City of Auburn Planning & Public Works Department
- Recology Auburn Placer

Interested persons may not cross examine witnesses, and will not be subject to cross examination. Interested persons may submit evidence (e.g., photographs, eye-witness testimony, monitoring data) if the evidence is submitted in accordance with the deadlines for submitting evidence described below. Interested persons who present evidence may be subject to cross-examination. Interested persons may request status as a designated party for purposes of this hearing by submitting such request in writing

to the Board no later than **5 p.m. on 19 January 2018**. The request must explain the basis for status as a designated party and in particular how the person is affected by the discharge.

Revised tentative waste discharge requirements for the facility were issued for public comment on **19 December 2017**. Persons wishing to comment on this item must submit testimony, evidence, if any, and/or comments in writing to the Central Valley Water Board no later than by 5:00 p.m. on **19 January 2018**. Written materials submitted after 5:00 p.m. on the above date will not be accepted and will not be incorporated into the administrative record absent a ruling by the Chair. A party requesting to submit late materials must demonstrate good cause for the late submission, and the Chair must find that the late submission would not prejudice the Central Valley Water Board or any designated party.

All designated parties and interested persons may speak at the Regional Board meeting, and are expected to orally summarize their written submittals. Oral testimony and cross examination will be limited in time by the Board Chair. Both designated parties and interested persons may be asked to respond to clarifying questions from Board members, counsel staff or others, at the discretion of the Board.

Anyone having questions on these tentative revised WDRs for the Auburn Landfill should contact John Moody at (916) 464-4641, or by email at John.Moody@waterboards.ca.gov. Interested parties may download the proposed Order and related documents from the Regional Water Board's Internet website at: www.waterboards.ca.gov/centralvalley/board_decisions/tentative_orders.

Copies of these documents can also be obtained by contacting or visiting the Regional Water Board's office at 11020 Sun Center Drive, #200, Rancho Cordova, California 95670-6114 weekdays between 8:00 a.m. and 5:00 p.m.

The procedures governing Central Valley Water Board meetings may be found at Title 23, California Code of Regulations, Section 647 et seq. and are available upon request. Hearings before the Board are not conducted pursuant to Government Code section 11500 et seq. The procedures may be obtained by accessing

http://www.waterboards.ca.gov/laws_regulations/

Information on meeting and hearing procedures is also available on the Board's website at

http://www.waterboards.ca.gov/centralvalley/board_info/meetings/mtgprocd.shtml

or by contacting any one of the Board's offices. Questions regarding such procedures should be directed to Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839.

The hearing facilities will be accessible to persons with disabilities. Individuals requiring

special accommodations are requested to contact Ms. Kiran Lanfranchi-Rizzardi at (916) 464-4839 at least 5 working days prior to the meeting. TTY users may contact the California Relay Service at 1-800-735-2929 or voice line at 1-800-735-2922.

Please bring the above information to the attention of anyone you know who would be interested in this matter.

Andrew Altevogt, Assistant Executive Officer

19 December 2017