

## Appendix D: Revisions to Draft Staff Report

The below table summarizes revisions made to the draft 2018 Integrated Report Staff Report since the release of the draft Report in March 2019 for public review and identifies which section of the Report was revised.

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Executive Summary	N/A	N/A	N/A	N/A	The numbers summarizing recommended changes to the 303(d) List of impaired waterbodies in the Executive Summary were updated to reflect changes since the release of the March 2019 draft staff report.	Central Valley Water Board Staff Internal Quality Control
Proposed Changes to the 303(d) List	N/A	N/A	N/A	N/A	The section summarizing Proposed Changes to the 303(d) List was updated to reflect changes since the release of the March 2019 draft staff report.	Central Valley Water Board Staff Internal Quality Control
Links to Appendix Webpages	N/A	N/A	N/A	N/A	This section was updated to include Appendix C: Response to Comment and Appendix D: Revisions to Draft Staff Report.	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Table 1 and Appx. A	Delta Waterways (northwestern portion)	Toxicity	77488	No Change	Staff agrees that the data is not representative of the Delta Waterways (northwestern portion) subarea. The fact sheet for this waterbody was removed from the proposed 303(d) List update (Appendix A) for toxicity.	CDFW Comment Letter
Table 1 and Appx. A	Colusa Basin Drain	Toxicity	71982	No Change	Staff agrees that some readily available data was not incorporated on this assessment and acute toxicity data cannot be used to evaluate a chronic toxicity listing. The fact sheet for this waterbody was removed from the proposed 303(d) List update (Appendix A) for toxicity.	CDFW Comment Letter
Table 1 and Appx. A	Mormon Slough	Toxicity	77644	No Change	Staff agrees that maximum number of exceedances allowed by the Listing Policy to remove a water segment from the 303(d) list for toxicants is not met for Mormon Slough for toxicity. The fact sheet for this waterbody was removed from the proposed 303(d) List update (Appendix A) for toxicity.	CDFW Comment Letter
Table 1 and Appx. A	Delta Waterways (central portion)	Chlorpyrifos	74813	No Change	The fact sheet for this waterbody was re-assessed and the waterbody removed from the proposed 303(d) List update (Appendix A) for chlorpyrifos after reviewing for consistency with the Listing Policy	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Table 1 and Appx. A	Delta Waterways (northwestern portion)	Diazinon	68817	No Change	The fact sheet for this waterbody was re-assessed and the waterbody removed from the proposed 303(d) List update (Appendix A) for diazinon after reviewing for consistency with the Listing Policy	Central Valley Water Board Staff Internal Quality Control
Appx. A	Arcade Creek	Pyrethroids	84843	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Chicken Ranch Slough	Pyrethroids	73286	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Curry Creek (Placer and Sutter Counties)	Pyrethroids	72912	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Appx. A	Elder Creek	Pyrethroids	74062	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Kaseberg Creek (tributary to Pleasant Grove Creek, Placer County)	Bifenthrin, Cyfluthrin, Cyhalothrin Lambda, Cypermethrin, Pyrethroids	92234, 94047, 94048, 94049, 73404	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Kaseberg Creek, unnamed eastern tributary (from Green Grove Ln to Del Webb Blvd)	Bifenthrin, Cyfluthrin, Cyhalothrin Lambda, Cypermethrin	94017, 93255, 93309, 94108	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Kaseberg Creek, unnamed southeastern tributary (from Silverado Middle School to Timber Creek Golf Course, Placer County)	Bifenthrin, Cyfluthrin, Cyhalothrin Lambda, Cypermethrin	76252, 93289, 93746, 93290	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Appx. A	Kaseberg Creek, unnamed southern tributary (from Baseline Road to Timber Creek Golf Course, Placer County)	Bifenthrin, Cyfluthrin, Cyhalothrin Lambda, Cypermethrin	93314, 95903, 93909, 93344	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Morrison Creek	Pyrethroids	73524	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Pleasant Grove Creek	Bifenthrin, Cypermethrin, Pyrethroids	93965, 86703, 73330	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Pleasant Grove Creek, South Branch	Bifenthrin, Cyfluthrin, Cypermethrin, Pyrethroids	93966, 86590, 93654, 73428	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

<b>Staff Report Section</b>	<b>Water Body Segment</b>	<b>Pollutant</b>	<b>Decision #</b>	<b>LOE #</b>	<b>Revision</b>	<b>Revision Made in Response to:</b>
Appx. A	Pleasant Grove Creek, South Branch, unnamed southeastern trib (from east of Sierra View Country Club to confl with Pleasant Grove Cr, South Branch)	Bifenthrin, Cyfluthrin, Cypermethrin	94018, 87340, 87393	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Pleasant Grove Creek, unnamed northern tributary (from Greywood Circle to confluence with Pleasant Grove Creek)	Bifenthrin, Cyfluthrin, Cypermethrin	87235, 87236, 87286	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Pleasant Grove Creek, unnamed northern tributary (from Mt Tamalpais Dr to confluence with Pleasant Grove Creek)	Bifenthrin, Cyfluthrin, Cyhalothrin Lambda, Permethrin total	76742, 86807, 93652, 86858	No change	Decisions revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Pleasant Grove Creek, unnamed northern tributary (from Mt Tamalpais Dr to confluence with Pleasant Grove Creek)	Cypermethrin	86808	59087, 59060	This pollutant was listed in the staff report; however, the pollutant Fact Sheet was not listed online during the comment period. The Fact Sheet for	Central Valley Water Board Staff Internal Quality Control

Appendix D: Revisions to Draft Staff Report

Staff Report Section	Water Body Segment	Pollutant	Decision #	LOE #	Revision	Revision Made in Response to:
					this waterbody/pollutant combination is now available in Appendix A.	
Appx. A	Pleasant Grove Creek, unnamed northern tributary (from Mt Tamalpais Dr to confluence with Pleasant Grove Creek)	Deltamethrin	N/A	N/A	This pollutant is not listed within the Pyrethroid TMDL, and therefore does not qualify for a status change. The fact sheet for this waterbody was removed from the proposed 303(d) List update (Appendix A) for deltamethrin.	Central Valley Water Board Staff Internal Quality Control
Appx. A	Strong Ranch Slough	Pyrethroids	78474	No change	Decision revised to update U.S.EPA TMDL Approval Date, 22 April 2019, for: Phase 2 (Pyrethroids) Sacramento and San Joaquin Pesticides Basin Plan Amendment and TMDL.	Central Valley Water Board Staff Internal Quality Control
Multiple Sections	N/A	N/A	N/A	N/A	Non-substantive changes made to the staff report, including changes to formatting and spelling errors	Central Valley Water Board Staff Internal Quality Control