

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION

MONITORING AND REPORTING PROGRAM NO. 01-158  
FOR  
WM. BOLTHOUSE FARMS, INC., HOLTVILLE FACILITY, OWNER/OPERATOR  
WASHWATER TREATMENT FACILITY  
Holtville – Imperial Valley

Location of Discharge: NW ¼ of Section 36, T15S, R15E, SBB&M

MONITORING

1. The collection, preservation and holding times of all samples shall be in accordance with United States Environmental Protection Agency (USEPA) approved procedures. Unless otherwise approved by the Regional Board's Executive Officer, all analyses shall be conducted by a laboratory certified by the State Department of Health Services. All analyses shall be conducted in accordance with the latest edition of the "Guidelines Establishing Test Procedures for Analysis of Pollutants" (40CFR Part 136), promulgated by the USEPA.
2. Samples shall be collected at the location specified in the Permit. If no location is specified, sampling shall be conducted at the most representative sampling point available.
3. If the facility is not in operation, or there is no discharge during a required reporting period, the discharger shall forward a letter to the Regional Board indicating that there has been no activity during the required reporting period.

EFFLUENT MONITORING

The wastewater in the primary settling pond shall be monitored for the following:

<u>Constituents</u>	<u>Units</u>	<u>Type of Sample</u>	<u>Sampling Frequency</u>
20°C BOD <sub>5</sub>	mg/L <sup>1</sup>	Grab	Monthly
Total Dissolved Solids (TDS)	mg/L	Grab	Monthly
pH	--	Grab	Monthly
Suspended Solids	mg/L	Grab	Monthly
Volume of Wastewater	GPD <sup>2</sup>	--	Daily (reported monthly)
Pesticide (EPA Method 608)	ug/L <sup>3</sup>	Grab	Annually

<sup>1</sup> mg/L - milligrams-per-Liter

<sup>2</sup> GPD -Gallons-per-Day

<sup>3</sup> ug/L - micrograms per Liter

## SEDIMENT MONITORING

Representative samples from accumulated sediments in the primary settling pond shall be collected and analyzed for the following:

Pesticide (EPA Method 608)	ug/L	Composite	Annually
-------------------------------	------	-----------	----------

## REPORTING

1. The discharger shall arrange the data in tabular form so that the specified information is readily discernible. The data should be summarized in such a manner as to clearly illustrate whether the treatment system is operating in compliance with the discharge limitations.
2. The results of any analysis performed, more frequently than required using test procedures and locations specified in this Monitoring and Reporting Program shall be reported to the Regional Board
3. Records of monitoring information shall include:
  - a. The date, exact place, and time of sampling or measurements;
  - b. The individual(s) who performed the sampling or measurements;
  - c. The date(s) analyses were performed;
  - d. The individual(s) who performed the analyses;
  - e. The analytical techniques or methods used; and
  - f. The results of such analyses.
4. Monitoring reports shall be certified under penalty of perjury to be true and correct and shall contain the required information at the frequency designated in this monitoring report. Each report shall contain the following statement:

"I declare under the penalty of law that I personally examined and am familiar with the information submitted in this document, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."
5. A duly authorized representative of the discharger may sign the documents if:
  - a. The authorization is made in writing by the person described above; and
  - b. The authorization specified an individual or person having the responsibility for the overall operation; and
  - c. The written authorization is submitted to the Regional Board's Executive Officer.

6. Monthly monitoring reports shall be submitted to the Regional Board by the 15<sup>th</sup> day of the month following the report month. The water and sediment pesticide analysis report shall be submitted by July 15 of each year.

7. Reports shall be submitted to:

California Regional Water Quality Control Board  
Colorado River Basin Region  
73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260


Ordered by:

\_\_\_\_\_  
Executive Officer

\_\_\_\_\_  
November 14, 2001

Date

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD – 7



**SITE MAP**  
**WM. BOLTHOUSE FARMS, INC. – HOLTVILLE FACILITY, OWNER/OPERATOR**  
**WASHWATER TREATMENT FACILITY**  
Holtville – Imperial Valley  
Location of Discharge: NW ¼ of Section 36, T15S, R15E, SBB&M

Board Order No. 01-158