

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION**

73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260  
Phone: (760) 346-7491

Public Notice No. 7-12-35  
October 15, 2012

**NOTICE OF PUBLIC HEARING  
FOR  
REVISED WASTE DISCHARGE REQUIREMENTS  
BOARD ORDER R7-2012-0051**

The following Discharger has requested Revised Waste Discharge Requirements for the sand and gravel plant wash basins.

**HI-GRADE MATERIALS COMPANY,  
OWNER/OPERATOR  
SAND AND GRAVEL PLANT WASHWATER BASINS  
17671 BEAR VALLEY ROAD, HESPERIA SAN BERNARDINO COUNTY**

Staff of the California Regional Water Quality Control Board, Colorado River Basin Region (Regional Water Board), prepared Waste Discharge Requirements, Board Order R7-2012-0051 for the above Discharger. The Regional Water Board will hold a public hearing on the proposed Waste Discharge Requirements during its regular Board meeting, which is scheduled as follows:

Date: November 15, 2012  
Time: 9:00 a.m.  
Location: California Regional Water Quality Control Board  
Colorado River Basin Region Board Room  
73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260

The Regional Water Board will accept comments during a thirty (30) day public comment period, which begins October 15, 2012 and ends November 13, 2012. Persons wishing to submit written comments on the proposed revision are requested to do so by November 13, 2012, so that they may be given sufficient consideration. Comments should be mailed to the attention of Doug Wylie at the address shown below or faxed to the office at (760) 341-6820.

California Regional Water Quality Control Board  
Colorado River Basin Region  
73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260

Affected stakeholders and other interested persons are invited to attend and express their views on this matter at the public hearing. Those who wish to speak at the hearing will be asked to fill out a speaker request card and provide it to Regional Water Board staff. In order to have adequate time for the presentation by Regional Water Board staff, however, comments from the public will be limited to three (3) minutes per person. If the presentation may take longer, please let Regional Water Board staff know before speaking so that the presentation can be appropriately scheduled at the hearing. Where speakers can be grouped by affiliation or interest, such groups will be expected to select a spokesperson and not be repetitive. To

ensure accuracy of the record, the Regional Water Board requests that any speakers who have prepared written statements for oral presentation at the hearing submit those statements to Regional Water Board staff before or during the hearing.

Copies of the proposed Waste Discharge Requirements, Board Order No. R7-2011-0051 are available on the Regional Board's website at:

[http://www.waterboards.ca.gov/coloradoriver/board\\_orders.html](http://www.waterboards.ca.gov/coloradoriver/board_orders.html).

Interested persons requiring a hard copy of the proposed revision should contact Hilda Vasquez at (760) 346-7491 or via e-mail at [hvasquez@waterboards.ca.gov](mailto:hvasquez@waterboards.ca.gov).

If you are disabled and require special accommodations to participate in this public hearing, please contact Hilda Vasquez at (760) 776-8950 no later than ten (10) days before the scheduled public hearing.

Please bring the foregoing to the attention of anyone you believe may be interested in this matter.

File: WDID No. 7A 36 1344 001, Hi-Grade Materials Company, Board Order No. R7-2012-0051