

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD  
COLORADO RIVER BASIN REGION**

73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260  
Phone: (760) 346-7491

Public Notice 7-13-13  
April 4, 2013

**NOTICE OF PUBLIC HEARING  
FOR  
REVISED WASTE DISCHARGE REQUIREMENTS**

**BOARD ORDER R7-2013-0027**

The following Discharger has requested revised Waste Discharge Requirements for the wastewater disposal facilities:

**GLAMIS NORTH HOT SPRINGS RESORT, OWNED BY CALVIN AND ROSALYN LOEWEN  
AND OPERATED BY SASSY'S OUTBACK  
10595 HOT MINERAL SPA ROAD, NILAND, CA 92257**

Staff of the California Regional Water Quality Control Board, Colorado River Basin Region (Regional Water Board), prepared Waste Discharge Requirements, Board Order R7-2013-0027 for the above discharger. The Regional Water Board will hold a public hearing on the proposed Waste Discharge Requirements during its regular Board meeting, which is scheduled as follows:

Date: May 16, 2013  
Time: 9:00 a.m.  
Location: California Regional Water Quality Control Board  
Colorado River Basin Region Board Room  
73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260

The Regional Water Board will accept comments during a thirty (30) day public comment period, which begins April 5, 2013 and ends May 6, 2013 . Persons wishing to submit written comments on the proposed revision are requested to do so by May 6, 2013, so that they may be given sufficient consideration. Comments should be mailed to the attention of Doug Wylie at the address shown below or faxed to the office at (760) 341-6820.

California Regional Water Quality Control Board  
Colorado River Basin Region  
73-720 Fred Waring Drive, Suite 100  
Palm Desert, CA 92260

Affected stakeholders and other interested persons are invited to attend and express their views on this matter at the public hearing. Those who wish to speak at the hearing will be asked to fill out a speaker request card and provide it to Regional Water Board staff. In order to have adequate time for the presentation by Regional Water Board staff, however, comments from the public will be limited to three (3) minutes per person. If the presentation may take longer, please let Regional Water Board staff know before speaking so that the presentation can be appropriately scheduled at the hearing. Where speakers can be grouped by affiliation or interest, such groups will be expected to select a spokesperson and not be repetitive. To ensure accuracy of the record, the Regional Water Board

Public Hearing Notice  
GLAMIS NORTH  
REVISED WASTE DISCHARGE REQUIREMENTS

requests that any speakers who have prepared written statements for oral presentation at the hearing submit those statements to Regional Water Board staff before or during the hearing.

Copies of the proposed Waste Discharge Requirements, Board Order R7-2013-0027 are available on the Regional Board's website at:

[http://www.waterboards.ca.gov/coloradoriver/board\\_orders.html](http://www.waterboards.ca.gov/coloradoriver/board_orders.html).

Interested persons requiring a hard copy of the proposed revision should contact Hilda Vasquez at (760) 346-7491 or via e-mail at [hvasquez@waterboards.ca.gov](mailto:hvasquez@waterboards.ca.gov).

If you are disabled and require special accommodations to participate in this public hearing, please contact Hilda Vasquez at (760) 776-8950 no later than ten (10) days before the scheduled public hearing.

Please bring the foregoing to the attention of anyone you believe may be interested in this matter.