

Date:

April 25, 2018

Applicant:

Riverside County Flood Control and Water Conservation District
1995 Market Street
Riverside, CA 92501
Contact: Jason Uhley
(951) 955-1250
fcexsec@rivco.org

Applicant's Representative:

Contact: Randy Sheppeard
1995 Market Street
Riverside, CA 92501
(951) 955-1306
rsheppea@rivco.org

Project Name:

Palm Springs Master Drainage Plan (MDP) Line 41, Stage 3 Project
WDID No. 7A333187001 (RM: 420914, Place ID: 846522)

Receiving Water:

Palm Canyon Wash; tributary to Whitewater River

Location:

City or area: Palm Canyon Wash, Riverside County, California
Longitude/ Latitude: W 116° 31' 37.94"/ N 33° 46' 55.50"

Project Description:

The proposed Project consists of:

- The construction and maintenance of an underground storm drain in Golf Drive, an earthen detention basin and approximately 6,000 linear feet of an underground reinforced concrete pipe storm drain ranging from 66 inches to 96 inches in diameter.
- The project purpose is to provide 100-year flood protection for existing developments within the Palm Springs MDP Line 41 FEMA-mapped 100-year floodplain.

Proposed Schedule (Start-up, duration, and completion dates):

The work is scheduled to begin October 2018 and end December 2019
Duration: 1 year 2 months

Action:

Pending

Water Board Contact:

Kai Dunn, Senior Water Resources Control Engineer
(760) 776-8986
Kai.Dunn@waterboards.ca.gov