

Colorado River Basin Regional Water Quality Control Board

April 18, 2016

Mr. Russell Williams
County of Riverside
3525 14th Street, CA 92501
Riverside, CA 92501

RE: ORDER FOR TECHNICALLY-CONDITIONED CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION FOR DISCHARGE OF DREDGED AND/OR FILL MATERIALS

PROJECT: This federal Clean Water Act Section 401 Water Quality Certification (WQC) (33 U.S.C. § 1341) is written for the County of Riverside - Avenue 66 Grade Separation Project, WDID No. 7A333158001

APPLICANT: County of Riverside

- ACTION:**
1. Order for Standard Certification
 2. Order for Technically-Conditioned Certification
 3. Order for Denial of Certification

STANDARD CONDITIONS:

The following standard conditions apply to all certification actions, except as noted above under Action 3 for denials.

1. This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to section 13330 of the California Water Code and section 3867 of Title 23 of the California Code of Regulations (23 CCR).
2. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to 23 CCR section 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.

3. The validity of any non-denial certification action (Actions 1 and 2) shall be conditioned upon total payment of the full fee required under 23 CCR section 3833, unless otherwise stated in writing by the certifying agency.
4. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation shall be subject to any remedies, penalties, process, or sanctions as provided for under State law. For purposes of Clean Water Act (CWA) section 401(d), the applicability of any State law authorizing remedies, penalties, process, or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Water Quality Certification (WQC).
 - a. In response to a suspected violation of any condition of this WQC, the Colorado River Basin Regional Water Quality Control Board (Colorado River Basin Water Board) may require the holder of any permit or license subject to this certification to furnish, under penalty of perjury, any technical or monitoring reports the Colorado River Basin Water Board deems appropriate, provided that the burden, including cost of the reports, shall be in reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
 - b. In response to any violation of the conditions of this WQC, the Colorado River Basin Water Board may add to or modify the conditions of this certification as appropriate to ensure compliance.

ADDITIONAL CONDITIONS:

The following additional conditions apply to this certification:

1. This WQC applies towards the proposed project (Project) as described in a 401 application received by the Colorado River Basin Water Board on March 1, 2016. Updated information was received on April 8, 2016.
2. The Applicant shall provide the Colorado River Basin Water Board and other interested agencies with written notification of any significant modifications made to the Project prior to implementation of the modifications.
3. This WQC does not convey any property rights of any sort or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

4. This WQC does not authorize the Applicant or any associated party to trespass on any land or property unless the applicant has obtained written authorization or acquired a special use authorization permit from the land or property owner.
5. A copy of this WQC shall be provided to the appropriate onsite Supervisor for the Project. All personnel performing work on the proposed Project shall be familiar with the content of this WQC. Copies of the WQC shall be readily available at the Project site at all times during periods of active work and shall be presented to regulatory agency representatives upon request.
6. The Applicant shall grant Colorado River Basin Water Board staff, or an authorized representative, upon presentation of credentials and other documents as may be required by law, to enter the Project site at reasonable times, to ensure compliance with the terms and conditions of this WQC and/or to determine the impacts the Project may have on waters of the United States.
7. The proposed Project shall not be enlarged or extend beyond the proposed Project impact area. The Applicant shall delineate the Project boundaries and staging areas with stakes, flags and/or temporary construction fencing.
8. The area of vegetation and soil disturbance shall be restricted to the smallest extent possible.
9. The Project shall not discharge substances in concentrations toxic to human, plant, animal, or aquatic life or that produce detrimental physiological responses.
10. The Project shall not discharge waste classified as "hazardous" as defined in Title 23 California Code of Regulations (CCR) section 2521, California Health and Safety Code section 25140, and Title 22, CCR, section 66260.10 et seq.
11. No oil, petroleum products, or rubbish shall be allowed to enter into or be placed where it may be washed by rainfall or runoff into waters of the United States.
12. No equipment maintenance will be done within or near any stream channel where petroleum products or other pollutants from the equipment may enter waters of the United States.
13. Equipment refueling shall not occur within waters of the United States.
14. Any oil or grease leaks shall be immediately cleaned up.
15. The Applicant shall ensure that all contaminated material and/or contaminated soil removed or excavated from the Project site is properly loaded, transported, and disposed of in accordance with Federal, State, and local regulations.

16. Staging/storage areas for equipment and materials shall be located outside of waters of the United States.
17. The Applicant shall ensure that all disturbed and filled areas are adequately stabilized and protected from erosion and siltation by implementing appropriate soil stabilization, sedimentation and silt control measures.
18. Any flow diversion used during construction shall be designed in a manner to prevent pollution, minimize siltation, and shall provide flows to downstream reaches. Flows shall be maintained to support existing aquatic life and riparian wetlands and habitat that may be located upstream and downstream from any temporary diversion.
19. The Applicant shall restore drainages, to the greatest extent possible, to the original bank configuration, stream bottom width, and channel gradient.
20. All temporary facilities and impacts shall be removed and restored to the preexisting conditions and contours to the extent practicable.
21. Construction related materials and wastes shall be removed from the Project site upon completion of the Project.
22. The Applicant shall submit Notice to the Colorado River Basin Water Board within 60-days of completion of the Project. The Notice shall include: 1) a detailed summary of the mitigation and restoration activities implemented during the Project and 2) provide photographic documentation that supports the information summarized in the Notice.
23. The Colorado River Basin Water Board reserves the right to suspend, cancel, or modify and reissue this WQC, after providing notice to the Applicant and/or responsible Site-Supervisor, if the Colorado River Basin Water Board determines that the Project fails to comply with any of the terms or conditions of this WQC.
24. The Applicant shall orally notify the Colorado River Basin Water Board of any noncompliance that may impact the beneficial uses of waters of the United States, as soon as notification is possible and notification can be provided without substantially impeding measures necessary to address the noncompliance.


REGIONAL WATER QUALITY CONTROL BOARD CONTACT PERSON:

If you have any questions, please contact Jay Mirpour, Water Resources Control Engineer, at (760) 776-8981 or jmirpour@waterboards.ca.gov.

WATER QUALITY CERTIFICATION:

I hereby issue an order certifying that any discharge from the referenced Project will comply with the applicable provisions of sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards) of the Clean Water Act, and with other applicable requirements of State law.

Except insofar as may be modified by any preceding conditions, all certification actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the applicants' Project description and the attached Project Information Sheet, and (b) compliance with all applicable requirements of the Colorado River Basin Water Board's Water Quality Control Plan (Basin Plan).



Jose Angel, Interim Executive Officer
Colorado River Basin Regional Water Quality Control Board

JJM/

cc: James Mace, U.S. Army Corps of Engineers, Los Angeles District
Bill Orme, SWRCB, Division of Water Quality, Water Quality Certification Unit
Elizabeth Goldman, U.S. Environmental Protection Agency, Region 9
Thomas A. Vandenberg, Office of Chief Counsel, SWRCB

File: County of Riverside - Avenue 66 Grade Separation Project, WDID No.
7A333158001

PROJECT INFORMATION

Application Date: This WQC applies towards the proposed project (Project) as described in a 401 application received by the Colorado River Basin Water Board on March 1, 2016. Updated information was received on April 8, 2016.

Applicant: County of Riverside
Mr. Russell Williams (951) 955-2016

Applicant's Representative:
Dokken Engineering
Mr. Namat Hosseinion
Phone No. (916) 858-0642

Project Name: County of Riverside - Avenue 66 Grade Separation Project, WDID No. 7A333158001

Start and Completion: Startup: 12/01/2016, Completion: 07/01/2018

Project Description: The purpose of the project is to:

- Provide a grade separated crossing of UPRR and State Route 111 for traffic in the Mecca Community.
- Provide improved access for emergency vehicles across the railroad tracks.
- Address projected increased delays due to future increases in rail and vehicular traffic,
- Help reduce emissions from vehicle idling at the 4th Street at-grade train crossing, and
- Provide a facility consistent with regional and local General Plans.

The County of Riverside proposes to construct a new grade separation and roadway to cross the Union Pacific Railroad (UPRR) and Highway 111 from Avenue 66 to Lincoln Street in the community of Mecca. The proposed project will connect SR- 195 to Avenue 66 with a new railroad grade separation bypass south of the existing Avenue 66 alignment. The new bypass begins approximately 1,100 feet east of SR-86 (2,600 feet west of Lincoln Street) and crosses Lincoln Street approximately 1,900 feet south of SR 195. The new bypass then continues east from Lincoln

Street going over SR-111, the UPRR railroad corridor, and Hammond Road with a bridge. The road then extends further to the east and connects to the existing Avenue 66 at Home Avenue. The proposed bypass will consist of approximately 1.7 mi of two lane (1 lane each direction) roadway and a bridge with sufficient width to allow an ultimate four lane cross section. The bridge will be approximately 750 feet long, 94 feet wide and striped for 2 lanes. Lincoln Street will no longer connect to SR 195, but will become a cul-de-sac, providing access to adjoining properties.

BMPs will be put in place to prevent sediment and other contaminants generated by construction from impacting the Lincoln Street Stormwater Channel. These temporary BMP's will be installed prior to any construction operations and will be in place for the duration of the contract.

Project Location:

City or area: Unincorporated Community of Mecca, Riverside County, California. Longitude/ Latitude:

1. 33° 33' 58.791", -116° 4' 39.8496"
2. 33° 34' 9.8466", -116° 4' 45.2208"
3. 33° 34' 14.6958", -116° 4' 45.192"
4. 33° 34' 7.014", -116° 4' 38.1288"
5. 33° 34' 6.5244", -116° 4' 41.721"
6. 33° 33' 51.537", -116° 4' 41.721"
7. 33° 34' 2.0496", -116° 4' 26.1732"
8. 33° 33' 58.4136", -116° 4' 7.428"
9. 33° 34' 1.4658", -116° 4' 6.9168"
10. 33° 34' 1.6032", -116° 4' 13.3428"
11. 33° 34' 9.8688", -116° 4' 13.8252"
12. 33° 34' 9.7314", -116° 3' 52.2504"
13. 33° 33' 53.9274", -116° 4' 1.5594"
14. 33° 33' 49.0962", -116° 4' 42.405"
15. 33° 33' 42.426", -116° 4' 42.5562"
16. 33° 33' 42.4902", -116° 4' 45.0078"
17. 33° 33' 48.9018", -116° 4' 45.1596"
18. 33° 33' 51.1956", -116° 5' 8.07"
19. 33° 34' 7.338", -116° 5' 19.7412"
20. 33° 34' 8.8602", -116° 5' 27.4452"
21. 33° 34' 10.2066", -116° 5' 27.4734"

Township/Range: S7, S8, S18 &S17, T7S, R9E Base SB
B&M

Receiving Water(s): Lincoln Street Stormwater Channel

**Acres and Linear Feet
Impacted:**

Construction of the proposed project would result in 0.15 acre (Permanent Streambed unvegetated) and 0.16 acre (Temporary Streambed unvegetated), 118 linear feet (Permanent Streambed unvegetated) and 133 linear feet (Temporary Streambed unvegetated) impact.

**Standard Best
Management
Practices (BMPs):**

- No toxic and/or hazardous materials shall be stored near or within wash/drainage areas. To extent possible, these materials will be stored offsite and/or placed in appropriate secondary containment.

- Work and staging areas and temporary access routes will be sized, located and flagged so as to limit potential impacts to natural areas. Previous disturbed areas will be used to the extent feasible.

- No fueling or maintenance of equipment and/or vehicles shall occur adjacent or within the wash/drainage areas.

- Spoil sites shall not be located where spoil could be washed back into the river, or where spoil will cover aquatic or riparian vegetation. Any materials placed in seasonally dry portions of the canal/ drainage areas that could be washed downstream or could be harmful to aquatic life shall be removed from the streambed prior to inundation by high flows.

- After completing the activities, the disturbed area will be restored to pre-existing contours and conditions to the extent feasible.

**Additional Site
Specific BMPs:**

- Prior to work within the channel, the project will obtain a CWA Section 404 authorization (Nationwide Permit 14) from the USACE and a Section 1602 Streambed Alteration Agreement from the CDFW.

- The proposed project would require a National Pollution Discharge Elimination System (NPDES) General Construction Permit for Discharges of storm water associated with construction activities (Construction General Permit 2009-0009-DWQ). A Storm Water Pollution Prevention Plan (SWPPP) would also be developed and implemented as part of the Construction General Permit. This SWPPP will incorporate all applicable BMPs to ensure that adequate measures are taken during construction to minimize impacts to water quality.

Federal Permit(s): U.S. Army Corps of Engineers, Nationwide Permit No.14 (Linear Transportation Projects).

Status of CEQA: A Notice of Determination was prepared for this project pursuant to the provisions of CEQA on February 4, 2016. Lead Agency: County of Riverside, State Clearinghouse Number 2014051063.

On February 4, 2016, the Board of Supervisors of the County of Riverside as a Lead Agency reviewed and considered the above described project and made the following determinations:

- 1) The project will not have a significant effect on the environment.
- 2) A Mitigation Negative Declaration (MND) was prepared for this project pursuant to the provisions of CEQA.
- 3) A mitigation Monitoring Report was adopted for this project.
- 4) A Statement of Overriding Considerations was not adopted for the project.

The Colorado River Basin Water Board staff has reviewed the Initial Study, MND, the mitigation measures, and the mitigation reporting or monitoring plan adopted for the project to avoid or substantially lessen significant environmental effects identified in the MND. Based on its review, Board staff has concluded that compliance with the mitigation measures specified in the plan will avoid or reduce to less than significant any water quality impacts.

File: County of Riverside - Avenue 66 Grade Separation Project, WDID No. 7A333158001