

Table 1. Contaminants with MCLs equal or less than their PHGs, or with MCLs greater than PHGs, with or without recent detections.

<b>MCL = PHG or MCL &lt; PHG</b>	<b>MCL &gt; PHG, No Detects</b>	<b>MCL &gt; PHG, Detected</b>
Asbestos	Beryllium	Antimony
Barium	Thallium	Arsenic
Cyanide	Tritium	Cadmium
Nitrate	Strontium -90	Chromium, Hexavalent
Nitrate + Nitrite	1,3-Dichloropropene	Mercury (inorganic)
Nitrite	1,1,2,2-Tetrachloroethane	Nickel
1,1-Dichloroethylene (1,1-DCE)	Vinyl chloride	Perchlorate
1,2-Dichlorobenzene	Atrazine	Selenium
1,2-Dichloroethane (1,2-DCA)*	Benzo(a)pyrene	Radium-226
1,4-Dichlorobenzene (p-DCB)	Carbofuran	Radium-228
cis-1,2-Dichloroethylene	Chlordane	Uranium
trans-1,2-Dichloroethylene	2,4-Dichlorophenoxyacetic acid (2,4-D)	Benzene
Dichloromethane (Methylene chloride)*	Di(2-ethylhexyl)adipate	Carbon tetrachloride
Ethylbenzene	Diquat	1,1-Dichloroethane (1,1-DCA)
Methyl tertiary butyl ether (MTBE)	Endrin	1,2-Dichloropropane
Monochlorobenzene	Heptachlor epoxide	Styrene
Toluene	Hexachlorobenzene	Tetrachloroethylene (PCE)
1,1,1-Trichloroethane (1,1,1-TCA)	Hexachlorocyclopentadiene	1,1,2-Trichloroethane (1,1,2-TCA)
1,1,2-Trichloro-1,2,2-Trifluoroethane (Freon 113)	Lindane	Trichloroethylene (TCE)
1,2,4-Trichlorobenzene	Methoxychlor	1,2-Dibromo-3-chloropropane (DBCP)
Trichlorofluoromethane (Freon 11)	Molinate	Ethylene dibromide (EDB)
Xylenes	Oxamyl	
Alachlor	Pentachlorophenol	
Bentazon	Picloram	
Dalapon	Polychlorinated biphenyls (PCBs)	
Di(2-ethylhexyl)phthalate (DEHP)	2,3,7,8-TCDD (dioxin)	
Dinoseb	2,4,5-TP (Silvex)	
Endothall	Thiobencarb	
Glyphosate	Toxaphene	
Heptachlor*		
Simazine		

\* MCL/PHG = 1.3, which is rounded down to 1 (i.e., the MCL is considered to be equal to the PHG).