

**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**

Midway Laboratory, Inc.

315 Main Street

Taft, CA 93268

Phone: (661) 765-2364

Certificate No. 3028

Expiration Date 12/31/2024

***As of 1/1/2023, this list supersedes all previous lists for this certificate number.**

Customers: Please verify the current accreditation standing with the State.

Field of Testing: 101 – Microbiology of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
101.010	001	Heterotrophic Bacteria	SM 9215 B
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	009	Total Coliform P/A	SM 9223 B Colisure
101.050	010	E. coli P/A	SM 9223 B Colisure

Field of Testing: 102 – Inorganic Chemistry of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
102.030	001	Bromide	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate, Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO ₄)	EPA 300.0
102.095	001	Microplastics > 500 µm	SWB-MP2-rev1
102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.120	001	Hardness (Calculation)	SM 2340 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997

Subgroup Code	Analyte Code	Analyte	Method
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.175	001	Chlorine, Free	SM 4500-CI G-2000
102.175	002	Chlorine, Total Residual	SM 4500-CI G-2000
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.270	001	Surfactants	SM 5540 C-2000

Field of Testing: 103 – Toxic Chemical Elements of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8
103.140	018	Vanadium	EPA 200.8

Field of Testing: 108 – Inorganic Constituents in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
108.015	001	Calcium	EPA 200.8
108.015	002	Magnesium	EPA 200.8
108.015	003	Potassium	EPA 200.8
108.015	004	Silica, Dissolved	EPA 200.8
108.015	005	Sodium	EPA 200.8
108.017	001	Bromide	EPA 300.0
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0
108.017	007	Phosphate, Ortho (as P)	EPA 300.0
108.017	008	Sulfate (as SO ₄)	EPA 300.0
108.059	001	Turbidity	SM 2130 B-2011
108.061	001	Acidity	SM 2310 B-2011

Subgroup Code	Analyte Code	Analyte	Method
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.071	001	Residue, Total	SM 2540 B-2011
108.073	001	Residue, Filterable TDS	SM 2540 C-2011
108.075	001	Residue, Non-filterable TSS	SM 2540 D-2011
108.077	001	Residue, Volatile	SM 2540 E-2011
108.114	001	Chlorine, Total Residual	SM 4500-CI G-2011
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.203	001	Sulfide (as S)	SM 4500-S F-2011
108.225	001	Surfactants	SM 5540 C-2011

Field of Testing: 109 – Metals and Trace Elements in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
109.625	001	Aluminum	EPA 200.8
109.625	002	Antimony	EPA 200.8
109.625	003	Arsenic	EPA 200.8
109.625	004	Barium	EPA 200.8
109.625	005	Beryllium	EPA 200.8
109.625	006	Boron	EPA 200.8
109.625	007	Cadmium	EPA 200.8
109.625	008	Chromium	EPA 200.8
109.625	009	Cobalt	EPA 200.8
109.625	010	Copper	EPA 200.8
109.625	012	Iron	EPA 200.8
109.625	013	Lead	EPA 200.8
109.625	014	Manganese	EPA 200.8
109.625	015	Molybdenum	EPA 200.8
109.625	016	Nickel	EPA 200.8
109.625	017	Selenium	EPA 200.8
109.625	018	Silver	EPA 200.8
109.625	019	Thallium	EPA 200.8
109.625	022	Vanadium	EPA 200.8
109.625	023	Zinc	EPA 200.8

Field of Testing: 114 – Inorganic Chemistry of Hazardous Waste

Subgroup Code	Analyte Code	Analyte	Method
114.335	002	Antimony	EPA 6020
114.335	003	Arsenic	EPA 6020
114.335	004	Barium	EPA 6020
114.335	005	Beryllium	EPA 6020
114.335	006	Cadmium	EPA 6020
114.335	007	Chromium	EPA 6020

Subgroup Code	Analyte Code	Analyte	Method
114.335	008	Cobalt	EPA 6020
114.335	009	Copper	EPA 6020
114.335	010	Lead	EPA 6020
114.335	012	Nickel	EPA 6020
114.335	013	Silver	EPA 6020
114.335	014	Thallium	EPA 6020
114.335	015	Zinc	EPA 6020
114.335	016	Molybdenum	EPA 6020
114.335	017	Selenium	EPA 6020
114.335	018	Vanadium	EPA 6020
114.345	015	Mercury	EPA 6020 B

Field of Testing: 115 – Extraction Test of Hazardous Waste

Subgroup Code	Analyte Code	Analyte	Method
115.055	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
115.055	001	Corrosivity - pH Determination	EPA 9045 C

Field of Testing: 131 – Leaching/Extraction Tests, Physical Characteristics in Hazardous Waste

Subgroup Code	Analyte Code	Analyte	Method
131.010	001	Waste Extraction Test (WET)	CCR Chapter11, Article 5, Appendix II
131.060	001	Ignitability	EPA 1010