

**CALIFORNIA STATE  
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM  
Fields of Accreditation**

San Luis Obispo County Water Quality Laboratory

1355 C Kansas Avenue

San Luis Obispo, CA 93405

Phone: (805) 781-5111

**Certificate No. 1592**

**Expiration Date 8/31/2027**

**\*As of 10/6/2025, this list supersedes all previous lists for this certificate number.**

**Customers: Please verify the current accreditation standing with the State.**

**Field of Accreditation:** 101 – Microbiology of Drinking Water

<b>Subgroup Code</b>	<b>Analyte Code</b>	<b>Analyte</b>	<b>Method</b>
101.010	001	Heterotrophic Bacteria	SM 9215 B
101.010	001	Heterotrophic Bacteria	SM 9215 B
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18

**Field of Accreditation:** 102 – Inorganic Chemistry of Drinking Water

<b>Subgroup Code</b>	<b>Analyte Code</b>	<b>Analyte</b>	<b>Method</b>
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	005	Sodium	EPA 200.7

102.026	006	Hardness (Calculation)	EPA 200.7
102.030	002	Chlorate	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	004	Chlorite	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	009	Sulfate (as SO4)	EPA 300.0
102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.121	001	Hardness	SM 2340 C-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.148	001	Calcium	SM 3500-Ca B-1997
102.149	001	Magnesium	SM 3500-Mg B-1997
102.175	001	Chlorine, Free	SM 4500-Cl G-2000
102.175	002	Chlorine, Total Residual	SM 4500-Cl G-2000
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000
102.300	001	Nitrate (asN)	Hach 10206
102.400	001	Turbidity	Hach 10258 Rev. 2.0

**Field of Accreditation:** 103 – Toxic Chemical Elements of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
103.125	010	Lead	EPA 200.5
103.130	001	Aluminum	EPA 200.7
103.130	003	Barium	EPA 200.7
103.130	004	Beryllium	EPA 200.7
103.130	007	Chromium	EPA 200.7
103.130	008	Copper	EPA 200.7
103.130	009	Iron	EPA 200.7
103.130	011	Manganese	EPA 200.7
103.130	012	Nickel	EPA 200.7
103.130	015	Silver	EPA 200.7
103.130	017	Zinc	EPA 200.7
103.130	018	Boron	EPA 200.7

**Field of Accreditation:** 107 – Microbiological Methods for Non-Potable Water and Sewage Sludge

Subgroup Code	Analyte Code	Analyte	Method
107.068	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert

107.070	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18
107.070	002	Fecal Coliform (Enumeration)	SM 9223 B-2016 Colilert 18

**Field of Accreditation:** 108 – Inorganic Constituents in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
108.013	001	Calcium	EPA 200.7
108.013	002	Magnesium	EPA 200.7
108.013	004	Potassium	EPA 200.7
108.013	006	Sodium	EPA 200.7
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0
108.017	008	Sulfate (as SO4)	EPA 300.0
108.035	002	Phosphorus, Total	EPA 365.1
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.067	001	Hardness	SM 2340 C-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.070	001	Residue, Total	SM 2540 B-2015
108.072	001	Residue, Filterable TDS	SM 2540 C-2015
108.074	001	Residue, Non-filterable TSS	SM 2540 D-2015
108.076	001	Residue, Volatile	SM 2540 E-2015
108.076	002	Residue, Fixed Filterable (FDS)	SM 2540 E-2015
108.078	001	Residue, Settleable	SM 2540 F-2015
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.176	001	Oxygen, Dissolved	SM 4500-O H-2016
108.206	001	Biochemical Oxygen Demand	SM 5210 B-2016
108.206	002	Carbonaceous BOD	SM 5210 B-2016
108.327	001	Nitrite (as N)	Hach 8507
108.329	001	Nitrate (as N)	Hach 10206
108.329	001	Nitrate (as N)	Hach 10206
108.329	002	Nitrate-Nitrite (as N)	Hach 10206
108.331	001	Kjeldahl Nitrogen, Total (as N)	Hach 10242

**Field of Accreditation:** 109 – Metals and Trace Elements in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
109.623	001	Aluminum	EPA 200.7
109.623	002	Antimony	EPA 200.7

109.623	003	Arsenic	EPA 200.7
109.623	004	Barium	EPA 200.7
109.623	005	Beryllium	EPA 200.7
109.623	006	Boron	EPA 200.7
109.623	007	Cadmium	EPA 200.7
109.623	008	Chromium	EPA 200.7
109.623	009	Cobalt	EPA 200.7
109.623	010	Copper	EPA 200.7
109.623	011	Iron	EPA 200.7
109.623	012	Lead	EPA 200.7
109.623	013	Manganese	EPA 200.7
109.623	014	Molybdenum	EPA 200.7
109.623	015	Nickel	EPA 200.7
109.623	016	Selenium	EPA 200.7
109.623	017	Silver	EPA 200.7
109.623	018	Thallium	EPA 200.7
109.623	020	Titanium	EPA 200.7
109.623	021	Vanadium	EPA 200.7
109.623	022	Zinc	EPA 200.7