

**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Fields of Accreditation**

Cranmer Engineering, Inc.

1188 East Main Street

Grass Valley, CA 95945

Phone: (530) 273-7284

Certificate No. 1936

Expiration Date 8/31/2027

***As of 11/25/2025, this list supersedes all previous lists for this certificate number.**

Customers: Please verify the current accreditation standing with the State.

Field of Accreditation: 101 – Microbiology of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
101.010	001	Heterotrophic Bacteria	SM 9215 B
101.020	004	Total Coliform (Enumeration)	SM 9221 B,C
101.020	005	Fecal Coliform (Enumeration)	SM 9221 B,E
101.050	001	Total Coliform P/A	SM 9223 B Colilert
101.050	002	E. coli P/A	SM 9223 B Colilert
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert
101.050	005	Total Coliform P/A	SM 9223 B Colilert 18
101.050	006	E. coli P/A	SM 9223 B Colilert 18
101.050	007	Total Coliform (Enumeration)	SM 9223 B Colilert 18
101.050	008	E. coli (Enumeration)	SM 9223 B Colilert 18

Field of Accreditation: 102 – Inorganic Chemistry of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
102.026	001	Calcium	EPA 200.7
102.026	002	Magnesium	EPA 200.7
102.026	003	Potassium	EPA 200.7
102.026	005	Sodium	EPA 200.7
102.026	006	Hardness (Calculation)	EPA 200.7
102.030	001	Bromide	EPA 300.0
102.030	003	Chloride	EPA 300.0
102.030	005	Fluoride	EPA 300.0
102.030	006	Nitrate (as N)	EPA 300.0
102.030	007	Nitrite (as N)	EPA 300.0
102.030	008	Phosphate, Ortho (as P)	EPA 300.0
102.030	009	Sulfate (as SO ₄)	EPA 300.0
102.095	001	Turbidity	SM 2130 B-2001
102.100	001	Alkalinity	SM 2320 B-1997
102.130	001	Specific Conductance	SM 2510 B-1997
102.140	001	Residue, Filterable TDS	SM 2540 C-1997
102.203	001	Hydrogen Ion (pH)	SM 4500-H+ B-2000

Field of Accreditation: 103 – Toxic Chemical Elements of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method
103.130	009	Iron	EPA 200.7
103.140	001	Aluminum	EPA 200.8
103.140	002	Antimony	EPA 200.8
103.140	003	Arsenic	EPA 200.8
103.140	004	Barium	EPA 200.8
103.140	005	Beryllium	EPA 200.8
103.140	006	Cadmium	EPA 200.8
103.140	007	Chromium	EPA 200.8
103.140	008	Copper	EPA 200.8
103.140	009	Lead	EPA 200.8
103.140	010	Manganese	EPA 200.8
103.140	011	Mercury	EPA 200.8
103.140	012	Nickel	EPA 200.8
103.140	013	Selenium	EPA 200.8
103.140	014	Silver	EPA 200.8
103.140	015	Thallium	EPA 200.8
103.140	016	Zinc	EPA 200.8
103.140	017	Boron	EPA 200.8

Subgroup Code	Analyte Code	Analyte	Method
103.140	018	Vanadium	EPA 200.8

Field of Accreditation: 107 – Microbiological Methods for Non-Potable Water and Sewage Sludge

Subgroup Code	Analyte Code	Analyte	Method
107.050	001	Total Coliform (Enumeration)	SM 9221 B-2014
107.052	001	Fecal Coliform (Enumeration)	SM 9221 E-2014
107.068	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert
107.070	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18

Field of Accreditation: 108 – Inorganic Constituents in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
108.013	001	Calcium	EPA 200.7
108.013	002	Magnesium	EPA 200.7
108.013	004	Potassium	EPA 200.7
108.013	006	Sodium	EPA 200.7
108.015	001	Calcium	EPA 200.8
108.015	002	Magnesium	EPA 200.8
108.015	003	Potassium	EPA 200.8
108.015	005	Sodium	EPA 200.8
108.017	001	Bromide	EPA 300.0
108.017	002	Chloride	EPA 300.0
108.017	003	Fluoride	EPA 300.0
108.017	004	Nitrate (as N)	EPA 300.0
108.017	005	Nitrate-Nitrite (as N)	EPA 300.0
108.017	006	Nitrite (as N)	EPA 300.0
108.017	007	Phosphate, Ortho (as P)	EPA 300.0
108.017	008	Sulfate (as SO ₄)	EPA 300.0
108.053	001	Oil & Grease, Total Recoverable	EPA 1664 A
108.059	001	Turbidity	SM 2130 B-2011
108.063	001	Alkalinity	SM 2320 B-2011
108.065	001	Hardness (Calculation)	SM 2340 B-2011
108.069	001	Specific Conductance	SM 2510 B-2011
108.070	001	Residue, Total	SM 2540 B-2015
108.072	001	Residue, Filterable TDS	SM 2540 C-2015

Subgroup Code	Analyte Code	Analyte	Method
108.074	001	Residue, Non-filterable TSS	SM 2540 D-2015
108.078	001	Residue, Settleable	SM 2540 F-2015
108.137	001	Hydrogen Ion (pH)	SM 4500-H+ B-2011
108.139	002	Kjeldahl Nitrogen, Total (as N)	SM 4500-NH3 C-2011
108.140	001	Ammonia (as N)	SM 4500-NH3 D-2011
108.166	001	Oxygen, Dissolved	SM 4500-O C-2016
108.174	001	Oxygen, Dissolved	SM 4500-O G-2016
108.206	001	Biochemical Oxygen Demand	SM 5210 B-2016
108.206	002	Carbonaceous BOD	SM 5210 B-2016
108.225	001	Surfactants	SM 5540 C-2011
108.331	001	Kjeldahl Nitrogen, Total (as N)	Hach 10242

Field of Accreditation: 109 – Metals and Trace Elements in Non-Potable Water

Subgroup Code	Analyte Code	Analyte	Method
109.625	001	Aluminum	EPA 200.8
109.625	002	Antimony	EPA 200.8
109.625	003	Arsenic	EPA 200.8
109.625	004	Barium	EPA 200.8
109.625	005	Beryllium	EPA 200.8
109.625	006	Boron	EPA 200.8
109.625	007	Cadmium	EPA 200.8
109.625	008	Chromium	EPA 200.8
109.625	009	Cobalt	EPA 200.8
109.625	010	Copper	EPA 200.8
109.625	012	Iron	EPA 200.8
109.625	013	Lead	EPA 200.8
109.625	014	Manganese	EPA 200.8
109.625	015	Molybdenum	EPA 200.8
109.625	016	Nickel	EPA 200.8
109.625	017	Selenium	EPA 200.8
109.625	018	Silver	EPA 200.8
109.625	019	Thallium	EPA 200.8
109.625	020	Tin	EPA 200.8
109.625	021	Titanium	EPA 200.8
109.625	022	Vanadium	EPA 200.8
109.625	023	Zinc	EPA 200.8

Field of Accreditation: 126 – Microbiological Methods for Ambient Water

Subgroup Code	Analyte Code	Analyte	Method
126.102	001	Total Coliform (Enumeration)	SM 9221 B-2014
126.104	001	Fecal Coliform (Enumeration)	SM 9221 E-2014
126.120	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert
126.122	001	E. coli (Enumeration)	SM 9223 B-2016 Colilert 18