

**CALIFORNIA STATE
ENVIRONMENTAL LABORATORY ACCREDITATION PROGRAM
Accredited Fields of Testing**

National Testing Laboratories, Ltd

556 South Mansfield Street

Ypsilanti, MI 48197

Phone: (734) 783-8333

Certificate No. 2568 RECIPROCITY

Expiration Date 6/30/2022

***As of 7/1/2021, this list supersedes all previous lists for this certificate number.**

Customers: Please verify the current accreditation standing with the State.

Field of Testing: 101 – Microbiology of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
101.010	001	Heterotrophic Bacteria	SM 9215 B	FL
101.050	001	Total Coliform P/A	SM 9223 B Colilert	FL
101.050	002	E. coli P/A	SM 9223 B Colilert	FL
101.050	003	Total Coliform (Enumeration)	SM 9223 B Colilert	FL
101.050	004	E. coli (Enumeration)	SM 9223 B Colilert	FL

Field of Testing: 102 – Inorganic Chemistry of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
102.015	001	Hydrogen Ion (pH)	EPA 150.1	FL
102.026	001	Calcium	EPA 200.7	FL
102.026	002	Magnesium	EPA 200.7	FL

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
102.026	003	Potassium	EPA 200.7	FL
102.026	004	Silica	EPA 200.7	FL
102.026	005	Sodium	EPA 200.7	FL
102.030	001	Bromide	EPA 300.0	FL
102.030	003	Chloride	EPA 300.0	FL
102.030	005	Fluoride	EPA 300.0	FL
102.030	006	Nitrate (as N)	EPA 300.0	FL
102.030	007	Nitrite (as N)	EPA 300.0	FL
102.030	008	Phosphate,Ortho (as P)	EPA 300.0	FL
102.030	009	Sulfate (as SO4)	EPA 300.0	FL
102.040	001	Bromide	EPA 300.1	FL
102.040	002	Chlorite	EPA 300.1	FL
102.040	003	Chlorate	EPA 300.1	FL
102.040	004	Bromate	EPA 300.1	FL
102.052	001	Bromate	EPA 326.0	FL
102.095	001	Turbidity	SM 2130 B-2001	FL
102.100	001	Alkalinity	SM 2320 B-1997	FL
102.120	001	Hardness (Calculation)	SM 2340 B-1997	FL
102.121	001	Hardness	SM 2340 C-1997	FL
102.130	001	Specific Conductance	SM 2510 B-1997	FL
102.140	001	Residue, Filterable TDS	SM 2540 C-1997	FL
102.175	001	Chlorine, Free	SM 4500-CI G-2000	FL
102.175	002	Chlorine, Total Residual	SM 4500-CI G-2000	FL
102.180	001	Chlorine Dioxide	SM 4500-CIO2 D-2000	FL
102.262	001	Organic Carbon-Total (TOC)	SM 5310 C-2000	FL
102.270	001	Surfactants	SM 5540 C-	FL

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
			2000	

Field of Testing: 103 – Toxic Chemical Elements of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
103.040	003	Arsenic	SM 3113 B	FL
103.040	010	Lead	SM 3113 B	FL
103.040	013	Selenium	SM 3113 B	FL
103.130	001	Aluminum	EPA 200.7	FL
103.130	003	Barium	EPA 200.7	FL
103.130	004	Beryllium	EPA 200.7	FL
103.130	007	Chromium	EPA 200.7	FL
103.130	008	Copper	EPA 200.7	FL
103.130	009	Iron	EPA 200.7	FL
103.130	011	Manganese	EPA 200.7	FL
103.130	012	Nickel	EPA 200.7	FL
103.130	015	Silver	EPA 200.7	FL
103.130	017	Zinc	EPA 200.7	FL
103.130	018	Boron	EPA 200.7	FL
103.140	002	Antimony	EPA 200.8	FL
103.140	003	Arsenic	EPA 200.8	FL
103.140	004	Barium	EPA 200.8	FL
103.140	005	Beryllium	EPA 200.8	FL
103.140	006	Cadmium	EPA 200.8	FL
103.140	007	Chromium	EPA 200.8	FL
103.140	008	Copper	EPA 200.8	FL
103.140	009	Lead	EPA 200.8	FL
103.140	010	Manganese	EPA 200.8	FL
103.140	011	Mercury	EPA 200.8	FL
103.140	012	Nickel	EPA 200.8	FL
103.140	013	Selenium	EPA 200.8	FL
103.140	014	Silver	EPA 200.8	FL
103.140	015	Thallium	EPA 200.8	FL

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
103.140	016	Zinc	EPA 200.8	FL
103.140	018	Vanadium	EPA 200.8	FL

Field of Testing: 121 – Bulk Asbestos Analysis of Hazardous Waste

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
104.030	001	1,2-Dibromoethane (EDB)	EPA 504.1	FL
104.030	002	1,2-Dibromo-3-chloropropane (DBCP)	EPA 504.1	FL
104.040	001	Benzene	EPA 524.2	FL
104.040	007	n-Butylbenzene	EPA 524.2	FL
104.040	008	sec-Butylbenzene	EPA 524.2	FL
104.040	009	tert-Butylbenzene	EPA 524.2	FL
104.040	010	Carbon Tetrachloride	EPA 524.2	FL
104.040	011	Chlorobenzene	EPA 524.2	FL
104.040	015	2-Chlorotoluene	EPA 524.2	FL
104.040	016	4-Chlorotoluene	EPA 524.2	FL
104.040	019	1,3-Dichlorobenzene	EPA 524.2	FL
104.040	020	1,2-Dichlorobenzene	EPA 524.2	FL
104.040	021	1,4-Dichlorobenzene	EPA 524.2	FL
104.040	022	Dichlorodifluoromethane	EPA 524.2	FL
104.040	023	1,1-Dichloroethane	EPA 524.2	FL
104.040	024	1,2-Dichloroethane (Ethylene Dichloride)	EPA 524.2	FL
104.040	025	1,1-Dichloroethylene (1,1-Dichloroethene)	EPA 524.2	FL
104.040	026	cis-1,2-Dichloroethylene (cis 1,2 Dichloroethene)	EPA 524.2	FL
104.040	027	trans-1,2-Dichloroethylene (trans- 1,2 Dichloroethene)	EPA 524.2	FL
104.040	028	Dichloromethane (Methylene Chloride)	EPA 524.2	FL
104.040	029	1,2-Dichloropropane	EPA 524.2	FL
104.040	033	cis-1,3-Dichloropropylene (cis 1,3 Dichloropropene)	EPA 524.2	FL
104.040	034	trans-1,3-Dichloropropylene (trans-1,3 Dichloropropene)	EPA 524.2	FL

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
104.040	035	Ethylbenzene	EPA 524.2	FL
104.040	037	Isopropylbenzene	EPA 524.2	FL
104.040	039	Naphthalene	EPA 524.2	FL
104.040	041	N-propylbenzene	EPA 524.2	FL
104.040	042	Styrene	EPA 524.2	FL
104.040	043	1,1,1,2-Tetrachloroethane	EPA 524.2	FL
104.040	044	1,1,2,2-Tetrachloroethane	EPA 524.2	FL
104.040	045	Tetrachloroethylene (Tetrachloroethene)	EPA 524.2	FL
104.040	046	Toluene	EPA 524.2	FL
104.040	047	1,2,3-Trichlorobenzene	EPA 524.2	FL
104.040	048	1,2,4-Trichlorobenzene	EPA 524.2	FL
104.040	049	1,1,1-Trichloroethane	EPA 524.2	FL
104.040	050	1,1,2-Trichloroethane	EPA 524.2	FL
104.040	051	Trichloroethylene (Trichloroethene)	EPA 524.2	FL
104.040	052	Trichlorofluoromethane	EPA 524.2	FL
104.040	054	1,2,4-Trimethylbenzene	EPA 524.2	FL
104.040	055	1,3,5-Trimethylbenzene	EPA 524.2	FL
104.040	056	Vinyl Chloride	EPA 524.2	FL
104.040	058	m-Xylene	EPA 524.2	FL
104.040	059	o-Xylene	EPA 524.2	FL
104.040	060	p-Xylene	EPA 524.2	FL
104.040	063	m+p-Xylene	EPA 524.2	FL
104.045	001	Bromodichloromethane	EPA 524.2	FL
104.045	002	Bromoform	EPA 524.2	FL
104.045	003	Chloroform	EPA 524.2	FL
104.045	004	Dibromochloromethane (Chlorodibromomethane)	EPA 524.2	FL
104.050	002	Methyl tert-butyl Ether (MTBE)	EPA 524.2	FL
104.050	005	Trichlorotrifluoroethane (Freon 113)	EPA 524.2	FL

Field of Testing: 105 – Semi-volatile Organic Chemistry of Drinking Water

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
105.010	004	Chlordane	EPA 505	FL
105.010	006	Endrin	EPA 505	FL
105.010	007	Heptachlor	EPA 505	FL
105.010	008	Heptachlor Epoxide	EPA 505	FL
105.010	009	Hexachlorobenzene	EPA 505	FL
105.010	010	Hexachlorocyclopentadiene	EPA 505	FL
105.010	011	Lindane (HCH-gamma)	EPA 505	FL
105.010	012	Methoxychlor	EPA 505	FL
105.010	014	Toxaphene	EPA 505	FL
105.010	015	PCBs as Aroclors (screen)	EPA 505	FL
105.083	001	2,4-D	EPA 515.4	FL
105.083	002	Dinoseb	EPA 515.4	FL
105.083	003	Pentachlorophenol	EPA 515.4	FL
105.083	004	Picloram	EPA 515.4	FL
105.083	005	2,4,5-TP (Silvex)	EPA 515.4	FL
105.083	006	Dalapon	EPA 515.4	FL
105.083	007	Bentazon	EPA 515.4	FL
105.083	008	Dicamba	EPA 515.4	FL
105.090	001	Alachlor	EPA 525.2	FL
105.090	002	Aldrin	EPA 525.2	FL
105.090	003	Atrazine	EPA 525.2	FL
105.090	004	Benzo(a)pyrene	EPA 525.2	FL
105.090	005	Butachlor	EPA 525.2	FL
105.090	007	Dieldrin	EPA 525.2	FL
105.090	008	Di(2-ethylhexyl) Adipate	EPA 525.2	FL
105.090	009	Di(2-ethylhexyl) Phthalate	EPA 525.2	FL
105.090	013	Endrin	EPA 525.2	FL
105.090	014	Heptachlor	EPA 525.2	FL
105.090	015	Heptachlor Epoxide	EPA 525.2	FL
105.090	016	Hexachlorobenzene	EPA 525.2	FL
105.090	017	Hexachlorocyclopentadiene	EPA 525.2	FL

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
105.090	018	Lindane (HCH-gamma)	EPA 525.2	FL
105.090	019	Methoxychlor	EPA 525.2	FL
105.090	022	Molinate	EPA 525.2	FL
105.090	025	Simazine	EPA 525.2	FL
105.090	028	Thiobencarb	EPA 525.2	FL
105.101	001	Carbofuran (Furadan)	EPA 531.2	FL
105.101	002	Oxamyl	EPA 531.2	FL
105.101	003	Aldicarb (Temik)	EPA 531.2	FL
105.101	004	Aldicarb Sulfone	EPA 531.2	FL
105.101	005	Aldicarb Sulfoxide	EPA 531.2	FL
105.101	006	Carbaryl (Sevin)	EPA 531.2	FL
105.101	007	3-Hydroxycarbofuran	EPA 531.2	FL
105.101	008	Methomyl (Lannate)	EPA 531.2	FL
105.120	001	Glyphosate	EPA 547	FL
105.140	001	Endothall	EPA 548.1	FL
105.150	001	Diquat	EPA 549.2	FL
105.200	001	Bromoacetic Acid	EPA 552.2	FL
105.200	003	Chloroacetic Acid	EPA 552.2	FL
105.200	004	Dalapon	EPA 552.2	FL
105.200	005	Dibromoacetic Acid	EPA 552.2	FL
105.200	006	Dichloroacetic Acid	EPA 552.2	FL
105.200	007	Trichloroacetic Acid	EPA 552.2	FL

Field of Testing: 106 – Radionuclides in Drinking Water

Subgroup Code	Analyte Code	Analyte	Method	Primary Accreditation Body
106.092	001	Uranium	EPA 200.8	FL