

---

**From:** Yamanaka, Dan@DWR  
**Sent:** Friday, December 26, 2014 3:07 PM  
**To:** Grober, Les@Waterboards  
**Cc:** Stein, Russell@DWR; Rea, Maria@NOAA; [pfujitani@usbr.gov](mailto:pfujitani@usbr.gov); [ekiteck@usbr.gov](mailto:ekiteck@usbr.gov); [rpyaworsky@usbr.gov](mailto:rpyaworsky@usbr.gov); Wilcox, Carl@Wildlife; Rico, Christine@Waterboards; Castleberry, Dan@fws; [Garwin.Yip@noaa.gov](mailto:Garwin.Yip@noaa.gov); Riddle, Diane@Waterboards; [RMILLIGAN@usbr.gov](mailto:RMILLIGAN@usbr.gov); Mizell, James@DWR; [michael\\_chotkowski@fws.gov](mailto:michael_chotkowski@fws.gov); Leahigh, John@DWR; Hinojosa, Tracy@DWR; Pettit, Tracy@DWR; Ford, John@DWR  
**Subject:** Electronic Transmittal: Conserved Water Accounting for November 2014 under TUCP Order and Final CWA for 2014

Les--

In its September 24, 2014 Order Denying Petitions for Reconsideration and Addressing Objections, the State Water Resources Control Board (Board) requires the Department of Water Resources (DWR) and the U.S. Bureau of Reclamation (Reclamation) to “calculate and maintain a record of the amount of water conserved through the changes authorized by this Order” and to “submit such records on a monthly basis to the State Water Board within 20 working days after the first day of the following month.”

In compliance with that requirement, DWR and Reclamation (the Projects) are presenting the attached table showing daily accounting for conserved water under the Order for the month of November. The May 2, 2014 version of the Order modified the Rio Vista flow requirement from 3,500 cfs to 2,000 cfs on a monthly average and from 2,500 cfs to 1,500 cfs on a 7-day average. However, November’s monthly average flow was 3,643 cfs, and the 7-day running average never dropped below 3,000 cfs. As no other modified D-1641 standards were active during the month, the Projects did not conserve any additional water in November.

We are also providing you with a complete set of tables showing final accounting for the entire February through November period under the TUCP Order. The amounts of conserved water in February through June have been refined following further review of the entire TUCP period as a whole and are a better reflection of the amount of water conserved each month.

In total, the TUCP Order has allowed the Projects to conserve approximately 450 TAF February through November.

If you have any questions or would like more information, please contact me at (916) 574-0456 or Mr. Paul Fujitani at (916) 979-2197.

Thank you!  
Dan

**Dan Yamanaka**  
Chief, Delta Compliance & Modeling Section  
Operations Control Office  
3310 El Camino Avenue, Suite 300  
Sacramento, California 95821  
(916) 574-0456 - Office

NOVEMBER date	Rio Vista Per D1641, 30-day > 3,000 cfs; 7 day > 2,000 cfs Per TUCP, 30-day > 2,000 cfs; 7-day >1,500 cfs		TUCP in Effect	Daily Combined Exports (cfs)	Water Conserved (TAF)
	Actual Daily Rio Vista Flow (cfs)	Calculated 7-Day Rio Vista Flow (cfs)	for Rio Vista		
11/1/2014	3,737	3,737		1,552	0.00
11/2/2014	4,311	4,024		1,601	0.00
11/3/2014	5,940	4,663		2,084	0.00
11/4/2014	5,976	4,991		2,085	0.00
11/5/2014	6,084	5,210		2,087	0.00
11/6/2014	5,418	5,244		2,088	0.00
11/7/2014	3,783	5,035		2,083	0.00
11/8/2014	3,010	4,932		1,591	0.00
11/9/2014	2,967	4,740		2,082	0.00
11/10/2014	2,722	4,280		2,094	0.00
11/11/2014	2,667	3,807		2,091	0.00
11/12/2014	2,860	3,346		2,100	0.00
11/13/2014	3,194	3,029		2,100	0.00
11/14/2014	3,194	5,166		1,600	0.00
11/15/2014	3,543	5,215		1,600	0.00
11/16/2014	3,408	5,198		1,600	0.00
11/17/2014	3,532	5,231		1,600	0.00
11/18/2014	3,457	5,323		1,600	0.00
11/19/2014	3,232	5,342		1,600	0.00
11/20/2014	2,617	5,092		1,600	0.00
11/21/2014	2,771	5,037		1,600	0.00
11/22/2014	3,109	4,828		1,600	0.00
11/23/2014	3,165	4,632		1,600	0.00
11/24/2014	3,243	4,552		1,600	0.00
11/25/2014	3,873	4,535		1,600	0.00
11/26/2014	3,670	4,490		1,600	0.00
11/27/2014	4,042	4,684		1,600	0.00
11/28/2014	3,687	4,599		1,600	0.00
11/29/2014	3,210	4,419		1,600	0.00
11/30/2014	2,881	4,197		1,600	0.00

Average RV Flow (cfs): 3,643

Total for November (TAF): 0.00