



#### **Lahontan Regional Water Quality Control Board**

June 9, 2015

WDID No. 6B261504003 401 WQC

Ed Armenta, Forest Supervisor Inyo National Forest 351 Pacu Lane, Suite 200 Bishop, CA 93514

Email: earmenta@fs.fed.us

BOARD ORDER NO. R6V-2015-0027, FOR CLEAN WATER ACT SECTION 401 WATER QUALITY CERTIFICATION, MAMMOTH CREEK ROAD RE-ROUTE AND STABILIZATION PROJECT, INYO NATIONAL FOREST, MONO COUNTY, WDID NO. 6B261504003

The California Regional Water Quality Control Board, Lahontan Region (Water Board) has received project information from the Inyo National Forest (Applicant) and an application filing fee to complete an application for Clean Water Act (CWA) Section 401 Water Quality Certification (WQC) for Mammoth Creek Road Re-Route and Stabilization Project (Project). This Order for WQC is based upon the information provided in the application and subsequent correspondence received in support of the application.

Any person aggrieved by this action of the Water Board may petition the State Water Resources Control Board (State Water Board) to review the action in accordance with California Water Code (CWC), section 13320, and California Code of Regulations (CCR), title 23, sections 2050 and following. The State Water Board must receive the petition by 5:00 p.m., 30 days after the date of this Order, except that if the thirtieth day following the date of this Order falls on a Saturday, Sunday, or state holiday, the petition must be received by the State Water Board by 5:00 p.m. on the next business day. Copies of the law and regulations applicable to filing petitions may be found on the internet at <a href="http://www.waterboards.ca.gov/public\_notices/petitions/water\_quality">http://www.waterboards.ca.gov/public\_notices/petitions/water\_quality</a>, or will be provided upon request.

#### PROJECT DESCRIPTION

This WQC is based upon the information provided by the Applicant. Project details are summarized in the following table.

# **Table of Project Information:**

M/DID Ni mala a n	CD204504000
WDID Number	6B261504003
Applicant	Inyo National Forest
Agent	Casey Shannon, Inyo National Forest
Project Name	Mammoth Creek Road Re-Route and Stabilization Project
Project Purpose and	The purpose of the Project is to protect water quality and
Description	aquatic/riparian habitat in Mammoth Creek by stabilizing an eroding
	stream bank and preventing motorized vehicle entry into the

KIMBERLY COX, CHAIR | PATTY Z. KOUYOUMDJIAN, EXECUTIVE OFFICER



# **Table of Project Information:**

	ala a sa sa la af NAa		Na ala Th		11 1			
	channel of Mammoth Creek. The road will be re-routed to cross Murphy Gulch and be capped with a gravel base. Riparian							
	vegetation impacted by unauthorized vehicle use will be restored							
	onsite.							
Project Type	Transportation (Bridges, Overpasses, and Crossings)							
Project Address or other	Mammoth Creek Road, Forest System Road No. 3S08, near the							
Locating Information	confluence of Mammoth Creek and Murphy Gulch, Town of Mammoth Lakes, Mono County							
Latitude/Longitude	Latitude: 37.638 Longitude: -118.914 (center)							
Hydrologic Unit(s)	Owens Hydrologic Unit 603.00, Long Hydrologic Area 603.10							
Project Area	0.097 acres							
Receiving Water(s)	Mammoth Cre	ek, tribut	ary to Ow	vens Rive	r, Murphy	/ Gulch, ti	ributary	
Name	to Mammoth (		•					
Water Body Type(s)	Perennial stre	am and r	ninor surf	ace wate	r			
Designated Beneficial	MUN, AGR, G	WR, FR	SH, REC-	·1, REC-2	, COMM,	COLD, V	VILD,	
Uses	RARE, MIGR,							
Potential Water Quality	Hydrogeomor							
Impacts to Waters of the	may result in	downstre	am erosic	on, sedim	entation,	and/or silt	tation.	
United States (WOUS)								
Project Impacts	Waterbody	F	Permaner	nt	T	emporar	У	
Project Impacts (Fill/Excavation) to	Waterbody Type		Permaner Linear	<b>t</b> Cubic		emporar Linear	<b>y</b> Cubic	
Project Impacts		Acres	Linear Feet	Cubic Yards	Acres	Linear Feet		
Project Impacts (Fill/Excavation) to WOUS	Type Stream	Acres 0.008	Linear Feet 64	Cubic Yards 20.63	Acres 0	Linear Feet 0	Cubic Yards 0	
Project Impacts (Fill/Excavation) to	Type Stream The Applicant	Acres 0.008 has app	Linear Feet 64 lied for co	Cubic Yards 20.63 overage u	Acres 0 nder a U.	Linear Feet 0 S. Army 0	Cubic Yards 0 Corps of	
Project Impacts (Fill/Excavation) to WOUS	Stream The Applicant Engineers (US	Acres 0.008 has applesACE) Na	Linear Feet 64 lied for co	Cubic Yards 20.63 overage un Permit 14	Acres 0 nder a U. 4, Linear	Linear Feet 0 S. Army 0	Cubic Yards 0 Corps of	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)	Stream The Applicant Engineers (US Projects, purs	Acres 0.008 has applesACE) National to see	Linear Feet 64 lied for co ationwide ection 404	Cubic Yards 20.63 overage un Permit 14 4 of the C	Acres 0 nder a U. 4, Linear WA.	Linear Feet 0 S. Army ( Transport	Cubic Yards 0 Corps of cation	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory	Stream The Applicant Engineers (US Projects, purs	Acres 0.008 has applesACE) National to secure	Linear Feet 64 lied for continuide ection 404 e Application	Cubic Yards 20.63 overage un Permit 14 4 of the Cont will follo	Acres 0 nder a U. 4, Linear WA. ow Best N	Linear Feet 0 S. Army ( Transport	Cubic Yards 0 Corps of cation	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)	Type  Stream  The Applicant Engineers (US Projects, purs During construences (BM)	Acres 0.008 has applesACE) National to secure	Linear Feet 64 lied for coationwide ection 404 e Application general	Cubic Yards 20.63 Everage under Permit 14 For the Continuity following	Acres  0 nder a U. 4, Linear WA. ow Best Notorm water	Linear Feet 0 S. Army ( Transport  Managem er controls	Cubic Yards 0 Corps of tation ent	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory	Type  Stream The Applicant Engineers (US Projects, purs During construences (BM designed to mean and the stream of	Acres 0.008 has apples ACE) National to secure	Linear Feet 64 lied for coationwide ection 404 e Application considers consi	Cubic Yards 20.63 Everage under the Country of the	Acres  0 nder a U. 4, Linear WA. ow Best Metorm water	Linear Feet 0 S. Army ( Transport  Managem er controls f water qu	Cubic Yards 0 Corps of ation ent s juality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory	Type  Stream The Applicant Engineers (US Projects, purs During constru Practices (BM designed to m All work will be	Acres 0.008 has apples ACE) National to secure	Linear Feet 64 lied for coationwide ection 404 e Application considers consi	Cubic Yards 20.63 Everage under the Country of the	Acres  0 nder a U. 4, Linear WA. ow Best Metorm water	Linear Feet 0 S. Army ( Transport  Managem er controls f water qu	Cubic Yards 0 Corps of ation ent s juality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory Mitigation	Type  Stream The Applicant Engineers (US Projects, purs During construences (BM designed to make All work will be ungrouted.	Acres  0.008 has apples ACE) Nation, the distribution, the distribution inclumination in the conduction in the conductio	Linear Feet 64 lied for contactionwide ection 404 e Application considers considered using	Cubic Yards 20.63 Everage un Permit 14 4 of the Cont will follostruction serm degra	Acres  0 nder a U. 4, Linear WA. ow Best Notorm wate adation of	Linear Feet 0 S. Army 0 Transport  Managem er controle f water que rap will be	Cubic Yards 0 Corps of cation ent s uality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory	Type  Stream The Applicant Engineers (US Projects, purs During construent Practices (BM designed to make All work will be ungrouted.  Approximately	Acres 0.008 has apples ACE) Nation, the suction, the IPs) incluminimize the conductor of 150 line	Linear Feet 64 lied for coationwide ection 404 e Application considers considered using	Cubic Yards 20.63 Everage under Permit 14 4 of the Cont will following truction seem degrated and tools  stream classes	Acres  0 nder a U. 4, Linear WA. ow Best Matorm water adation of a control and the control and	Linear Feet 0 S. Army O Transport Managem er controls f water qu rap will be	Cubic Yards 0 Corps of ation ent s Jality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory Mitigation	Type  Stream The Applicant Engineers (US Projects, purs During construences (BM designed to make All work will be ungrouted.	Acres 0.008 has apples ACE) Nation, the suction, the IPs) incluminimize the conductor of 150 line	Linear Feet 64 lied for coationwide ection 404 e Application considers considered using	Cubic Yards 20.63 Everage under Permit 14 4 of the Cont will following truction seem degrated and tools  stream classes	Acres  0 nder a U. 4, Linear WA. ow Best Matorm water adation of a control and the control and	Linear Feet 0 S. Army O Transport Managem er controls f water qu rap will be	Cubic Yards 0 Corps of ation ent s Jality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory Mitigation	Type  Stream The Applicant Engineers (US Projects, purs During construent Practices (BM designed to management All work will be ungrouted.  Approximately and adjacent	Acres  0.008 has apples ACE) Nation, the suction, the IPs) includinimize the conductor of the conductor of the IPs of the conductor of the IPs	Linear Feet 64 lied for contained to the short-ted using ar feet of regetation	Cubic Yards 20.63 Diverage under the Continuit of the Con	Acres  0 nder a U. 4, Linear WA. ow Best Natorm wate adation of a All rip-re hannel (Mestored as	Linear Feet 0 S. Army ( Transport  Managem er controls f water qu rap will be  Mammoth s part of the	Cubic Yards 0 Corps of ation ent s Jality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory Mitigation  Application Fees Fees Received	Type  Stream The Applicant Engineers (US Projects, purs During construent Practices (BM designed to make Approximately and adjacent Project	Acres  0.008 has apples ACE) Nation, the suction, the IPs) includinimize the conductor of the conductor of the IPs of the conductor of the IPs	Linear Feet 64 lied for contained to the short-ted using ar feet of regetation	Cubic Yards 20.63 Diverage under the Continuit of the Con	Acres  0 nder a U. 4, Linear WA. ow Best Natorm wate adation of a All rip-re hannel (Mestored as	Linear Feet 0 S. Army ( Transport  Managem er controls f water qu rap will be  Mammoth s part of the	Cubic Yards 0 Corps of ation ent s Jality.	
Project Impacts (Fill/Excavation) to WOUS  Federal Permit(s)  Non-Compensatory Mitigation  Compensatory Mitigation  Application Fees <sup>1</sup>	Type  Stream The Applicant Engineers (US Projects, purs During construction Practices (BM designed to make All work will be ungrouted.  Approximately and adjacent Project \$200 (Project	Acres  0.008 has apples ACE) National to secure to secur	Linear Feet 64 lied for continuide ection 404 e Application short-ted using ar feet of regetation as a "Low	Cubic Yards 20.63 Verage un Permit 14 4 of the Cont will follostruction serm degra had tools stream classification will be reserved.	Acres  0 nder a U. 4, Linear WA. ow Best Material adation of a All rip-restriction of a Stored as	Linear Feet 0 S. Army O Transport Managem er controls f water qu rap will be Mammoth s part of the	Cubic Yards 0 Corps of ation ent s Jality.	

<sup>&</sup>lt;sup>1</sup>Dredge and fill application fees shall not exceed \$90,000 for Fill and Excavation operations.

## **CEQA COMPLIANCE**

The Water Board finds that the Project is categorically exempt from the California Environmental Quality Act (CEQA), pursuant to CCR, title 14, section 15301, Existing Facilities, for the minor alteration to an existing facility with negligible to no expansion of use. The Water Board will file a Notice of Exemption with the State Clearinghouse concurrently with this Order.

<sup>&</sup>lt;sup>2</sup>The actual Annual Active Discharge Fee will be calculated using the fee schedule in effect at the time the annual fee is assessed per California Code of Regulations, title 23, section 2200(a)(3).

# **SECTION 401 WATER QUALITY CERTIFICATION**

#### **Authority**

CWA, section 401 (33 United State Code [USC], paragraph 1341), requires that any applicant for a CWA, section 404 permit, who plans to conduct any activity that may result in discharge of dredged or fill materials to WOUS, shall provide to the permitting agency a certification that the discharge will be in compliance with applicable water quality standards of the state in which the discharge will originate. No section 404 permit may be granted (or valid) until such certification is obtained. The Applicant submitted a complete application and the fees required for WQC under section 401 of the CWA for the Project. The USACE will regulate the Project under Nationwide Permit 14, Linear Transportation Projects, pursuant to section 404 of the CWA. CCR, title 23, section 3831(e) grants the Executive Officer the authority to grant or deny WQC for projects in accordance with CWA section 401. The proposed Project qualifies for such WQC.

#### **Standard Conditions**

Pursuant to CCR, title 23, section 3860, the following standard conditions are requirements of this certification:

- This certification action is subject to modification or revocation upon administrative or judicial review, including review and amendment pursuant to CWC, section 13330 and CCR, title 23, section 3867.
- 2. This certification action is not intended and must not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license unless the pertinent certification application was filed pursuant to CCR, title 23, section 3855(b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.
- 3. The validity of any non-denial certification action must be conditioned upon total payment of the full fee required under CCR, title 23, section 3833, unless otherwise stated in writing by the certifying agency.
- 4. Neither Project construction activities nor operation of the Project may cause a violation of the Water Quality Control Plan for the Lahontan Region (Basin Plan), may cause a condition or threatened condition of pollution or nuisance, or cause any other violation of the CWC.
- 5. The Project must be constructed and operated in accordance with the Project described in the application for WQC that was submitted to the Water Board. Deviation from the Project description constitutes a violation of the conditions upon which the certification was granted. Any significant changes to this Project that would have a significant or material effect on the findings, conclusions, or conditions of this certification, including Project operation, must be submitted to the Executive Officer for prior review and written approval.

- 6. This WQC is subject to the acquisition of all local, regional, state, and federal permits and approvals as required by law. Failure to meet any conditions contained herein or any conditions contained in any other permit or approval issued by the State of California or any subdivision thereof may result in the revocation of this WQC and civil or criminal liability.
- 7. The Water Board may add to or modify the conditions of this certification, as appropriate, to implement any new or revised water quality standards and implementation plans adopted or approved pursuant to the CWC or section 303 of the CWA, or as appropriate to coordinate the operations of this Project with other projects where coordination of operations is reasonably necessary to achieve water quality standards or to protect the beneficial uses of water. Notwithstanding any more specific conditions in this certification, the Project must be constructed and operated in a manner consistent with all water quality standards and implementation plans adopted or approved pursuant to the CWC or section 303 of the CWA.
- 8. This certification does not authorize any act which results in the taking of a threatened or endangered species or any act which is now prohibited, or becomes prohibited in the future, under the California Endangered Species Act (Fish and Wildlife Code, section 2050 et seq.) or the federal Endangered Species Act (16 USC, section 1531 et seq.). If a "take" will result from any act authorized under this certification, the Applicant must obtain authorization for the take prior to construction or operation of the Project. The Applicant is responsible for meeting all requirements of the applicable Endangered Species Act for the Project authorized under this certification.

# **Additional Conditions**

Pursuant to CCR, title 23, section 3859, subdivision (a), the following additional conditions are required with this certification:

- 1. To document the completion of the Project, the Applicant must submit a **Project Completion Report** to the Water Board within 60 days following completion of the Project. The Project Completion Report should include the following, at minimum: a summary of the Project activities, including the date(s) those activities were performed, and the total area of permanent and temporary disturbance; a summary of the activities related to construction storm water controls and the BMPs used; photo documentation of the completed Project; and a summary of any activities that deviated from those described in the original application and supporting documents.
- 2. Work performed under this Order is authorized only during dry weather conditions. Should inclement weather occur, all work within the channel must stop and all equipment and materials must be removed to upland areas.
- 3. If necessary, boulders will be used to temporarily divert flows away from the repair site(s).
- 4. All temporary impact areas will be restored to pre-Project conditions.

- 5. When operations are completed, any excess material and/or soil must be removed from the Project work area and any areas adjacent to the work area where such material may be transported into surface waters.
- 6. Construction vehicles and equipment must be monitored for leaks and proper BMPs must be implemented should leaks be detected or the vehicles/equipment must be removed from service, if necessary, to protect water quality.
- 7. The Applicant must permit Water Board staff or their authorized representative(s) upon presentation of credentials:
  - a. Entry onto Project premises, including all areas on which fill, excavation or mitigation is located or in which records are kept;
  - b. Access to copy any record required to be kept under the terms and conditions of this WQC:
  - c. Inspection of any treatment equipment, monitoring equipment, or monitoring method required by this WQC; and
  - d. Sampling of any discharge or surface water covered by this WQC.
- 8. The Applicant must maintain at the Project site a copy of this Order and a copy of the complete WQC application provided to the Water Board so as to be available at all times to site operating personnel and agencies.
- 9. The Applicant is responsible for informing any contractors of the specific conditions contained in this WQC Order.

#### **Enforcement**

- 1. In the event of any violation or threatened violation of the conditions of this certification, the violation or threatened violation will be subject to any remedies, penalties, processes or sanctions, as provided for under state law. For purposes of CWA, section 401(d), the applicability of any state law authorizing remedies, penalties, processes or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this WQC.
- 2. In response to a suspected violation of any condition of this certification, the State Water Board or the Water Board may require the holder of any permit or license subject to this WQC to furnish, under penalty of perjury, any technical or monitoring report that the State Water Board or Water Board deems appropriate, provided that the burden, including costs, of the reports must be in reasonable relationship to the need for the reports and the benefits to be obtained from the reports.
- 3. In response to any violation of the conditions of this certification, the Water Board may add to or modify the conditions of this certification, as appropriate, to ensure compliance.

# Section 401 Water Quality Certification Requirements Granted

I hereby issue this Order certifying that any discharge from the referenced Project will comply with the applicable provisions of CWA, sections 301 (Effluent Limitations), 302 (Water Quality Related Effluent Limitations), 303 (Water Quality Standards and Implementation Plans), 306 (National Standards of Performance), and 307 (Toxic and Pretreatment Effluent Standards), and with other applicable requirements of state law. This discharge is also regulated under State Water Board Order No. 2003-0017-DWQ, "General Waste Discharge Requirements for Dredge and Fill Discharges That Have Received State Water Quality Certification," which requires compliance with all conditions of this WQC. A copy of State Water Board Order No. 2003-0017-DWQ is enclosed for your reference (Enclosure 2).

Except insofar as may be modified by any preceding conditions, all WQC actions are contingent on (a) the discharge being limited and all proposed mitigation being completed in strict compliance with the Applicant's Project description and the terms specified in this WQC Order, and (b) compliance with all applicable requirements of the Basin Plan.

We look forward to working with you in your efforts to protect water quality. If you have questions, please contact Jan Zimmerman, Engineering Geologist, at (760) 241-7376 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>, or Patrice Copeland, Senior Engineering Geologist, at (760) 241-7404 <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a>. Please send all future correspondence regarding this Project to the Water Board's email address at <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a> email address at <a href="mailto:jan.zimmerman@waterboards.ca.gov">jan.zimmerman@waterboards.ca.gov</a> and be sure to include the WDID No. in the subject line.

PATTY Z. KOUYOUMDJIAN EXECUTIVE OFFICER

Patty 3. Konyoundin

Enclosure: SWRCB Order No. 2003-0017-DWQ

cc: Casey Shannon, Inyo National Forest (<a href="mailto:cshannon@fs.fed.us">cshannon@fs.fed.us</a>)

Erin Hanlon, USACE (Erin.M.Hanlon@usace.army.mil)

SWRCB, Division of Water Quality (<u>stateboard401@waterboards.ca.gov</u>)
USEPA Wetlands Regulatory Office, Region 9 (<u>R9-WTR8-Mailbox@epa.gov</u>)

R:\RB6Victorville\401 Certs & WDRs\R6V-2015-0027\_401MammothCrkRd\_6B261504003.docx

#### STATE WATER RESOURCES CONTROL BOARD

# WATER QUALITY ORDER NO. 2003 - 0017 - DWQ

# STATEWIDE GENERAL WASTE DISCHARGE REQUIREMENTS FOR DREDGED OR FILL DISCHARGES THAT HAVE RECEIVED STATE WATER QUALITY CERTIFICATION (GENERAL WDRs)

The State Water Resources Control Board (SWRCB) finds that:

- 1. Discharges eligible for coverage under these General WDRs are discharges of dredged or fill material that have received State Water Quality Certification (Certification) pursuant to federal Clean Water Act (CWA) section 401.
- 2. Discharges of dredged or fill material are commonly associated with port development, stream channelization, utility crossing land development, transportation water resource, and flood control projects. Other activities, such as land clearing, may also involve discharges of dredged or fill materials (e.g., soil) into waters of the United States.
- 3. CWA section 404 establishes a permit program under which the U.S. Army Corps of Engineers (ACOE) regulates the discharge of dredged or fill material into waters of the United States.
- 4. CWA section 401 requires every applicant for a federal permit or license for an activity that may result in a discharge of pollutants to a water of the United States (including permits under section 404) to obtain Certification that the proposed activity will comply with State water quality standards. In California, Certifications are issued by the Regional Water Quality Control Boards (RWQCB) or for multi-Region discharges, the SWRCB, in accordance with the requirements of California Code of Regulations (CCR) section 3830 et seq. The SWRCB's water quality regulations do not authorize the SWRCB or RWQCBs to waive certification, and therefore, these General WDRs do not apply to any discharge authorized by federal license or permit that was issued based on a determination by the issuing agency that certification has been waived. Certifications are issued by the RWQCB or SWRCB before the ACOE may issue CWA section 404 permits. Any conditions set forth in a Certification become conditions of the federal permit or license if and when it is ultimately issued.
- 5. Article 4, of Chapter 4 of Division 7 of the California Water Code (CWC), commencing with section 13260(a), requires that any person discharging or proposing to discharge waste, other than to a community sewer system, that could affect the quality of the waters of the State, <sup>1</sup> file a report of waste discharge (ROWD). Pursuant to Article 4, the RWQCBs are required to prescribe waste discharge requirements (WDRs) for any proposed or existing discharge unless WDRs are waived pursuant to CWC section 13269. These General WDRs fulfill the requirements of Article 4 for proposed dredge or fill discharges to waters of the United States that are regulated under the State's CWA section 401 authority.

\_

<sup>&</sup>lt;sup>1</sup> "Waters of the State" as defined in CWC Section 13050(e)

- 6. These General WDRs require compliance with all conditions of Certification orders to ensure that water quality standards are met.
- 7. The U.S. Supreme Court decision of *Solid Waste Agency of Northern Cook County v. U.S. Army Corps of Engineers*, 531 U.S. 159 (2001) (the *SWANCC* decision) called into question the extent to which certain "isolated" waters are subject to federal jurisdiction. The SWRCB believes that a Certification is a valid and enforceable order of the SWRCB or RWQCBs irrespective of whether the water body in question is subsequently determined not to be federally jurisdictional. Nonetheless, it is the intent of the SWRCB that all Certification conditions be incorporated into these General WDRs and enforceable hereunder even if the federal permit is subsequently deemed invalid because the water is not deemed subject to federal jurisdiction.
- 8. The beneficial uses for the waters of the State include, but are not limited to, domestic and municipal supply, agricultural and industrial supply, power generation, recreation, aesthetic enjoyment, navigation, and preservation and enhancement of fish, wildlife, and other aquatic resources.
- 9. Projects covered by these General WDRs shall be assessed a fee pursuant to Title 23, CCR section 3833.
- 10. These General WDRs are exempt from the California Environmental Quality Act (CEQA) because (a) they are not a "project" within the meaning of CEQA, since a "project" results in a direct or indirect physical change in the environment (Title 14, CCR section 15378); and (b) the term "project" does not mean each separate governmental approval (Title 14, CCR section 15378(c)). These WDRs do not authorize any specific project. They recognize that dredge and fill discharges that need a federal license or permit must be regulated under CWA section 401 Certification, pursuant to CWA section 401 and Title 23, CCR section 3855, et seq. Certification and issuance of waste discharge requirements are overlapping regulatory processes, which are both administered by the SWRCB and RWQCBs. Each project subject to Certification requires independent compliance with CEQA and is regulated through the Certification process in the context of its specific characteristics. Any effects on the environment will therefore be as a result of the certification process, not from these General WDRs. (Title 14, CCR section 15061(b)(3)).
- 11. Potential dischargers and other known interested parties have been notified of the intent to adopt these General WDRs by public hearing notice.
- 12. All comments pertaining to the proposed discharges have been heard and considered at the November 4, 2003 SWRCB Workshop Session.
- 13. The RWQCBs retain discretion to impose individual or General WDRs or waivers of WDRs in lieu of these General WDRs whenever they deem it appropriate. Furthermore, these General WDRs are not intended to supersede any existing WDRs or waivers of WDRs issued by a RWQCB.

IT IS HEREBY ORDERED that WDRs are issued to all persons proposing to discharge dredged or fill material to waters of the United States where such discharge is also subject to the water quality certification requirements of CWA section 401 of the federal Clean Water Act (Title 33 United States Code section 1341), and such certification has been issued by the applicable RWQCB or the SWRCB, unless the applicable RWQCB notifies the applicant that its discharge will be regulated through WDRs or waivers of WDRs issued by the RWQCB. In order to meet the provisions contained in Division 7 of CWC and regulations adopted thereunder, dischargers shall comply with the following:

- 1. Dischargers shall implement all the terms and conditions of the applicable CWA section 401 Certification issued for the discharge. This provision shall apply irrespective of whether the federal license or permit for which the Certification was obtained is subsequently deemed invalid because the water body subject to the discharge has been deemed outside of federal jurisdiction.
- 2. Dischargers are prohibited from discharging dredged of fill material to waters of the United States without first obtaining Certification from the applicable RWQCB or SWRCB.

#### CERTIFICATION

The undersigned, Clerk to the Board, does hereby certify that the foregoing is a full, true, and correct copy of an order duly and regularly adopted at a meeting of the State Water Resources Control Board held on November 19, 2003.

AYE: Arthur G. Baggett, Jr.

> Peter S. Silva Richard Katz Gary M. Carlton Nancy H. Sutley

NO: None.

ABSENT: None.

ABSTAIN: None.

Clerk to the Board