Draft California 2012 Integrated Report(303(d) List/305(b) Report)

Supporting Information

Regional Board 6 - Lahontan Region

Water Body Name:	Silverwood Reservoir
Water Body ID:	CAL6282000020000220163918
Water Body Type: DECISION ID	Lake & Reservoir
Silverwood Reservoir	30570 Region 6
Pollutant:	Mercury
Final Listing Decision:	List on 303(d) list (TMDL required list)
Last Listing Cycle's Final	New Decision
Listing Decision:	Devised
Revision Status Sources:	Revised Source Unknown
Expected TMDL	2025
Completion Date:	
Impairment from Pollutant or Pollution	Pollutant
Pollutant or Pollution: Regional Board Staff Conclusion:	This pollutant is being considered for placement on the section 303(d) list under section 3.1 of the Listing Policy. Under section 3.1 a single line of evidence is necessary to assess listing status.
	One line of evidence is available in the administrative record to assess this pollutant. One sample exceeds the water quality objective. This line of evidence is from data collected as part of the SWAMP Bioaccumulation Oversight Group study. The information in this study prompted an additional study, specific to Silverwood Lake in 2011. The information in the subsequent study provided the information to submit to the Office of Environmental Health Hazard Assessment to issue a fish consumption advisory in August of 2013 for Silverwood Lake based on elevated levels of mercury and PCBs.
	Based on the readily available data and information, the weight of evidence indicates that there is sufficient justification in favor of placing this water segment-pollutant combination on the section 303(d) list in the Water Quality Limited Segments category. With OEHHA releasing a fish consumption advisory, listing is based on Secion 3.4 of the Listing Policy.
	This conclusion is based on the following:
	1. The data used satisfies the data quality requirements of section 6.1.4 of the
	Policy. 2. The data used satisfies the data quantity requirements of section 6.1.5 of the Policy.
	3. There is one exceedance of one sample associated with LOE 45699 and additional data used to support the health advisory, and this exceeds the allowable frequency listed in Table 3.1 of the Listing Policy.
	4. The Office of Environmental Health Hazard Assessment (OEHHA) has issued a health advisory and guidelines for eating fish from Silverwood Lake due to high levels of mercury and PCBs. Refer to fish tissue info and resources for the Lahontan Region at:
	http://www.waterboards.ca.gov/lahontan/water_issues/programs/swamp/index.shtml for a summary of the advisory and the background information (including associated sample results) and a description of how the guidelines were developed. Pursuant to section 3.4 of the Listing Policy, "a water segment shall be placed on the section 303(d) list if a health advisory against the consumption of edible resident

Regional Board Staff Decision Recommendation:	organisms, has been issued by OEHHA or DHS." After review of the available data and information, RWQCB si water body-pollutant combination should be placed on the se because applicable water quality standards are exceeded and contributes to or causes the problem. OEHHA has issued a fish consumption advisory (in press) du mercury and PCBs measured in Silverwood Lake. Pursuant t Listing Policy, "a water segment shall be placed on the section advisory against the consumption of edible resident organism	ection 303(d) list d a pollutant ue to high levels of to section 3.4 of the on 303(d) list if a health
Line of Evidence (LOE) f	OEHHA or DHS." or Decision ID 30570, Mercury	Region 6
Silverwood Reservoir	Di Decision in 50570, mercury	Region o
LOE ID:	45699	
Pollutant:	Mercury	
LOE Subgroup:	Pollutant-Tissue	
Matrix:	Tissue	
Fraction:	Fish fillet	
Beneficial Use:	Commercial or recreational collection of fish, shellfis	sh, or organisms
Number of Samples:	1	- -
Number of Exceedances	1	

Fish tissue analysis

Data Used to Assess Water Quality: Water Board staff assessed SWAMP data for Silverwood Lake to

Study" (SWAMP, 2009).

determine beneficial use support and results are as follows: 1 of 1 samples exceed the criterion for Mercury. Eleven composites (1 fish per composite) were generated from one species (largemouth bass) and were averaged. One composite sample could not be used in the assessment due to a total fish length that did not fall within lengths noted in the guideline. Details of the compositing protocol can be found in the March 2009 report entitled: "Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a Two-Year Screening

Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a Two-Year Screening Survey. A Report of the Surface Water Ambient Monitoring Program (SWAMP). California State

Cruise Report for the Surface Waters Ambient Monitoring Program (SWAMP) Bioaccumulation Screening Study in California Lakes and

Contaminants in Fish from California Lakes and Reservoirs, 2007-2008:

monitoring site [Silverwood Lake - 628PSW035]. Samples were collected

Water Quality Objective/Criterion: Water Quality Control Plan, Lahontan Region: All waters shall be maintained free of toxic substances in concentrations that are toxic to, or that produce detrimental physiological responses in human, plant, animal, or aquatic life.

SWAMP

Data and Information Type:

Data Reference:

SWAMP Data:

Objective/Criterion Reference:Water Quality Control Plan for the Lahontan Region (as amended)Evaluation Guideline:The USEPA 304(a) recommended water quality criterion for
concentrations of methylmercury in fish tissue of trophic level 4 fish (150 -
500 mm; fillet wet weight) is 0.20 mg/kg. Total mercury is usually analyzed
for most fish studies and assumed to be 100 percent methylmercury for
the purposes of risk assessment (Klasing & Brodberg 2008).
Water Quality Criterion for the Protection of Human Health:
Methylmercury. Final. United States Environmental Protection Agency
Office of Science and Technology Office of Water. EPA-823-R-01-001.
January 2001Spatial Representation:Data for this line of evidence for Silverwood Lake was collected at 1

Water Resources Control Board, Sacramento, CA

<u>Reservoirs, Sampling Dates: June 2007- March 2008</u> Statewide Lakes Sportfish Contamination Study 2007 2008

Summary Report on a Two-Year Screening Survey

Temporal Representation Environmental Conditions QAPP Information: QAPP Information Refere	: Staff is not aware of any special conditions that might affect interpretation of the data. Samples were collected, processed, and analyzed in accordance with the methods described in Quality Assurance Project Plan "Screening Study of Bioaccumulation in California Lakes and Reservoirs." (SWAMP, 2008).
	SWAMP BOG, 49 pages plus appendices and attachments
DECISION ID Silverwood Reservoir	30597 Region 6
Pollutant:	PCBs (Polychlorinated biphenyls)
Final Listing Decision:	List on 303(d) list (TMDL required list)
Last Listing Cycle's Fina Listing Decision:	al New Decision
Revision Status	Revised
Sources: Expected TMDL Completion Date: Impairment from Pollutant or Pollution: Regional Board Staff Conclusion:	Source Unknown
	2025
	Pollutant
	This pollutant is being considered for placement on the section 303(d) list under section 3.1 of the Listing Policy. Under section 3.1 a single line of evidence is necessary to assess listing status.
	One line of evidence is available in the administrative record to assess this pollutant. One sample exceeds the water quality objective. This line of evidence is from data collected as part of the SWAMP Bioaccumulation Oversight Group study. The information in this study prompted an additional study, specific to Silverwood Lake in 2011. The information in the subsequent study provided the information to submit to the Office of Environmental Health Hazard Assessment to issue a fish consumption advisory in August of 2013 for Silverwood Lake based on elevated levels of mercury and PCBs.
	Based on the readily available data and information, the weight of evidence indicates that there is sufficient justification in favor of placing this water segment-pollutant combination on the section 303(d) list in the Water Quality Limited Segments category. With OEHHA releasing a fish consumption advisory, listing is based on Secion 3.4 of the Listing Policy.
	This conclusion is based on the following: 1. The data used satisfies the data quality requirements of section 6.1.4 of the Policy.
	 2. The data used satisfies the data quantity requirements of section 6.1.5 of the Policy. 3. There is one exceedance of one sample associated with LOE 45678 for COMM beneficial use and the additional data used to support the health advisory, and this exceeds the allowable frequency listed in Table 3.1 of the Listing Policy. 4. The Office of Environmental Health Hazard Assessment (OEHHA) has issued a health advisory and guidelines for eating fish from Silverwood Lake due to high levels of mercury and PCBs. Refer to fish tissue info and resources for the

Regional Board Staff Decision Recommendation:	Lahontan Region at: http://www.waterboards.ca.gov/lahontan/water_issues/programs/swamp/index.shtml for a summary of the advisory and the background information (including associated sample results) and a description of how the guidelines were developed. Pursuant to section 3.4 of the Listing Policy, "a water segment shall be placed on the section 303(d) list if a health advisory against the consumption of edible resident organisms, has been issued by OEHHA or DHS." After review of the available data and information, RWQCB staff concludes that the water body-pollutant combination should be placed on the section 303(d) list because applicable water quality standards are exceeded and a pollutant contributes to or causes the problem.	
Line of Evidence (LOE)	OEHHA or DHS." r Decision ID 30597, PCBs (Polychlorinated	
biphenyls)	Region 6	
Silverwood Reservoir		
LOE ID: Pollutant: LOE Subgroup: Matrix: Fraction: Beneficial Use:	45677 PCBs (Polychlorinated biphenyls) Pollutant-Tissue Tissue Fish fillet Cold Freshwater Habitat	
Number of Samples:	1	
Number of Exceedances:	0 Fich tiesus analysis	
Data and Information Typ		
Data Used to Assess Wat	 Quality: Water Board staff assessed SWAMP data for Silverwood Lake to determine beneficial use support and results are as follows: 0 of 1 samples exceed the criterion for PCB, Total. The 1 sample for largemouth bass consisted of 2 composites (5 fish per composite) that were not independent and so were averaged. Details of the compositing protocol can be found in the March 2009 report entitled: "Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a Two-Year Screening Study" (SWAMP, 2009). Total PCB was assessed for as follows: PCB aroclors and congeners were summed separately and the sum that yielded the highest value was used for the assessment. Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a Two-Year Screening Survey. A Report of the Surface Water Ambient Monitoring Program (SWAMP). California State Water Resources Control Board, Sacramento, CA Cruise Report for the Surface Waters Ambient Monitoring Program (SWAMP) Bioaccumulation Screening Study in California Lakes and Reservoirs, Sampling Dates: June 2007- March 2008 Statewide Lakes Sportfish Contamination Study 2007 2008 Contaminants in Fish from California Lakes and Reservoirs, 2007-2008: Summary Report on a Two-Year Screening Survey. 	
SWAMP Data: Water Quality Objective/C	 Summary Report on a Two-Year Screening Survey SWAMP All waters shall be maintained free of toxic substances in concentrations that are toxic to, or that produce detrimental physiological responses in human, plant, animal, or aquatic life. (Water Quality Control Plan, Lahontan Region) 	
Objective/Criterion Refere Evaluation Guideline:		

Guideline Reference:	National Academy of Sciences. Water Quality Criteria 1972. EPA-R3-73- 033. Washington, D.C.: U.S. Environmental Protection Agency
Spatial Representation:	Data for this line of evidence for Silverwood Lake was collected at 1 monitoring site [Silverwood Lake - 628PSW035]. Two samples were collected from 2 locations. Individual sample locations consisted of an area within a given waterbody from which fish tissue samples were collected. The number of sample locations per waterbody was based on the overall size of the waterbody (SWAMP, 2010). Specifics of individual sampling locations can be found in the supplemental report entitled "Cruise Report for the Surface Waters Ambient Monitoring Program (SWAMP) Bioaccumulation Screening Study in California Lakes and Reservoirs, Sampling Dates: June 2007- March 2008" (SWAMP, 2008).
Temporal Representation: Environmental Conditions:	Data was collected on a single day 8/20/2007. Staff is not aware of any special conditions that might affect interpretation of the data.
QAPP Information:	Samples were collected, processed, and analyzed in accordance with the methods described in Quality Assurance Project Plan "Screening Study of Bioaccumulation in California Lakes and Reservoirs." (SWAMP, 2008).
QAPP Information Reference(s):	Quality Assurance Project Plan Screening Study of Bioaccumulation in California Lakes and Reservoirs. Moss Landing Marine Labs. Prepared for SWAMP BOG, 49 pages plus appendices and attachments
Line of Evidence (LOE) for Decisi	on ID 30597 PCBs (Polychlorinated
biphenyls) Silverwood Reservoir	Region 6
LOE ID:	45678
Pollutant:	PCBs (Polychlorinated biphenyls)
LOE Subgroup:	Pollutant-Tissue
Matrix:	Tissue
Fraction:	Fish fillet
Beneficial Use:	Commercial or recreational collection of fish, shellfish, or organisms
Number of Samples:	1
Number of Exceedances:	1
Data and Information Type:	Fish tissue analysis
	: Water Board staff assessed SWAMP data for Silverwood Lake to
Data Used to Assess Water Quality	determine beneficial use support and results are as follows: 1 of 1
	samples exceed the criterion for PCB, Total. The 1 sample for largemouth
	bass consisted of 2 composites (5 fish per composite) that were not
	independent and so were averaged. Details of the compositing protocol
	can be found in the March 2009 report entitled: "Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a
	Two-Year Screening Study" (SWAMP, 2009). Total PCB was assessed for
	as follows: PCB aroclors and congeners were summed separately and the
Data Reference:	sum that yielded the highest value was used for the assessment.
Data Reference.	Contaminants in Fish from California Lakes and Reservoirs: Technical Report on Year One of a Two-Year Screening Survey. A Report of the
	Surface Water Ambient Monitoring Program (SWAMP). California State
	Water Resources Control Board, Sacramento, CA
	Cruise Report for the Surface Waters Ambient Monitoring Program
	(SWAMP) Bioaccumulation Screening Study in California Lakes and
	Reservoirs, Sampling Dates: June 2007- March 2008
	Statewide Lakes Sportfish Contamination Study 2007 2008
	Contaminants in Fish from California Lakes and Reservoirs, 2007-2008:
	Summary Report on a Two-Year Screening Survey
SWAMP Data:	SWAMP
Water Quality Objective/Criterion:	Water Quality Control Plan, Lahontan Region: All waters shall be
	maintained free of toxic substances in concentrations that are toxic to, or
	that produce detrimental physiological responses in human, plant, animal,
Objective/Criterian Peteronee	or aquatic life.
Objective/Criterion Reference:	Water Quality Control Plan for the Lahontan Region (as amended)

Evaluation Guideline:	The modified OEHHA Fish Contaminant Goal for polychlorinated biphenyls in fish tissue is 2.6 ppb. This screening level assumes an average body weight of 70 kg and a consumption rate of 32 g/day for a 30 year exposure over a 70-year lifetime. This constituent is a carcinogen therefore the risk level is set to one in a million. A cooking reduction factor of 1 is applied for skin-off fillets.
Guideline Reference:	Development of Fish Contaminant Goals and Advisory Tissue Levels for Common Contaminants in California Sport Fish: Chlordane, DDTs, Dieldrin, Methylmercury, PCBs, Selenium, and Toxaphene
Spatial Representation:	Data for this line of evidence for Silverwood Lake was collected at 1 monitoring site [Silverwood Lake - 628PSW035]. Two samples were collected from 2 locations. Individual sample locations consisted of an area within a given waterbody from which fish tissue samples were collected. The number of sample locations per waterbody was based on the overall size of the waterbody (SWAMP, 2010). Specifics of individual sampling locations can be found in the supplemental report entitled "Cruise Report for the Surface Waters Ambient Monitoring Program (SWAMP) Bioaccumulation Screening Study in California Lakes and Reservoirs, Sampling Dates: June 2007- March 2008" (SWAMP, 2008).
Temporal Representation: Environmental Conditions:	Data was collected on a single day 8/20/2007. Staff is not aware of any special conditions that might affect interpretation of the data.
QAPP Information:	Samples were collected, processed, and analyzed in accordance with the methods described in Quality Assurance Project Plan "Screening Study of Bioaccumulation in California Lakes and Reservoirs." (SWAMP, 2008).
QAPP Information Reference(s):	Quality Assurance Project Plan Screening Study of Bioaccumulation in California Lakes and Reservoirs. Moss Landing Marine Labs. Prepared for SWAMP BOG, 49 pages plus appendices and attachments