				ımber of Field Kicks -			Biocriteria	
REPLICATE # - Nu				umber of Sample Splits -			2001	
Taxon	Family	Genus	species		Counts	Life stage L-P-A *	ID certainty level (1·2·3)*	Notes
				-				
				-				

^{*[}Life stage = LPA, larva-pupa-adult; ID certainty level 1= unambiguous distinctive set of traits, 2= ambiguous but probable, 3= uncertain ID, specimens immature or in poor condition and/or keys ambiguous]

SITE -				Nu	Number of Field Kicks -				sniess s	tuay
REPLICATE # -				Number of Sample Splits -			20	001		
Taxon	Family	Genus	species		Counts	Life stage L-P-A *	ID certainty level (1·2·3)*	Note	ès	
						-				
					-					
-										
-										
										<u>_</u>
									_	

^{*[}Life stage = LPA, larva-pupa-adult; ID certainty level 1= unambiguous distinctive set of traits, 2= ambiguous but probable, 3= uncertain ID, specimens immature or in poor condition and/or keys ambiguous]

SITE -		Number of Field Kicks -	Fishless study		
REPLICATE # -		Number of Sample Splits -	2000		
Chironomidae <i>Genus</i> I	species Larvae and pupae	Tallies	Count	ID certainty level (1·2·3)*	
				_	
				_	
			_		
			_		
			_		
			_		
			_		
			<u> </u>		
			_		
			_		
			-		
			_		
			_	_	
Water Mites, Hydracarina	Genus				
			_		
			_		
			-		

^{*[}Life stage = LPA, larva-pupa-adult; ID certainty level 1= unambiguous distinctive set of traits, 2= ambiguous but probable, 3= uncertain ID, specimens immature or in poor condition and/or keys ambiguous]