

EDMUND G. BROWN JR.
GOVERNOR

MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

May 18, 2016

Mr. Allan Fernandes
Aramark Corporation
1101 Market Street, 28TH Floor
Philadelphia, Pennsylvania 19107

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– FORMER ARAMARK MAGAZINE AND BOOK SERVICES FACILITY, 2340 SOUTH
FAIRFAX AVENUE, LOS ANGELES, CALIFORNIA (FILE NO. 14-011, ORDER NO. R4-2007-
0019, SERIES NO. 251, CI-10043, GLOBAL ID. WDR100016054)**


Dear Mr. Fernandes:

On April 22, 2014, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2007-0019, which specifies your Waste Discharge Requirements (WDR).

In the letter dated January 29, 2016, you requested termination of the WDR coverage under Regional Board Order No. R4-2007-0019 because the injection of activated persulfate was never implemented and is not planned in the future at the subject site. Therefore, you no longer need the WDR. The coverage under Board Order No. R4-2007-0019, for the subject site is hereby terminated with the exception of enforcement actions that may be taken under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Dave Bernier, Environmental Engineering & Contracting Inc.