



EDMUND G. BROWN JR.
GOVERNOR



MATTHEW RODRIGUEZ
SECRETARY FOR
ENVIRONMENTAL PROTECTION

Los Angeles Regional Water Quality Control Board

March 10, 2017

Mr. Paul Vincent
Airdrome Precision Components
301 Highland Avenue
Jenkintown, Pennsylvania 19046

**TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS
– AIRDROME PRECISION COMPONENTS, 3251 AIRPORT WAY, LONG BEACH,
CALIFORNIA (FILE NO. 15-033, ORDER NO. R4-2014-0187, SERIES NO. 035, CI-10162,
GLOBAL ID. WDR100022744)**

Dear Mr. Vincent,

On July 29, 2015, this Regional Water Quality Control Board (Regional Board) informed you that the subject discharge is regulated under Regional Board Order No. R4-2014-0187, which specifies your Waste Discharge Requirements (WDR).

In the letter dated February 24, 2017, you requested termination of the WDR coverage under Regional Board Order No. R4-2014-0187 because injection of sodium persulfate was completed in January 2016 and no additional injection activities are planned in the future. Therefore, the WDR is no longer needed. The coverage under Regional Board Order No. R4-2014-0187 for the subject site is hereby terminated with the exception of enforcement under the term of the permit.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely,


Samuel Unger, P.E.
Executive Officer

cc: Mr. Paul Parmentier, The Source Group, Inc.

IRMA MUÑOZ, CHAIR | SAMUEL UNGER, EXECUTIVE OFFICER

320 West 4th St., Suite 200, Los Angeles, CA 90013 | www.waterboards.ca.gov/losangeles

♻️ RECYCLED PAPER