



Los Angeles Regional Water Quality Control Board

April 16, 2018

Mr. Gary Blackwell 45 Easy Street Capital Investors, LLC 45 West Easy Street, #4 Simi Valley, California 93065 Certified Mail Return Receipt Required Claim No. 7017 1450 0002 1559 0621

REVISED MONITORING AND REPORTING PROGRAM NO. CI-10229 – FORMER MOVING SOLUTIONS, 45 WEST EASY STREET, SIMI VALLEY, CALIFORNIA (FILE NO. 16-045, ORDER NO. R4-2014-0187, SERIES NO. 068, CI-10229, GLOBAL ID. WDR 100039429)

Dear Mr. Blackwell:

On June 22, 2016, the California Regional Water Quality Control Board, Los Angeles Region (Regional Board) enrolled you under General Waste Discharge Requirements (WDR Order No. R4-2014-0187) with a Monitoring and Reporting Program (MRP) No. CI-10229 for a pilot test to inject 3-D Microemulsion, bioaugmentation culture, and Chemical Reducing Solution for groundwater remediation of volatile organic compounds (VOCs) at the subject site. The November 2017 groundwater monitoring results indicated that tetrachloroethylene and trichloroethylene were detected at concentrations up to 3,200 micrograms per liter (μ g/L) and 1,520 μ g/L, respectively.

Based on the evaluation of pilot study results, the Discharger submitted a *Corrective Action Plan for Extended In-Situ Treatment* (CAP) dated January 17, 2018 to propose further treatment of core and downgradient portions of the VOC plume. On March 23, 2018, Regional Board Site Cleanup Unit staff approved the CAP.

It is estimated that 39,650 gallons of 3-D Microemulsion solution, 1,220 gallons of bioaugmentation culture (*Dehalococcoides sp.*), and 1,830 gallons of Chemical Reducing Solution will be injected into 105 injection points at depths from approximately 6 to 20 feet below ground surface. The injection activities are expected to take approximately one month.

The proposed discharge shall not cause the mineral constituents of the receiving groundwater at the compliance point, downgradient outside the application area, in excess of applicable limits (Simi Valley Groundwater Basin) given in Attachment B of General WDRs Order No. R4-2014-0187. The groundwater quality objectives are 1,200 milligrams per liter (mg/L) for total dissolved solids, 600 mg/L for sulfate, 150 mg/L for chloride, and 1.0 mg/L for boron.

The revised MRP, which incorporates the further treatment of the VOC plume, is enclosed. The Discharger shall comply with the Electronic Submittal of Information (ESI) requirements by submitting all reports required under the revised MRP, including groundwater monitoring data, discharge location data, and pdf monitoring reports to the State Water Resources Control Board GeoTracker database under Global ID WDR100039429. Please do not combine other reports with your monitoring reports. Submit each type of report as a separate document.

For all parties who upload electronic documents to State Database GeoTracker, it is no longer necessary to email a copy of these documents to losangeles@waterboards.ca.gov or submit hard copies to our office. The Regional Board will no longer accept documents (submitted by either hard copy or email) already uploaded to GeoTracker. Please see Electronic Submittal to the Los Angeles Regional Board for GeoTracker Users dated December 12, 2011 at: http://www.waterboards.ca.gov/losangeles/resources/Paperless/Paperless%20Office%20for%2 OGT%20Users.pdf

To avoid paying future annual fees, please submit a written request for termination of your enrollment under the general WDR in a separate letter when the project is completed and the WDR is no longer needed. Be aware that the annual fee covers the fiscal year billing period beginning July 1 and ending June 30, the following year. You will pay the full annual fee if your request for termination is made after the beginning of the new fiscal year beginning July 1.

If you have any questions, please contact the Project Manager, Dr. Ann Chang at (213) 620-6122 (ann.chang@waterboards.ca.gov), or the Chief of Groundwater Permitting Unit, Dr. Eric Wu at (213) 576-6683 (eric.wu@waterboards.ca.gov).

Sincerely.

CC:

Deborah J. Smith Executive Officer

Enclosures: Revised Monitoring and Reporting Program No. CI-10229 dated April 16, 2018

Mr. Bradford S. Newman, TRAK Environmental Group, Inc.

STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LOS ANGELES REGION

REVISED MONITORING AND REPORTING PROGRAM NO. CI-10229 FOR FORMER MOVING SOLUTIONS 45 WEST EASY STREET, SIMI VALLEY, CALIFORNIA

ENROLLMENT UNDER REGIONAL BOARD ORDER NO. R4-2014-0187 (SERIES NO. 068) FILE NO. 16-045

I. MONITORING AND REPORTING REQUIREMENTS

A. Mr. Gary Blackwell (hereinafter Discharger) shall implement this Monitoring and Reporting Program (MRP) on the effective date (April 16, 2018) under Regional Board Order No. R4-2014-0187. The next monitoring report shall be received at the Regional Board by **July 30, 2018**. Subsequent monitoring reports shall be received at the Regional Board according to the following schedule:

Monitoring Period	Report Due
January – March	April 30
April – June	July 30
July - September	October 30
October – December	January 30

- B. If there is no discharge or injection, during any reporting period, the report shall so state. By March 1 of each year, the Discharger shall submit an annual summary report to the Regional Board. The report shall contain both tabular and graphical summaries of the monitoring data obtained during the previous calendar year. In addition, the Discharger shall discuss the compliance record and the corrective actions taken or planned, which may be needed to bring the discharge into full compliance with the waste discharge requirements.
- C. The Discharger shall comply with requirements contained in Section G of Regional Board Order No. R4-2014-0187 "Monitoring and Reporting Requirements".

Former Moving Solutions
WDR Order No. R4-2014-0187
Revised Monitoring and Reporting Program No. CI-10229

II. DISCHARGE MONITORING PROGRAM

The monitoring reports shall contain the following information regarding the injection activities:

- 1. Location map showing injection points used for 3-D Microemulsion, bioaugmentation culture, and chemical reducing solution.
- Written and tabular summary defining depth of injection points, quantity and concentration of 3-D Microemulsion, bioaugmentation culture, and chemical reducing solution injected at each injection point, and total amount of 3-D Microemulsion, bioaugmentation culture, and chemical reducing solution injected at the Site.
- 3. Visual inspection at each injection point shall be conducted and recorded during the injection.

III. GROUNDWATER MONITORING PROGRAM

A groundwater monitoring program shall be implemented to evaluate impacts associated with the injection activity. Groundwater samples shall be collected from monitoring wells MW-7, MW-9, MW-12, MW-13, and MW-14 (Figure 1). The Discharger shall conduct a baseline sampling prior to the proposed injection, followed by a monitoring frequency specified in the schedule below from all five monitoring wells for the following groundwater parameters:

CONSTITUENT	UNITS	TYPE OF SAMPLE	MINIMUM FREQUENCY OF ANALYSIS
Dissolved Oxygen	mg/L	grab	Baseline and quarterly after injection
Oxidation-Reduction Potential	millivolts	grab	Baseline and quarterly after injection
рН	pH units	grab	Baseline and quarterly after injection
Specific Conductivity	mS/cm	grab	Baseline and quarterly after injection
Temperature	°C	grab	Baseline and quarterly after injection
Turbidity	NTU	grab	Baseline and quarterly after injection

CONSTITUENT	UNITS	TYPE OF SAMPLE	MINIMUM FREQUENCY OF ANALYSIS
Total Organic Carbon	mg/L	grab	Baseline and quarterly after injection
Total Dissolved Solids	mg/L	grab	Baseline and quarterly after injection
Sulfate	mg/L	grab	Baseline and quarterly after injection
Chloride	mg/L	grab	Baseline and quarterly after injection
Boron	mg/L	grab	Baseline and quarterly after injection
Nitrate and Nitrite	mg/L	grab	Baseline and quarterly after injection
Volatile Organic Compounds	μg/L	grab	Baseline and quarterly after injection
Dissolved Gases (methane, ethane, and ethene)	µg/L	grab	Baseline and quarterly after injection
Dehalococcoides species	cells/mL	grab	Baseline and quarterly after injection

All groundwater monitoring reports must include, at a minimum, the following:

- Well identification, date and time of sampling;
- b. Sampler identification, and laboratory identification;
- Observation of groundwater levels, recorded to 0.01 feet mean sea level and groundwater flow direction.

IV. MONITORING FREQUENCIES

Specifications in this monitoring program are subject to periodic revisions. Monitoring requirements may be modified or revised by the Executive Officer based on review of monitoring data submitted pursuant to this Order. Monitoring frequencies may be adjusted to a less frequent basis or parameters and locations dropped by the Executive Officer if the Discharger makes a request and the request is backed by statistical trends of monitoring data submitted.

Former Moving Solutions WDR Order No. R4-2014-0187 Revised Monitoring and Reporting Program No. CI-10229

V. CERTIFICATION STATEMENT

Each report shall contain the following completed declaration:

"I certify under penalty of law that this document, including all attachments and supplemental information, was prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment.

Executed on the	day of	at
		(Signature)
-		(Title)"

VI. PUBLIC DOCUMENTS

All records and reports submitted in compliance with Regional Board Order No. R4-2014-0187 and Monitoring and Reporting Program No. CI-10229 are public documents and will be made available for inspection during business hours at the office of the California Regional Water Quality Control Board, Los Angeles Region, upon request by interested parties. Only proprietary information, and only at the request of the Discharger will be treated as confidential.

VII. ELECTRONIC SUBMITTAL OF INFORMATION

The Discharger shall comply with the Electronic Submittal of Information (ESI) requirements by submitting all reports required under the MRP, including groundwater monitoring data in Electronic Deliverable Format, discharge location data, and searchable Portable Document Format of monitoring reports to the State Water Resources Control Board GeoTracker database under Global ID WDR100039429.

Ordered by:

Deborah J. Smith Executive Officer Date: April 16, 2018

