

State of California
CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD, LOS ANGELES REGION

ORDER NO. R4-2004-0120

RESCINDING WASTE DISCHARGE REQUIREMENTS
FOR DISCHARGES TO LAND/GROUNDWATER

The California Regional Water Quality Control Board, Los Angeles Region, finds:

1. On August 16, 1987, the Los Angeles Regional Water Quality Control Board adopted Waste Discharge Requirements Order No. 87-134 for Ferro Cast Company (Discharger) located at 3890 Ventura Avenue, Ventura, for the intermittent discharge of casting mold wastewater generated at the site.
2. The Discharger terminated its waste discharge when it ceased operation in 1997.
3. The Discharger declared bankruptcy and closed its business in September 1999.
4. The Discharger requested rescission of Order 87-134. On May 19, 2004, Board staff verified by inspection that the Discharger is no longer at the site and no discharge is occurring.
5. The Board finds that the requirements of Order No. 87-134 are no longer applicable and should be rescinded.
6. The Board has transmitted copies of this tentative Order to the Discharger and to interested agencies and persons, and has notified them of its intent to rescind requirements at a public meeting to be held on August 5, 2004.
7. At that public meeting, the Board gave the opportunity for a hearing and considered comments and correspondence pertaining to this matter.

IT IS HEREBY ORDERED that Waste Discharge Requirements, Order No. 87-134 be rescinded.

The Executive Officer of this Regional Board, is authorized, and he is hereby directed, to certify and submit copies of this Order to the dischargers, and to such individuals and governmental agencies as may have need therefor, or may request same.

I, Jonathan Bishop, Interim Executive Officer, do hereby certify that the foregoing is a full, true, and correct copy of an Order adopted by the California Regional Water Quality Control Board, Los Angeles Region on August 5, 2004.

JONATHAN BISHOP
Interim Executive Officer