# STATE OF CALIFORNIA CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD LOS ANGELES REGION 320 West 4<sup>th</sup> Street, Suite 200, Los Angeles, California 90013

FACT SHEET
WASTE DISCHARGE REQUIREMENTS
FOR
EXXONMOBIL OIL CORPORATION
(VERNON TERMINAL)

NPDES NO. CAG674001 CI-8160

FACILITY ADDRESS 2709 East 37<sup>th</sup> Street Vernon, CA 90058 FACILITY MAILING ADDRESS 3700 West 190<sup>th</sup> Street, TPT 3 Torrance, CA 90509

### **PROJECT DESCRIPTION:**

The ExxonMobil Oil Corporation proposes to discharge hydrostatic test water from storage tanks at their facility located at 2709 East 37<sup>th</sup> Street, Vernon. Tank Nos. 1, 2, 3, 4, 6,7, 8, and 9 will be discharging to Outfall #1, and Tank Nos. 10, 11, 12, and 14 will be discharging to Outfall #2. Both outfalls discharge to the Los Angeles River. The wastewater from the tanks will be discharged through a 6-inch hose into the storm drain. Potable water supplied by the City of Vernon will be the source water during the hydrostatic testing.

## **VOLUME AND DESCRIPTION OF DISCHARGE:**

A total of up to 0.60 million gallons per day of of wastewater will be discharged from the facility to a catch basin located adjacent to 2709 East 37<sup>th</sup> Street in Vernon. The discharge from the storm drain flows into the Los Angeles River, a water of the United States. The site location map is shown in Figure 1. The discharge outfalls location are listed below:

Outfall No.	Latitude	<u>Longtitude</u>
4	34° 00′ 33″	118° 13' 4"
I		
2	34° 00' 39"	118° 13' 11"

# FREQUENCY OF DISCHARGE:

The discharge will be intermittent.

### **REUSE OF WATER:**

Based on the geography of the site and the nature of the project, there are no feasible reuse options of the wastewater. Therefore, the wastewater will be discharged into the storm drain.