

## California Regional Water Quality Control Board

Los Angeles Region

Matthew Rodriquez
Secretary for
Environmental Protection

320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles

Edmund G. Brown Jr.

January 17, 2012

Mr. Darren Bolton
Director of Land Development
K. Hovnanian Communities
Southern California Division
2525 Campus Dr.
Irvine, CA 92612

Dear Mr. Bolton,

TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS FOR FORECAST HOMES TRACT 47788 AT 34157 DESERT ROAD, ACTON, CALIFORNIA (ORDER NO. 91-94, FILE NO. 01-037, CI-8275)

On May 25, 2001, the Regional Water Quality Control Board (Regional Board) informed you that the Forecast Homes Tract 47788 site is regulated under Waste Discharge Requirements (WDR) Order No. 91-94 to discharge treated wastewater from a private subsurface sewage disposal systems to groundwater basins in the Ventura Region.

On December 5, 2011, you notified the Regional Board that K. Hovnanian Communities requested termination of the WDR coverage for Tract 47788.

Because the site has not been developed by K. Hovnanian Forecast Homes as planned, WDR coverage for the subject property is longer needed. The coverage under Board Order No. 91-94 for the subject facility is hereby terminated with the exception of enforcement actions that may be taken under the term of the permit.

If you have any questions, please call the Project Manager, Ms. Elizabeth Erickson at (213) 620-2264 or the Unit Chief, Dr. Eric Wu at (213) 576-6683.

Sincerely,

Samuel Unger, P.E Executive Officer

California Environmental Protection Agency