



# California Regional Water Quality Control Board Los Angeles Region



**Linda S. Adams**  
*Acting Secretary for  
Environmental Protection*

320 West Fourth Street, Suite 200, Los Angeles, California 90013  
(213) 576-6600 • Fax (213) 576-6640  
<http://www.waterboards.ca.gov/losangeles>

**Edmund G. Brown Jr.**  
*Governor*

June 2, 2011

Mr. William Curtas, Trustee  
Anadite California Restoration Fund  
711 West Hurst Boulevard  
Hurst, TX 76053

**SUBJECT: TERMINATION OF COVERAGE UNDER GENERAL WASTE DISCHARGE REQUIREMENTS**

**CASE: FORMER ANADITE SOUTH GATE, 10647 GARFIELD AVENUE, SOUTH GATE, CA (CAO NO. 98-004, FILE NO. 97-019, SCP NO. 541, SITE ID NO. 2041C00)**

Dear Mr. Curtas:

The Los Angeles Regional Water Quality Control Board (Regional Board) letter dated December 30, 2005, indicated that the subject discharge is regulated under Order R4-2005-0030, which also serves as your Waste Discharge Requirements (WDR).

By letter dated August 12, 2010, Ms. S. Siebel Tekce of CDM, on your behalf, notified the Regional Board that work performed under the WDR is complete and that no injection has occurred since 2006 when the proposed pilot tests were conducted and finalized. She therefore requested termination of coverage under Order R4-2005-0030.

The Regional Board regularly receives monitoring reports for the site documenting groundwater conditions, and will continue to receive these reports. Because injection terminated several years ago and no additional injection is planned under this WDR, the WDR permit is no longer needed. Coverage under Board Order No. R4-2005-0030 for the subject facility is hereby terminated, except for enforcement purposes.

**If you have any questions, please contact Mr. Luis Changkuon at (213) 576-6667 or at [lchangkuon@waterboards.ca.gov](mailto:lchangkuon@waterboards.ca.gov).**

Sincerely,

Samuel Unger, P.E.  
Executive Officer

Cc: William Weaver, CDM

*California Environmental Protection Agency*