

## **California Regional Water Quality Control Board**

Los Angeles Region



Recipient of the 2001 Environmental Leadership Award from Keep California Beautiful

Alan C. Lloyd, Ph.D. Agency Secretary

320 W. 4th Street, Suite 200, Los Angeles, California 90013 Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles Arnold Schwarzenegger Governor

February 1, 2005

Mr. Rick Raives, City Manager City of San Buenaventura P. O. Box 99 Ventura, CA 93002

CERTIFIED MAIL RETURN RECEIPT REQUESTED CLAIM NO. <u>7002 2030 0002 1673 0571</u>

## COVERAGE UNDER GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT AND WASTE DISCHARGE REQUIREMENTS – CITY OF SAN BUENAVENTURA, AVENUE WATER TREATMENT PLANT IMPROVEMENT PROJECT, 5895 NORTH VENTURA AVENUE, VENTURA, CALIFORNIA (NPDES NO. CAG994004, CI-8852)

Dear Mr. Raives:

We have completed our review of your application for a permit to discharge waste under the National Pollutant Discharge Elimination System (NPDES). You have proposed to discharge up to 1.0 million gallons per day (mgd) of groundwater from the above-referenced site.

Based on the information provided, the proposed discharge of treated groundwater meets the conditions to be regulated under Order No. R4-2003-0111, *General National Pollutant Discharge Elimination System Permit and Waste Discharge Requirements for Discharges of Groundwater From Construction and Project Dewatering to Surface Waters in Coastal Watersheds of Los Angeles and Ventura Counties, adopted by this Board on August 7, 2003.* 

Enclosed are your Waste Discharge Requirements, which also serve as your General NPDES Permit, consisting of Order No. R4-2003-0111 and Monitoring and Reporting Program No. Cl-8852. The discharge limitations in Part E.1.a. of Order No. R4-2003-0111 are applicable to your discharge for the specific constituents listed on the Table with the enclosed Fact Sheet. The groundwater discharge flows to Ventura River between confluence with Weldon Canyon and Main Street. Therefore, the discharge limitations listed in Attachment B.2.d. are applicable to your discharge.

The Monitoring and Reporting Program requires you to implement the monitoring program on the effective date of coverage under this permit. All monitoring reports should be sent to the Regional Board, <u>ATTN: Information Technology Unit</u>. When submitting monitoring or technical reports to the Regional Board per these requirements, please include a reference to "Compliance File No. CI-8852 and NPDES No. CAG994004", which will assure that the reports are directed to the appropriate file and staff. Also, please do not combine other reports with your monitoring reports. Submit each type of report as a separate document.

In order to avoid future annual fees, please submit written notification when the project has been completed and the permit is no longer needed.

California Environmental Protection Agency

We are sending Board Order No. R4-2003-0111 only to the applicant. For those on the mailing list, please refer to the Board Order sent to you previously or download a copy of the Order from our website at: http://www.swrcb.ca.gov/~rwqcb4/html/permits/general\_permits.html.

If you have any questions, please contact Dr. James Tang at (213) 576-6696.

Sincerely,

Jonathan S. Bishop Executive Officer

Enclosures

Fact Sheet Monitoring and Reporting Program No. CI-8852 Order No. R4-2003-0111, General NPDES Permit No. CAG994004

 cc: Environmental Protection Agency, Region 9, Clean Water Act Standards and Permits Office (WTR-5)
U.S. Army Corps of Engineers
NOAA, National Marine Fisheries Service
Department of Interior, U.S. Fish and Wildlife Service
Michael Lauffer, Office of the Chief Counsel, State Water Resources Control Board
Department of Fish and Game, Region 5
Ventura County Department of Public Works, Flood Control Division
Ventura County Environmental Programs Division
Brad Milner, Kennedy/Jenks Consultants (Ventura Office)

/jt

California Environmental Protection Agency