

Agency Secretary

## California Regional Water Quality Control Board

## **Los Angeles Region**

Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles







Arnold Schwarzenegger Governor

March 16, 2005

Ms. Susan Damron Manager Wastewater Quality Compliance City Los Angeles Department of Water and Power 111 N. Hope Street, Room 1213 Los Angeles, CA 90012-2607

**CERTIFIED MAIL** RETURN RECEIPT REQUESTED CLAIM NO. 7003 3110 0003 3258 3861

Dear Ms. Damron:

COVERAGE UNDER GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) AND WASTE DISCHARGE REQUIREMENTS - CITY OF LOS ANGELES DEPARTMENT OF WATER AND POWER, WESTSIDE WATER RECYCLING PROJECT, WESTCHESTER, CALIFORNIA (NPDES NO. CAG994004, CI-8877)

We have completed our review of your application for a permit to discharge waste under the NPDES. You have proposed to discharge up to 500,000 gallons per day of recycled wastewater from hydrostatic testing activities for the aforementioned project in the Westchester area, located north of the Los Angeles International Airport.

Based on the reclaimed water quality data provided, there are several toxic constiuents to show reasonable potential to exist in the discharge. We have determined that proposed discharge of wastewater is more appropriate to be regulated under Order No. R4-2003-0111: Waste Discharge Requirements for Discharges of Groundwater From Construction and Project Dewatering to Surface Waters in Coastal Watersheds of Los Angeles and Ventura Counties, adopted by this Board on August 7, 2003. Order No. R4-2003-0111, which has a comprehensive list of effluent limitations for toxic pollutants, is the most appropriate general permit for regulating this nonpotable, recycled hydrostatic test water discharge.

Enclosed are your Waste Discharge Requirements, which also serves as your General NPDES permit, consisting of Order No. R4-2003-0111 and Monitoring and Reporting Program (MRP) No. CI-8877. The discharge limitations in Part E.1.a. and b. of Order No. R4-2003-0111 for the specific constituents listed on the Table with the enclosed Fact Sheet are applicable to your discharge. The discharge from the site drains into Ballona Creek. Therefore, the discharge limitations in Attachment B are not applicable to your discharge. Prior to starting discharge, a representative sample of the effluent must be obtained and analyzed to determine compliance with the discharge limitations.

The MRP requires you to implement the monitoring program on the effective date of coverage under this permit. All monitoring reports should be sent to the Regional Board, ATTN: Information Technology Unit. When submitting monitoring and technical reports to the Regional Board per these requirements, please include a reference to "Compliance File No. CI-8877 and NPDES No. CAG994004", which will assure that the reports are directed to the appropriate file and staff. Also,

California Environmental Protection Agency

Ms. Susan Damron - 2 - March 16, 2005 City of Los Angeles Department of Water and Power

(Westside Water Recycling Project)

please do not combine your discharge monitoring reports with other reports. Submit each type of report as a separate document.

In order to avoid future annual fees, please submit written notification when the project has been completed and the permit is no longer needed.

We are sending Board Order No. R4-2004-0058 only to the applicant. For those on the mailing list, please refer to the Board Order previously sent to you. A copy of the Order will be furnished to anyone who requests it, or it can be obtained at our web site address: http://www.swrcb.ca.gov//~rwqcb4/html/permits/general permits.html.

If you have any questions, please contact Dr. James Tang at (213) 576-6696.

Sincerely,

Jonathan S. Bishop Executive Officer

Enclosures: Fact Sheet

Monitoring and Reporting Program No. 8877

Order No. R4-2003-0111

cc: Environmental Protection Agency, Region 9, Clean Water Act Standards and

Permits Office (WTR-5) U.S. Army Corps of Engineers

NOAA, National Marine Fisheries Service

Department of Interior, U.S. Fish and Wildlife Service

James Maughan, Division of Water Quality, State Water Resources Control Board Michael Lauffer, Office of the Chief Counsel, State Water Resources Control Board California Department of Fish and Game, Region 5

Los Angeles County, Department of Public Works, Environmental Programs Division Los Angeles County, Department of Public Works, Flood Control Division

City of Los Angeles, Department of Public Works, Stormwater Management Division

Lee Solomon, Tetra Tech

/jt

March 16, 2005

Jonathan S. Bishop **Executive Officer** 

Enclosure

Name and Title Company Address City, State, Zip

SUBJECT LINE

Dear:

Body of letter

Sincerely,

Jonathan S. Bishop Executive Officer

Enclosure

March 16, 2005