



California Regional Water Quality Control Board

Los Angeles Region





320 W. 4th Street, Suite 200, Los Angeles, California 90013
Phone (213) 576-6600 FAX (213) 576-6640 - Internet Address: http://www.waterboards.ca.gov/losangeles



Arnold Schwarzenegger

Governor

April 11, 2005

Mr. Richard Nagel West Basin Municipal Water District 17140 S. Avalon Boulevard, Suite 210 Carson, CA 90746 Certified Mail Return Receipt Requested Claim No. 7002 2410 0005 0647 9304

Dear Mr. Nagel:

COVERAGE UNDER GENERAL NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM AND WASTE DISCHARGE REQUIREMENTS – WEST BASIN MUNICIPAL WATER DISTRICT, WEST BASIN WATER RECYCLING PLANT, 1935 HUGHES WAY, EL SEGUNDO, CALIFORNIA (NPDES NO. CAG994004, CI-8882)

We have completed our review of your application for a permit to discharge waste under the National Pollutant Discharge Elimination System (NPDES).

Based on the attached Fact Sheet and other information provided, we have determined that the proposed groundwater discharge meets the conditions to be regulated under Order No. R4-2003-0111, General National Pollutant Discharge Elimination System and Waste Discharge Requirements for Discharges of Groundwater from Construction and Project Dewatering to Surface Waters in Coastal Watersheds of Los Angeles and Ventura Counties, adopted by this Board on August 7, 2003.

Enclosed are your Waste Discharge Requirements, which also serve as your NPDES permit, consisting of Order No. R4-2003-0111 and Monitoring and Reporting Program No. CI-8882. Prior to starting discharge, a representative sample of the effluent must be obtained and analyzed to determine compliance with the discharge limitations. The groundwater discharge flows into the Dominguez Channel. Therefore, the discharge limits in Attachment B of Order No. R4-2003-0111 are not applicable to your discharge.

The Monitoring and Reporting Program requires you to implement the monitoring program on the effective date of coverage under this permit. All monitoring reports should be sent to the Regional Board, <u>ATTN: Information Technology Unit.</u> When submitting monitoring or technical reports to the Regional Board per these requirements, please include a reference to "Compliance File No. CI-8882 and NPDES No. CAG994004", which will assure that the reports are directed to the appropriate file and staff. Also, please do not combine other reports with your monitoring reports. Submit each type of report as a separate document.

In order to avoid future annual fees, please submit written notification when the project has been completed and the permit is no longer needed.

We are sending a copy of Order No. R4-2003-0111 only to the applicant. For those on the mailing list, please refer to the Board Order sent to you previously or download a copy of the Order from our website at http://www.waterboards.ca.gov/losangeles/html/permits/general_permits.html.

California Environmental Protection Agency

If you have any questions, please contact Raul Medina at (213) 620-2160.

Sincerely,

Jonathan S. Bishop Executive Officer

Enclosures:

General NPDES No. CAG994004, Order No. R4-2003-0111 Fact Sheet Monitoring and Reporting Program No. CI-8882

cc: Environmental Protection Agency, Region 9, Permit Section (WTR-5)
U.S. Army Corps of Engineers
U.S. Fish and Wildlife Services, Division of Ecological Services
NOAA, National Marine Fisheries Service
Michael Lauffer, Office of Chief Counsel, State Water Resources Control Board
California Department of Fish and Game, Marine Resources, Region 5
California Department of Health Services, Environmental Branch
Los Angeles County, Department of Public Works, Waste Management Division
Los Angeles County, Department of Health Services
City Manager, City of El Segundo
Lee Solomon, Tetra Tech